Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show [✓] source   [ ] outline   [ ] image report   [Options…]

Check by [text input ▼] [ ] CSS

```
              /><span>Faktura</span>
          </label>
          <label class="checkboxLabel">
            <input
              type="radio"
              name="paymentOption"
              class="paymentCard"
              value="card"
            /><span>Kortbetalning</span>
          </label>
        </div>
        <div class="invoice" id="invoice">
          <label>
            <span>Personnummer:</span>
            <input type="text" id="idNr" placeholder="YY-MM-DD-XXXX" />
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. [Info] **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 4, column 5; to line 4, column 28

   head>↵   <meta charset="UTF-8" />↵   <

2. [Info] **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 5, column 5; to line 5, column 76

   8" />↵   <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵   <

3. [Info] **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 6, column 5; to line 6, column 66

```
0" />↩        <link rel="stylesheet" href="css/style.css" type="text/css" />↩
<
```

4. **Info**   Trailing slash on void elements [has no effect](#) and [interacts badly with](#) [unquoted attribute values](#).

[From line 7, column 5; to line 7, column 65](#)

```
s" />↩        <link rel="preconnect" href="https://fonts.googleapis.com" />↩       <
```

5. **Info**   Trailing slash on void elements [has no effect](#) and [interacts badly with](#) [unquoted attribute values](#).

[From line 8, column 5; to line 8, column 74](#)

```
m" />↩        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin
/>↩        <
```

6. **Info**   Trailing slash on void elements [has no effect](#) and [interacts badly with](#) [unquoted attribute values](#).

[From line 9, column 5; to line 12, column 6](#)

```
in />↩        <link↩        href="https://fonts.googleapis.com/css2?
family=Inter&family=Love+Ya+Like+A+Sister&family=Roboto+Condensed&display=swap
"↩        rel="stylesheet"↩        />↩        <
```

7. **Info**   Trailing slash on void elements [has no effect](#) and [interacts badly with](#) [unquoted attribute values](#).

[From line 13, column 5; to line 16, column 6](#)

```
    />↩        <link↩        rel="stylesheet"↩
href="https://fonts.googleapis.com/css2?
family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@24,400,0,0"↩        />↩        <
```

8. **Warning**   **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

[At line 20, column 11](#)

```
ody>↩        <!-------------------
```

9. **Warning**   **Possible misuse of `aria-label`. (If you disagree with this warning, [file an issue report](#) or send e-mail to www-validator@w3.org.)**

[From line 27, column 9; to line 28, column 11](#)

```
>↩        <span class="material-symbols-outlined" aria-label="Shopping cart
icon."↩        >shoppi
```

10. **Info**   Trailing slash on void elements [has no effect](#) and [interacts badly with](#) [unquoted attribute values](#).

From line 39, column 57; to line 39, column 62

```
 favoriter<br />↵
         ....
```

11. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 40, column 57; to line 40, column 62

```
gonblick. <br />Bläddr
```

12. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 44, column 9; to line 51, column 10

```
↵↵          <img↵          src="./assets/imgs/pexels-leah-kelley-851553.jpg"↵
 .....            ...                                                      .....
alt="Bild på en kaffekopp tagen rakt uppifrån. I kaffekoppen syns kaffe med
ett hjärta av skummad mjölk."↵          class="backgroundImg"↵
                              ...                            .......
```

13. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 53, column 9; to line 60, column 10

```
↵↵          <img↵          src="assets/imgs/pexels-erika-corona-10896046.jpg"↵
 .....            ...                                                       .....
alt="Bild på en espressokopp på fat. I kaffekoppen syns kaffe och ett hjärta
av skummad mjölk."↵          class="contentImg1"↵          loading="lazy"↵
                   ...                             ...                     ...
```

14. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 61, column 9; to line 68, column 10

```
>↵          <img↵          src="assets/imgs/pexels-samson-katt-5255236.jpg"↵
 ...            ...                                                       ...
alt="Bild tagen från sidan, på en rykande kaffekopp som står på en trave
pocketböcker."↵          class="contentImg2"↵          loading="lazy"↵
               ...                             ...                     ...
```

15. **Warning**   **Section lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.**

From line 36, column 7; to line 36, column 35

```
in>↵          <section class="description">↵
   ...                                      ...
```

16. **Warning**   **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

At line 71, column 13

```
>↵↵          <!-------------------
 ...
```

17. **Warning** **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

At line 81, column 13

>↵↵   <!-------------------

18. **Warning** **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

At line 83, column 13

>↵↵   <!-------------------

19. **Warning** **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

At line 95, column 13

>↵↵   <!-------------------

20. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 101, column 11; to line 106, column 12

          <input↵   type="text"↵   id="nameInput"↵
required="required"↵   placeholder="Ditt namn"↵   />↵

21. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 111, column 11; to line 116, column 12

          <input↵   type="text"↵   id="lastnameInput"↵
required="required"↵   placeholder="Efternamn"↵   />↵

22. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 121, column 11; to line 126, column 12

          <input↵   type="text"↵   id="adressInput"↵
required="required"↵   placeholder="Adress"↵   />↵

23. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 131, column 11; to line 136, column 12

          <input↵   type="text"↵   id="zipCodeInput"↵
required="required"↵   placeholder="NNN NN"↵   />↵

24. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 141, column 11; to line 146, column 12

```
          <input↵               type="text"↵          id="cityInput"↵
required="required"↵          placeholder="ORT"↵          />↵
```

25. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 151, column 11; to line 151, column 73

```
          <input type="text" required="required" placeholder="Portkod" />↵
```

26. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 155, column 11; to line 160, column 12

```
          <input↵               type="text"↵          id="phoneNumberInput"↵
required="required"↵          placeholder="Telefonnummer"↵          />↵
```

27. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 165, column 11; to line 170, column 12

```
          <input↵               type="text"↵          id="emailInput"↵
required="required"↵          placeholder="E-postadress"↵          />↵
```

28. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 175, column 11; to line 180, column 12

```
          <input↵               type="text"↵          id="discountInput"↵
required="required"↵          placeholder="Rabattkod"↵          />↵
```

29. **Warning** **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

At line 185, column 13

```
>↵↵         <!-------------------
```

30. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 190, column 13; to line 196, column 14

```
          <input↵               type="radio"↵
name="paymentOption"↵          class="paymentInvoice"↵
value="invoice"↵          checked↵          /><span>
```

31. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 199, column 13; to line 204, column 14](#)

```
          <input↵                  type="radio"↵
name="paymentOption"↵                class="paymentCard"↵
value="card"↵              /><span>
```

32. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 210, column 13; to line 210, column 71](#)

```
          <input type="text" id="idNr" placeholder="YY-MM-DD-XXXX" />↵
```

33. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 216, column 13; to line 216, column 57](#)

```
          <input type="number" id="creditCardNumber" />↵
```

34. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 221, column 15; to line 226, column 16](#)

```
          <input↵                  type="number"↵
class="small"↵            placeholder="YY"↵
id="creditCardYear"↵                />↵
```

35. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 230, column 15; to line 235, column 16](#)

```
          <input↵                  type="number"↵
class="small"↵            placeholder="MM"↵
id="creditCardMonth"↵               />↵
```

36. **Info** **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 240, column 13; to line 245, column 14](#)

```
          <input↵                  type="number"↵           class="cvc"↵
placeholder="123"↵               id="creditCardCvc"↵              />↵
```

37. **Warning** **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

[At line 251, column 13](#)

```
>↵↵          <!-------------------
```

38.   **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 255, column 11; to line 259, column 12](#)

```
          <input↵                    type="checkbox"↵
required="required"↵          class="personalInformation"↵          />Jag
go
```

39.   **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

[From line 262, column 11; to line 262, column 74](#)

```
          <input type="checkbox" class="newsletterConfirmation" checked
/>Ja,↵
```

40.   **Warning**   **The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.**

[At line 288, column 11](#)

```
-->↵↵          <!-------------------
```

Document checking completed.

Source

```
 1.  <!DOCTYPE html>↵
 2.  <html lang="en">↵
 3.    <head>↵
 4.      <meta charset="UTF-8" />↵
 5.      <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵
 6.      <link rel="stylesheet" href="css/style.css" type="text/css" />↵
 7.      <link rel="preconnect" href="https://fonts.googleapis.com" />↵
 8.      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />↵
 9.      <link↵
10.        href="https://fonts.googleapis.com/css2?
    family=Inter&family=Love+Ya+Like+A+Sister&family=Roboto+Condensed&display=swap"
    ↵
11.        rel="stylesheet"↵
12.      />↵
13.      <link↵
14.        rel="stylesheet"↵
15.        href="https://fonts.googleapis.com/css2?
    family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@24,400,0,0"↵
16.      />↵
17.      <title>Teas koppar</title>↵
18.    </head>↵
19.    <body>↵
20.      <!----------------------------------- HEADER -----------------------
    ------------------------>↵
21.      <header>↵
22.        <div class="title">↵
23.          <h1>Teas koppar</h1>↵
24.          <span class="slogan">- där varje kopp rymmer en stund av glädje!
    </span>↵
```

```
25.         </div>↵
26.         <div class="basket">↵
27.             <span class="material-symbols-outlined" aria-label="Shopping cart
    icon."↵
28.             >shopping_cart</span>↵
29.             >↵
30.             <div class="amount">↵
31.                 <span class="basketAmount">0</span>↵
32.             </div>↵
33.         </div>↵
34.     </header>↵
35.     <main>↵
36.         <section class="description">↵
37.             <p class="descriptionText">↵
38.                 Här hittar du ett handplockat urval av koppar för alla tillfällen.↵
39.                 Från eleganta klassiker till moderna favoriter<br />↵
40.                 - vi har något för alla smaker och ögonblick. <br />Bläddra i vårt↵
41.                 sortiment och hitta din favorit!↵
42.             </p>↵
43. ↵
44.             <img↵
45.                 src="./assets/imgs/pexels-leah-kelley-851553.jpg"↵
46.                 alt="Bild på en kaffekopp tagen rakt uppifrån. I kaffekoppen syns
    kaffe med ett hjärta av skummad mjölk."↵
47.                 class="backgroundImg"↵
48.                 loading="lazy"↵
49.                 height="1365"↵
50.                 width="2048"↵
51.             />↵
52. ↵
53.             <img↵
54.                 src="assets/imgs/pexels-erika-corona-10896046.jpg"↵
55.                 alt="Bild på en espressokopp på fat. I kaffekoppen syns kaffe och ett
    hjärta av skummad mjölk."↵
56.                 class="contentImg1"↵
57.                 loading="lazy"↵
58.                 height="1536"↵
59.                 width="2048"↵
60.             />↵
61.             <img↵
62.                 src="assets/imgs/pexels-samson-katt-5255236.jpg"↵
63.                 alt="Bild tagen från sidan, på en rykande kaffekopp som står på en
    trave pocketböcker."↵
64.                 class="contentImg2"↵
65.                 loading="lazy"↵
66.                 height="1365"↵
67.                 width="2047"↵
68.             />↵
69.         </section>↵
70. ↵
71.         <!------------------------------------ PRODUCTS ---------------------
    ------------------------>↵
72. ↵
73.         <div class="teacups">↵
74.             <h2>Sortiment</h2>↵
75.             <div id="sort" class="sort"><!-- Sorteringsknappar här --></div>↵
76.             <div id="teacupContainer" class="teacupContainer">↵
77.                 <!--Tekopparna här-->↵
78.             </div>↵
79.         </div>↵
80. ↵
81.         <!------------------------------------ TEST ---------------------
    ------------------------>↵
82. ↵
83.         <!------------------------------------ BASKET ---------------------
    ------------------------>↵
84. ↵
85.         <div id="shoppingCart">↵
86.             <h2>Varukorg</h2>↵
87. ↵
88.             <div class="teacupsInCart emptyCart">Varukorgen är tom.</div>↵
```

```
89.         <div class="discounts"></div>↵
90.         <div class="shippingAndSum"></div>↵
91.   ↵
92.         <!--Varukorgen här-->↵
93.       </div>↵
94.   ↵
95.       <!------------------------------------ FORM -----------------------
      ----------------------->↵
96.   ↵
97.       <h2>Kunduppgifter</h2>↵
98.       <form>↵
99.         <label>↵
100.          Förnamn:↵
101.          <input↵
102.            type="text"↵
103.            id="nameInput"↵
104.            required="required"↵
105.            placeholder="Ditt namn"↵
106.          />↵
107.          <span class="firstNameError"></span>↵
108.        </label>↵
109.        <label>↵
110.          Efternamn:↵
111.          <input↵
112.            type="text"↵
113.            id="lastnameInput"↵
114.            required="required"↵
115.            placeholder="Efternamn"↵
116.          />↵
117.          <span class="lastNameError"></span>↵
118.        </label>↵
119.        <label>↵
120.          Adress:↵
121.          <input↵
122.            type="text"↵
123.            id="adressInput"↵
124.            required="required"↵
125.            placeholder="Adress"↵
126.          />↵
127.          <span class="adressError"></span>↵
128.        </label>↵
129.        <label>↵
130.          Postnummer:↵
131.          <input↵
132.            type="text"↵
133.            id="zipCodeInput"↵
134.            required="required"↵
135.            placeholder="NNN NN"↵
136.          />↵
137.          <span class="zipCodeError"></span>↵
138.        </label>↵
139.        <label>↵
140.          Postort:↵
141.          <input↵
142.            type="text"↵
143.            id="cityInput"↵
144.            required="required"↵
145.            placeholder="ORT"↵
146.          />↵
147.          <span class="cityError"></span>↵
148.        </label>↵
149.        <label>↵
150.          Portkod:↵
151.          <input type="text" required="required" placeholder="Portkod" />↵
152.        </label>↵
153.        <label>↵
154.          Telefonnummer:↵
155.          <input↵
156.            type="text"↵
157.            id="phoneNumberInput"↵
158.            required="required"↵
```

```
159.          placeholder="Telefonnummer"↵
160.        />↵
161.        <span class="phoneNumberError"></span>↵
162.      </label>↵
163.      <label>↵
164.        E-postadress:↵
165.        <input↵
166.          type="text"↵
167.          id="emailInput"↵
168.          required="required"↵
169.          placeholder="E-postadress"↵
170.        />↵
171.        <span class="emailError"></span>↵
172.      </label>↵
173.      <label>↵
174.        Rabattkod:↵
175.        <input↵
176.          type="text"↵
177.          id="discountInput"↵
178.          required="required"↵
179.          placeholder="Rabattkod"↵
180.        />↵
181.        <span class="discountError"></span>↵
182.      </label>↵
183.    </form>↵
184.  ↵
185.      <!------------------------------------ PAYMENT OPTIONS ----------------
      ----------------------------->↵
186.  ↵
187.      <div class="payment">↵
188.        <div class="paymentChoice">↵
189.          <label class="checkboxLabel checkboxLabelInvoice">↵
190.            <input↵
191.              type="radio"↵
192.              name="paymentOption"↵
193.              class="paymentInvoice"↵
194.              value="invoice"↵
195.              checked↵
196.            /><span>Faktura</span>↵
197.          </label>↵
198.          <label class="checkboxLabel">↵
199.            <input↵
200.              type="radio"↵
201.              name="paymentOption"↵
202.              class="paymentCard"↵
203.              value="card"↵
204.            /><span>Kortbetalning</span>↵
205.          </label>↵
206.        </div>↵
207.        <div class="invoice" id="invoice">↵
208.          <label>↵
209.            <span>Personnummer:</span>↵
210.            <input type="text" id="idNr" placeholder="YY-MM-DD-XXXX" />↵
211.          </label>↵
212.        </div>↵
213.        <div class="card hidden" id="card">↵
214.          <label>↵
215.            <span>Kortnummer:</span>↵
216.            <input type="number" id="creditCardNumber" />↵
217.          </label>↵
218.          <div class="dateInfo">↵
219.            <label>↵
220.              <span>Datum</span>↵
221.              <input↵
222.                type="number"↵
223.                class="small"↵
224.                placeholder="YY"↵
225.                id="creditCardYear"↵
226.              />↵
227.              /↵
228.            </label>↵
```

```
229.            <label>↵
230.              <input↵
231.                type="number"↵
232.                class="small"↵
233.                placeholder="MM"↵
234.                id="creditCardMonth"↵
235.              />↵
236.            </label>↵
237.          </div>↵
238.          <label>↵
239.            <span>CVC</span>↵
240.            <input↵
241.              type="number"↵
242.              class="cvc"↵
243.              placeholder="123"↵
244.              id="creditCardCvc"↵
245.            />↵
246.          </label>↵
247.        </div>↵
248.      </div>↵
249.      <div class="errorMsg"><!--Felmeddelanden här!--></div>↵
250. ↵
251.      <!------------------------------------ CHECKBOXES ----------------------
--------------------------->↵
252. ↵
253.      <div class="checkboxesInformation">↵
254.        <label class="checkboxLabel">↵
255.          <input↵
256.            type="checkbox"↵
257.            required="required"↵
258.            class="personalInformation"↵
259.          />Jag godkänner hantering av personupppgifter↵
260.        </label>↵
261.        <label class="checkboxLabel">↵
262.          <input type="checkbox" class="newsletterConfirmation" checked />Ja,↵
263.          tack! Jag vill gärna få ert nyhetsbrev↵
264.        </label>↵
265.      </div>↵
266.      <div class="formBtns">↵
267.        <button type="submit" class="orderBtn" disabled>Beställ</button>↵
268.        <button type="reset" class="resetBtn">Avbryt order</button>↵
269.      </div>↵
270. ↵
271.      <div class="confirmationMsgContainer">↵
272.        <div class="orderConfirmationMsg hidden">↵
273.          <!-- Orderbekräftelse här -->↵
274.        </div>↵
275.      </div>↵
276.    </main>↵
277.    <footer>↵
278.      <div class="contact">↵
279.        <h2>Kontakt</h2>↵
280.        <p class="email">hello@teaskoppar.se</p>↵
281.        <p class="adress">Gamla söder 11</p>↵
282.        <p class="city">Telunda</p>↵
283.        <p class="telephoneNumber">011 - 12 23 45</p>↵
284.      </div>↵
285.    </footer>↵
286.    <!-- Footer med kontaktuppgifter? -->↵
287. ↵
288.      <!---------------------------------------- SCRIPT-------------------------
--------------------------->↵
289.    <script src="js/script.js"></script>↵
290.  </body>↵
291. </html>↵
292.
```

Used the HTML parser.

Total execution time 27 milliseconds.