

ICP Final Project Report

Project Title: Kdrama Recommendation System

Student detail 1

Name: Syeda Mobashira Khan

ID: 252028

AUW Email: auw252028@auw.edu.bd

Student detail 2

Name: Shohorat Rifah Hoque

ID: 252037

AUW Email: auw252037@auw.edu.bd

Submission Date :
13th August,2026

1. Abstract

The K-Drama Recommendation System is a C programming project designed to help newbies identify which Korean drama genre/show they should start watching. Many new viewers find it difficult to choose among genres such as romance, thriller, comedy, fantasy, historical, slice-of-life etc. – not to mention the endless options for each of these. This program solves this problem by asking users a series of preference-based questions and recommending both genre and show that best matches their interests. This project demonstrates the use of functions, conditional statements, loops, and arrays. The main goal of the project is to provide a simple yet fun and interactive recommendation system while applying fundamental programming concepts learned in the course.

2. Introduction

Korean dramas have become one of the most popular forms of entertainment worldwide due to their unique storytelling and diverse themes. However, beginners often find it difficult to decide which drama they should watch first. Some people enjoy romance, while others prefer mystery, fantasy, or historical stories. This project was developed as a beginner-friendly recommendation tool that guides users toward a suitable starting genre with shows that best fits their taste. The program asks a series of questions related to entertainment choices and recommends beginner-friendly genre and kdramas. This project helped demonstrate basic C programming concepts such as arrays, loops, functions, and conditional statements.

3. Methodology / Implementation

The project was implemented using the C programming language. It begins by asking the user to enter their name and displays a welcome message to create an interactive experience. It then presents five multiple-choice questions - each containing three options (A, B, and C). A separate function named 'get_answer()' is used to accept and validate user input, ensuring that only valid responses are entered and automatically converting lowercase letters to uppercase when necessary. Each answer is stored in a character array called 'decisions', and an index variable is used to keep track of the responses. After all questions have been answered, the 'score()' function is called to count the number of A, B, and C responses using a for loop. The program then compares the scores using if-else statements and recommends one of three categories of K-dramas: mystery/thriller, romance/comedy, or adventure/fantasy. Finally, it displays three beginner-friendly K-drama recommendations from the selected category. The project demonstrates fundamental C programming concepts, including functions, arrays, loops, conditional statements, character handling, and input/output operations while providing a simple and engaging recommendation system for new K-drama viewers.

4. Results / Output

Code :



css50



```
1 #include <stdio.h>
2
3 void score(const char answers[], int n)
4 {
5     int a = 0, b = 0, c = 0;
6
7     for (int i = 0; i < n; i++) {
8         if (answers[i] == 'A')
9             a++;
10        else if (answers[i] == 'B')
11            b++;
12        else if (answers[i] == 'C')
13            c++;
14    }
15
16    printf("\n\nQuiz results:\n");
17    printf("A answers: %d\nB answers: %d\nC answers: %d\n", a, b, c);
18
19    if (a >= b && a >= c)
20        printf("You should try mystery or thriller K-dramas 0_0\n"
21               "Some good ones are:\n"
22               "1) Strangers From Hell\n"
23               "2) Flower Of Evil\n"
24               "3) Mouse\n");
25    else if (b >= a && b >= c)
26        printf("You need to try balanced romance and comedy K-dramas ^_^\n")
```





Underst



C Exam



C progr



Online C



Online



potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut



pointer1.c



pointprac2.c



finalsprac.c



finprac2.c



final_



CS50



```
25     else if (b >= a && b >= c)
26         printf("You need to try balanced romance and comedy K-dramas!\n");
27         printf("Fan favorites are:\n");
28         printf("1) Lovely Runner\n");
29         printf("2) Hometown Cha Cha Cha\n");
30         printf("3) True Beauty\n");
31     else
32         printf("Try adventurous K-dramas! >u<\n");
33         printf("Some fan favorites are:\n");
34         printf("1) Moving\n");
35         printf("2) Twinkling Watermelon\n");
36         printf("3) The Trauma Code\n");
37 }
38
39 char get_answer(void)
40 {
41     char answer;
42
43     do {
44         printf("Enter A, B, or C: ");
45         scanf(" %c", &answer);
46
47         if (answer >= 'a' && answer <= 'c')
48             answer -= 'a' - 'A';
49
50         if (answer != 'A' && answer != 'B' && answer != 'C')
```

27°



Search





Underst



C Exam



C progr



Online C



Online



potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut



pointer1.c

pointprac2.c

finalsprac.c

finprac2.c

final_



CS50



```
50         if (answer != 'A' && answer != 'B' && answer != 'C')
51             printf("Invalid answer. Please try again.\n");
52     } while (answer != 'A' && answer != 'B' && answer != 'C');
53
54     return answer;
55 }
56
57 int main(void)
58 {
59     char name[30];
60     char decisions[5];
61     int i = 0;
62     char ans;
63
64     printf("What's your name?\n");
65     scanf("%29s", name);
66
67     printf(
68         "Hi %s!\n"
69         "Are you a kdrama world newbie?\n"
70         "You want to start watching.....\n"
71         "but don't know where to start?\n"
72         "Look no further because you're in \n"
73         "the right place!\n"
74         "Take this short and fun little quiz to get recommended\n"
75         "the top three kdramas for YOU <3\n")
```

27°



Search



Underst x

C Exam x

C progr x

Online C x

Online

potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut

pointer1.c pointprac2.c finalsprac.c finprac2.c final_

```
74      "Take this short and fun little quiz to get recommended\n"
75      "the top three kdramas for YOU <3\n"
76      "(TB: This quiz uses terms used by Asian millennials and o
77      name
78  );
79
80  printf(
81      "1) To start off, let's play around with some familiar name
82      "Would you consider yourself:\n"
83      "A) A reserved Rokina\n"
84      "B) A calm Kamal\n"
85      "C) A brave Babul\n"
86  );
87  ans = get_answer();
88  decisions[i++] = ans;
89
90  if (ans == 'A')
91      printf("Ooh! You did seem quite sophisticated!\n");
92  else if (ans == 'B')
93      printf("Need you ('Kamal') during finals! >_<\n");
94  else
95      printf("You know what's brave? Me choosing this idea for t
96
97  printf(
98      "\n2) When you see romance on screen, do you:\n"
99      "A) Feel your skin crawl and want to throw up.\n"
```

27°

Search



Underst



C Exam



C progr



Online C



Online



potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut



pointer1.c

pointprac2.c

finalsprac.c

finprac2.c

final_



CS50



```
100         "B) Worry that a family member will walk into the room :0\
101         "C) Feel euphoric like the song 'Life is worth living' by
102     );
103     ans = get_answer();
104     decisions[i++] = ans;
105
106     if (ans == 'A')
107         printf("So not a fan of romance, got it.\nThis narrowed th
108     else if (ans == 'B')
109         printf("PDA is a no-no in your house then, got it!\n");
110     else
111         printf("You're a hopeless romantic then, got it!\n");
112
113     printf(
114         "\n3) If you hear a sudden loud noise in your house late a
115         "A) Become the most religious person in the world\n"
116         "B) Head towards the noise to check it out (psycho behavior
117         "C) Think logically about what could've made the noise.\n"
118     );
119     ans = get_answer();
120     decisions[i++] = ans;
121
122     if (ans == 'A')
123         printf("Absolutely valid reaction.\n");
124     else if (ans == 'B')
125         printf("If this was a movie you'd be the first character t
```

27°



Search





Underst



C Examp



C progr



Online C



Online



potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut



pointer1.c

pointprac2.c

finalsprac.c

finprac2.c

final_



CS50



```
124     else if (ans == 'B')
125         printf("If this was a movie you'd be the first character to
126     else
127         printf("You're definitely a trusted adult. I'll call you w
128
129     printf(
130         "\n4) Your friend comes up to you and tells you to join the
131         "How would you react?\n"
132         "A) Say 'no Diva, I have a curfew'\n"
133         "B) Ask them to provide somewhat of a plan\n"
134         "C) Start leading the way before them.\n"
135     );
136     ans = get_answer();
137     decisions[i++] = ans;
138
139     if (ans == 'A')
140         printf("Cinderella, it's fine.\n");
141     else if (ans == 'B')
142         printf("Hey, nothing's wrong with some spontaneity, amirite
143     else
144         printf("Adrenaline lover! Got it.\n");
145
146     printf(
147         "\n5) Do you care a lot about the emotional depth of chara
148         "or are you someone who watches fiction just for fun?\n"
149         "A) Shallow characters are painful to watch!\n"
```



27°



Search





Underst



C Examp



C progr



Online C



Online



potential-space-spoon-qv7qp4jjjwr9f9g79.github.dev/?aut



pointer1.c

pointprac2.c

finalsprac.c

finprac2.c

final_



CS50



```
145
146     printf(
147         "\n5) Do you care a lot about the emotional depth of chara
148         "or are you someone who watches fiction just for fun?\n"
149         "A) Shallow characters are painful to watch!\n"
150         "B) I can enjoy all sorts of characters.\n"
151         "C) Who cares about depth? If the show is fun, I'll watch :
152     );
153     ans = get_answer();
154     decisions[i++] = ans;
155
156     if (ans == 'A')
157         printf("I agree!\n");
158     else if (ans == 'B')
159         printf("That's an admirable trait, bestie.\n");
160     else
161         printf("Yeah, sometimes fun matters more to me too.\n");
162
163     score(decisions, i);
164
165     return 0;|
166 }
167
```



27°



Search



Standard Input & Output :

```
=====KDRAMA RECS FOR NEWBIES!=====
.....
What's your name?
Rifah
Hi Rifah!
Are you a kdrama world newbie?
Look no further because you're in the right place!
Take this short and fun quiz to get recommended
the top three kdramas for YOU <3
(N.B: This quiz uses terms used by Asian millennials and older GenZ)

.....
.....
1) To start off, let's play around with some familiar names.
Would you consider yourself:
A) A reserved Rokina
B) A calm Kamal
C) A brave Babul
.....
Enter A, B, or C: C
You know what's brave? Me choosing this idea for the project T_T
.....

2) When you see romance on screen, do you:
A) Feel your skin crawl and want to throw up.
B) Worry that a family member will walk into the room :0
C) Feel euphoric like the song 'Life is worth living' by Justin Bieber.
.....
```

.....

Enter A, B, or C: B

PDA is a no-no in your house then, got it!

.....

3) If you hear a sudden loud noise in your house late at night, would you:

A) Become the most religious person in the world

B) Head towards the noise to check it out (psycho behaviour)

C) Think logically about what could've made the noise.

.....

Enter A, B, or C: C

You're definitely a trusted adult. I'll call you when I get into trouble.

.....

4) Your friend comes up to you and tells you to join them on an adventure.
How would you react?

A) Say 'no Diva, I have a curfew'

B) Ask them to provide somewhat of a plan

C) Start leading the way before them.

.....

Enter A, B, or C: A

Cinderella, it's fine.

.....

5) Do you care a lot about the emotional depth of characters,
or are you someone who watches fiction just for fun?

A) Shallow characters are painful to watch!

B) I can enjoy all sorts of characters.

C) Start leading the way before them.

.....

Enter A, B, or C: A

Cinderella, it's fine.

.....

5) Do you care a lot about the emotional depth of characters,
or are you someone who watches fiction just for fun?

A) Shallow characters are painful to watch!

B) I can enjoy all sorts of characters.

C) Who cares about depth? If the show is fun, I'll watch it.

.....

Enter A, B, or C: A

I agree!

====Quiz results====:

A answers: 2

B answers: 1

C answers: 2

.....

You should try mystery or thriller K-dramas 0_0

Some good ones are:

1) Strangers From Hell

2) Flower Of Evil

3) Mouse

.....

\$

5. Challenges and Limitations

One challenge we faced while developing this program was designing questions in a fun and unique way that also clearly represented different K-drama genres. Another challenge was ensuring that the scoring system produced reasonable recommendations for different users. This project also has a few limitations:

- It recommends only one genre at a time.
- It contains a limited number of genres and questions.

6. Conclusion and Discussion

The K-Drama Recommendation System successfully achieved its objective of helping beginners discover suitable K-drama genre along with suggesting kdramas. The project demonstrates the practical application of arrays, loops, functions, and conditional statements in C programming. It also provides an interactive user experience through a simple questionnaire. Developing this project improved understanding of user input handling, program structure, and decision-making logic in C.

7. Future Work

The project can be improved in several ways in future :

- More genres such as action, horror, historical, slice-of-life etc. could be added.
- We can increase the number of questions for more accurate recommendations.
- Allowing users to receive multiple genre recommendations ranked by score.

8. References

No external sources were used for the implementation of this program. The project was developed using the fundamental concept of the C programming language.

9. Individual Contributions

Shohorat : I was responsible for the main programming and implementation of the K-Drama Recommendation System. My contributions included designing the overall program structure, creating the quiz questions, implementing the main() function, and writing the user interaction section. In addition, I prepared the Abstract, Introduction, Methodology/Implementation, and Conclusion sections of the project report.

Mobashira : I was responsible for the recommendation logic and documentation support of the K-Drama Recommendation System. My contributions included developing the score() function to calculate the number of A, B, and C responses and generate personalized K-drama recommendations based on the user's answers. I also assisted in selecting beginner-friendly K-drama recommendations for each category and tested the program with different inputs to verify correct output. For the project report, I prepared the Results/Output, Challenges and Limitations, Future Work, References, and Individual Contributions sections, collected screenshots of the program code, input and output, reviewed the final report for formatting and consistency, and helped finalize the report before submission.