

# Bibliography

- [1] *active learning*. 2019. URL: <https://www.investopedia.com/terms/s/standarddeviation.asp>.
- [2] *ACTIVE LEARNING INTRODUCTION*. 2020. URL: <https://zhuanlan.zhihu.com/p/239756522>.
- [3] Bezdek, James C., Ehrlich, Robert, and Full, William. “FCM: The fuzzy c-means clustering algorithm”. In: *Computers Geosciences* 10.2 (1984), pp. 191–203. ISSN: 0098-3004. DOI: [https://doi.org/10.1016/0098-3004\(84\)90020-7](https://doi.org/10.1016/0098-3004(84)90020-7). URL: <https://www.sciencedirect.com/science/article/pii/0098300484900207>.
- [4] Deng, Jia, Dong, Wei, Socher, Richard, Li, Li-Jia, Li, Kai, and Fei-Fei, Li. “ImageNet: A large-scale hierarchical image database”. In: *2009 IEEE Conference on Computer Vision and Pattern Recognition*. 2009, pp. 248–255. DOI: 10.1109/CVPR.2009.5206848.
- [5] *FNN*. 2019. URL: <https://www.cnblogs.com/Luv-GEM/p/10694471.html>.
- [6] Friedman, Milton. “The use of ranks to avoid the assumption of normality implicit in the analysis of variance”. In: *Journal of the american statistical association* 32.200 (1937), pp. 675–701.
- [7] Ghosh, Soumi and Dubey, Sanjay Kumar. “Comparative analysis of k-means and fuzzy c-means algorithms”. In: *International Journal of Advanced Computer Science and Applications* 4.4 (2013).
- [8] Gissin, Daniel and Shalev-Shwartz, Shai. “Discriminative active learning”. In: *arXiv preprint arXiv:1907.06347* (2019).
- [9] He, Kaiming, Zhang, Xiangyu, Ren, Shaoqing, and Sun, Jian. “Deep residual learning for image recognition”. In: *Proceedings of the IEEE conference on computer vision and pattern recognition*. 2016, pp. 770–778.

- [10] Horne, Jim A and Reyner, Louise A. “Sleep related vehicle accidents”. In: *Bmj* 310.6979 (1995), pp. 565–567.
- [11] Hutchinson, Matthew S. and Gadepally, Vijay N. “Video Action Understanding”. In: *IEEE Access* 9 (2021), pp. 134611–134637. ISSN: 2169-3536. DOI: 10.1109/access.2021.3115476. URL: <http://dx.doi.org/10.1109/ACCESS.2021.3115476>.
- [12] Karamcheti, S. and Krishna, R. “Mind Your Outliers! Investigating the Negative Impact of Outliers on Active Learning for Visual Question Answering”. In: *CoRR* abs/2107.02331 (2021). arXiv: 2107.02331. URL: <https://arxiv.org/abs/2107.02331>.
- [13] Li, Xin and Guo, Yuhong. “Adaptive active learning for image classification”. In: *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. 2013, pp. 859–866.
- [14] Limin, Wang, Yuanjun, Xiong, Zhe, Wang, Yu, Qiao, Dahua, Lin, Xiaoou, Tang, and Luc, Van Gool. “Temporal Segment Networks: Towards Good Practices for Deep Action Recognition”. In: *Computer Vision – ECCV 2016*. Ed. by Leibe Bastian, Matas Jiri, Nicu Sebe, and Max Welling. Cham: Springer International Publishing, 2016, pp. 20–36. ISBN: 978-3-319-46484-8.
- [15] *linear transformation*. 2021. URL: <https://pytorch.org/docs/stable/generated/torch.nn.Linear.html/>.
- [16] Roy, Nicholas and McCallum, Andrew. “Toward optimal active learning through monte carlo estimation of error reduction”. In: *ICML, Williamstown 2* (2001), pp. 441–448.
- [17] Settles, Burr. “Active Learning Literature Survey”. In: *journaltitle* (2009).
- [18] Settles, Burr, Craven, Mark, and Ray, Soumya. “Multiple-instance active learning”. In: *Advances in neural information processing systems* 20 (2007), pp. 1289–1296.
- [19] Sharma, Ramirez-Loaiza M.E. and al., M. Kumar G. et. “Active learning: an empirical study of common baselines”. In: *Data Min Knowl Disc* 31, 287–313 (2017). (2016).
- [20] Simonyan, Karen and Zisserman, Andrew. “Two-stream convolutional networks for action recognition in videos”. In: *arXiv preprint arXiv:1406.2199* (2014).

- [21] Tran, Du, Bourdev, Lubomir, Fergus, Rob, Torresani, Lorenzo, and Paluri, Manohar. “Learning Spatiotemporal Features With 3D Convolutional Networks”. In: *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*. Dec. 2015.
- [22] Wang, Keze, Zhang, Dongyu, Li, Ya, Zhang, Ruimao, and Lin, Liang. “Cost-Effective Active Learning for Deep Image Classification”. In: *IEEE Transactions on Circuits and Systems for Video Technology* 27.12 (2017), pp. 2591–2600. DOI: 10.1109/TCSVT.2016.2589879.
- [23] *What is a Confusion Matrix in Machine Learning*. 2021. URL: <https://machinelearningmastery.com/confusion-matrix-machine-learning/>.
- [24] Wikipedia contributors. *Convolutional neural network — Wikipedia, The Free Encyclopedia*. [https://en.wikipedia.org/w/index.php?title=Convolutional\\_neural\\_network&oldid=1054217311](https://en.wikipedia.org/w/index.php?title=Convolutional_neural_network&oldid=1054217311). [Online; accessed 10-December-2021]. 2021.
- [25] Wikipedia contributors. *Friedman test — Wikipedia, The Free Encyclopedia*. [Online; accessed 6-January-2022]. 2021. URL: [https://en.wikipedia.org/w/index.php?title=Friedman\\_test&oldid=1033975913](https://en.wikipedia.org/w/index.php?title=Friedman_test&oldid=1033975913).
- [26] Yang, Yazhou and Loog, Marco. “A benchmark and comparison of active learning for logistic regression”. In: *Pattern Recognition* 83 (2018), pp. 401–415. ISSN: 0031-3203. DOI: <https://doi.org/10.1016/j.patcog.2018.06.004>. URL: <https://www.sciencedirect.com/science/article/pii/S0031320318302140>.