

# References

- [1] I. Maglogiannis, *Emerging Artificial Intelligence Applications in Computer Engineering: Real Word AI Systems with Applications in EHealth, HCI, Information Retrieval and Pervasive Technologies*, ser. Frontiers in artificial intelligence and applications. IOS Press, 2007. [Online]. Available: [https://books.google.se/books?id=vLiTXDHr\\_sYC](https://books.google.se/books?id=vLiTXDHr_sYC)
- [2] L. Wang, *Support Vector Machines: Theory and Applications*, ser. Studies in Fuzziness and Soft Computing. Springer Berlin Heidelberg, 2005. [Online]. Available: <https://books.google.se/books?id=uTzMPJjVjsMC>
- [3] A. Ben-Hur and J. Weston, *A User's Guide to Support Vector Machines*. Totowa, NJ: Humana Press, 2010, pp. 223–239. [Online]. Available: [https://doi.org/10.1007/978-1-60327-241-4\\_13](https://doi.org/10.1007/978-1-60327-241-4_13)
- [4] E. García-Gonzalo, Z. Fernández-Muñiz, P. J. Garcia Nieto, A. Sánchez, and M. Menéndez, “Hard-rock stability analysis for span design in entry-type excavations with learning classifiers,” *Materials*, vol. 9, p. 531, 06 2016.
- [5] N. Gupta, “Artificial neural network,” *Network and Complex Systems*, vol. 3, no. 1, pp. 24–28, 2013.
- [6] Z. Zhang, *Artificial Neural Network*. Cham: Springer International Publishing, 2018, pp. 1–35. [Online]. Available: [https://doi.org/10.1007/978-3-319-67340-0\\_1](https://doi.org/10.1007/978-3-319-67340-0_1)
- [7] F. Bre, J. Gimenez, and V. Fachinotti, “Prediction of wind pressure coefficients on building surfaces using artificial neural networks,” *Energy and Buildings*, vol. 158, 11 2017.
- [8] S. Agatonovic-Kustrin and R. Beresford, “Basic concepts of artificial neural network (ann) modeling and its application in pharmaceuti-

- cal research,” *Journal of Pharmaceutical and Biomedical Analysis*, vol. 22, no. 5, pp. 717–727, 2000. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0731708599002721>
- [9] S. Sapna, A. Tamilarasi, M. P. Kumar *et al.*, “Backpropagation learning algorithm based on levenberg marquardt algorithm,” *Comp Sci Inform Technol (CS and IT)*, vol. 2, pp. 393–398, 2012.
- [10] G. Biau and E. Scornet, “A random forest guided tour,” *Test*, vol. 25, no. 2, pp. 197–227, 2016.
- [11] A. Paul, D. P. Mukherjee, P. Das, A. Gangopadhyay, A. R. Chintla, and S. Kundu, “Improved random forest for classification,” *IEEE Transactions on Image Processing*, vol. 27, no. 8, pp. 4012–4024, 2018.
- [12] T. M. Oshiro, P. S. Perez, and J. A. Baranauskas, “How many trees in a random forest?” in *Machine Learning and Data Mining in Pattern Recognition*, P. Perner, Ed. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012, pp. 154–168.
- [13] J. Yang, G. Qin, P. Tang, Shen, Liu, and S. Gao, “Delineation of urban growth boundaries using a patch-based cellular automata model under multiple spatial and socio-economic scenarios,” *Sustainability*, vol. 11, p. 6159, 11 2019.
- [14] E. Kalapanidas, N. Avouris, M. Craciun, and D. Neagu, “Machine learning algorithms: a study on noise sensitivity,” 01 2003.
- [15] X. Zhu and X. Wu, “Class noise vs. attribute noise: A quantitative study of their impacts,” vol. 22, no. 3, p. 177–210, Nov. 2004.
- [16] J. A. Sáez, J. Luengo, and F. Herrera, “Evaluating the classifier behavior with noisy data considering performance and robustness: The equalized loss of accuracy measure,” *Neurocomputing*, vol. 176, 05 2015.
- [17] D. Hendrycks, M. Mazeika, D. Wilson, and K. Gimpel, “Using trusted data to train deep networks on labels corrupted by severe noise,” *CoRR*, vol. abs/1802.05300, 2018. [Online]. Available: <http://arxiv.org/abs/1802.05300>
- [18] P. Chen, B. B. Liao, G. Chen, and S. Zhang, “Understanding and utilizing deep neural networks trained with noisy labels,” in *Proceedings of the 36th International Conference on Machine Learning*, ser. Proceedings

- of Machine Learning Research, K. Chaudhuri and R. Salakhutdinov, Eds., vol. 97. PMLR, 09–15 Jun 2019, pp. 1062–1070. [Online]. Available: <http://proceedings.mlr.press/v97/chen19g.html>
- [19] S. Sukhbaatar and R. Fergus, “Learning from noisy labels with deep neural networks,” *arXiv preprint arXiv:1406.2080*, vol. 2, no. 3, p. 4, 2014.
- [20] M. Saberi, A. Azadeh, A. Nourmohammadzadeh, and P. Pazhoheshfar, “Comparing performance and robustness of svm and ann for fault diagnosis in a centrifugal pump,” in *19th International Congress on Modelling and Simulation. Perth, Australia*, 2011.
- [21] V. Rodriguez-Galiano and M. Chica Rivas, “Evaluation of different machine learning methods for land cover mapping of a mediterranean area using multi-seasonal landsat images and digital terrain models,” *International Journal of Digital Earth*, vol. 7, 12 2012.
- [22] M. Hopkins *et al.*, “UCI machine learning repository,” 1999. [Online]. Available: <https://archive.ics.uci.edu/ml/datasets/Spambase?fbclid=IwAR1M5U1f4dOoAECO30cD4sWRxlThVkFY-4w4kopn3h8TUCoc6m0CxB0EfXs>
- [23] Confidential Source, “Stroke prediction dataset,” [https://www.kaggle.com/fedesoriano/stroke-prediction-dataset?select=healthcare-dataset-stroke-data.csv&fbclid=IwAR1NdUp\\_OICmL1NQKRCOpNAGQgHmODENuMRVuNRDfg5WGJS41NR\\_7XsjQqc](https://www.kaggle.com/fedesoriano/stroke-prediction-dataset?select=healthcare-dataset-stroke-data.csv&fbclid=IwAR1NdUp_OICmL1NQKRCOpNAGQgHmODENuMRVuNRDfg5WGJS41NR_7XsjQqc), accessed: 2021-04-01.
- [24] Dr. William H. Wolberg, “Breast cancer wisconsin (original) data set,” [https://archive.ics.uci.edu/ml/datasets/breast+cancer+wisconsin+\(original\)](https://archive.ics.uci.edu/ml/datasets/breast+cancer+wisconsin+(original)), accessed: 2021-04-20.
- [25] Volker Lohweg, “Banknote authentication data set,” <https://archive.ics.uci.edu/ml/datasets/banknote+authentication>, accessed: 2021-04-20.
- [26] N. Beerenwinkel and J. Siebourg, *Probability, Statistics, and Computational Science*. New York, NY: Springer New York, 2019, pp. 33–70. [Online]. Available: [https://doi.org/10.1007/978-1-4939-9074-0\\_2](https://doi.org/10.1007/978-1-4939-9074-0_2)

# Appendix A

## Data Set Specific Results

### A.1 Spambase Data Set




Figure A.1: The diagram shows the accuracy scores as noise levels are increased for the Spambase Data Set.