

# References

- [1] H. Ritchie, E. Mathieu, L. Rodés-Guirao, C. Appel, C. Giattino, E. Ortiz-Ospina, J. Hasell, B. Macdonald, D. Beltekian, and M. Roser, “Coronavirus Pandemic (COVID-19),” *Our World in Data*, Mar. 2020. [Online]. Available: <https://ourworldindata.org/covid-vaccinations> [Page 1.]
- [2] L. Thunström, S. C. Newbold, D. Finnoff, M. Ashworth, and J. F. Shogren, “The Benefits and Costs of Using Social Distancing to Flatten the Curve for COVID-19,” *Journal of Benefit-Cost Analysis*, vol. 11, no. 2, pp. 179–195, 2020. doi: 10.1017/bca.2020.12 Publisher: Cambridge University Press. [Online]. Available: <https://www.cambridge.org/core/journals/journal-of-benefit-cost-analysis/article/benefits-and-costs-of-using-social-distancing-to-flatten-the-curve-for-covid19/204BD93C135EC727FAEFC62E3BE72C3B> [Page 1.]
- [3] R. Allard, “Use of time-series analysis in infectious disease surveillance.” *Bulletin of the World Health Organization*, vol. 76, no. 4, pp. 327–333, 1998. [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2305771/> [Page 2.]
- [4] CSSEGISandData, “COVID-19 Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University,” Sep. 2021, original-date: 2020-02-04T22:03:53Z. [Online]. Available: <https://github.com/CSSEGISandData/COVID-19> [Pages 4, 15, and 51.]
- [5] G. E. P. Box, G. M. Jenkins, G. C. Reinsel, and G. M. Ljung, *Time Series Analysis: Forecasting and Control*. John Wiley & Sons, May 2015. ISBN 978-1-118-67492-5 Google-Books-ID: rNt5CgAAQBAJ. [Page 8.]

- [6] G. P. Zhang, “Time series forecasting using a hybrid ARIMA and neural network model,” *Neurocomputing*, vol. 50, pp. 159–175, Jan. 2003. doi: 10.1016/S0925-2312(01)00702-0. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231201007020> [Pages 8 and 54.]
- [7] V. Kotu and B. Deshpande, “Chapter 12 - Time Series Forecasting,” in *Data Science (Second Edition)*, V. Kotu and B. Deshpande, Eds. Morgan Kaufmann, Jan. 2019, pp. 395–445. ISBN 978-0-12-814761-0. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/B9780128147610000125> [Page 8.]
- [8] J. Contreras, R. Espinola, F. Nogales, and A. Conejo, “ARIMA models to predict next-day electricity prices,” *IEEE Transactions on Power Systems*, vol. 18, no. 3, pp. 1014–1020, Aug. 2003. doi: 10.1109/TPWRS.2002.804943 Conference Name: IEEE Transactions on Power Systems. [Page 8.]
- [9] R. G. Kavasseri and K. Seetharaman, “Day-ahead wind speed forecasting using f-ARIMA models,” *Renewable Energy*, vol. 34, no. 5, pp. 1388–1393, May 2009. doi: 10.1016/j.renene.2008.09.006. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0960148108003327> [Page 8.]
- [10] L. LIU, R. S. LUAN, F. YIN, X. P. ZHU, and Q. LÜ, “Predicting the incidence of hand, foot and mouth disease in Sichuan province, China using the ARIMA model,” *Epidemiology and Infection*, vol. 144, no. 1, pp. 144–151, 2016. doi: 10.1017/S0950268815001144 Edition: 2015/06/01 Publisher: Cambridge University Press. [Online]. Available: <https://www.cambridge.org/core/article/predicting-the-incidence-of-hand-foot-and-mouth-disease-in-sichuan-province-china-using-the-arima-model/81F77C21D67E0CA5D4AB9DF2F25072CE> [Page 9.]
- [11] “Prophet.” [Online]. Available: <http://facebook.github.io/prophet/> [Pages 9 and 30.]
- [12] S. J. Taylor and B. Letham, “Forecasting at scale,” PeerJ Inc., Tech. Rep. e3190v2, Sep. 2017, iSSN: 2167-9843. [Online]. Available: <https://peerj.com/preprints/3190> [Page 9.]
- [13] I. Yenidoğan, A. Çayır, O. Kozan, T. Dağ, and Arslan, “Bitcoin Forecasting Using ARIMA and PROPHET,” in *2018 3rd International*

- Conference on Computer Science and Engineering (UBMK)*, Sep. 2018. doi: 10.1109/UBMK.2018.8566476 pp. 621–624. [Page 10.]
- [14] G. A. Papacharalampous and H. Tyrallis, “Evaluation of random forests and Prophet for daily streamflow forecasting,” in *Advances in Geosciences*, vol. 45. Copernicus GmbH, Aug. 2018. doi: 10.5194/adgeo-45-201-2018 pp. 201–208, iSSN: 1680-7340. [Online]. Available: <https://adgeo.copernicus.org/articles/45/201/2018/> [Page 10.]
- [15] C. Xie, H. Wen, W. Yang, J. Cai, P. Zhang, R. Wu, M. Li, and S. Huang, “Trend analysis and forecast of daily reported incidence of hand, foot and mouth disease in Hubei, China by Prophet model,” *Scientific Reports*, vol. 11, no. 1, p. 1445, Jan. 2021. doi: 10.1038/s41598-021-81100-2. [Online]. Available: <https://doi.org/10.1038/s41598-021-81100-2> [Page 10.]
- [16] S. Hochreiter and J. Schmidhuber, “Long Short-Term Memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, Nov. 1997. doi: 10.1162/neco.1997.9.8.1735 Conference Name: Neural Computation. [Page 10.]
- [17] Z. Huang, W. Xu, and K. Yu, “Bidirectional LSTM-CRF Models for Sequence Tagging,” *arXiv:1508.01991 [cs]*, Aug. 2015, arXiv: 1508.01991. [Online]. Available: <http://arxiv.org/abs/1508.01991> [Page 11.]
- [18] X. SHI, Z. Chen, H. Wang, D.-Y. Yeung, W.-k. Wong, and W.-c. WOO, “Convolutional LSTM Network: A Machine Learning Approach for Precipitation Nowcasting,” in *Advances in Neural Information Processing Systems*, vol. 28. Curran Associates, Inc., 2015. [Online]. Available: <https://proceedings.neurips.cc/paper/2015/hash/07563a3fe3bbe7e3ba84431ad9d055af-Abstract.html> [Page 11.]
- [19] W. Kong, Z. Y. Dong, Y. Jia, D. J. Hill, Y. Xu, and Y. Zhang, “Short-Term Residential Load Forecasting Based on LSTM Recurrent Neural Network,” *IEEE Transactions on Smart Grid*, vol. 10, no. 1, pp. 841–851, Jan. 2019. doi: 10.1109/TSG.2017.2753802 Conference Name: IEEE Transactions on Smart Grid. [Page 11.]
- [20] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Kaiser, and I. Polosukhin, “Attention

- is All you Need,” in *Advances in Neural Information Processing Systems*, vol. 30. Curran Associates, Inc., 2017. [Online]. Available: <https://proceedings.neurips.cc/paper/2017/hash/3f5ee243547dee91fbd053c1c4a845aa-Abstract.html> [Pages ix, 11, 12, and 13.]
- [21] S. Wu, X. Xiao, Q. Ding, P. Zhao, W. Ying, and J. Huang, “Adversarial Sparse Transformer for Time Series Forecasting,” 2020. [Page 13.]
- [22] N. Wu, B. Green, X. Ben, and S. O’Banion, “Deep Transformer Models for Time Series Forecasting: The Influenza Prevalence Case,” *arXiv:2001.08317 [cs, stat]*, Jan. 2020, arXiv: 2001.08317. [Online]. Available: <http://arxiv.org/abs/2001.08317> [Page 13.]
- [23] K. E. ArunKumar, D. V. Kalaga, C. M. S. Kumar, M. Kawaji, and T. M. Brenza, “Forecasting of COVID-19 using deep layer Recurrent Neural Networks (RNNs) with Gated Recurrent Units (GRUs) and Long Short-Term Memory (LSTM) cells,” *Chaos, Solitons & Fractals*, vol. 146, p. 110861, May 2021. doi: 10.1016/j.chaos.2021.110861. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0960077921002149> [Page 13.]
- [24] K. N. Nabi, M. T. Tahmid, A. Rafi, M. E. Kader, and M. A. Haider, “Forecasting COVID-19 cases: A comparative analysis between recurrent and convolutional neural networks,” *Results in Physics*, vol. 24, p. 104137, May 2021. doi: 10.1016/j.rinp.2021.104137. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2211379721002904> [Pages 13 and 53.]
- [25] C. B. Aditya Satrio, W. Darmawan, B. U. Nadia, and N. Hanafiah, “Time series analysis and forecasting of coronavirus disease in Indonesia using ARIMA model and PROPHET,” *Procedia Computer Science*, vol. 179, pp. 524–532, Jan. 2021. doi: 10.1016/j.procs.2021.01.036. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1877050921000417> [Page 14.]
- [26] A. A. Adebiyi, A. O. Adewumi, and C. K. Ayo, “Comparison of ARIMA and Artificial Neural Networks Models for Stock Price Prediction,” *Journal of Applied Mathematics*, vol. 2014, p. 614342, Mar. 2014. doi: 10.1155/2014/614342 Publisher: Hindawi Publishing Corporation. [Online]. Available: <https://doi.org/10.1155/2014/614342> [Page 14.]

- [27] E. Dong, H. Du, and L. Gardner, “An interactive web-based dashboard to track COVID-19 in real time,” *The Lancet Infectious Diseases*, vol. 20, no. 5, pp. 533–534, May 2020. doi: 10.1016/S1473-3099(20)30120-1 Publisher: Elsevier. [Online]. Available: [https://www.thelancet.com/journals/laninf/article/PIIS1473-3099\(20\)30120-1/abstract](https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(20)30120-1/abstract) [Pages 15 and 51.]
- [28] “Time Series Made Easy in Python,” Sep. 2021, original-date: 2018-09-13T15:17:28Z. [Online]. Available: <https://github.com/unit8co/darts> [Pages 27 and 32.]
- [29] “pmdarima: ARIMA estimators for Python — pmdarima 1.8.3 documentation.” [Online]. Available: <http://alkaline-ml.com/pmdarima/> [Page 28.]
- [30] “pandas - Python Data Analysis Library.” [Online]. Available: <https://pandas.pydata.org/> [Page 30.]
- [31] “Keras: the Python deep learning API.” [Online]. Available: <https://keras.io/> [Page 30.]
- [32] O’Malley, Tom, Bursztein, Elie, Long, James, Chollet, François, Jin, Haifeng, and Invernizzi, Luca, “KerasTuner,” Sep. 2021, original-date: 2019-06-06T22:38:21Z. [Online]. Available: <https://github.com/keras-team/keras-tuner> [Page 31.]
- [33] “CUDA Toolkit,” Jul. 2013. [Online]. Available: <https://developer.nvidia.com/cuda-toolkit> [Page 52.]
- [34] G. Zerveas, S. Jayaraman, D. Patel, A. Bhamidipaty, and C. Eickhoff, “A Transformer-based Framework for Multivariate Time Series Representation Learning,” in *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*, ser. KDD ’21. New York, NY, USA: Association for Computing Machinery, Aug. 2021. doi: 10.1145/3447548.3467401. ISBN 978-1-4503-8332-5 pp. 2114–2124. [Online]. Available: <https://doi.org/10.1145/3447548.3467401> [Page 52.]
- [35] I. Padhi, Y. Schiff, I. Melnyk, M. Rigotti, Y. Mroueh, P. Dognin, J. Ross, R. Nair, and E. Altman, “Tabular Transformers for Modeling Multivariate Time Series,” in *ICASSP 2021 - 2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Jun.

2021. doi: 10.1109/ICASSP39728.2021.9414142 pp. 3565–3569, iSSN: 2379-190X. [Page 52.]

- [36] F.-M. Tseng, H.-C. Yu, and G.-H. Tzeng, “Combining neural network model with seasonal time series ARIMA model,” *Technological Forecasting and Social Change*, vol. 69, no. 1, pp. 71–87, Jan. 2002. doi: 10.1016/S0040-1625(00)00113-X. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S004016250000113X> [Page 54.]