

References

- [1] M. Series, “Imt vision–framework and overall objectives of the future development of imt for 2020 and beyond,” *Recommendation ITU*, vol. 2083, p. 0, 2015.
- [2] 3GPP, “Technical specification group services and system aspects; Policy and charging control architecture,” 3rd Generation Partnership Project (3GPP), Technical Specification (TS) 23.203, 2014, version 9.14.0. [Online]. Available: <https://portal.3gpp.org/desktopmodules/Specifications/SpecificationDetails.aspx?specificationId=810>
- [3] J. Rafati and D. C. Noelle, “Learning representations in model-free hierarchical reinforcement learning,” in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 33, no. 01, 2019, pp. 10 009–10 010.
- [4] T. Schaul, J. Quan, I. Antonoglou, and D. Silver, “Prioritized experience replay,” *arXiv preprint arXiv:1511.05952*, 2015.
- [5] Z. Wang, T. Schaul, M. Hessel, H. Hasselt, M. Lanctot, and N. Freitas, “Dueling network architectures for deep reinforcement learning,” in *International conference on machine learning*. PMLR, 2016, pp. 1995–2003.
- [6] P. Gawłowicz and A. Zubow, “Ns-3 meets openai gym: The playground for machine learning in networking research,” in *Proceedings of the 22nd International ACM Conference on Modeling, Analysis and Simulation of Wireless and Mobile Systems*, ser. MSWIM '19. New York, NY, USA: Association for Computing Machinery, 2019. doi: 10.1145/3345768.3355908. ISBN 9781450369046 p. 113–120. [Online]. Available: <https://doi-org.focus.lib.kth.se/10.1145/3345768.3355908>

- [7] O. baselines authors, “RL algorithms user guide,” <https://stable-baselines.readthedocs.io/en/master/guide/algos.html>.
- [8] M. O. Ojijo and O. Falowo, “A survey on slice admission control strategies and optimization schemes in 5g network,” *IEEE Access*, vol. 8, pp. 14 977–14 990, 2020.
- [9] S. Lindståhl, A. Proutiere, and A. Johnsson, “Predictive bandits,” in *2020 59th IEEE Conference on Decision and Control (CDC)*, 2020. doi: 10.1109/CDC42340.2020.9304297 pp. 1170–1176.
- [10] C. Cavdar, “Energy-efficient connection provisioning in wdm optical networks,” in *Optical Fiber Communication Conference*. Optical Society of America, 2011, p. OWI3.
- [11] C. Cavdar, M. Tornatore, F. Buzluca, and B. Mukherjee, “Dynamic scheduling of survivable connections with delay tolerance in wdm networks,” in *IEEE INFOCOM Workshops 2009*. IEEE, 2009, pp. 1–6.
- [12] A. Tarhan and C. Cavdar, “Shared path protection for distance adaptive elastic optical networks under dynamic traffic,” in *2013 5th International Congress on Ultra Modern Telecommunications and Control Systems and Workshops (ICUMT)*. IEEE, 2013, pp. 62–67.
- [13] C. Cavdar, M. Tornatore, and F. Buzluca, “Availability-guaranteed connection provisioning with delay tolerance in optical wdm mesh networks,” in *2009 Conference on Optical Fiber Communication*. IEEE, 2009, pp. 1–3.
- [14] O. Solomon, A. Abdulhakeem, M. Aminu, M. Maniru, and Y. Zaharadeen, “A survey on call admission control schemes in lte,” *International Journal of Computer Science & Engineering Survey (IJCSES)*, October 2019, vol.10, No.4/5.
- [15] M. K. Luka, A. A. Atayero, and O. I. Oshin, “Call admission control techniques for 3gpp lte: A survey,” in *2016 SAI Computing Conference (SAI)*. IEEE, 2016, pp. 691–700.
- [16] A. Johnsson and C. Rohner, “On performance observability in iot systems using active measurements,” in *NOMS 2018-2018 IEEE/IFIP Network Operations and Management Symposium*. IEEE, 2018, pp. 1–5.

- [17] P. Rost, C. Mannweiler, D. S. Michalopoulos, C. Sartori, V. Sciancalepore, N. Sastry, O. Holland, S. Tayade, B. Han, D. Bega, D. Aziz, and H. Bakker, "Network slicing to enable scalability and flexibility in 5g mobile networks," *IEEE Communications Magazine*, vol. 55, no. 5, pp. 72–79, 2017. doi: 10.1109/MCOM.2017.1600920
- [18] A. Azari, M. Ozger, and C. Cavdar, "Risk-aware resource allocation for urlhc: Challenges and strategies with machine learning," *IEEE Communications Magazine*, vol. 57, no. 3, pp. 42–48, 2019.
- [19] M. Ozger, M. Vondra, and C. Cavdar, "Towards beyond visual line of sight piloting of uavs with ultra reliable low latency communication," in *2018 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2018, pp. 1–6.
- [20] A. Azari and C. Cavdar, "Self-organized low-power iot networks: A distributed learning approach," in *2018 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2018, pp. 1–7.
- [21] M. Masoudi, A. Azari, E. A. Yavuz, and C. Cavdar, "Grant-free radio access iot networks: Scalability analysis in coexistence scenarios," in *2018 IEEE International Conference on Communications (ICC)*. IEEE, 2018, pp. 1–7.
- [22] A. Mahmood, M. A. Hossain, C. Cavdar, and M. Gidlund, "Energy-reliability aware link optimization for battery-powered iot devices with nonideal power amplifiers," *IEEE Internet of Things Journal*, vol. 6, no. 3, pp. 5058–5067, 2019.
- [23] M. Jiang, M. Condoluci, and T. Mahmoodi, "Network slicing management & prioritization in 5g mobile systems," in *European Wireless 2016; 22th European Wireless Conference*. VDE, 2016, pp. 1–6.
- [24] B. Statovci-Halimi and A. Halimi, "Qos management through service level agreements: a short overview," *e & i Elektrotechnik und Informationstechnik*, vol. 121, no. 6, pp. 243–246, 2004.
- [25] C. Cavdar, M. Ruiz, P. Monti, L. Velasco, and L. Wosinska, "Design of green optical networks with signal quality guarantee," in *2012 IEEE International Conference on Communications (ICC)*. IEEE, 2012, pp. 3025–3030.

- [26] fortinet, “What is quality of service (qos) in networking,” <https://www.fortinet.com/resources/cyberglossary/qos-quality-of-service>.
- [27] M. K. Luka, A. A. Atayero, and O. I. Oshin, “Call admission control techniques for 3gpp lte: A survey,” in *2016 SAI Computing Conference (SAI)*, 2016. doi: 10.1109/SAI.2016.7556057 pp. 691–700.
- [28] A. Alabbasi and C. Cavdar, “Delay-aware green hybrid cran,” in *2017 15th International Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WiOpt)*. IEEE, 2017, pp. 1–7.
- [29] M. Masoudi and C. Cavdar, “Device vs edge computing for mobile services: Delay-aware decision making to minimize power consumption,” *IEEE Transactions on Mobile Computing*, 2020.
- [30] X. Wang, C. Cavdar, L. Wang, M. Tornatore, Y. Zhao, H. S. Chung, H. H. Lee, S. Park, and B. Mukherjee, “Joint allocation of radio and optical resources in virtualized cloud ran with comp,” in *2016 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2016, pp. 1–6.
- [31] X. Wang, A. Alabbasi, and C. Cavdar, “Interplay of energy and bandwidth consumption in cran with optimal function split,” in *2017 IEEE International Conference on Communications (ICC)*. IEEE, 2017, pp. 1–6.
- [32] X. Wang, L. Wang, C. Cavdar, M. Tornatore, G. B. Figueiredo, H. S. Chung, H. H. Lee, S. Park, and B. Mukherjee, “Handover reduction in virtualized cloud radio access networks using twdm-pon fronthaul,” *Journal of Optical Communications and Networking*, vol. 8, no. 12, pp. B124–B134, 2016.
- [33] X. Wang, C. Cavdar, L. Wang, M. Tornatore, H. S. Chung, H. H. Lee, S. M. Park, and B. Mukherjee, “Virtualized cloud radio access network for 5g transport,” *IEEE Communications Magazine*, vol. 55, no. 9, pp. 202–209, 2017.
- [34] “Sinr_telecompedia,” <https://telecompedia.net/sinr/>, accessed: 2021-10-11.
- [35] “Universal mobile telecommunications system (umts);base station (bs) conformance testing (fdd)(3gpp ts 25.141 version 8.14.0 release 8),” 07 2011, version 8.14.0 Release 8.

- [Online]. Available: https://www.etsi.org/deliver/etsi_ts/125100_125199/125141/08.14.00_60/ts_125141v081400p.pdf
- [36] “Tbler_techopedia,” <https://www.techopedia.com/definition/6222/block-error-rate-bler>, accessed: 2021-10-11.
- [37] S. Xu, H. Hughes, and T. Saadawi, “Cac schemes taking advantage of additional information,” in *Globecom '00 - IEEE. Global Telecommunications Conference. Conference Record (Cat. No.00CH37137)*, vol. 3, 2000. doi: 10.1109/GLOCOM.2000.891938 pp. 1761–1765 vol.3.
- [38] V. Sciancalepore, K. Samdanis, X. Costa-Perez, D. Bega, M. Gramaglia, and A. Banchs, “Mobile traffic forecasting for maximizing 5g network slicing resource utilization,” in *IEEE INFOCOM 2017-IEEE Conference on Computer Communications*. IEEE, 2017, pp. 1–9.
- [39] A. Slalimi, R. Saadane, H. Chaibi, and H. K. Aroussi, “Improving call admission control in 5g for smart cities applications,” in *Proceedings of the 4th International Conference on Smart City Applications*, ser. SCA '19. New York, NY, USA: Association for Computing Machinery, 2019. doi: 10.1145/3368756.3369031. ISBN 9781450362894. [Online]. Available: <https://doi-org.focus.lib.kth.se/10.1145/3368756.3369031>
- [40] A. Bashar, “MI-based admission control of cloud services: Centralized versus distributed approaches,” in *2018 Twenty Fourth National Conference on Communications (NCC)*, 2018. doi: 10.1109/NCC.2018.8599916 pp. 1–6.
- [41] M. Raeis, A. Tizghadam, and A. Leon-Garcia, “Reinforcement learning-based admission control in delay-sensitive service systems,” in *GLOBECOM 2020-2020 IEEE Global Communications Conference*. IEEE, 2020, pp. 1–6.
- [42] H. Yang, Z. Xiong, J. Zhao, D. Niyato, C. Yuen, and R. Deng, “Deep reinforcement learning based massive access management for ultra-reliable low-latency communications,” *IEEE Transactions on Wireless Communications*, vol. 20, no. 5, pp. 2977–2990, 2020.
- [43] V. Mnih, K. Kavukcuoglu, D. Silver, A. A. Rusu, J. Veness, M. G. Bellemare, A. Graves, M. Riedmiller, A. K. Fidjeland, G. Ostrovski *et al.*, “Human-level control through deep reinforcement learning,” *nature*, vol. 518, no. 7540, pp. 529–533, 2015.

- [44] M. Masoudi, M. G. Khafagy, E. Soroush, D. Giacomelli, S. Morosi, and C. Cavdar, “Reinforcement learning for traffic-adaptive sleep mode management in 5g networks,” in *2020 IEEE 31st Annual International Symposium on Personal, Indoor and Mobile Radio Communications*. IEEE, 2020, pp. 1–6.
- [45] A. Azari, F. Ghavimi, M. Ozger, R. Jantti, and C. Cavdar, “Machine learning assisted handover and resource management for cellular connected drones,” in *2020 IEEE 91st Vehicular Technology Conference (VTC2020-Spring)*. IEEE, 2020, pp. 1–7.
- [46] R. Sutton and A. Barto, *Reinforcement Learning, second edition: An Introduction*, ser. Adaptive Computation and Machine Learning series. MIT Press, 2018. ISBN 9780262352703. [Online]. Available: <https://books.google.se/books?id=uWV0DwAAQBAJ>
- [47] R. Bellman and R. Kalaba, *Dynamic Programming and Modern Control Theory*. Elsevier Science, 1966. ISBN 9780120848560. [Online]. Available: <https://books.google.se/books?id=0QZ6zgEACAAJ>
- [48] K. J. Åström, “Optimal control of markov processes with incomplete state information i,” *Journal of Mathematical Analysis and Applications*, vol. 10, pp. 174–205, 1965.
- [49] V. Mnih, K. Kavukcuoglu, D. Silver, A. Graves, I. Antonoglou, D. Wierstra, and M. Riedmiller, “Playing atari with deep reinforcement learning,” *arXiv preprint arXiv:1312.5602*, 2013.
- [50] D. Horgan, J. Quan, D. Budden, G. Barth-Maron, M. Hessel, H. Van Hasselt, and D. Silver, “Distributed prioritized experience replay,” *arXiv preprint arXiv:1803.00933*, 2018.
- [51] S. Kapturowski, G. Ostrovski, J. Quan, R. Munos, and W. Dabney, “Recurrent experience replay in distributed reinforcement learning,” in *International conference on learning representations*, 2018.
- [52] H. Hasselt, “Double q-learning,” *Advances in neural information processing systems*, vol. 23, pp. 2613–2621, 2010.
- [53] H. Van Hasselt, A. Guez, and D. Silver, “Deep reinforcement learning with double q-learning,” in *Proceedings of the AAAI conference on artificial intelligence*, vol. 30, no. 1, 2016.

- [54] R. Li, Z. Zhao, Q. Sun, I. Chih-Lin, C. Yang, X. Chen, M. Zhao, and H. Zhang, "Deep reinforcement learning for resource management in network slicing," *IEEE Access*, vol. 6, pp. 74 429–74 441, 2018.
- [55] M. Mezzavilla, M. Zhang, M. Polese, R. Ford, S. Dutta, S. Rangan, and M. Zorzi, "End-to-end simulation of 5g mmwave networks," *IEEE Communications Surveys Tutorials*, vol. 20, no. 3, pp. 2237–2263, 2018. doi: 10.1109/COMST.2018.2828880
- [56] P. Dhariwal, C. Hesse, O. Klimov, A. Nichol, M. Plappert, A. Radford, J. Schulman, S. Sidor, Y. Wu, and P. Zhokhov, "Openai baselines," <https://github.com/openai/baselines>, 2017.
- [57] F. H. Khan and M. Portmann, "Experimental evaluation of lorawan in ns-3," in *2018 28th International Telecommunication Networks and Applications Conference (ITNAC)*, 2018. doi: 10.1109/ATNAC.2018.8615313 pp. 1–8.
- [58] N. Alliance. (2019) Sigsegv problem when harq process number in mmwave-phy-mac-common.cc is low.
- [59] A. Kumar, A. Zhou, G. Tucker, and S. Levine, "Conservative q-learning for offline reinforcement learning," *arXiv preprint arXiv:2006.04779*, 2020.
- [60] A. Singh, A. Yu, J. Yang, J. Zhang, A. Kumar, and S. Levine, "Cog: Connecting new skills to past experience with offline reinforcement learning," *arXiv preprint arXiv:2010.14500*, 2020.
- [61] H. Larsson, J. Taghia, F. Moradi, and A. Johnsson, "Source selection in transfer learning for improved service performance predictions," in *2021 IFIP Networking Conference (IFIP Networking)*. IEEE, 2021, pp. 1–9.

Appendix A

Hardware and software used

This part compliments what hardware and software have been used if the reader is interested in inspecting and planning for reproduction.

To test the proposed method, experiments has been carried out on a HP EliteBook 840 G5. Detailed hardware and software used in this thesis work are listed as follows.

- Virtual Machine OS: Ubuntu 18.04.5 LTS
- OS of hosting machine: Windows 10 Pro.
- NS3 version: ns3-mmwave built on ns3.29
- ns3gym release 1.0.0 last update on Jun.2020
- OpenAI-baseline
- python version Python 3.6.9
- Hardware of hosting machine:
- CPU: Intel(R) Core(TM) i7-8650U @1.9GHz, 4 Core, 8 Logical processors