

## References

- [1] L. G. C. Bautista and P. C. Naval, “GazeMAE: General Representations of Eye Movements using a Micro-Macro Autoencoder,” in *arXiv*. arXiv, sep 2021. doi: 10.1109/icpr48806.2021.9412761
- [2] A. E. Lang and A. M. Lozano, “Parkinson’s disease. Second of two parts.” *The New England journal of medicine*, vol. 339, no. 16, pp. 1130–43, oct 1998.
- [3] A. H. Schapira, K. R. Chaudhuri, and P. Jenner, “Erratum: Non-motor features of Parkinson disease (Nature Reviews Neuroscience (2017) 18 (435-450) DOI: 10.1038/nrn.2017.62),” p. 509,
- [4] W. Poewe, K. Seppi, C. M. Tanner, G. M. Halliday, P. Brundin, J. Volkman, A. E. Schrag, and A. E. Lang, “Parkinson disease,” *Nature Reviews Disease Primers*, vol. 3, no. 1, pp. 1–21, mar 2017.
- [5] A. Srivastava, R. Sharma, S. K. Sood, G. Shukla, V. Goyal, and M. Behari, “Saccadic eye movements in Parkinson’s disease,” pp. 538–544,
- [6] Y. Terao, H. Fukuda, Y. Ugawa, and O. Hikosaka, “New perspectives on the pathophysiology of Parkinson’s disease as assessed by saccade performance: A clinical review,” pp. 1491–1506,
- [7] P. Termsarasab, T. Thammongkolchai, J. C. Rucker, and S. J. Frucht, “The diagnostic value of saccades in movement disorder patients: a practical guide and review,” *Journal of Clinical Movement Disorders*, vol. 2, no. 1, p. 14, dec 2015.
- [8] J. Chen, Y. Tong, W. Gray, and Q. Ji, “A robust 3D eye gaze tracking system using noise reduction,” in *Eye Tracking Research and Applications Symposium (ETRA)*. New York, New York, USA: ACM Press, 2008. doi: 10.1145/1344471.1344518. ISBN 9781595939821

- [9] M. Falke and L. Höglund, “Implementing gaze tracking with a simple web camera,” School of Electrical Engineering and Computer Science (EECS) at KTH, Tech. Rep.,
- [10] Y. M. Cheung and Q. Peng, “Eye Gaze Tracking with a Web Camera in a Desktop Environment,” *IEEE Transactions on Human-Machine Systems*, vol. 45, no. 4, pp. 419–430, aug 2015.
- [11] J. Waldthaler, P. Tsitsi, G. Ö. Seimyr, M. N. Benfatto, and P. Svenningsson, “Eye movements during reading in Parkinson’s disease: A pilot study,” pp. 1661–1662,
- [12] L. Stock, C. Krüger-Zechlin, Z. Deeb, L. Timmermann, and J. Waldthaler, “Natural Reading in Parkinson’s Disease With and Without Mild Cognitive Impairment,” *Frontiers in Aging Neuroscience*, vol. 12, may 2020.
- [13] J. Kittler, “Feature selection and extraction.” *Handbook of pattern recognition and image processing*, pp. 59–83, jan 1986.
- [14] N. K. Verma and A. Salour, “Feature extraction,” in *Studies in Systems, Decision and Control*. Elsevier, jan 2020, vol. 256,
- [15] I. Jung and J.-S. Kim, “Abnormal Eye Movements in Parkinsonism and Movement Disorders,” *Journal of Movement Disorders*, vol. 12, no. 1, pp. 1–13, jan 2019.
- [16] E. Pretegianni and L. M. Optican, “Eye movements in Parkinson’s disease and inherited parkinsonian syndromes,” p. 592,
- [17] J. A. Vilensky, W. M. Robertson, and C. A. Suárez-Quian, *The Clinical Anatomy of the Cranial Nerves: The Nerves of "On Old Olympus Towering Top"*. wiley, mar 2015.
- [18] T. Toyama, T. Kieninger, F. Shafait, and A. Dengel, “Gaze guided object recognition using a head-mounted eye tracker,” in *Eye Tracking Research and Applications Symposium (ETRA)*. New York, New York, USA: ACM Press, 2012. doi: 10.1145/2168556.2168570. ISBN 9781450312257
- [19] J. D. Morgante, R. Zolfaghari, and S. P. Johnson, “A critical test of temporal and spatial accuracy of the Tobii T60XL eye tracker,” *Infancy*, vol. 17, no. 1, pp. 9–32, jan 2012.

- [20] D. J. Lohr, L. Friedman, and O. V. Komogortsev, "Evaluating the data quality of eye tracking signals from a virtual reality system: Case study using smi's eye-tracking HTC vive: A Preprint,"
- [21] N. L. Mead, R. F. Baumeister, F. Gino, M. E. Schweitzer, and D. Ariely, "Too tired to tell the truth: Self-control resource depletion and dishonesty," *Journal of Experimental Social Psychology*, vol. 45, no. 3, pp. 594–597, may 2009.
- [22] A. Bojko, "Informative or misleading? Heatmaps deconstructed," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2009, vol. 5610 LNCS, no. PART 1, pp. 30–39.
- [23] A. Çöltekin, S. I. Fabrikant, and M. Lacayo, "Exploring the efficiency of users' visual analytics strategies based on sequence analysis of eye movement recordings," *International Journal of Geographical Information Science*, vol. 24, no. 10, pp. 1559–1575, 2010.
- [24] B. K. Nayak and S. Karmakar, "A review of eye tracking studies related to visual aesthetic experience: A bottom-up approach," in *Smart Innovation, Systems and Technologies*. Springer, Singapore, 2019, vol. 135, pp. 391–403.
- [25] R. Rosenholtz, Y. Li, J. Mansfield, and Z. Jin, "Feature congestion," in *Proceedings of the SIGCHI conference on Human factors in computing systems - CHI '05*. New York, New York, USA: Association for Computing Machinery (ACM), 2005. doi: 10.1145/1054972.1055078
- [26] N. Quadar, A. Chehri, and G. Geon, "Visual analytics methods for eye tracking data," in *Smart Innovation, Systems and Technologies*. Springer, pp. 3–12.
- [27] U. Ghose, A. A. Srinivasan, W. P. Boyce, H. Xu, and E. S. Chng, "PyTrack: An end-to-end analysis toolkit for eye tracking," *Behavior Research Methods*, no. 6, pp. 2588–2603, dec.
- [28] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, "Using machine learning to detect events in eye-tracking data," *Behavior Research Methods*, vol. 50, no. 1, pp. 160–181, feb 2018.

- [29] R. Zemblys, D. C. Niehorster, and K. Holmqvist, “gazeNet: End-to-end eye-movement event detection with deep neural networks,” *Behavior Research Methods*, vol. 51, no. 2, pp. 840–864, apr 2019.
- [30] I. Rigas, L. Friedman, and O. Komogortsev, “A Study on the Extraction and Analysis of a Large Set of Eye Movement Features during Reading,”
- [31] W. H. Lopez Pinaya, S. Vieira, R. Garcia-Dias, and A. Mechelli, “Autoencoders,” in *Machine Learning: Methods and Applications to Brain Disorders*. Elsevier, jan 2019, pp. 193–208.
- [32] Z. C. Horn, L. Auret, J. T. McCoy, C. Aldrich, and B. M. Herbst, “Performance of Convolutional Neural Networks for Feature Extraction in Froth Flotation Sensing,” *IFAC-PapersOnLine*, vol. 50, no. 2, pp. 13–18, dec 2017.
- [33] X. Sun and N. Yong, “Recurrent neural network with kernel feature extraction for stock prices forecasting,” in *2006 International Conference on Computational Intelligence and Security, ICCIAS 2006*, vol. 1. IEEE Computer Society, 2006. doi: 10.1109/ICCIAS.2006.294269. ISBN 1424406056
- [34] H. Liang, X. Sun, Y. Sun, and Y. Gao, “Text feature extraction based on deep learning: a review,” p. 211,
- [35] M. A. Kramer, “Nonlinear principal component analysis using autoassociative neural networks,” *AIChE Journal*, vol. 37, no. 2, pp. 233–243, 1991.
- [36] D. P. Kingma and M. Welling, “An introduction to variational autoencoders,” pp. 307–392,
- [37] A. Dertat, “Applied Deep Learning - Part 4: Convolutional Neural Networks | by Arden Dertat | Towards Data Science,” pp. 1–29,
- [38] M. Jogin, Mohana, M. S. Madhulika, G. D. Divya, R. K. Meghana, and S. Apoorva, “Feature extraction using convolution neural networks (CNN) and deep learning,” in *2018 3rd IEEE International Conference on Recent Trends in Electronics, Information and Communication Technology, RTEICT 2018 - Proceedings*. Institute of Electrical and Electronics Engineers Inc., may 2018. doi: 10.1109/RTEICT42901.2018.9012507. ISBN 9781538624401

- [39] M. G. Omran, A. P. Engelbrecht, and A. Salman, "An overview of clustering methods," pp. 583–605,
- [40] S. Bano and M. N. A. Khan, "A Survey of Data Clustering Methods," *International Journal of Advanced Science and Technology*, vol. 113, pp. 133–142, apr 2018.
- [41] G. Nathiya, S. C. Punitha, and M. Punithavalli, "An Analytical Study on Behavior of Clusters Using K Means, EM and K\* Means Algorithm,"
- [42] H. Frigui and O. Nasraoui, "Unsupervised learning of prototypes and attribute weights," *Pattern Recognition*, vol. 37, no. 3, pp. 567–581, mar 2004.
- [43] A. Likas, N. Vlassis, and J. J. Verbeek, "The global k-means clustering algorithm," *Pattern Recognition*, vol. 36, no. 2, pp. 451–461, feb 2003.
- [44] M. Blog, "Data Clustering Algorithms Fuzzy c-means clustering algorithm d'd," pp. 1–2,
- [45] P. J. Rousseeuw, "Silhouettes: A graphical aid to the interpretation and validation of cluster analysis," *Journal of Computational and Applied Mathematics*, vol. 20, no. C, pp. 53–65, nov 1987.
- [46] J. C. Dunn, "A fuzzy relative of the ISODATA process and its use in detecting compact well-separated clusters," *Journal of Cybernetics*, vol. 3, no. 3, pp. 32–57, jan 1973.
- [47] S. Atakishiyev and M. Z. Reformat, "Analysis of Word Embeddings using Fuzzy Clustering,"
- [48] N. Shi, X. Liu, and Y. Guan, "Research on k-means clustering algorithm: An improved k-means clustering algorithm," in *3rd International Symposium on Intelligent Information Technology and Security Informatics, IITSI 2010*, 2010. doi: 10.1109/IITSI.2010.74. ISBN 9780769540207
- [49] Alboukadel Kassambara, "Agglomerative Hierarchical Clustering - Datanovia," in *Practical Guide to Cluster Analysis in R*,
- [50] A. T. Bahill, A. Brockenbrough, and B. T. Troost, "Variability and development of a normative data base for saccadic eye movements," *Investigative Ophthalmology and Visual Science*, vol. 21, no. 1 II, pp. 116–125,

- [51] D. D. Salvucci and J. H. Goldberg, "Identifying fixations and saccades in eye-tracking protocols," in *Proceedings of the Eye Tracking Research and Applications Symposium 2000*. Association for Computing Machinery (ACM), 2000. doi: 10.1145/355017.355028. ISBN 1581132808
- [52] T. Zhu, W. Luo, and F. Yu, "Convolution-and attention-based neural network for automated sleep stage classification," *International Journal of Environmental Research and Public Health*, vol. 17, no. 11, pp. 1–13, jun 2020.
- [53] B. Yan and G. Han, "Effective Feature Extraction via Stacked Sparse Autoencoder to Improve Intrusion Detection System," *IEEE Access*, vol. 6, pp. 41 238–41 248, jul 2018.
- [54] S. Najdi, A. A. Gharbali, and J. M. Fonseca, "Feature transformation based on Stacked Sparse Autoencoders for sleep stage classification," in *IFIP Advances in Information and Communication Technology*. Springer New York LLC, may, pp. 191–200.
- [55] Q. Meng, D. Catchpoole, D. Skillicom, and P. J. Kennedy, "Relational autoencoder for feature extraction," in *Proceedings of the International Joint Conference on Neural Networks*, vol. 2017-May. Institute of Electrical and Electronics Engineers Inc., jun 2017. doi: 10.1109/IJCNN.2017.7965877. ISBN 9781509061815
- [56] X. Luo, X. Li, Z. Wang, and J. Liang, "Discriminant autoencoder for feature extraction in fault diagnosis," *Chemometrics and Intelligent Laboratory Systems*, vol. 192, p. 103814, sep 2019.
- [57] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, "Using machine learning to detect events in eye-tracking data," *Behavior Research Methods*, vol. 50, no. 1, pp. 160–181, feb 2018.
- [58] M. Nyström and K. Holmqvist, "An adaptive algorithm for fixation, saccade, and glissade detection in eyetracking data," *Behavior Research Methods*, vol. 42, no. 1, pp. 188–204, feb 2010.
- [59] L. Friedman, I. Rigas, E. Abdulin, and O. V. Komogortsev, "A novel evaluation of two related and two independent algorithms for eye movement classification during reading," *Behavior Research Methods*, vol. 50, no. 4, pp. 1374–1397, may 2018.

- [60] L. G. C. Bautista and P. C. Naval, "CLRGaze: Contrastive Learning of Representations for Eye Movement Signals,"
- [61] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2016-Decem. IEEE Computer Society, dec 2016. doi: 10.1109/CVPR.2016.90. ISBN 9781467388504. ISSN 10636919
- [62] J. Han, M. Kamber, and J. Pei, "Getting to Know Your Data," *Data Mining*, pp. 39–82, jan 2012.
- [63] G. J. McLachlan, "Mahalanobis distance," *Resonance*, vol. 4, no. 6, pp. 20–26, jun 1999.
- [64] J. K., M. N., and F. J., "Data clustering," *ACM Computing Surveys (CSUR)*, vol. 31, no. 3, pp. 264–323, sep 1999.
- [65] M. Friedman, "The Use of Ranks to Avoid the Assumption of Normality Implicit in the Analysis of Variance," *Journal of the American Statistical Association*, vol. 32, no. 200, pp. 675–701, 1937.
- [66] P. Kasprowski and K. Harezlak, "The second eye movements verification and identification competition," in *IJCB 2014 - 2014 IEEE/IAPR International Joint Conference on Biometrics*. Institute of Electrical and Electronics Engineers Inc., dec 2014. doi: 10.1109/BTAS.2014.6996285.
- [67] M. B. McCamy, J. Otero-Millan, L. L. Di Stasi, S. L. Macknik, and S. Martinez-Conde, "Highly informative natural scene regions increase microsaccade production during visual scanning," *Journal of Neuroscience*, vol. 34, no. 8, pp. 2956–2966, 2014.
- [68] M. Cerf, J. Harel, W. Einhäuser, and C. Koch, "Predicting human gaze using low-level saliency combined with face detection," in *Advances in Neural Information Processing Systems 20 - Proceedings of the 2007 Conference*, 2009. ISBN 160560352X.
- [69] M. Zhang, M. Li, J. Sun, S. Lu, and N. Zhong, "The application of autoencoder in classification of the eye movement data," in *Proceedings of Science*, vol. 18-19-Dece, 2015. doi: 10.22323/1.264.0001.

- [70] H. Banville, G. Moffat, I. Albuquerque, D. A. Engemann, A. Hyvarinen, and A. Gramfort, “Self-Supervised Representation Learning from Electroencephalography Signals,” in *IEEE International Workshop on Machine Learning for Signal Processing, MLSP*, vol. 2019-Octob. IEEE Computer Society, nov 2019. doi: 10.1109/MLSP.2019.8918693. ISBN 9781728108247.



# For DIVA

```
{
  "Author1": { "name": "Lucas Höglund"},
  "Degree": { "Educational program": "Master's Programme, Computer Science, 120 credits"},
  "Title": {
    "Main title": "Analysis of Eye Tracking Data from Parkinson's Patients using Machine Learning",
    "Language": "eng" },
    "Alternative title": {
      "Main title": "",
      "Language": "swe"
    },
    "Supervisor1": { "name": "Erik Fransén" },
    "Examiner": {
      "name": "Pawel Herman",
      "organisation": { "L1": "School of Electrical Engineering and Computer Science" }
    },
    "Other information": {
      "Year": "2021", "Number of pages": "xiii,??"
    }
  }
```