

Bibliography

- [1] P. Isola, J. Y. Zhu, T. Zhou, and A. A. Efros, “Image-to-image translation with conditional adversarial networks,” in *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, vol. 2017-Janua, nov 2017, pp. 5967–5976. [Online]. Available: <http://arxiv.org/abs/1611.07004>
- [2] D. Learning, “Deep Learning - Goodfellow,” *Nature*, 2016.
- [3] J. West, M. Bhattacharya, and R. Islam, “Intelligent financial fraud detection practices: An investigation,” in *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*, vol. 153. Springer Verlag, 2015, pp. 186–203.
- [4] A. Elgammal, B. Liu, M. Elhoseiny, and M. Mazzone, “CAN: Creative Adversarial Networks, Generating "Art" by Learning About Styles and Deviating from Style Norms,” jun 2017. [Online]. Available: <http://arxiv.org/abs/1706.07068>
- [5] S. Hiriyanaiyah, A. Srinivas, G. K. Shetty, S. G.M., and K. Srinivasa, “A computationally intelligent agent for detecting fake news using generative adversarial networks,” in *Hybrid Computational Intelligence*. Elsevier, jan 2020, pp. 69–96.
- [6] D. Jarrett, E. Stride, K. Vallis, and M. J. Gooding, “Applications and limitations of machine learning in radiation oncology,” 2019.
- [7] C. B. Jin, H. Kim, M. Liu, W. Jung, S. Joo, E. Park, Y. S. Ahn, I. H. Han, J. I. Lee, and X. Cui, “Deep CT to MR synthesis using paired and unpaired data,” *Sensors (Switzerland)*, vol. 19, no. 10, pp. 1–19, 2019.
- [8] T. Fechter, S. Adebahr, D. Baltas, I. Ben Ayed, C. Desrosiers, and J. Dolz, “Esophagus segmentation in CT via 3D fully convolutional

- neural network and random walk,” *Medical Physics*, vol. 44, no. 12, pp. 6341–6352, 2017. [Online]. Available: <https://aapm.onlinelibrary.wiley.com/doi/abs/10.1002/mp.12593>
- [9] B. W. Raaymakers, A. J. Raaijmakers, A. N. Kotte, D. Jette, and J. J. Lagendijk, “Integrating a MRI scanner with a 6 MV radiotherapy accelerator: Dose deposition in a transverse magnetic field,” *Physics in Medicine and Biology*, vol. 49, no. 17, pp. 4109–4118, 2004.
- [10] L. Öström, “Post-processing of Monte Carlo calculated dose distributions,” Tech. Rep., 2019. [Online]. Available: www.kth.se/sci
- [11] H. Fornander, “Denoising Monte Carlo Dose Calculations Using a Deep Neural Network,” 2019.
- [12] Y. Xing, D. Nguyen, W. Lu, M. Yang, and S. Jiang, “Technical Note: A feasibility study on deep learning-based radiotherapy dose calculation,” *Medical Physics*, vol. 47, no. 2, pp. 753–758, feb 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/mp.13953>
- [13] D. Nguyen, T. Long, X. Jia, W. Lu, X. Gu, Z. Iqbal, and S. Jiang, “Dose Prediction with U-net: A Feasibility Study for Predicting Dose Distributions from Contours using Deep Learning on Prostate IMRT Patients,” sep 2017. [Online]. Available: <http://arxiv.org/abs/1709.09233>
- [14] D. Nguyen, X. Jia, D. Sher, M. H. Lin, Z. Iqbal, H. Liu, and S. Jiang, “3D radiotherapy dose prediction on head and neck cancer patients with a hierarchically densely connected U-net deep learning architecture,” *Physics in Medicine and Biology*, vol. 64, no. 6, may 2019. [Online]. Available: <http://arxiv.org/abs/1805.10397><http://dx.doi.org/10.1088/1361-6560/ab039b>
- [15] C. Kontaxis, G. H. Bol, J. J. W. Lagendijk, and B. W. Raaymakers, “DeepDose: Towards a fast dose calculation engine for radiation therapy using deep learning,” *Physics in Medicine & Biology*, vol. 65, no. 7, p. 075013, 2020. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1361-6560/ab7630/meta>
- [16] P. Dong and L. Xing, “Deep DoseNet: A deep neural network for accurate dosimetric transformation between different spatial resolutions and/or different dose calculation algorithms for precision radiation therapy,” *Physics in Medicine & Biology*, vol. 65, no. 3, p. 035010, dec 2019.

- [17] P. Metcalfe, G. P. Liney, L. Holloway, A. Walker, M. Barton, G. P. Delaney, S. Vinod, and W. Tomé, “The potential for an enhanced role for MRI in radiation-therapy treatment planning,” pp. 429–446, oct 2013. [Online]. Available: [/pmc/articles/PMC4527434/?report=abstracthttps://www.ncbi.nlm.nih.gov/pmc/articles/PMC4527434/](https://pmc/articles/PMC4527434/?report=abstracthttps://www.ncbi.nlm.nih.gov/pmc/articles/PMC4527434/)
- [18] A. J. Raaijmakers, B. W. Raaymakers, and J. J. Lagendijk, “Magnetic-field-induced dose effects in MR-guided radiotherapy systems: Dependence on the magnetic field strength,” *Physics in Medicine and Biology*, vol. 53, no. 4, pp. 909–923, 2008.
- [19] S. Hissoiny, A. J. Raaijmakers, B. Ozell, P. Després, and B. W. Raaymakers, “Fast dose calculation in magnetic fields with GPUMCD,” *Physics in Medicine and Biology*, vol. 56, no. 16, pp. 5119–5129, 2011. [Online]. Available: https://scholar.google.com/scholar?hl=en&as{_}sdt=0{%}2C5{%}&q=Fast+dose+calculation+in+magnetic+fields+with+GPUMCD{%}btnG=
- [20] G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, “Densely connected convolutional networks,” in *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, vol. 2017-Janua. Institute of Electrical and Electronics Engineers Inc., aug 2017, pp. 2261–2269. [Online]. Available: <http://arxiv.org/abs/1608.06993>
- [21] L. Victor, “The Difference Between a Collapsed Cone Based and a Monte Carlo Based Dose Calculation Algorithm. Master’s thesis, KTH Royal Institute of Technology.” 2015.
- [22] H. J. Lee, G. Won Choi, M. Alqathami, M. Kadbi, and G. Ibbott, “Using 3D dosimetry to quantify the Electron Return Effect (ERE) for MR-image-guided radiation therapy (MR-IGRT) applications,” *Journal of Physics: Conference Series*, vol. 847, no. 1, p. 12057, jun 2017. [Online]. Available: <https://iopscience.iop.org/article/10.1088/1742-6596/847/1/012057/meta>
- [23] D. A. Low, W. B. Harms, S. Mutic, and J. A. Purdy, “A technique for the quantitative evaluation of dose distributions,” *Medical Physics*, vol. 25, no. 5, pp. 656–661, 1998.
- [24] D. Silver, A. Huang, C. J. Maddison, A. Guez, L. Sifre, G. Van Den Driessche, J. Schrittwieser, I. Antonoglou, V. Panneershelvam,

- M. Lanctot, S. Dieleman, D. Grewe, J. Nham, N. Kalchbrenner, I. Sutskever, T. Lillicrap, M. Leach, K. Kavukcuoglu, T. Graepel, and D. Hassabis, “Mastering the game of Go with deep neural networks and tree search,” *Nature*, vol. 529, no. 7587, pp. 484–489, jan 2016. [Online]. Available: <https://www.nature.com/articles/nature16961>
- [25] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. M. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, “Language Models are Few-Shot Learners,” may 2020. [Online]. Available: <http://arxiv.org/abs/2005.14165>
- [26] I. Goodfellow, “NIPS 2016 Tutorial: Generative Adversarial Networks,” dec 2016. [Online]. Available: <http://arxiv.org/abs/1701.00160>
- [27] U. Hwang, D. Jung, and S. Yoon, “Hexagan: Generative adversarial nets for real world classification,” in *36th International Conference on Machine Learning, ICML 2019*, vol. 2019-June, 2019, pp. 5206–5215.
- [28] A. Radford, L. Metz, and S. Chintala, “Unsupervised representation learning with deep convolutional generative adversarial networks,” in *4th International Conference on Learning Representations, ICLR 2016 - Conference Track Proceedings*. International Conference on Learning Representations, ICLR, nov 2016.
- [29] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, “Generative adversarial nets,” in *Advances in Neural Information Processing Systems*, vol. 3, no. January, 2014, pp. 2672–2680. [Online]. Available: <http://www.github.com/goodfeli/adversarial>
- [30] M. Mirza and S. Osindero, “Conditional Generative Adversarial Nets,” pp. 1–7, 2014. [Online]. Available: <http://arxiv.org/abs/1411.1784>
- [31] M. Arjovsky and L. Bottou, “Towards principled methods for training generative adversarial networks,” in *5th International Conference on Learning Representations, ICLR 2017 - Conference Track Proceedings*, 2017.

- [32] R. Johnson and T. Zhang, “Composite functional gradient learning of generative adversarial models,” in *35th International Conference on Machine Learning, ICML 2018*, vol. 5. International Machine Learning Society (IMLS), jan 2018, pp. 3706–3724. [Online]. Available: <http://arxiv.org/abs/1801.06309>
- [33] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, “Improved techniques for training GANs,” in *Advances in Neural Information Processing Systems*, 2016, pp. 2234–2242. [Online]. Available: <https://github.com/openai/>
- [34] J. Brownlee, “Tips for Training Stable Generative Adversarial Networks,” 2019. [Online]. Available: <https://machinelearningmastery.com/how-to-train-stable-generative-adversarial-networks/>
- [35] Inkawhich Nathan, “DCGAN Tutorial — PyTorch Tutorials 1.0.0.dev20190327 documentation,” 2018. [Online]. Available: https://pytorch.org/tutorials/beginner/dcgan_faces_tutorial.html
- [36] “How to Develop a Conditional GAN (cGAN) From Scratch.” [Online]. Available: <https://machinelearningmastery.com/how-to-develop-a-conditional-generative-adversarial-network-from-scratch/>
- [37] M. Arjovsky, S. Chintala, and L. Bottou, “Wasserstein GAN,” jan 2017. [Online]. Available: <http://arxiv.org/abs/1701.07875>
- [38] X. Mao, Q. Li, H. Xie, R. Y. K. Lau, Z. Wang, and S. P. Smolley, “Least Squares Generative Adversarial Networks,” *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2017-Octob, pp. 2813–2821, nov 2016. [Online]. Available: <http://arxiv.org/abs/1611.04076>
- [39] Q. Li, H. Qu, Z. Liu, N. Zhou, W. Sun, S. Sigg, and J. Li, “AF-DCGAN: Amplitude Feature Deep Convolutional GAN for Fingerprint Construction in Indoor Localization Systems,” *IEEE Transactions on Emerging Topics in Computational Intelligence*, pp. 1–13, nov 2019.
- [40] Y. Saatchi and A. G. Wilson, “Bayesian GAN,” in *Advances in Neural Information Processing Systems*, vol. 2017-Decem, 2017, pp. 3623–3632. [Online]. Available: <https://github.com/andrewgordonwilson/bayesgan>.

- [41] Z. Zheng, L. Zheng, and Y. Yang, “Unlabeled Samples Generated by GAN Improve the Person Re-identification Baseline in Vitro,” in *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2017-Octob. Institute of Electrical and Electronics Engineers Inc., jan 2017, pp. 3774–3782. [Online]. Available: <http://arxiv.org/abs/1701.07717>
- [42] I. Gulrajani, F. Ahmed, M. Arjovsky, V. Dumoulin, and A. Courville, “Improved training of wasserstein GANs,” in *Advances in Neural Information Processing Systems*, vol. 2017-Decem, 2017, pp. 5768–5778. [Online]. Available: <https://github.com/igul222/improved>
- [43] Z. Zhou, Y. Song, L. Yu, H. Wang, J. Liang, W. Zhang, Z. Zhang, and Y. Yu, “Understanding the Effectiveness of Lipschitz-Continuity in Generative Adversarial Nets,” 2018. [Online]. Available: <http://arxiv.org/abs/1807.00751>
- [44] T. Karras, T. Aila, S. Laine, and J. Lehtinen, “Progressive growing of GANs for improved quality, stability, and variation,” in *6th International Conference on Learning Representations, ICLR 2018 - Conference Track Proceedings*. International Conference on Learning Representations, ICLR, oct 2018.
- [45] T. Miyato, T. Kataoka, M. Koyama, and Y. Yoshida, “Spectral normalization for generative adversarial networks,” in *6th International Conference on Learning Representations, ICLR 2018 - Conference Track Proceedings*. International Conference on Learning Representations, ICLR, feb 2018. [Online]. Available: <http://arxiv.org/abs/1802.05957>
- [46] H.-W. Dong and Y.-H. Yang, “Towards a Deeper Understanding of Adversarial Losses,” jan 2019. [Online]. Available: <http://arxiv.org/abs/1901.08753>
- [47] Y. Gal and Z. Ghahramani, “Dropout as a Bayesian approximation: Representing model uncertainty in deep learning,” in *33rd International Conference on Machine Learning, ICML 2016*, vol. 3. International Machine Learning Society (IMLS), 2016, pp. 1651–1660.
- [48] D. Ulyanov, A. Vedaldi, and V. Lempitsky, “Instance Normalization: The Missing Ingredient for Fast Stylization,” jul 2016. [Online]. Available: <http://arxiv.org/abs/1607.08022>

- [49] S. Marsland, *Machine learning: An algorithmic perspective*, second edi ed., 2014.
- [50] I. N. Yeo and R. A. Johnson, “A new family of power transformations to improve normality or symmetry,” *Biometrika*, 2000.
- [51] O. Ronneberger, P. Fischer, and T. Brox, “U-net: Convolutional networks for biomedical image segmentation,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9351. Springer Verlag, may 2015, pp. 234–241.
- [52] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2016-Decem. IEEE Computer Society, dec 2016, pp. 770–778. [Online]. Available: <http://image-net.org/challenges/LSVRC/2015/>
- [53] S. Hissoiny, B. Ozell, H. Bouchard, and P. Després, “GPUMCD: A new GPU-oriented Monte Carlo dose calculation platform,” *Medical Physics*, vol. 38, no. 2, pp. 754–764, 2011.
- [54] P. J. Keall, J. V. Siebers, R. Jeraj, and R. Mohan, “The effect of dose calculation uncertainty on the evaluation of radiotherapy plans,” *Medical Physics*, vol. 27, no. 3, pp. 478–484, mar 2000. [Online]. Available: <http://doi.wiley.com/10.1118/1.598916>
- [55] A. Shrivastava, T. Pfister, O. Tuzel, J. Susskind, W. Wang, and R. Webb, “Learning from simulated and unsupervised images through adversarial training,” in *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017*, vol. 2017-Janua, 2017, pp. 2242–2251.
- [56] M. Heusel, H. Ramsauer, T. Unterthiner, B. Nessler, and S. Hochreiter, “GANs trained by a two time-scale update rule converge to a local Nash equilibrium,” in *Advances in Neural Information Processing Systems*, vol. 2017-Decem, jun 2017, pp. 6627–6638. [Online]. Available: <http://arxiv.org/abs/1706.08500>
- [57] F. Liu, P. Yadav, A. M. Baschnagel, and A. B. McMillan, “MR-based treatment planning in radiation therapy using a deep learning approach,” *Journal of Applied Clinical Medical Physics*, vol. 20, no. 3, pp.

- 105–114, mar 2019. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/acm2.12554>
- [58] A. Buetti-Dinh, V. Galli, S. Bellenberg, O. Ilie, M. Herold, S. Christel, M. Boretska, I. V. Pivkin, P. Wilmes, W. Sand, M. Vera, and M. Dopson, “Deep neural networks outperform human expert’s capacity in characterizing bioleaching bacterial biofilm composition,” *Biotechnology Reports*, vol. 22, p. e00321, jun 2019.
- [59] I. Malkiel, S. Ahn, V. Taviani, A. Menini, L. Wolf, and C. J. Hardy, “Conditional WGANs with Adaptive Gradient Balancing for Sparse MRI Reconstruction,” pp. 1–13, 2019. [Online]. Available: <http://arxiv.org/abs/1905.00985>
- [60] I. Kavalierov, W. Czaja, and R. Chellappa, “cGANs with Multi-Hinge Loss,” dec 2019. [Online]. Available: <http://arxiv.org/abs/1912.04216>