

1.	Test Plan - Login	2
1.1	Test Cases	2
1.1.1.	Login with valid credentials.....	2
1.1.2.	Login with an empty user	2
1.1.3.	Login with an empty password	3
1.1.4.	Login with invalid credentials.....	3
1.1.5.	Login with a locked-out user	4
2.	Test Plan – Left Menu button	4
2.1	Test Cases	4
2.1.1	Left menu button	4
2.1.2	About link	5
2.1.3	Logout link	5
3.	Test Plan – Home page	5
3.1	Test Cases	6
3.1.1	Home page contents	6
3.1.2	Add to cart button.....	6
3.1.3	Remove button.....	7
4.	Test Plan – Product Sort	7
4.1	Test Cases	7
4.1.1	Product sort container	7
4.1.2	Sort by name from A to Z	8
4.1.3	Sort by name from Z to A	8
4.1.4	Sort by Price from low to high.....	9
4.1.5	Sort by Price from high to low.....	9
5.	Test Plan – Product Details	10
5.1	Test Cases	10
5.1.1	Product details page.....	10
5.1.2	Add to cart button.....	10
5.1.3	Remove button.....	11
5.1.4	Back to products button.....	11
6.	Test Plan – Cart page	12
6.1	Test cases	12
6.1.1	Product details page.....	12
6.1.2	Check details	13

6.1.3	Continue Shopping link	13
6.1.4	Checkout page link	14
6.1.5	Remove button.....	14
7.	Test Plan – Checkout page	15
7.1	Test cases	15
7.1.1	Your information page: first name check.....	15
7.1.2	Your information page: Last name check.....	15
7.1.3	Your information page: Zip/Postalcode check	16
7.1.4	Checkout Overview page.....	17
7.1.5	Checkout complete page.....	17
7.1.6	Back Home page.....	18

1. Test Plan - Login

The user login with *username* and *password* on the website <https://www.saucedemo.com/>

1.1 Test Cases

1.1.1. Login with valid credentials

Preconditions:

The user is on <https://www.saucedemo.com/> login page

Data:

Username: `standard_user`

Password: `secret_sauce`

Steps:

The user types *username* and *password* in the fields

Expected Behavior:

The user can login and should be redirect to the home page

1.1.2. Login with an empty user

Preconditions:

The user is on <https://www.saucedemo.com/> login page

Data:

Username:

Password: `secret_sauce`

Steps:

The user writes correct password but an empty username.

Expected Behavior:

An error message occurs: **Epic sadface: Username is required**

The user can't login and shouldn't be redirect to the home page

1.1.3. Login with an empty password

Preconditions:

The user is on <https://www.saucedemo.com/> login page

Data:

Username: `standard_user`

Password:

Steps:

The user writes correct username but an empty password.

Expected Behavior:

An error message occurs: **Epic sadface: Password is required**

The user can't login and shouldn't be redirect to the home page

1.1.4. Login with invalid credentials

Preconditions:

The user is on <https://www.saucedemo.com/> login page

Data:

Username: xx

Password: yy

Steps:

The user writes wrong username and password.

Expected Behavior:

An error message occurs: **Epic sadface: Username and password do not match any user in this service**

The user can't login and shouldn't be redirect to the home page

1.1.5. Login with a locked-out user

Preconditions:

The user is on <https://www.saucedemo.com/> login page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

The user writes locked out username and password

Expected Behavior:

An error message occurs: **Epic sadface: Sorry, this user has been locked out.**

The user can't login and shouldn't be redirect to the home page

2. Test Plan – Left Menu button

The left menu button has the following links:

- About
- Logout
- Reset App State

2.1 Test Cases

2.1.1 Left menu button

Preconditions:

The user is logged in with valid credentials

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on left menu bar

Expected Behavior:

The left menu bar is opened correctly and shows these following links:

- About
- Logout
- Reset App State

2.1.2 About link

Preconditions:

The user is logged in with valid credentials
The left menu bar is open

Data:

Username: `locked_out_user`
Password: `secret_sauce`

Steps:

Click on *About* link

Expected Behavior:

The user will be redirect on <https://saucelabs.com/> about page with all the info

2.1.3 Logout link

Preconditions:

The user is logged in with valid credentials
The left menu bar is open

Data:

Username: `locked_out_user`
Password: `secret_sauce`

Steps:

Click on *Logout* link

Expected Behavior:

The user will be slogged out and should be redirect on login page

3. Test Plan – Home page

6 items present on the home page. Each item has the following contents:

- Imagine

- Item title
- Item description
- Price
- Add to cart button

3.1 Test Cases

3.1.1 Home page contents

Preconditions:

The user is logged in with valid credentials

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

Home page contents

Expected Behavior:

There should be 6 items which should have the following content

- Image
- Title
- Description
- Price
- Add to cart button

3.1.2 Add to cart button

Preconditions:

The user is logged in with valid credentials

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

Click on *Add to Cart* button

Expected Behavior:

- The button becomes red and the label should be *Remove*
- A red round badge is added on cart link with the number of the item added (1 in this case)

3.1.3 Remove button

Preconditions:

The user is logged in with valid credentials

The user added an item in the cart

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on *Remove* button

Expected Behavior:

- The button becomes black and the label should change in *Add to cart*
- With only 1 item in the cart, the red round badge shouldn't be present anymore on cart link
If the items in the cart were n , the badge label should become $n-1$

4. Test Plan – Product Sort

The user can sort the items in the home page by name alphabetically from A to Z and viceversa and by price (from low to high and viceversa)

4.1 Test Cases

4.1.1 Product sort container

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on sort button up on the right corner of the home page

Expected Behavior:

The filter is open with the following items:

- Name (A to Z)
- Name (Z to A)
- Price (from low to high)
- Price (from high to low)

4.1.2 Sort by name from A to Z

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page.
- The Sort filter is open correctly

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on Name (A to Z)

Expected Behavior:

All the items in the home should be ordered by Name from A to Z

4.1.3 Sort by name from Z to A

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page.
- The Sort filter is open correctly

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on Name (Z to A)

Expected Behavior:

All the items in the home should be ordered by Name from Z to A

4.1.4 Sort by Price from low to high

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page.
- The Sort filter is open correctly

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on Price (low to high)

Expected Behavior:

All the items in the home should be ordered by price from low to high

4.1.5 Sort by Price from high to low

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page.
- The Sort filter is open correctly

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on Price (low to high)

Expected Behavior:

All the items in the home should be ordered by price from high to low

5. Test Plan – Product Details

Each product has a detail page where the user can find this information:

- Image of the product
- Title of the product
- Description
- Price
- Add to cart/Remove button

5.1 Test Cases

5.1.1 Product details page

Preconditions:

- The user is logged in with valid credentials.
- The user is on the home page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on product name

Expected Behavior:

The user should be redirect on the product details page which has the following information:

- Image of the product
- Title of the product
- Description
- Price
- Add to cart/Remove button

5.1.2 Add to cart button

Preconditions:

- The user is logged in with valid credentials.

- The user is product detail page

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

Click on Add to cart button

Expected Behavior:

- The button becomes red and the label should be *Remove*
- A red round badge is added on cart link with the number of the item added (n)

5.1.3 Remove button

Preconditions:

The user is logged in with valid credentials

The user is product detail page

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

Click on *Remove* button

Expected Behavior:

- The button becomes black and the label should change in *Add to cart*
- With only 1 item in the cart, the red round badge shouldn't be present anymore on cart link
If the items in the cart were n , the badge label should become $n-1$

5.1.4 Back to products button

Preconditions:

The user is logged in with valid credentials

The user is product detail page

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

Click on *Back to products* button

Expected Behavior:

The user will be redirect on products page

6. Test Plan – Cart page

In the cart page the user can see the items added on his/her cart with the following details:

- Quantity
- Price
- Title and description

The user can also perform these actions

- Remove an item
- Continue to shopping
- Checkout

6.1 Test cases

6.1.1 Product details page

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on chopping cart link

Expected Behavior:

The user should be redirect on cart page

6.1.2 Check details

Preconditions:

- The user is logged in with valid credentials.
- The added items in the cart
- The user is on cart page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

- Check if the title, the description, the price, the quantity and the image are correct
- Check if Continue Shopping button is present
- Check if Checkout button is present
- Check if Remove button is present

Expected Behavior:

The user should be redirected to cart page

6.1.3 Continue Shopping link

Preconditions:

- The user is logged in with valid credentials.
- The added items in the cart
- The user is on cart page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on *Continue Shopping* Button

Expected Behavior:

The user should be redirect on products page

6.1.4 Checkout page link

Preconditions:

- The user is logged in with valid credentials.
- The added items in the cart
- The user is on cart page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on *Checkout* Button

Expected Behavior:

The user should be redirect on Checkout page

6.1.5 Remove button

Preconditions:

- The user is logged in with valid credentials.
- The added items in the cart
- The user is on cart page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

Click on *Remove* button

Expected Behavior:

- The item should be removed from cart
- The badge label should become *n-1*

7. Test Plan – Checkout page

The checkout page is divided in two steps:

- **Step 1 Your information**: the user fills the form with the information needed as first name, last name and zip/postalcode
- **Step2 Overview**: the user can check a summary report with all the information like items details, payment information, shipping information, total price

7.1 Test cases

7.1.1 Your information page: first name check

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart
- The user clicks on checkout button

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

- First name: empty
- Last name: xx
- Zip/Postal code: yy
- Click on *Continue* button

Expected Behavior:

An error message appears: **Error: First Name is required**

7.1.2 Your information page: Last name check

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart
- The user clicks on checkout button

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

- First name: Mario
- Last name: empty
- Zip/Postal code: yy
- Click on *Continue* button

Expected Behavior:

An error message appears: **Error: Last Name is required**

7.1.3 Your information page: Zip/Postalcode check

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart
- The user clicks on checkout button

Data:

Username: locked_out_user

Password: secret_sauce

Steps:

- First name: Mario
- Last name: Rossi
- Zip/Postal code: empty
- Click on *Continue* button

Expected Behavior:

An error message appears: **Error: Postal code is required**

7.1.4 Checkout Overview page

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart
- The user clicks on checkout button
- The user filled the form and clicks on *Continue* button

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

- Check if the items details are correct (title, description and quantity)
- Check if the payment information is visible and correct
- Check if the shipping information is visible and correct
- Check if the price total is visible and correct
- Check if the total amount is visible and is the sum of item total price + tax
- Check if the Finish button is present clickable
- Check if Cancel button is present and clickable

Expected Behavior:

All the item checked are corrected

7.1.5 Checkout complete page

Preconditions:

- The user is logged in with valid credentials.
- The user added items in the cart
- The user clicks on checkout button
- The user filled the form and clicks on *Continue* button

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

- Click on *Finish* button

Expected Behavior:

The user will be redirect on Checkout complete page. A message appears “Thank you for your order - Your order has been dispatched, and will arrive just as fast as the pony can get there!”
Back home button is visible and clickable

7.1.6 Back Home page

Preconditions:

- The user is logged in with valid credentials.
- The user is on checkout complete page

Data:

Username: `locked_out_user`

Password: `secret_sauce`

Steps:

- Click on *Back Home* button

Expected Behavior:

The user will be redirect on Products page. The cart should be empty