

Query Results for Week 2 Assignment

All results are present in the same order as they are in the query file.

```
mysql> SELECT * FROM customers LIMIT 5;
```

customer_id	first_name	last_name	email	city	state	join_date	is_premium
101	Aarav	Sharma	aarav.s@email.com	Mumbai	Maharashtra	2024-01-15	1
102	Priya	Patel	priya.p@email.com	Ahmedabad	Gujarat	2024-02-20	0
103	Rohan	Gupta	rohan.g@email.com	Delhi	Delhi	2024-03-10	1
104	Sneha	Reddy	sneha.r@email.com	Hyderabad	Telangana	2024-04-05	0
105	Vikram	Singh	vikram.s@email.com	Jaipur	Rajasthan	2024-05-12	1

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM orders LIMIT 5;
```

order_id	customer_id	order_date	status	total_amount
1001	101	2024-08-01	Delivered	4498.00
1002	102	2024-08-03	Delivered	799.00
1003	103	2024-08-05	Shipped	7498.00
1004	101	2024-08-10	Delivered	3499.00
1005	104	2024-08-12	Cancelled	2999.00

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM products LIMIT 5;
```

product_id	product_name	category	brand	unit_price	stock_qty
201	Wireless Earbuds	Electronics	BoAt	1499.00	250
202	Cotton T-Shirt	Clothing	Levis	799.00	500
203	Smart Watch	Electronics	Noise	2999.00	150
204	Running Shoes	Clothing	Nike	4599.00	120
205	Bluetooth Speaker	Electronics	JBL	3499.00	200

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM order_items LIMIT 5;
```

item_id	order_id	product_id	quantity	unit_price	discount_pct
5001	1001	201	2	1499.00	0.00
5002	1001	207	1	899.00	10.00
5003	1002	202	1	799.00	0.00
5004	1003	203	1	2999.00	0.00
5005	1003	204	1	4599.00	5.00

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM customers WHERE STATE="MAHARASHTRA";
```

customer_id	first_name	last_name	email	city	state	join_date	is_premium
101	Aarav	Sharma	aarav.s@email.com	Mumbai	Maharashtra	2024-01-15	1
107	Karan	Mehta	karan.m@email.com	Pune	Maharashtra	2024-07-22	1

```
2 rows in set (0.02 sec)
```

```
mysql> SELECT * FROM customers WHERE STATE="DELHI";
```

customer_id	first_name	last_name	email	city	state	join_date	is_premium
103	Rohan	Gupta	rohan.g@email.com	Delhi	Delhi	2024-03-10	1

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM PRODUCTS WHERE CATEGORY IN ('ELECTRONICS','HOME');
```

product_id	product_name	category	brand	unit_price	stock_qty
201	Wireless Earbuds	Electronics	BoAt	1499.00	250
203	Smart Watch	Electronics	Noise	2999.00	150
205	Bluetooth Speaker	Electronics	JBL	3499.00	200
207	Laptop Stand	Electronics	AmazonBasics	899.00	180
206	Bedsheet Set	Home	Spaces	1299.00	300
208	Cushion Covers (Set)	Home	HomeCenter	599.00	400

```
mysql> SELECT *
-> FROM orders
-> WHERE order_date BETWEEN '2024-08-10'
-> AND '2024-08-25'
-> AND status != 'Cancelled';
```

order_id	customer_id	order_date	status	total_amount
1004	101	2024-08-10	Delivered	3499.00
1006	105	2024-08-15	Delivered	5898.00
1007	106	2024-08-18	Pending	1299.00
1008	103	2024-08-20	Delivered	899.00
1009	107	2024-08-25	Shipped	6098.00

```
5 rows in set (0.22 sec)
```

```
mysql> SELECT *
-> FROM products
-> WHERE category='Electronics'
-> AND unit_price > 2000;
```

product_id	product_name	category	brand	unit_price	stock_qty
203	Smart Watch	Electronics	Noise	2999.00	150
205	Bluetooth Speaker	Electronics	JBL	3499.00	200

2 rows in set (0.04 sec)

```
mysql> SELECT *
-> FROM orders
-> WHERE total_amount > 5000;
```

order_id	customer_id	order_date	status	total_amount
1003	103	2024-08-05	Shipped	7498.00
1006	105	2024-08-15	Delivered	5898.00
1009	107	2024-08-25	Shipped	6098.00

3 rows in set (0.03 sec)

```
mysql> SELECT * FROM orders WHERE status ='DELIVERED';
```

order_id	customer_id	order_date	status	total_amount
1001	101	2024-08-01	Delivered	4498.00
1002	102	2024-08-03	Delivered	799.00
1004	101	2024-08-10	Delivered	3499.00
1006	105	2024-08-15	Delivered	5898.00
1008	103	2024-08-20	Delivered	899.00
1010	108	2024-08-28	Delivered	1598.00

6 rows in set (0.02 sec)

```
mysql> SELECT COUNT(*) AS TOTAL_ORDERS FROM ORDERS;
```

TOTAL_ORDERS
10

1 row in set (0.02 sec)

```
mysql> SELECT SUM(total_amount) AS TOTAL_REVENUE FROM ORDERS
-> WHERE STATUS='DELIVERED';
```

TOTAL_REVENUE
17191.00

1 row in set (0.09 sec)

```
mysql> SELECT category,AVG(unit_price) AS AVG_UNIT_PRICE
-> FROM products
-> GROUP BY category;
```

category	AVG_UNIT_PRICE
Clothing	2699.000000
Electronics	2224.000000
Home	949.000000

3 rows in set (0.00 sec)

```
mysql> SELECT
->     product_id,
->     SUM(quantity) AS total_quantity
-> FROM order_items
-> GROUP BY product_id;
```

product_id	total_quantity
201	3
202	1
203	2
204	2
205	2
206	2
207	2
208	3

8 rows in set (0.02 sec)

```
mysql> SELECT status,
-> COUNT(*) AS TOTAL_ORDERS,
-> SUM(total_amount) AS TOTAL_REVENUE
-> FROM orders
-> GROUP BY STATUS
-> ORDER BY total_revenue DESC;
```

status	TOTAL_ORDERS	TOTAL_REVENUE
Delivered	6	17191.00
Shipped	2	13596.00
Cancelled	1	2999.00
Pending	1	1299.00

4 rows in set (0.05 sec)

```
mysql> SELECT category,
-> MAX(unit_price) AS most_expensive,
-> MIN(unit_price) AS cheapest
-> FROM products
-> GROUP BY category;
```

category	most_expensive	cheapest
Clothing	4599.00	799.00
Electronics	3499.00	899.00
Home	1299.00	599.00

3 rows in set (0.28 sec)

```
mysql> SELECT
->     category,
->     AVG(unit_price) AS avg_price
-> FROM products
-> GROUP BY category
-> HAVING AVG(unit_price) > 2000;
```

category	avg_price
Clothing	2699.000000
Electronics	2224.000000

2 rows in set (0.04 sec)

```
mysql> SELECT
-> o.order_id,
-> o.order_date,
-> c.first_name,
-> c.last_name,
-> o.total_amount
-> FROM orders o
-> INNER JOIN customers c
-> ON o.customer_id = c.customer_id;
```

order_id	order_date	first_name	last_name	total_amount
1001	2024-08-01	Aarav	Sharma	4498.00
1004	2024-08-10	Aarav	Sharma	3499.00
1002	2024-08-03	Priya	Patel	799.00
1003	2024-08-05	Rohan	Gupta	7498.00
1008	2024-08-20	Rohan	Gupta	899.00
1005	2024-08-12	Sneha	Reddy	2999.00
1006	2024-08-15	Vikram	Singh	5898.00
1007	2024-08-18	Ananya	Iyer	1299.00
1009	2024-08-25	Karan	Mehta	6098.00
1010	2024-08-28	Divya	Nair	1598.00

10 rows in set (0.05 sec)

```
mysql> SELECT
-> c.customer_id,
-> c.first_name,
-> c.last_name,
-> o.order_id,
-> o.order_date,
-> o.status,
-> o.total_amount
-> FROM customers c
-> LEFT JOIN orders o
-> ON c.customer_id = o.customer_id
-> ORDER BY c.customer_id;
```

customer_id	first_name	last_name	order_id	order_date	status	total_amount
101	Aarav	Sharma	1001	2024-08-01	Delivered	4498.00
101	Aarav	Sharma	1004	2024-08-10	Delivered	3499.00
102	Priya	Patel	1002	2024-08-03	Delivered	799.00
103	Rohan	Gupta	1003	2024-08-05	Shipped	7498.00
103	Rohan	Gupta	1008	2024-08-20	Delivered	899.00
104	Sneha	Reddy	1005	2024-08-12	Cancelled	2999.00
105	Vikram	Singh	1006	2024-08-15	Delivered	5898.00
106	Ananya	Iyer	1007	2024-08-18	Pending	1299.00
107	Karan	Mehta	1009	2024-08-25	Shipped	6098.00
108	Divya	Nair	1010	2024-08-28	Delivered	1598.00

10 rows in set (0.06 sec)

```
mysql> SELECT
-> o.order_id,
-> p.product_name,
-> oi.quantity,
-> oi.unit_price,
-> oi.discount_pct
-> FROM orders o
-> INNER JOIN order_items oi
->     ON o.order_id = oi.order_id
-> INNER JOIN products p
->     ON oi.product_id = p.product_id
-> ORDER BY o.order_id;
```

order_id	product_name	quantity	unit_price	discount_pct
1001	Wireless Earbuds	2	1499.00	0.00
1001	Laptop Stand	1	899.00	10.00
1002	Cotton T-Shirt	1	799.00	0.00
1003	Smart Watch	1	2999.00	0.00
1003	Running Shoes	1	4599.00	5.00
1004	Bluetooth Speaker	1	3499.00	0.00
1005	Smart Watch	1	2999.00	0.00
1006	Wireless Earbuds	1	1499.00	10.00
1006	Running Shoes	1	4599.00	5.00
1007	Bedsheet Set	1	1299.00	0.00
1008	Laptop Stand	1	899.00	0.00
1009	Bluetooth Speaker	1	3499.00	0.00
1009	Cushion Covers (Set)	2	599.00	15.00
1010	Bedsheet Set	1	1299.00	0.00
1010	Cushion Covers (Set)	1	599.00	0.00

15 rows in set (0.02 sec)

```
mysql> SELECT
-> product_id,
-> SUM(quantity) AS qty_sold
-> FROM order_items
-> GROUP BY product_id
-> ORDER BY qty_sold DESC
-> LIMIT 5;
```

product_id	qty_sold
201	3
208	3
203	2
204	2
205	2

5 rows in set (0.08 sec)

```
mysql> SELECT
-> DATE_FORMAT(order_date, '%Y-%m') AS month,
-> COUNT(*) AS orders,
-> SUM(total_amount) AS revenue
-> FROM orders
-> GROUP BY month
-> ORDER BY month;
```

month	orders	revenue
2024-08	10	35085.00

1 row in set (0.02 sec)

```
mysql> -- Top Customers
mysql> SELECT
  -> c.customer_id,
  -> CONCAT(c.first_name, ' ', c.last_name) AS customer_name,
  -> SUM(o.total_amount) AS total_spent
  -> FROM customers c
  -> JOIN orders o
  -> ON c.customer_id = o.customer_id
  -> GROUP BY c.customer_id, customer_name
  -> ORDER BY total_spent DESC
  -> LIMIT 5;
```

customer_id	customer_name	total_spent
103	Rohan Gupta	8397.00
101	Aarav Sharma	7997.00
107	Karan Mehta	6098.00
105	Vikram Singh	5898.00
104	Sneha Reddy	2999.00

5 rows in set (0.06 sec)

```
mysql> -- Duplicate Orders Check
mysql> SELECT
  -> order_id,
  -> COUNT(*)
  -> FROM orders
  -> GROUP BY order_id
  -> HAVING COUNT(*) > 1;
Empty set (0.01 sec)
```

```
mysql> SELECT product_name, unit_price,
-> CASE
-> WHEN unit_price < 1000 THEN 'Budget'
-> WHEN unit_price BETWEEN 1000 AND 3000 THEN 'Mid-Range'
-> ELSE 'Premium'
-> END AS price_tier
-> FROM products;
```

product_name	unit_price	price_tier
Wireless Earbuds	1499.00	Mid-Range
Cotton T-Shirt	799.00	Budget
Smart Watch	2999.00	Mid-Range
Running Shoes	4599.00	Premium
Bluetooth Speaker	3499.00	Premium
Bedsheet Set	1299.00	Mid-Range
Laptop Stand	899.00	Budget
Cushion Covers (Set)	599.00	Budget

8 rows in set (0.03 sec)

```
mysql> SELECT
-> SUM(CASE WHEN status = 'Delivered' THEN 1 ELSE 0 END) AS delivered_orders,
-> SUM(CASE WHEN status != 'Delivered' THEN 1 ELSE 0 END) AS not_delivered_orders
-> FROM orders;
```

delivered_orders	not_delivered_orders
6	4

1 row in set (0.03 sec)

```
mysql> SELECT COUNT(*) FROM customers;
```

```
+-----+
```

```
| COUNT(*) |
```

```
+-----+
```

```
|      8 |
```

```
+-----+
```

```
1 row in set (0.02 sec)
```

```
mysql> SELECT COUNT(*) FROM products;
```

```
+-----+
```

```
| COUNT(*) |
```

```
+-----+
```

```
|      8 |
```

```
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT COUNT(*) FROM orders;
```

```
+-----+
```

```
| COUNT(*) |
```

```
+-----+
```

```
|     10 |
```

```
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT COUNT(*) FROM order_items;
```

```
+-----+
```

```
| COUNT(*) |
```

```
+-----+
```

```
|     15 |
```

```
+-----+
```

```
1 row in set (0.02 sec)
```

```
mysql> --Missing Values \c
```

```
mysql> SELECT *
```

```
-> FROM customers
```

```
-> WHERE first_name IS NULL
```

```
-> OR email IS NULL;
```

```
Empty set (0.01 sec)
```

```
mysql> -- Invalid Entries
```

```
mysql>
```

```
mysql> SELECT *
```

```
-> FROM products
```

```
-> WHERE unit_price <= 0;
```

```
Empty set (0.03 sec)
```