

Faculty of Information Technology
IS 1900 – ICT
Project Smart Shrimp Farming
Group No: 31

| No | Index No | Name |
|----|----------|----------------------|
| 01 | 204192X | Sara A.N. Z |
| 02 | 204130H | Megasuriya M.M.A.M.J |
| 03 | 204006J | Appuhamy H.D.S.A.N |
| 04 | 204171H | Rajapaksha S.S.D |
| 05 | 204155M | Perera J.K.A.T |

Supervisor Name: Mr. B.H. Sudantha
Dean/Senior Lecturer,
Faculty of Information Technology,
University of Moratuwa.

Ms. Chamalka Rajapaksha

Date of Submission: 24/09/2021

Signature of Supervisor:

Table of Content

| | |
|--|----|
| 1. Introduction..... | 02 |
| 2.Literature Survey..... | 03 |
| 2. Problem in brief..... | 02 |
| 3. Aim & Objectives..... | 03 |
| 3.1) Aim..... | 03 |
| 3.2) Objectives..... | 03 |
| 4. Analysis & Design | 04 |
| 4.1) System Block Diagram..... | 04 |
| 4.2) Flowchart..... | 05 |
| 4.3) 3D Design..... | 07 |
| 5.Testing & Implementation..... | 08 |
| 5. Resource Requirement..... | 10 |
| 5.1) Required Software and Hardware..... | 10 |
| 5.2) Estimated cost..... | 11 |
| 6. Appendix..... | 12 |
| Appendix A – Action Plan..... | 12 |
| 7. Reference..... | 11 |

1. Introduction

As an island country, Sri Lanka is blessed with a remarkable bounty. Its diverse climes and environments make it possible to grow practically anything within our shores.

However, the shrimp farming industry has come under fire in recent years and months for its potentially adverse impact on the environment, both marine and coastal. Sri Lanka's shrimp farming industry is powerful because of our natural resources – coastal lagoons, mangrove swamps, tidal flats, and estuaries that are well suited for shrimp farming. Combined with our transport networks and harbors, exporting was easy to accomplish.

Shrimp farming is a valuable source of employment and income for rural communities in the northwest, north, and east of Sri Lanka. It generates income and foreign exchange earnings, and allows Sri Lanka to play in the global marketplace, build exchanges, and grow. Shrimp production mainly belongs to marine aquaculture. Shrimps are the second most traded seafood commodity in the world.

2. Problems in brief

Although shrimp farming gives a huge amount of progress in the economy, the shrimp farmers face more challenges to achieve their expected goals.

- Shrimp Farming is a highly invested aquaculture which needs proper monitoring. Farmers face struggles as they monitor and maintain the whole process and actions manually, as a result they lack with proper record of management.
- Shrimp Farming needs more manpower to maintain the cultivation and more time is needed to manage the entire system.
- As per the growth of the shrimps in times, their entire Quantity and Quality of food, Time of feeding changes. As a result, it becomes a challenge for the farmers to feed them on time with the right amount of food. As the farmers feed the shrimps manually, they cannot make sure whether every shrimp is fed and even no clarity on the measures of food.
- The quality of water also plays a major role in shrimp farming. He has no proper knowledge on the environment the shrimps live in either. Factors like pH, Temperature determine the quality of water. They should be in a specific range and when they exceed or reduce, they affect the life and growth of shrimps. The water level too impacts on shrimp farming.



3. Literature Survey

We have identified similar project as ,

Smart Monitoring System

Smart Monitoring System is for testing the temperature and pH manually. They have the system of operating the water paddle wheels through the farmers' phone.

But the system doesn't have the system to record the data and information.

The system cannot function during the absence of farmers.

Through this smart monitoring system,Farmers provide insights into optimizing water quality using ph sensors .They get water samples nearly hour by hour and check the ph value.

In our project, we are also using a ph sensor, but we are not getting samples hour by hour. In addition to that, we are getting an alert to a phone while having an unnecessary ph value.

We are using an automatically feeding system.no need for employees.



3. Aim and Objectives

3.1) Aim

Our aim is to assist our local shrimp farmers in easing their work and saving their time with the use of sensors and electronic devices.

3.2) Objectives

- To help the farmer to control and monitor the shrimp ponds from a distance .
- To feed the shrimps automatically with a proper record of time and mass.
- To evaluate consumption of food easily.

- Monitoring the cultivation using the monitor, pH, Temperature, Mass of food, Date and Time schedule of feeding shrimps.
- To operate motors and lamps automatically with a phone.
- To protect his farm from robbery and stray animals.

4. Analysis & Design

Architectural Diagram






Figure 1 – System Block Diagram

Flowchart




Process Diagram


1.Feeding System




2. Water Management System




3. Real Time Clock




4. Mobile Operation



4.4) 3D Design




Our system basically consists of 3 parts. First, we introduce an automatic feeding system. Here we use the Weight Sensor, and it is attached to the main tank. Under the main tank we have the spreading motor, following the synchronous motor. Above the main tank a buzzer is placed.




Synchronous motor is used to control the flow of food gradually, from the main tank to the Spreading motor. The spreading motor will spread the food in the radius of around 15 meters of the pond.

The farmer needs to input the mass of food and time of feeding using the keypad.


Unless the farmer changes the time and mass of food, the feeding system works for the provided data till they are changed. When the farmer puts the specific mass of food needed for particular days, the sensor will send the message regarding the mass of the food to the farmer's phone. The message regarding the remaining mass of food in the main tank is sent to the farmer's phone with the date and time all the times the feeding system works. If the food in the main tank gets finished and the buzzer on the main tank starts to beep. It will be beeped once per second and meanwhile the alarm in the control unit starts to blink in Green colour and an Alert message to be sent to the farmer's phone. To provide default time and to get the data time to time, we are using the real time clock module here. In order to save the data SD card module is being used. The numbers of feeding systems are dependent on the size of the pond. This system works automatically.



Secondly, our system focuses on the quality of water. We are using pH Sensor, Ultrasonic Sensor, and the Temperature sensor here. The readings of these sensors will be sent to the farmer's phone. So, when the pH sensor senses some changes in pH values, or changes in Temperature an alarm in the control unit will blink in Yellow colour and the buzzer too starts to work. Buzzer beeps twice per second. It gives the alert regarding replacing water, as a result the alert message will be sent to the farmer's phone including the readings.



The ultrasonic sensor we used here detects the water level, when the water level goes down, the alarm works. So, the farmer can automatically operate the water pumps with his phone to get the sufficient water. And when the water level goes up, the alarm works. Meanwhile the alert messages were also sent to the farmer's phone.



5. Testing & Implementation


Synchronous Motor

- This appears between food tank and distribute motor in food distributing pipe
- It helps to control flow of the food
- Basically, its behavior like switch
- Referred the theory part of the motor
- Considered the cost, strength, and rusting of metal
- Discovered a more effective motor for the project
- Referred to a small section of the code

```
int main(void)
{
    DDRC = 0x01; //Makes RC0 output pin
    PORTC = 0x00;
    while(1)
    {
        //Rotate Motor to 0 degree
        PORTC = 0x01;
        _delay_us(1000);
        PORTC = 0x00;

        _delay_ms(2000);


        //Rotate Motor to 90 degree
        PORTC = 0x01;
        _delay_us(1500);
        PORTC = 0x00;
```



pH Sensor


- Referred the theory part of the pH sensor
- Discovered a better pH module for the project
- Referred to a small section of the code
- We can measure pH value of the water using this sensor

```
'  
void loop() {  
    for(int i=0;i<10;i++)  
    {  
        buffer_arr[i]=analogRead(A0);  
        delay(30);  
    }  
    for(int i=0;i<9;i++)  
    {  
        for(int j=i+1;j<10;j++)  
        {  
            if(buffer_arr[i]>buffer_arr[j])  
            {  
                temp=buffer_arr[i];  
                buffer_arr[i]=buffer_arr[j];  
                buffer_arr[j]=temp;  
            }  
        }  
    }  
    avgval=0;  
    for(int i=2;i<8;i++)  
        avgval+=buffer_arr[i];  
    float volt=(float)avgval*5.0/1024/6;  
    float ph_act = -5.70 * volt + calibration_value;  
    lcd.setCursor(0, 0);  
}
```



Relay


- Considered theory part of the relay
- Referred small part of the code
- Proteus was used to test our unit
- Discovered better relay module for the project



```
-----\n{\n    TRISB.F7 = 0; //Makes RB7 a output pin\n\n    do\n    {\n        PORTB.F7 = 1;    //Turns ON relay|\n        Delay_ms(1000); // 1000 mS delay\n        PORTB.F7 = 0;    //Turns OFF realy\n        Delay_ms(1000); //1000mS delay\n    }while(1);\n}
```

Keypad

- Considered theory part of the keyboard
- Referred small part of the code
- Proteus was used to test our unit
- Discovered better keyboard for the project



```

DDRB = 0xFF;
//putting portB and portD as output pins


DDRD = 0xFF;
_delay_ms(50);//giving delay of 50ms

int key=0;//allocating integer to reset the LCD once it reaches its display limit
int keypressed=0;//integer for storing matrix value
send_a_command(0x01); //Clear Screen 0x01 = 00000001
delay_ms(50);

```

RTC

- Considered theory part of the keyboard
- Referred small part of the code
- Proteus was used to test our unit
- Discovered better RTC for the project



```

#define Rtc_Bit0          0x0u
#define Rtc_Bit1          0x1u
#define Rtc_Bit2          0x2u
#define Rtc_Bit3          0x3u

#define F_CPU 16000000
#include "util/delay.h"

Time_Typedef Time = { .Hours = 10, .Minutes = 20, .RTC_Time_Format =
RTC_Format_BIN }, gettime = { .RTC_Time_Format = RTC_Format_BIN };

```


Spreading Motor

- Distributes food in a 360-degree circle and toss away
- Referred to the motor's theory section
- Taking into account the cost, strength, and rusting of metal
- Took a look at a example section of the code
- Discovered a more useful motor for the project

```
int main(void)
{
    DDRC = 0xFF; //PORTB as Output
    while(1)
    {
        //Rotates Motor in Anticlockwise
        PORTC = 0x01; //00000001
        _delay_ms(4000);

        //Stops Motor
        PORTC = 0x00; //00000000
        _delay_ms(4000);

        //Rotates Motor in Clockwise
        PORTC = 0x02; //00000010
        _delay_ms(4000);
```



Weight Sensor

- Referred to the weight sensor's theory section

Wifi module

- Rx and Tx pin test
- Checked USART protocol

5) Resources required

5.1) Software and Hardware

Software:

- Atmel Studio
- Proteus
- Blender

Hardware:

1. Sensors
 - pH sensor
 - Temperature sensor
 - Weight sensor
 - Ultrasonic sensor
2. Relay
3. Atmega 32 Controller
4. Real Time Clock Module
5. SD card Module
6. Buzzer
7. Spreading Motor
8. Synchronous Motor
9. Keypad
10. LCD Display

5.2) Estimated Cost

| Hardware Specifications | Price (in LKR) |
|---|----------------|
| pH Sensor | 1840.00 |
| Temperature Sensor | 130.00 |
| Weight Sensor | 500.00 |
| Ultra-sonic Sensor | 280.00 |
| Real Time Clock | 320.00 |
| SD Card Module | 200.00 |
| Atmega32 Micro Controller | 400.00 |
| Relay | 240.00 |
| Spreading Motor | 650.00 |
| Synchronous Motor | 750.00 |
| Keypad | 520.00 |
| LCD Display | 440.00 |
| Adopter | 390.00 |
| Other (Alarm, Buzzer, Lamps, Metal legs, Wires) | 5000.00 |
| Total | 11660.00 |

Appendices

Individual Contribution

Student Name: Sara A.N.Z

204192X

Our hardware project will be to construct a shrimp feeding system. I discovered what needed to be done by communicating with my project partners, attending hardware project meetings, and conducting research. First, we drafted the proposal by explaining our problem and the suggested solution. Throughout those days, I learned about the technologies that we want to use to develop the system.

- Learning about synchronous motor
- Learning to simulate using Proteus
- Learning to do 3D animation

I have learnt to develop interfacing synchronous motors, the structure of it and how it could be used in our project and to design and code a synchronous motor. I too learnt to use Proteus software to simulate the circuit. I too learnt to make 3D animations using Blender

Student Name: Megasuriya M.M.A.M.J

204130H

Our hardware project will be to manufacture a shrimp feeding mechanism. I recognized what needed to be done by engaging with my project teammates, attending hardware project meetings, and conducting research. First, we drafted the proposal by explaining our problem and the suggested solution. Throughout those days, I learned about the technologies that we want to use to develop the system.

- Learning about relay and pH sensor
- Learning to simulate using Proteus
- Learning to do 3D animation

I have learnt about designing and coding a relay and a pH sensor. learnt to use Proteus software to simulate the circuit. I too learnt to make 3D animations using Blender

Student Name: Appuhamy H.D.S.A.N
204006J

Manufacturing a shrimp feeding device will be our hardware project. By interacting with my project partners, attending hardware project meetings, and completing research, I was able to identify what needed to be done. We begin by drafting the proposal by describing our problem and the proposed remedy. I learnt about the technology we intend to employ to construct the system during the course of those days.

- Learning about real time clock module(RTC)
- Learning to simulate using Proteus
- Learning to do 3D animation

I have learnt about designing and coding an alarm system used with RTC module. I mention that I have learnt to use Proteus to design the circuits and learned to create 3D animations using Blender.

I'm also working on a WIFI module. At the time, I was mainly concerned with the theoretical aspects of this wifi module, as well as figuring out how to connect to the atmega32.

Student Name: Rajapaksha S.S.D

204171H

Our hardware project will be to build a shrimp food mechanism. I had no idea what I had to accomplish at first. However, after interacting with my project teammates and engaging in hardware project meetings, as well as reading research, I realized what needed to be done. First, we draft the proposal by stating our problem and the recommended remedy. I learnt about the technology that we aim to employ to build the system throughout those days.

I am in charge of determining the weight of the food tank. To distribute food to the pond, use a gear motor. So far, I've assisted my team members in designing the entire system, reading and comprehending the atmega32 microcontroller, DC motor, and using sample code for working motor and weight sensor theories. However, I was unable to connect the weight sensor to the microcontroller. So I'm continuing conducting research and working on it.

I've learnt a lot of new things. Not only the study-related things, but also how to operate in a team and interact with team members.

Student Name: Perera J.K.A.T

204155M

- Learning about SD card module
- Learning to simulate using Proteus
- Learning to do 3D animation

Our hardware project will be to manufacture a shrimp feeding mechanism. I recognized what needed to be done by engaging with my project teammates, attending hardware project meetings, and conducting research. First, we draft the proposal by stating our problem and the recommended remedy. I learnt about the technology that we aim to employ to build the system throughout those days. I gathered theoretical knowledge on SD card modules

Action Plan

References

<https://www.electrical4u.com/synchronous-motor-working-principle/>

https://ajs.journals.ekb.eg/article_157933_de69ccb47e2415438c3a977037f9d76a.pdf

<https://www.electronicwings.com/avr-atmega/ultrasonic-module-hc-sr04-interfacing-with-atmega1632>

<https://www.electronicwings.com/avr-atmega/4x4-keypad-interfacing-with-atmega1632>

<https://www.maxbotix.com/articles/how-ultrasonic-sensors-work.htm>