

Educational 3D Solar System Simulation using OpenGL

Sara Alsanajleh (163418)

Ghada Abu Shaqra (164188)

Abstract

This project presents an interactive 3D solar system simulation developed using OpenGL and GLUT in C++. The application demonstrates fundamental computer graphics concepts through a realistic and educational visualization of planetary motion.

The system integrates geometric transformations, real-time animation using GLUT timer functions, texture mapping with real images, lighting and shading models, and full user interaction via keyboard and mouse.

Additionally, the project includes advanced features such as multiple camera modes, hover-based information tooltips, zooming, and dynamic scene control, making the system both technically comprehensive and visually engaging.

1 Introduction

Computer graphics enables the creation of visual content through mathematical models and computational techniques. OpenGL is widely used as a powerful graphics library for rendering both two-dimensional and three-dimensional scenes efficiently and in real time.

The objective of this project is to develop an interactive solar system simulation that applies the fundamental concepts of computer graphics, including transformations, animation, coloring, texture mapping, user interaction, and lighting and shading.

The solar system was selected as an ideal case study due to its natural ability to demonstrate hierarchical motion, continuous rotation, variations in scale, and visually realistic representations within a dynamic 3D environment. Furthermore, it provides an intuitive and educational context for integrating multiple graphics techniques into a single coherent system.

2 Development Tools

Tool	Purpose
C++	Programming Language
OpenGL	Graphics Rendering
GLUT	Windowing and Input Handling
GLU	Utility Functions (Spheres, Camera)
stb_image.h	Texture Loading

3 Project Overview

The system renders a complete three-dimensional solar system environment in which the Sun is positioned at the center as the primary light source, while eight planets revolve around it in continuous orbital motion. Each planet is also animated to rotate around its own axis, creating a realistic representation of planetary dynamics.

The scene is further enriched by additional visual elements, including the ring system of Saturn and dynamically orbiting moons for selected planets. A textured space background is applied to enhance the depth and realism of the environment, providing a more immersive visual experience.

In addition to the visual modeling, the system incorporates multiple camera modes that allow the user to explore the scene from different perspectives. Interactive features such as hover-based information tooltips provide contextual data about planets in real time, while navigation controls enable smooth movement, zooming, and scene exploration.

Overall, the project combines visual realism with interactivity, resulting in a dynamic and engaging simulation that demonstrates both graphical rendering techniques and user-centered design.

4 Core Graphics Concepts Implementation

4.1 Transformations

Transformations play a fundamental role in constructing the spatial structure and motion of the scene. Translation is used to position each planet at an appropriate distance from the Sun, effectively defining its orbital radius. Rotation is applied in two distinct forms: orbital rotation, which allows planets to revolve around the Sun, and axial rotation, which simulates the spinning of each planet around its own axis. In addition, scaling is utilized to adjust the relative sizes of celestial bodies and, in some cases, to slightly deform their shapes for visual realism.

These transformations are combined hierarchically, such that each planet is first rotated around the central axis of the system and then transformed locally to simulate self-rotation. This hierarchical composition results in a coherent and dynamic representation of planetary motion.

4.2 Animation

Animation is implemented using a time-based update mechanism that continuously modifies the rotational parameters of the planets. At each time step, both the orbital angles and the self-rotation angles are incremented, resulting in smooth and continuous motion throughout the scene.

The rendering process is repeatedly triggered to reflect these updates in real time, creating a dynamic simulation. Furthermore, user interaction is integrated into the animation system, allowing the motion to be paused or resumed, as well as controlling the animation speed. This provides flexibility and enhances the interactivity of the simulation.

4.3 Coloring

Coloring is achieved through the use of material properties and color definitions to enhance visual differentiation between objects. Each planet is assigned a distinct color, contributing to clarity and realism in the scene.

In addition to base coloring, colors are also applied to auxiliary elements such as orbit paths, selection highlights, and interface components. The Sun is treated with an emission property, allowing it to appear as a glowing light source. This combination of color usage results in a visually rich and distinguishable environment.

4.4 Texture Mapping

Texture mapping is utilized to significantly improve the realism of the simulation by applying high-quality image textures to the surfaces of celestial bodies. Each planet, along with the Sun, the Moon, and the surrounding space environment, is mapped with an appropriate texture that reflects its real-world appearance.

Texture coordinates are automatically generated for spherical objects, ensuring proper mapping across curved surfaces. Additionally, the system allows textures to be enabled or disabled during runtime, providing flexibility in visual presentation and performance.

4.5 User Interaction

The system supports comprehensive user interaction through both keyboard and mouse inputs, enabling dynamic exploration of the scene. Keyboard controls allow the user to manipulate animation behavior, toggle visual elements, switch between camera modes, and navigate freely within the environment.

Mouse interaction further enhances usability by allowing intuitive camera rotation through dragging, zooming via scrolling, and real-time information display through hover detection. When the cursor is positioned over a planet, contextual information is presented to the user, enriching the overall experience.

4.6 Lighting and Shading

Lighting is implemented using the OpenGL lighting model, where the Sun acts as the primary light source within the scene. The lighting system incorporates ambient, diffuse, and specular components to simulate realistic illumination and surface interaction.

Shading is applied using two distinct techniques: smooth shading and flat shading. Smooth shading produces gradual transitions between surface normals, resulting in more realistic and visually appealing objects, while flat shading assigns a single normal per surface, creating a more faceted appearance. The system allows dynamic switching between these shading modes, enabling clear visual comparison of their effects on object appearance.

5 Additional Features

In addition to the core requirements, the project incorporates several advanced features that enhance both functionality and visual quality. The system provides multiple cam-

era modes, including free navigation, overview perspective, and object-following views, allowing users to explore the scene from different angles.

An interactive hover-based tooltip system is implemented to display real-time information about planets, including descriptive details and orbital characteristics. Visual feedback is also provided through selection highlighting, making it easier to identify active objects within the scene.

Further enhancements include the implementation of Saturn's ring system, dynamic moon motion for selected planets, and a textured space background that surrounds the entire scene. Additionally, a mathematical approximation inspired by orbital mechanics is used to control planetary speeds, adding a level of scientific realism to the simulation.

6 Challenges

- Managing hierarchical transformations correctly, especially when combining orbital motion with local object rotation, which requires careful ordering of transformations to maintain realistic behavior.
- Applying textures accurately on spherical surfaces, ensuring proper mapping without distortion and maintaining visual consistency across all celestial bodies.
- Implementing smooth and intuitive camera movement in a three-dimensional environment, including navigation, rotation, and zooming while preserving user control and scene stability.
- Detecting objects using mouse hover interaction, which involves converting 3D coordinates into screen space and accurately identifying the object under the cursor.
- Maintaining smooth and consistent animation performance, particularly while updating multiple objects simultaneously and ensuring real-time rendering without noticeable lag.

7 Results

The project successfully demonstrates a fully functional and interactive three-dimensional system that integrates multiple computer graphics concepts into a cohesive application. The resulting simulation achieves real-time rendering performance, allowing smooth visualization of planetary motion and dynamic scene updates.

In addition, the system provides an intuitive user experience through interactive navigation, responsive controls, and real-time feedback. The use of texture mapping and lighting models enhances the visual realism of celestial bodies, while animation ensures continuous and natural motion throughout the simulation.

Overall, the system combines visual quality with interactivity, resulting in a stable, responsive, and engaging graphical application.




Figure 1: *Interactive 3D Solar System Simulation Interface*



Figure 2: *Main system interface showing full interaction controls, camera mode, and real-time user feedback.*




Figure 3: *Scene rendered without textures, demonstrating geometric structure, orbit paths, and basic shading.*