

Begin : 2026-03-09
00:30 UTC+3

☆ 🧑🏫 **Week 01 — Data
Types & If Condition**

End : 2026-03-17
00:30 UTC+3



Ended

[Overview](#)

[Problem](#)

[Status](#)

[Rank \(8:00:00:00\)](#)

[Discuss](#)

[Setting](#)

[Clone](#)

A - Many A+B Problems

[AtCoder - abc288_a](#)



Problem Statement

You are given N pairs of integers: $(A_1, B_1), (A_2, B_2), \dots, (A_N, B_N)$. For each $i = 1, 2, \dots, N$, print $A_i + B_i$.

Constraints

- $1 \leq N \leq 1000$
- $-10^9 \leq A_i, B_i \leq 10^9$
- All values in the input are integers.

Input

The input is given from Standard Input in the following format:

```
N
A1 B1
A2 B2
⋮
AN BN
```

Output

Print N lines. For $i = 1, 2, \dots, N$, the i -th line should contain $A_i + B_i$.

Sample 1

Input	Copy	Output	Copy
4 3 5 2 -6 -5 0 314159265 123456789		8 -4 -5 437616054	

- The first line should contain $A_1 + B_1 = 3 + 5 = 8$.
- The second line should contain $A_2 + B_2 = 2 + (-6) = -4$.

- The third line should contain $A_3 + B_3 = (-5) + 0 = -5$.
- The fourth line should contain $A_4 + B_4 = 314159265 + 123456789 = 437616054$.



All Copyright Reserved © 2010-2026

Server Time: 2026-04-27 13:40:14 UTC+3