

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="fr">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>IDT Soft</title>
    <link rel="stylesheet" href="./style.css" />
    <script src="script.js"></script>
  </head>

  <body>
    <header id="accueil" class="container centered">
      <nav id="navbar" class="container">
        <img
          id="smallLogo"
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 4, column 5; to line 4, column 28](#)

```
head>↵    <meta charset="UTF-8" />↵    <
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 5; to line 5, column 76](#)

```
8" />↵    <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵    <
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 7, column 5; to line 7, column 48](#)

```
itle>↵    <link rel="stylesheet" href="./style.css" />↵    <
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 14, column 9; to line 18, column 10](#)

```
>↵    <img↵        id="smallLogo"↵        src="./images/idtsoft_projet_6b.png"↵        alt="IDT Soft"↵    />↵
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 55, column 13; to line 55, column 71](#)

```
↵
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 65, column 13; to line 65, column 70](#)

```
↵
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 75, column 13; to line 75, column 67](#)

```
↵
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 83, column 13; to line 83, column 68](#)

```
↵
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 92, column 13; to line 92, column 71](#)

```
↵
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 101, column 13; to line 101, column 73](#)

```
↵
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 111, column 13; to line 111, column 67](#)

```
↵
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 118, column 13; to line 118, column 68

```

```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 123, column 13; to line 123, column 67

```

```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 136, column 15; to line 140, column 16

```

```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 149, column 15; to line 153, column 16

```

```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 161, column 15; to line 165, column 16

```

```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 189, column 15; to line 194, column 16

```
<input name="fPrenom" class="FormField" type="text" placeholder="Prénom" />
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 195, column 15; to line 200, column 16

```
<input name="fNom" class="FormField" type="text" placeholder="Nom" />
```

19. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 203, column 15; to line 208, column 16

```
<input name="fEmail" class="FormField" type="text" placeholder="Email" />
```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 211, column 15; to line 216, column 16

```
<input name="fSujet" class="FormField" type="text" placeholder="Sujet" />
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 228, column 15; to line 233, column 16

```
<input id="BtnEnvoyer" type="submit" onclick="alert('Merci! Votre message a bien été envoyé. Nous vous contacterons dans les plus brefs délais.');" value="Envoyer" />
```

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>
2. <html lang="fr">
3.   <head>
4.     <meta charset="UTF-8" />
5.     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6.     <title>IDT Soft</title>
7.     <link rel="stylesheet" href="./style.css" />
8.     <script src="script.js"></script>
9.   </head>
10.   <body>
11.     <header id="accueil" class="container centered">
12.       <nav id="navbar" class="container">
13.         
18.         <div id="navbarWide">
19.           <a href="#accueil">ACCUEIL</a>
20.           <a href="#solutions">NOS SOLUTIONS</a>
21.           <a href="#developpement">DEVELOPPEMENT</a>
22.           <a href="#contact">CONTACTEZ-NOUS</a>
23.         </div>
24.         <button id="burger"></button>
25.         <ul class="nav-links" id="nav-links">
26.           <li><a href="#accueil">ACCUEIL</a></li>
```

```

33.     <li><a href="#solutions">NOS SOLUTIONS</a></li><
34.     <li><a href="#developpement">DEVELOPPEMENT</a></li><
35.     <li><a href="#contact">CONTACTEZ-NOUS</a></li><
36. </ul><
37. </nav><
38. <div id="HeadBox" class="container centered"><
39.   <h1>IDT Soft</h1><
40.   <h2>Développement sur mesure</h2><
41. </div><
42. <div><
43.   <button onclick="window.location.href = '#solutions';"><
44.     NOTRE OFFRE<
45.   </button><
46. </div><
47. </div><
48. </header><
49. <div><
50.   <main id="solutions"><
51.     <h3>Notre offre</h3><
52.     <div class="container wrap spaced AffichageVariable"><
53.       <div class="card"><
54.         <
55.         <h4>SARA</h4><
56.         <div class="detail"><
57.           Gestion de maison d'accueil - Statistiques - Cahier de<
58.             communications - Gestion des dossiers - Gestion de la<
59.             facturation....<
60.         </div><
61.       </div><
62.       <div class="card"><
63.         <
64.         <h4>WinCaisse</h4><
65.         <div class="detail"><
66.           Gestion de caisse - Multi-sites - Multi-clients - Gestion des<
67.             factures - lien avec les outils de caisse (douchette, balances...)<
68.           Inventaire<
69.         </div><
70.       </div><
71.       <div class="card"><
72.         <
73.         <h4>WinGes</h4><
74.         <div class="detail"><
75.           Gestion immobilière - Rapports annuels - Syndic - Copropriété -<
76.           Facility Management - Ticketing - Facturation ...<
77.         </div><
78.       </div><
79.       <div class="card"><
80.         <
81.         <h4>WinBoul</h4><
82.         <div class="detail"><
83.           Gestion d'atelier boulangerie - plusieurs points de ventes en<
84.             boulangerie / pâtisserie, ou en sous-traitance - Gestion des bons<
85.             de livraison et des factures<
86.         </div><
87.       </div><
88.       <div class="card"><
89.         <
90.         <h4>WinGrenier</h4><
91.         <div class="detail"><
92.           Programme de caisse pour dépôt-vente et vide-grenier - suivi des<
93.             marges des déposants, facturation, liaison avec terminal de<
94.             paiement - tableaux d'analyse et rapports de ventes détaillés.<
95.         </div><
96.       </div><
97.       <div class="card"><
98.         <
99.         <h4>WinTrans</h4><
100.        <div class="detail"><
101.          Gestion du transport de matériaux lourds - coordination des<
102.            chauffeurs, camions et livraisons - gestion des bons de commande,<
103.            de livraison et des factures - application mobile dédiée pour un<
104.            suivi optimal.<
105.        </div><
106.      </div><
107.      <div class="card"><
108.        <
109.        <h4>Distributeur BOB50</h4><
110.        <div class="detail"><
111.          Comptabilité et Gestion commerciale Formation<
112.        </div><
113.      </div><
114.      <div class="card"><
115.        <
116.        <h4>Distributeur ESET</h4><
117.        <div class="detail"><
118.          NOD32/ Internet Security</div><
119.      </div><
120.      <div id="developpement" class="card"><
121.        <
122.        <h4>Développement sur mesure</h4><
123.        <div class="detail"><
124.          LOGICIEL / APPLICATION SUR DEMANDE Vous avez un besoin<
125.            spécifique; Vous ne trouvez pas ce qu'il vous faut dans le<
126.            commerce; Vous avez imaginé une solution ; CONTACTEZ-NOUS<
127.        </div><
128.      </div><
129.      <div id="valeur"><
130.        <h3>Nos valeurs</h3><
131.        <div class="container wrap spaced AffichageVariable"><
132.          <div class="card valeurdetail"><
133.            <img<
134.              class="IconClass"<
135.                src="./images/ecoute-150x150.png"<
136.                alt="Ecoute"<
137.            /><
138.            <h4>Ecoute</h4><
139.            <div class="detail"><
140.              Votre logiciel est adapté à votre organisation et à vos<
141.                contraintes métiers. Notre priorité: analyser vos demandes et<
142.                vos besoins.<
143.            </div><
144.          </div><
145.          <div class="card valeurdetail"><
146.            <img<
147.              class="IconClass"<
148.                src="./images/ergo-150x150.png"<
149.                alt="Simplicité"<
150.            /><
151.            <h4>Ergonomie</h4><
152.            <div class="detail"><

```

```

153.     />↵
154.     <h4>Simplicité</h4>↵
155.     <div class="detail">↵
156.         Nos logiciels sont conçus et développés en privilégiant↵
157.         l'ergonomie. Notre but : une utilisation simple et logique.↵
158.     </div>↵
159. </div>↵
160. <div class="card valeurdetail">↵
161.     <img↵
162.         class="IconClass"↵
163.         src="./images/support-150x150.png"↵
164.         alt="Support"↵
165.     />↵
166.     <h4>Support</h4>↵
167.     <div class="detail">↵
168.         Nous vous accompagnons pendant toute la durée de vie de notre↵
169.         logiciel: conception, formation, maintenance, évolution.↵
170.     </div>↵
171. </div>↵
172. </div>↵
173. </div>↵
174. </main>↵
175. </div>↵
176. ↵ <div class="AffichageVariable FormContact container">↵
177.     <div id="contact">↵
178.         <p>Plus d'informations</p>↵
179.         <p>Intéressé par nos solutions? Un besoin spécifique?</p>↵
180.     </div>↵
181.     <div class="container centered">↵
182.         <h5>Contactez-nous</h5>↵
183.     </div>↵
184.     <div id="formBox">↵
185.         <form>↵
186.             <div class="container">↵
187.                 <input↵
188.                     name="fPrenom"↵
189.                     class="FormField"↵
190.                     type="text"↵
191.                     placeholder="Prénom"↵
192.                 />↵
193.                 <input↵
194.                     name="fNom"↵
195.                     class="FormField"↵
196.                     type="text"↵
197.                     placeholder="Nom"↵
198.                 />↵
199.             </div>↵
200.             <div class="container">↵
201.                 <input↵
202.                     name="fEmail"↵
203.                     class="FormField"↵
204.                     type="text"↵
205.                     placeholder="Email"↵
206.                 />↵
207.             </div>↵
208.             <div class="container">↵
209.                 <input↵
210.                     name="fSujet"↵
211.                     class="FormField"↵
212.                     type="text"↵
213.                     placeholder="Sujet"↵
214.                 />↵
215.             </div>↵
216.             <div class="container">↵
217.                 <textarea↵
218.                     class="FormField"↵
219.                     name="fMessage"↵
220.                     cols="45"↵
221.                     rows="10"↵
222.                     placeholder="Message"↵
223.                 ></textarea>↵
224.             </div>↵
225.             <div class="container centered">↵
226.                 <input↵
227.                     id="BtnEnvoyer"↵
228.                     type="submit"↵
229.                     onclick="alert('Merci! Votre message a bien été envoyé. Nous vous contacterons dans les plus brefs délais.');"↵
230.                     value="Envoyer"↵
231.                 />↵
232.             </div>↵
233.         </form>↵
234.     </div>↵
235. </div>↵
236. </div>↵
237. </div>↵
238. </div>↵
239. <footer></footer>↵
240. </body>↵
241. </html>

```

Used the HTML parser.

Total execution time 10 milliseconds.