

```
Warp File Edit View Tab Blocks Window Help Thu 26 Oct 1:22 PM
@e0b5b41b465~/mydir @00907223e0ae~/mydir
docker run -i -t --name tuwaiq-centos4 abdullahalsabi/tuwaiq-centos
[root@00907223e0ae /]# sudo mkdir -p ~/mydir/mydir2
[root@00907223e0ae /]# sudo touch ~/mydir/mydir2/SarahAldrees.txt
[root@00907223e0ae /]# cp /var/log/anaconda/syslog ~/mydir/securecopy.txt
[root@00907223e0ae /]# cd ~
[root@00907223e0ae ~]# cd mydir/
[root@00907223e0ae mydir]# cksum securecopy.txt
2766876939 488142 securecopy.txt
[root@00907223e0ae mydir]# nano securecopy.txt
[root@00907223e0ae mydir]# cksum securecopy.txt
3943926604 488240 securecopy.txt
[root@00907223e0ae mydir]# find /mydir/ -name SarahAldrees.txt
/usr/bin/find: '/mydir/': No such file or directory
[root@00907223e0ae mydir]# find /mydir -name SarahAldrees.txt
/usr/bin/find: '/mydir/': No such file or directory
[root@00907223e0ae mydir]# find mydir/ -name SarahAldrees.txt
/usr/bin/find: 'mydir/': No such file or directory
[root@00907223e0ae mydir]# find mydir2/ -name SarahAldrees.txt
mydir2/SarahAldrees.txt
[root@00907223e0ae mydir]# man useradd 1> useradd-man.txt
[root@00907223e0ae mydir]# grep "password" useradd-man.txt
    The number of days after a password expires until the account is permanently disabled. A value of 0 disables the account as soon as
    the password has expired, and a value of -1 disables the feature.
    Example: -K PASS_MAX_DAYS=-1 can be used when creating system account to turn off password aging, even though system account has no
    password at all. Multiple -K options can be specified, e.g.: -K UID_MIN=100 -K UID_MAX=499
    -p, --password PASSWORD
        The encrypted password, as returned by crypt(3). The default is to disable the password.
        Note: This option is not recommended because the password (or encrypted password) will be visible by users listing the processes.
        You should make sure the password respects the system's password policy.
        The number of days after a password has expired before the account will be disabled.
        same password, and same GID).
        The maximum number of days a password may be used. If the password is older than this, a password change will be forced. If not
        The minimum number of days allowed between password changes. Any password changes attempted sooner than this will be rejected. If
        The number of days warning given before a password expires. A zero means warning is given only upon the day of expiration, a
        Shadow password suite configuration.
        can't update password file
[root@00907223e0ae mydir]# diff /var/log/anaconda/syslog ~/mydir/securecopy.txt
208c208
< 14:16:33,624 INFO kernel:ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
---
> 14:16:33,624 INFO kernel:ACPI: PCI Sarah Bridge [PCI0] (domain 0000 [bus 00-ff])
```

```
Warp File Edit View Tab Blocks Window Help Thu 26 Oct 1:14 PM
@e0b5b41b465~/mydir @00907223e0ae~/mydir
GNU nano 2.9.8 securecopy.txt
14:16:33,622 NOTICE kernel:Linux version 4.18.0-305.3.1.el8.x86_64 (mockbuild@kbuilder.bsys.centos.org) (gcc version 8.4.1 20200928 (Red Hat 8.4.1
14:16:33,622 INFO kernel:Command line: method=http://qa.centos.org/centos/8/BaseOS/x86_64/kickstart/ ks=file:/ks.cfg
14:16:33,622 INFO kernel:x86/fpu: x87 FPU will use FXSAVE
14:16:33,622 INFO kernel:BIOS-provided physical RAM map:
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x0000000000000000-0x00000000000009fbff] usable
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x00000000000009fc00-0x00000000000009ffff] reserved
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x0000000000000f0000-0x0000000000000fffff] reserved
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x000000000000100000-0x000000000000bfffff] usable
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x000000000000bffa000-0x000000000000bfffffff] reserved
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x000000000000feffc000-0x000000000000feffffff] reserved
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x000000000000fffc0000-0x000000000000ffffffff] reserved
14:16:33,622 INFO kernel:BIOS-e820: [mem 0x00000000000100000000-0x0000000000013fffffff] usable
14:16:33,622 INFO kernel:NX (Execute Disable) protection: active
14:16:33,622 INFO kernel:SM BIOS 2.4 present.
14:16:33,622 INFO kernel:DMI: Red Hat KVM, BIOS 0.5.1 01/01/2011
14:16:33,622 INFO kernel:Hypervisor detected: KVM
14:16:33,622 INFO kernel:kvm-clock: Using msrs 4b564d01 and 4b564d00
14:16:33,622 INFO kernel:kvm-clock: cpu 0, msr 5e601001, primary cpu clock
14:16:33,622 INFO kernel:kvm-clock: using sched offset of 2702134690 cycles
14:16:33,622 INFO kernel:clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
14:16:33,622 INFO kernel:tsc: Detected 2199.996 MHz processor
14:16:33,622 DEBUG kernel:e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
14:16:33,622 DEBUG kernel:e820: remove [mem 0x000a0000-0x0000ffff] usable
14:16:33,622 INFO kernel:last_pfn = 0x140000 max_arch_pfn = 0x400000000
14:16:33,622 DEBUG kernel:MTRR default type: write-back
14:16:33,622 DEBUG kernel:MTRR fixed ranges enabled:
14:16:33,622 DEBUG kernel: 00000-9FFFF write-back
14:16:33,622 DEBUG kernel: A0000-BFFFF uncachable
14:16:33,622 DEBUG kernel: C0000-FFFFFF write-protect
14:16:33,623 DEBUG kernel:MTRR variable ranges enabled:
14:16:33,623 DEBUG kernel: 0 base 0000C0000000 mask 3FFFC0000000 uncachable
14:16:33,623 DEBUG kernel: 1 disabled
14:16:33,623 DEBUG kernel: 2 disabled
14:16:33,623 DEBUG kernel: 3 disabled
14:16:33,623 DEBUG kernel: 4 disabled
14:16:33,623 DEBUG kernel: 5 disabled
14:16:33,623 DEBUG kernel: 6 disabled
14:16:33,623 DEBUG kernel: 7 disabled
Replace with: Sarah
^G Get Help
^C Cancel
First Line
Last Line
PrevHistory
NextHistory
```