



Outils



VM_FergusonPoirierSarah

Éteinte



Nouvelle



Ajouter



Configuration



Oublier



Démarrer



Général

Nom : VM_FergusonPoirierSarah
Système d'exploitation : Debian (64-bit)



System

Mémoire vive : 1024 Mo
Ordre d'amorçage : Disquette, Optique, Disque dur
Accélération : Pagination imbriquée, Paravirtualisation KVM



Affichage

Mémoire vidéo : 16 Mo
Contrôleur graphique : VMSVGA
Serveur de bureau à distance : Désactivé
Enregistrement : Désactivé



Stockage

Contrôleur : IDE
Maître secondaire IDE : [Lecteur optique] debian-11.6.0-amd64-netinst.iso (388,00 MB)
Contrôleur : SATA
Port SATA 0 : VM_FergusonPoirierSarah.vdi (Normal, 20,00 Gio)



Audio

Pilote hôte : Par défaut
Contrôleur : ICH AC97



Réseau

Interface 1: Intel PRO/1000 MT Desktop (NAT)



USB

Contrôleur USB : OHCI, EHCI



Prévisualisation

VM_FergusonPoirierSarah

Debian GNU/Linux installer menu (BIOS mode)

Graphical install

Install

Advanced options



Accessible dark contrast installer menu >

Help

Install with speech synthesis

 **debian 11**



Auto capture keyboard ...  



CTRL DROITE



Select a language

Choose the language to be used for the installation process. The selected language will also be the default language for the installed system.

Language:

Chinese (Simplified)	-	中文(简体)
Chinese (Traditional)	-	中文(繁體)
Croatian	-	Hrvatski
Czech	-	Čeština
Danish	-	Dansk
Dutch	-	Nederlands
Dzongkha	-	ཇོངཀ་མ་གྲུབ་སྐད་ཀྱི་ཡི་ཁྱུར་
English	-	English
Esperanto	-	Esperanto
Estonian	-	Eesti
Finnish	-	Suomi
French	-	Français
Galician	-	Galego
Georgian	-	ქართული
German	-	Deutsch

Screenshot



Mouse integration ...



Auto capture keyboard ...



will also be the default

Go Back

Continue



Select your location

The selected location will be used to set your time zone and also for example to help select the system locale. Normally this should be the country where you live.

This is a shortlist of locations based on the language you selected. Choose "other" if your location is not listed.

Country, territory or area:

India
Ireland
Israel
New Zealand
Nigeria
Philippines
Seychelles
Singapore
South Africa
United Kingdom
United States
Zambia
Zimbabwe
other

Screenshot

Go Back

Continue



Configure the keyboard

Keymap to use:

American English

Albanian

Arabic

Asturian

Bangladesh

Belarusian

Bengali

Belgian

Berber (Latin)

Bosnian

Brazilian

British English

Bulgarian (BDS layout)

Bulgarian (phonetic layout)

Burmese

Canadian French

Canadian Multilingual

Screenshot

Go Back

Continue



Configure the network

Please enter the hostname for this system.

The hostname is a single word that identifies your system to the network. If you don't know what your hostname should be, consult your network administrator. If you are setting up your own home network, you can make something up here.

Hostname:

Screenshot

Go Back

Continue



Configure the network

The domain name is the part of your Internet address to the right of your host name. It is often something that ends in .com, .net, .edu, or .org. If you are setting up a home network, you can make something up, but make sure you use the same domain name on all your computers.

Domain name:

Screenshot

Go Back

Continue



Set up users and passwords

You need to set a password for 'root', the system administrative account. A malicious or unqualified user with root access can have disastrous results, so you should take care to choose a root password that is not easy to guess. It should not be a word found in dictionaries, or a word that could be easily associated with you.

A good password will contain a mixture of letters, numbers and punctuation and should be changed at regular intervals.

The root user should not have an empty password. If you leave this empty, the root account will be disabled and the system's initial user account will be given the power to become root using the "sudo" command.

Note that you will not be able to see the password as you type it.

Root password:

●●●●

☐ Show Password in Clear

Please enter the same root password again to verify that you have typed it correctly.

Re-enter password to verify:

●●●●

☐ Show Password in Clear

Screenshot

Go Back

Continue



Set up users and passwords

A user account will be created for you to use instead of the root account for non-administrative activities.

Please enter the real name of this user. This information will be used for instance as default origin for emails sent by this user as well as any program which displays or uses the user's real name. Your full name is a reasonable choice.

Full name for the new user:

[Screenshot](#)[Go Back](#)[Continue](#)



Set up users and passwords

Select a username for the new account. Your first name is a reasonable choice. The username should start with a lower-case letter, which can be followed by any combination of numbers and more lower-case letters.

Username for your account:

[Screenshot](#)[Go Back](#)[Continue](#)



Set up users and passwords

A good password will contain a mixture of letters, numbers and punctuation and should be changed at regular intervals.

Choose a password for the new user:

••••

☐ Show Password in Clear

Please enter the same user password again to verify you have typed it correctly.

Re-enter password to verify:

••••

☐ Show Password in Clear

Screenshot

Go Back

Continue



debian 11



Configure the clock

If the desired time zone is not listed, then please go back to the step "Choose language" and select a country that uses the desired time zone (the country where you live or are located).

Select your time zone:

Eastern

Central

Mountain

Pacific

Alaska

Hawaii

Arizona

East Indiana

Samoa

Screenshot

Go Back

Continue



Partition disks

The installer can guide you through partitioning a disk (using different standard schemes) or, if you prefer, you can do it manually. With guided partitioning you will still have a chance later to review and customise the results.

If you choose guided partitioning for an entire disk, you will next be asked which disk should be used.

Partitioning method:

Guided - use entire disk

Guided - use entire disk and set up LVM

Guided - use entire disk and set up encrypted LVM

Manual

Screenshot

Go Back

Continue



Partition disks

Note that all data on the disk you select will be erased, but not before you have confirmed that you really want to make the changes.

Select disk to partition:

SCSI1 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK

Screenshot

Go Back

Continue



Partition disks

Selected for partitioning:

SCSI1 (0,0,0) (sda) - ATA VBOX HARDDISK: 21.5 GB

The disk can be partitioned using one of several different schemes. If you are unsure, choose the first one.

Partitioning scheme:

All files in one partition (recommended for new users)

Separate /home partition

Separate /home, /var, and /tmp partitions

Screenshot

Go Back

Continue



Partition disks

This is an overview of your currently configured partitions and mount points. Select a partition to modify its settings (file system, mount point, etc.), a free space to create partitions, or a device to initialize its partition table.

Guided partitioning

Configure software RAID

Configure the Logical Volume Manager

Configure encrypted volumes

Configure iSCSI volumes

▼ SCSI1 (0,0,0) (sda) - 21.5 GB ATA VBOX HARDDISK

>	#1	primary	20.4 GB	f	ext4	/
>	#5	logical	1.0 GB	f	swap	swap

Undo changes to partitions

Finish partitioning and write changes to disk

Screenshot

Help

Go Back

Continue



Partition disks

If you continue, the changes listed below will be written to the disks. Otherwise, you will be able to make further changes manually.

The partition tables of the following devices are changed:

SCSI1 (0,0,0) (sda)

The following partitions are going to be formatted:

partition #1 of SCSI1 (0,0,0) (sda) as ext4

partition #5 of SCSI1 (0,0,0) (sda) as swap

Write the changes to disks?

☐ No

☒ Yes

Screenshot

Continue



Configure the package manager

Scanning your installation media finds the label:

Debian GNU/Linux 11.6.0 _Bullseye_ - Official amd64 NETINST 20221217-10:42

You now have the option of scanning additional media for use by the package manager (apt). Normally these should be from the same set as the one you booted from. If you do not have any additional media, this step can just be skipped.

If you wish to scan more media, please insert another one now.

Scan extra installation media?

☒ No

☐ Yes

Screenshot

Go Back

Continue



debian 11



Configure the package manager

The goal is to find a mirror of the Debian archive that is close to you on the network -- be aware that nearby countries, or even your own, may not be the best choice.

Debian archive mirror country:

- Singapore
- Slovakia
- Slovenia
- South Africa
- Spain
- Sweden
- Switzerland
- Taiwan
- Thailand
- Turkey
- Ukraine
- United Kingdom
- United States**
- Uruguay
- Vietnam

Screenshot

Go Back

Continue



Configure the package manager

Please select a Debian archive mirror. You should use a mirror in your country or region if you do not know which mirror has the best Internet connection to you.

Usually, `deb.debian.org` is a good choice.

Debian archive mirror:

- ftp.us.debian.org
- debian.csail.mit.edu
- debian.osuosl.org
- debian.cc.lehigh.edu
- debian.gtisc.gatech.edu
- mirror.cc.columbia.edu
- deb.debian.org**
- debian-archive.trafficmanager.net
- mirrors.lug.mtu.edu
- mirror.us.oneandone.net
- mirrors.bloomu.edu
- mirrors.namecheap.com
- mirrors.ocf.berkeley.edu
- debian.mirror.constant.com

Screenshot

Go Back

Continue



Configure the package manager

If you need to use a HTTP proxy to access the outside world, enter the proxy information here. Otherwise, leave this blank.

The proxy information should be given in the standard form of "http://[[user][:pass]@]host[:port]/".

HTTP proxy information (blank for none):

Screenshot

Go Back

Continue



Configuring popularity-contest

The system may anonymously supply the distribution developers with statistics about the most used packages on this system. This information influences decisions such as which packages should go on the first distribution CD.

If you choose to participate, the automatic submission script will run once every week, sending statistics to the distribution developers. The collected statistics can be viewed on <https://popcon.debian.org/>.

This choice can be later modified by running "dpkg-reconfigure popularity-contest".

Participate in the package usage survey?

☒ No

☐ Yes

Screenshot

Continue



Software selection

At the moment, only the core of the system is installed. To tune the system to your needs, you can choose to install one or more of the following predefined collections of software.

Choose software to install:

☒ Debian desktop environment

- ☒ ... GNOME
- ☐ ... Xfce
- ☐ ... GNOME Flashback
- ☐ ... KDE Plasma
- ☐ ... Cinnamon
- ☐ ... MATE
- ☐ ... LXDE
- ☐ ... LXQt
- ☐ web server
- ☐ SSH server
- ☒ standard system utilities

Screenshot

Continue



Install the GRUB boot loader

It seems that this new installation is the only operating system on this computer. If so, it should be safe to install the GRUB boot loader to your primary drive (UEFI partition/boot record).

Warning: If your computer has another operating system that the installer failed to detect, this will make that operating system temporarily unbootable, though GRUB can be manually configured later to boot it.

Install the GRUB boot loader to your primary drive?

☐ No

☒ Yes

Screenshot

Go Back

Continue



Install the GRUB boot loader

You need to make the newly installed system bootable, by installing the GRUB boot loader on a bootable device. The usual way to do this is to install GRUB to your primary drive (UEFI partition/boot record). You may instead install GRUB to a different drive (or partition), or to removable media.

Device for boot loader installation:

Enter device manually

`/dev/sda (ata-VBOX_HARDDISK_VB9e705f55-7263c067)`

Screenshot

Go Back

Continue



Finish the installation



Installation complete

Installation is complete, so it is time to boot into your new system. Make sure to remove the installation media, so that you boot into the new system rather than restarting the installation.

Screenshot

Go Back

Continue