



HW

Q1:

```
C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>mkdir url_collision
C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>python -m venv venv
C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>venv\Scripts\activate
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>pip install django
Collecting django
  Downloading django-6.1.1-py3-none-any.whl.metadata (3.9 kB)
Collecting asgiref<=3.9.1 (from django)
  Using cached asgiref-3.12.1-py3-none-any.whl.metadata (9.4 kB)
Collecting sqlparse<=0.5.0 (from django)
  Using cached sqlparse-0.6.0-py3-none-any.whl.metadata (6.0 kB)
Collecting tzdata (from django)
  Using cached tzdata-2026.3-py2.py3-none-any.whl.metadata (1.4 kB)
  Downloading tzdata-2026.3-py2.py3-none-any.whl (8.4 MB)
    ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 8.4/8.4 MB 4.4 MB/s 0:00:02
Using cached asgiref-3.12.1-py3-none-any.whl (25 kB)
Using cached sqlparse-0.6.0-py3-none-any.whl (50 kB)
Using cached tzdata-2026.3-py2.py3-none-any.whl (348 kB)
Installing collected packages: tzdata, sqlparse, asgiref, django
Successfully installed asgiref-3.12.1 django-6.1.1 sqlparse-0.6.0 tzdata-2026.3


[notice] A new release of pip is available: 26.1.1 -> 26.2.1
[notice] To update, run: python.exe -m pip install --upgrade pip
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>django-admin --version
6.1.1
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3>cd url_collision
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3\url_collision>django-admin startproject urlcollision .
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3\url_collision>python manage.py startapp products
(venv) C:\Users\Sara\Desktop\WepBootcamp\python-bootcamp\Week 6\Day 3\url_collision>python manage.py runserver
Watching for file changes with StatReloader
```






The screenshot shows the VS Code editor with the Explorer sidebar on the left. The file explorer shows the project structure: python-bootcamp > Week 6 > Day 3 > url_collision > products. The file views.py is selected. The main editor window shows the following code:

```
1 from django.shortcuts import render
2 from django.http import HttpResponseRedirect
3
4
5 def create_view(request):
6     return HttpResponseRedirect("Create Product")
7
8
9 def details_view(request, id):
10    return HttpResponseRedirect(f"Product ID: {id}")
```



The screenshot shows the VS Code editor with the Explorer sidebar on the left. The file explorer shows the project structure: python-bootcamp > Week 6 > Day 3 > url_collision > urls.py. The file urls.py is selected. The main editor window shows the following code:

```
1 """
2 URL configuration for urlcollision project.
3
4 The 'urlpatterns' list routes URLs to views. For more information please see:
5 https://docs.djangoproject.com/en/6.1/topics/http/urls/
6 Examples:
7 Function views
8 1. Add an import: from my_app import views
9 2. Add a URL to urlpatterns: path('', views.home, name='home')
10 Class-based views
11 1. Add an import: from other_app.views import Home
12 2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
13 Including another URLconf
14 1. Import the include() function: from django.urls import include, path
15 2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
16 """
17 from django.contrib import admin
18 from django.urls import path
19 from products.views import create_view, details_view
20
21 urlpatterns = [
22     path('admin/', admin.site.urls),
23     path('products/create/', create_view),
24     path('products/<str:id>', details_view),
25 ]
```




Create Product

Q2:




The screenshot shows a code editor with a file explorer on the left and code on the right. The file explorer lists files: views.py, urllcollision, __pycache__, __init__.py, asgi.py, settings.py, urls.py (highlighted), wsgi.py, db.sqlite3, and manage.py. The code on the right is from urls.py, showing imports for admin, path, create_view, and details_view, followed by a urlpatterns list containing paths for admin, new products, and existing products.

```
17 from django.contrib import admin
18 from django.urls import path
19 from products.views import create_view , details_view
20
21 urlpatterns = [
22     path('admin/', admin.site.urls),
23     path('products/new/', create_view),
24     path('products/<str:id>/', details_view),
25 ]
```



Product ID: create



Create Product