



```
a replit.com
                                       📴 index.js - FilmsyPrettyByte - Replit
8 - Replit
                                                  Run
Byte 🎺 🗵
                                                                                     :
    ıs index.js ∨ E × +
                                                                                         Hi
PL
Co
1
2
3
4
5
Co
    index.js > ...
       1 const sqlite3 = require('sqlite3').verbose();
       2
       4 \vee let db = new sqlite3.Database('exemplo.db', (err) \Rightarrow {
              if (err) {
       5 ~
                console.error(err.message);
        7
              console.log('Conectado ao banco de dados.');
        8
        9
            H;
       10
             db.run(`CREATE TABLE IF NOT EXISTS usuarios (
        11
               id INTEGER PRIMARY KEY,
        12
        13
               nome TEXT,
        14
               email TEXT
        15
              )');
        16
             db.run(`INSERT INTO usuarios (nome, email) VALUES
         17
                        ('Sara','17'),
         18
('fernanda','17'),
         19
                     ('julia','17'),
         20
Docs
                      ('lucas','18'),
         21
 0
         22
                      ('joao vitor','20')
          23
              1);
          24
          25 - db.all('SELECT * FROM usuarios', [], (err, rows) -> {
 0
          26 ~
                 if (err) {
 Shell
          27
                   throw err;
           28
Storage
           29 ~
                  rows.forEach((row) => {
           30
                   console.log(row.id + '\t' + row.nome + '\t' + row.email);
           31
                  });
                                                                   Ln 40, Col 1 History '5
```