



EXECUTIVE IPSEC SECURITY BRIEFING

Executive IPsec VPN Security & Risk Posture

High-level strategic risk evaluation, cryptographic posture, and operational exposure briefing for leadership

Section 1: Executive Summary & System Metadata

Session timestamps, endpoints evaluated, and overall audit verdict

CRITICAL NON-COMPLIANCE

YES · IMMEDIATE

Link 'Link 2: Tactical Edge <-> Command HQ' employs deprecated cryptographic primitives (3DES-CBC, Group 2 (1024-bit MODP)) vulnerable to block-cipher collisions (Sweet32) and discrete log precomputation (Logjam). Immediate decommissioning or suite migration mandatory under NIST SP 800-131A.

SESSION TIMESTAMPS

15.0 sec

Live Link Telemetry: +0.0s to +15.0s (15.0 sec)

ORIGIN GATEWAY

Link 2: Tactical Edge <-> Command HQ
(Initiator Node)

10.0.10.5 (Tactical Edge) · StrongSwan Client Daemon

SECURED TUNNEL

IPsec TUNNEL Tunnel · 3DES-CBC

3DES-CBC / Group 2 (1024-bit MODP)

REMOTE GATEWAY

Enterprise Responder Node (Link 2:
Tactical Edge <-> Command HQ)

172.28.0.2 (HQ Gateway) · StrongSwan Server Gateway

Section 2: Holistic Risk Scorecard

Visual 0–100 score gauge, NIST compliance status badge, and deployment readiness rating

COMPOSITE RISK INDEX



NIST SP 800-77 REV. 1 COMPLIANCE

CRITICAL
FAIL

NIST SP 800-77
Rev. 1

CRYPTOGRAPHIC
RESILIENCE

24%

3DES-CBC + DH Group
2 Deprecated

COMPLIANCE
ALIGNMENT

FAIL

Violates NIST SP
800-131A & RFC
8221

DEPLOYMENT READINESS RATING

BLOCKED - REMEDIATION
MANDATORY

Legacy algorithms detected; connection exposes
enterprise communications to eavesdropping and data
recovery.

THREAT
EXPOSURE
INDEX

CRITICAL

Sweet32 & Logjam
collision risks active

CHANNEL
STABILITY

98.5%

IKEv1 legacy control
plane



THREAT EXPOSURE & BUSINESS IMPACT EVALUATION

Executive Threat Matrix

Comprehensive register mapping discovered cryptographic and protocol vulnerabilities to direct business risk

Section 3: Executive Threat Matrix

Grid mapping critical vulnerabilities to business risk and operational exposure vectors

Wiretap Collision & Plaintext Recovery Sev: CRITICAL Likelihood: High Critical risk. 64-bit block size is vulnerable to birthday collision attack (Sweet32 - CVE-2016-2183) after 2^32 blocks. CRITICAL GAP Logjam Discrete Log Precomputation Sev: CRITICAL Likelihood: High Critical risk. 1024-bit MODP is vulnerable to state-sponsored discrete logarithm precomputation (Logjam attack). CRITICAL GAP
Integrity / PRF Collision & Tampering Sev: HIGH Likelihood: Moderate High risk. SHA-1 has practical chosen-prefix collisions (SHAttered attack). Deprecated by NIST SP 800-131A. ACTIVE GAP Protocol Downgrade & DoS Vulnerability Sev: HIGH Likelihood: High High risk. IKEv1 lacks DoS cookie protection and requires a 6-message Main Mode exchange, exposing identity hashes. ACTIVE GAP




TRAFFIC CLASSIFICATION & STRATEGIC ROADMAP

Traffic Overview & Strategic Remediation

Deep payload inference distribution, side-channel leakage, and prioritized resource allocation roadmap

Section 4: High-Level Traffic Overview

Summary distribution of classified tunnel traffic and covert channel risk



Section 5: Strategic Remediation Action Plan

Prioritized recommendations for leadership sign-off and operational resource allocation



Executive Sign-Off & Platform Attestation



