

**Write a Java Program to create a Thread by extending Thread class, create three threads**

**Task 1:Find if given number is prime.**

**Task 2:Check if the number is a armstrong number.**

**Task 3:Reverse the number.**

**Program:**

```
public class Main {
    static class Thread1 extends Thread {
        public void run() {
            if (getName().equals("prime")) {
                int n = 23;
                boolean isprime = true;
                if (n < 2) {
                    isprime = false;
                } else {
                    for (int i = 2; i <= Math.sqrt(n); i++) {
                        if (n % i == 0) {
                            isprime = false;
                            break;
                        }
                    }
                }
                if (isprime)
                    System.out.println("Prime number");
                else
                    System.out.println("Not a prime number");
                try {
                    Thread.sleep(2000);
                } catch (InterruptedException e) {
                    e.printStackTrace();
                }
            } else if (getName().equals("armstrong")) {
                int ori = 153;
                int temp = ori;
                int rem, num = 0, arm = 0;
                while (temp != 0) {
                    temp /= 10;
                    num++;
                }
                temp = ori;
                while (temp != 0) {
```

```

        rem = temp % 10;
        arm += Math.pow(rem, num);
        temp /= 10;
    }
    if (arm == ori)
        System.out.println("Armstrong number");
    else
        System.out.println("Not an Armstrong number");
    try {
        Thread.sleep(2000);
    } catch (InterruptedException e) {
        e.printStackTrace();
    }
} else {
    int a = 1563;
    int rev = 0;
    while (a != 0) {
        rev = rev * 10 + (a % 10);
        a /= 10;
    }
    System.out.println("Reverse number: " + rev);
    try {
        Thread.sleep(2000);
    } catch (InterruptedException e) {
        e.printStackTrace();
    }
}
}
}

public static void main(String[] args) {
    Thread1 T1 = new Thread1();
    Thread1 T2 = new Thread1();
    Thread1 T3 = new Thread1();
    T1.setName("prime");
    T2.setName("armstrong");
    T3.setName("reverse");
    T1.start();
    T2.start();
    T3.start();
    System.out.println("Program begin");
}
}

```

## Output:

Prime number

Armstrong number

Program begin

Reverse number: 3651

=== Code Execution Successful ===