

GOVERNMENT COLLEGE OF ENGINEERING,BODINAYAKKANUR

Name: R.Saranesh

Reg no:923319106040

QN:Build a python code,assume u get temperature and humidity values(generated with random function to a variable) and write a condition to continuously detect alarm in case of high temperatue.

Arduino code:

```
#include<dht.h>
```

```
dht DHT;
```

```
#define DHT11_PIN 4
```

```
Int temp;
```

```
Int hum;
```

```
Int buzzer=13;
```

```
Void setup()
```

```
{
```

```
    Serial.begin(9600);
```

```
}
```

```
Void loop()
```

```
{
```

```
    int chk=DHT.read(DHT11_PIN);
```

```
    temp=DHT.temperature;
```

```
    hum=DHT.humidity;
```

```
    Serial.print(temp);
```

```
Serial.print("x");  
Serial.println(hum);  
delay(2000);  
if(temp>=60)  
{  
    digitalWrite(13,HIGH);  
    delay(500);  
    digitalWrite(13,LOW);  
    delay(500);  
}  
else{  
    delay(1000);  
}  
}
```

Python Code:

```
import serial  
import time  
import schedule  
def main_func();  
    arduino=serial.Serial('com3',9600)  
    print('established serial connection to arduino')  
    arduino_data=arduino.readline()  
    decoded_values=str(arduino_data[0:len(arduino_data)].decode("utf-8"))  
    list_values=decoded_values.split('x')  
    for item in list_values:
```

```
        list_in_floats.append(float(item))  
    print('collected readings from arduino:')  
    arduino_data=0  
    list_in_floats.clear()  
    list_values.clear()  
    arduino.close()  
    print('connection closed')  
    print('<----->')
```