

Purpose: Convert the Hungry Bird master product documentation into screen-level requirements for UX design, frontend implementation, backend integration and QA.

1. Global Design Rules

- Mobile-first: design at 360–430 px widths first, then scale to tablet and desktop.
- Primary discovery pattern: search + category chips + map/list + vendor cards.
- Every public vendor page must be shareable and indexable on web.
- Primary CTA should be obvious and consistent: Explore, Get Directions, Save, Review, Submit or Buy.
- Use real food/vendor photography wherever possible.
- Show price prominently because budget is a major street-food discovery signal.
- Use badges consistently: Verified Gem, Hidden Gem, Local Favourite, Budget Pick, Must Try, New Find, Legendary, Late Night.
- Never present a user rating as official food-safety certification.
- All interactive elements need touch-friendly targets, visible states and accessible labels.
- Every network-driven screen requires loading, empty and error states.

2. Global Navigation

3. Shared Components

4. Website — Core Screens

4.1 Home / Landing

4.2 Explore

4.3 Search Results

4.4 Map

4.5 Vendor Details

4.6 Hidden Gems

4.7 Food Trail Detail

4.8 City Guide

4.9 Submit Vendor

4.10 Review Submission

5. Website — Account & Community Screens

5.1 Login / OTP

5.2 Profile

5.3 Saved

5.4 Notifications

6. Mobile App — Screen Specification

6.1 Splash

6.2 Onboarding & Location

6.3 Mobile Home

6.4 Mobile Explore

6.5 Mobile Map

6.6 Mobile Vendor Detail

6.7 Mobile Submit Vendor

6.8 Mobile Review

6.9 Mobile Premium

6.10 Mobile Checkout

7. Admin Web — Screen Specification

7.1 Admin Dashboard

7.2 Vendor Management

7.3 Submission Review

7.4 Review Moderation

7.5 Hidden Gem Management

7.6 Guides & Trails CMS

7.7 Payments & Premium

8. Shared State Specification

9. Screen-to-API Contract Rules

- Frontend must not calculate payment success; backend/webhook is authoritative.
- Map endpoints should support bounding-box queries to avoid loading all Jaipur vendors.
- Search API should return a normalized result type so vendor/dish/area results render consistently.

- Vendor detail should return enough information for first render in one request or a clearly defined aggregation layer.
- Reviews should paginate.
- Images should use optimized thumbnails for cards and full-size assets only in galleries.
- Admin endpoints require role-based authorization.
- Every write operation should return a stable ID and updated status.
- All APIs should return consistent error codes/messages for frontend state handling.

10. Screen → Database Field Mapping

11. Responsive Breakpoints

12. Accessibility Requirements

- Keyboard navigation on website/admin.
- Visible focus states.
- Meaningful image alt text.
- Color must not be the only status indicator.
- Minimum readable contrast.
- Buttons have descriptive labels.
- Form fields have labels and validation messages.
- Map has list fallback for users who cannot use map interaction.
- Touch targets should be comfortably tappable.

13. QA Screen Checklist

- Every screen has desktop and mobile layout.
- Every API-backed screen has loading, empty and error states.
- All buttons have success/disabled/loading states.
- Back navigation preserves filters/search where appropriate.
- Location denial never blocks basic discovery.
- Vendor cards open the correct vendor.
- Map pins and list results use the same vendor IDs.
- Save state remains synchronized across cards/detail/profile.
- Review submission cannot be duplicated accidentally.
- Vendor submissions show moderation status.
- Premium access is granted only after verified payment.
- Admin actions create audit logs.
- Responsive layouts do not overflow horizontally.

14. Recommended Design/Development Order

Design global design system and shared components.

Design mobile Home, Explore, Map and Vendor Detail first.

Design desktop versions of the same four core flows.

Design Search and Hidden Gems.

Design Submit Vendor and Review.

Design Profile, Saved and Notifications.

Design Food Trails and City Guides.

- Design Premium and Checkout.
- Design Admin Dashboard and moderation flows.
- Prototype the complete discovery journey.
- Implement frontend with real API contracts.
- Run QA against the screen checklist.

15. Final UX Journey

The primary successful journey should be:

- Open Hungry Bird → select Jaipur/location → search or choose Hidden Gems → see nearby vendors on map/list → open vendor → understand what to order, price and timing → get directions → visit → review/save → contribute another vendor → return for more discoveries.
- Premium journey:
- Discover free content → see curated guide → preview value → buy ₹49 → unlock guide/trail → follow route → save/share → return for the next curated experience.

16. Final Product Rule

If a feature does not improve discovery, trust, contribution, real-world visit conversion or useful curation, it should not be prioritized for the Jaipur MVP. The product should feel simple for the user even though the backend is structured and sophisticated.

Platform	Primary navigation	Secondary navigation
Website	Home, Explore, Map, Hidden Gems, Food Trails, City Guides, Community, Premium, Profile	Submit Vendor, Notifications, Saved, Help, Settings, Legal
Mobile	Home, Explore, Map, Saved, Profile	Search, Notifications, Submit Vendor, Reviews, Contributions, Premium, Settings
Admin Web	Dashboard, Vendors, Submissions, Reviews, Users, Cities, Categories, Gems, Guides, Trails, Payments, Reports, Analytics, Settings	Audit Logs, Roles, Feature Flags

Component	Required behavior
Location selector	Current city/location, permission state, manual city selection
Search bar	Vendor, dish, area and intent search; autocomplete
Category chips	Horizontal scroll on mobile; wrap/grid on desktop
Vendor card	Image, name, rating, price, distance, status, badges, signature dish
Map pin	Category/status-aware; tap opens quick vendor card
Filter drawer	Price, distance, rating, category, timing, dietary, hidden gem
Bottom sheet	Mobile vendor preview and actions
Toast	Success/failure confirmation
Skeleton	Match content shape while loading
Report action	Report wrong location, closed vendor, duplicate, inappropriate content
Save action	Toggle saved state
Share action	Native share on mobile; Web Share/API or copy link on desktop

Specification	Details
Purpose	Explain Hungry Bird and start discovery immediately.
Layout	Header → hero/search → quick categories → nearby map preview → Hidden Gem → trending → budget → trails → guides → community → video → submit vendor → footer.
Header	Logo, city/location, search, login/profile.
Components	Hero, search, category chips, vendor carousel, map preview, guide/trail cards, community CTA.
Buttons / CTAs	Explore Nearby; Search; View Map; Submit Vendor.
Filters	City, category and optional price.
Cards / content	Vendor cards, Hidden Gem card, Trail card, Guide card, Community card
User actions	Search, open vendor, save, share, change city, submit vendor.
Navigation	Home → Explore/Map/Vendor/Guide/Trail.
API required	GET /api/cities; GET /api/vendors/nearby; GET /api/vendors/hidden-gems; GET /api/trails; GET /api/guides.
Database fields	cities, vendors, vendor_locations, categories, food_trails, city_guides.

Specification	Details
Empty state	No location: ask city selection and show Jaipur default.
Loading state	Skeleton for each content section.
Error state	Show retry and a simplified category grid.
Mobile version	Stacked sections; sticky bottom actions only where useful.
Desktop version	Wide hero, multi-column cards, larger map preview and side-by-side content.

Specification	Details
Purpose	Search and browse all public food discoveries.
Layout	Search header → category chips → filter/sort row → list/grid results → pagination.
Header	Back/breadcrumb, location, search.
Components	Search, chips, filters, sort, result count, list/grid toggle.
Buttons / CTAs	Filter; Sort; Map View; Save.
Filters	Category, price, distance, rating, open now, dietary, Hidden Gem, area.
Cards / content	Vendor discovery card
User actions	Search, filter, sort, open vendor, save, switch map.
Navigation	Explore → Vendor/Map/Search.
API required	GET /api/vendors; GET /api/search.
Database fields	vendors, vendor_locations, categories, vendor_categories, reviews.
Empty state	No results: suggest nearby categories/areas and Submit Vendor.
Loading state	Vendor-card skeletons.
Error state	Retry; preserve search/filter state.
Mobile version	One-column cards and bottom-sheet filters.
Desktop version	2–4 column responsive grid or split list/map.

Specification	Details
Purpose	Return precise results for vendor, dish, area and intent queries.
Layout	Search field → autocomplete/history → tabs or result types → results.
Header	Search field, clear button, location.
Components	Autocomplete, recent searches, result grouping, filters.
Buttons / CTAs	Search, Filter, Map.
Filters	Type, category, price, distance, open now.
Cards / content	Vendor, food item and area result cards
User actions	Select suggestion, submit query, open result, save.
Navigation	Search → Vendor/Explore/Map.
API required	GET /api/search?q=&city=&filters=.
Database fields	vendors, food_items, areas, categories.
Empty state	Show "No exact match" with nearby results and submission CTA.
Loading state	Autocomplete skeleton.
Error state	Search unavailable: show retry and recent searches.
Mobile version	Full-screen search; keyboard-friendly.
Desktop version	Centered max-width search with grouped results.

Specification	Details
Purpose	Provide map-first discovery of vendors.
Layout	Full map → floating search/filter controls → vendor pins → selected vendor card.
Header	Location, search, filter.
Components	Map, clusters, pins, current location, list toggle, selected card.
Buttons / CTAs	Directions; View Details; Save; List View.
Filters	Category, price, rating, distance, open now, Hidden Gem.
Cards / content	Selected vendor bottom card
User actions	Pan/zoom, select pin, open details, directions, recenter.
Navigation	Map → Vendor/Explore.
API required	GET /api/vendors/nearby; GET /api/vendors?bounds=.
Database fields	vendor_locations, vendors, categories, reviews.
Empty state	No vendors in area: expand radius/change filters.

Specification	Details
Loading state	Map loading indicator + card skeleton.
Error state	Map provider error: show list fallback.
Mobile version	Full-screen map + bottom sheet.
Desktop version	Split map/list or full map with floating panel.

Specification	Details
Purpose	Give enough trusted information for a real-world visit.
Layout	Photo gallery → identity → rating/price/badges → signature dish → timing → map → description → menu → reviews → actions.
Header	Back, share, save.
Components	Gallery, name, rating, price, status, badges, signature dish, address, hours, score, verification, reviews.
Buttons / CTAs	Get Directions; Save; Review; Share; Report.
Filters	Review sorting/filter optional.
Cards / content	Food item cards, review cards, verification card
User actions	Navigate, save, review, share, report, open menu/dish.
Navigation	Vendor → Directions/Review/Share.
API required	GET /api/vendors/{id}; GET /api/vendors/{id}/reviews.
Database fields	vendors, vendor_locations, vendor_hours, food_items, vendor_media, reviews, vendor_verifications.
Empty state	Missing data: clearly label unavailable fields and show community update CTA.
Loading state	Image and section skeletons.
Error state	Show retry; cached public details where safe.
Mobile version	Stacked sections, sticky Directions CTA.
Desktop version	Two-column content with sticky summary/actions.

Specification	Details
Purpose	Show curated/qualified underrated discoveries.
Layout	Intro → score explanation → filters → ranked cards → map option.
Header	Title, city, search.
Components	Hidden Gem Score, curator note, verified date, vendor cards.
Buttons / CTAs	Explore; Map; Save.
Filters	Area, price, cuisine, distance, score, open now.
Cards / content	Hidden Gem card
User actions	Open vendor, filter, save, map.
Navigation	Hidden Gems → Vendor/Map.
API required	GET /api/vendors/hidden-gems.
Database fields	vendors, vendor_locations, reviews, vendor_verifications, gem_scores.
Empty state	No gems: show nearby Local Favourites and invite submissions.
Loading state	Card skeleton.
Error state	Retry; show cached last-known list if appropriate.
Mobile version	Vertical feed.
Desktop version	Grid with score-focused cards.

Specification	Details
Purpose	Turn multiple vendors into a route-based experience.
Layout	Hero → summary → route map → ordered stops → budget → tips → CTA.
Header	Back, save, share.
Components	Cover, duration, budget, stops, map, route, dishes, tips.
Buttons / CTAs	Start Trail; Get Directions; Save; Buy if premium.
Filters	Optional difficulty/time/budget.
Cards / content	Trail stop card
User actions	Open stop, navigate, save, share, purchase/unlock.
Navigation	Trail → Vendor/Checkout.
API required	GET /api/trails/{id}; GET /api/trails/{id}/stops.
Database fields	food_trails, food_trail_stops, vendors, food_items, entitlements.
Empty state	No stops: admin content error state.
Loading state	Route and stop skeleton.

Specification	Details
Error state	Retry and preserve route.
Mobile version	Vertical stop timeline.
Desktop version	Map + timeline two-column layout.

Specification	Details
Purpose	Curate Jaipur food discovery by theme/area.
Layout	Hero → category sections → curated vendor cards → map → related guides.
Header	City selector, search.
Components	Guide title, curator note, sections, vendor cards.
Buttons / CTAs	Explore; Map; Save/Share.
Filters	Category, area, price.
Cards / content	Guide vendor card
User actions	Open vendor, save guide, share.
Navigation	Guide → Vendor/Map.
API required	GET /api/guides/{id}.
Database fields	city_guides, guide_items, vendors.
Empty state	No guide content: show related categories.
Loading state	Section skeleton.
Error state	Retry.
Mobile version	Stacked guide sections.
Desktop version	Magazine-style multi-column layout.

Specification	Details
Purpose	Allow the community to grow Hungry Bird's vendor dataset.
Layout	Form → map location → photos → review → submit.
Header	Back, progress indicator.
Components	Vendor name, map, address, food type, signature dish, price, hours, photos, description, submitter contact.
Buttons / CTAs	Use Current Location; Pin Location; Add Photo; Submit.
Filters	None; validation is field-level.
Cards / content	Submission review summary
User actions	Fill, pin, upload, submit, cancel.
Navigation	Community → Confirmation → Profile/My Contributions.
API required	POST /api/vendors/submit; POST /api/media.
Database fields	vendor_submissions, vendor_media, areas.
Empty state	No applicable empty state.
Loading state	Upload/submit progress.
Error state	Field errors, upload failure, duplicate warning.
Mobile version	Step/accordion form, camera integration.
Desktop version	Multi-column form with map/photo preview.

Specification	Details
Purpose	Capture useful structured feedback after a visit.
Layout	Vendor summary → rating fields → ordered item → text/photo → submit.
Header	Vendor name, back.
Components	Overall rating, taste, value, quantity, ordered item, visit date, text, photos.
Buttons / CTAs	Submit Review; Cancel.
Filters	Review sort only on display, not submission.
Cards / content	Vendor summary card
User actions	Rate, upload, write, submit.
Navigation	Vendor → Review → Vendor.
API required	POST /api/reviews; POST /api/review-media.
Database fields	reviews, review_media, food_items, users.
Empty state	No previous review: show blank form; existing review: edit rules.
Loading state	Photo upload skeleton.
Error state	Validation errors; upload retry.
Mobile version	Single-column form.

Specification	Details
Desktop version	Two-column review form with preview.

Specification	Details
Purpose	Authenticate users without blocking guest discovery.
Layout	Phone/email → OTP → verification.
Header	Logo, back.
Components	Phone input, country code, OTP, resend timer, terms.
Buttons / CTAs	Continue; Verify.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Login, retry OTP, change number.
Navigation	Login → Home/Profile.
API required	POST /api/auth/request-otp; POST /api/auth/verify-otp.
Database fields	users, auth_sessions/otp records.
Empty state	No account: create after verified OTP.
Loading state	OTP request indicator.
Error state	Invalid/expired OTP with retry.
Mobile version	Full-screen centered.
Desktop version	Centered auth panel.

Specification	Details
Purpose	Show identity, saved content and contribution reputation.
Layout	Header → profile summary → tabs → content.
Header	Avatar, name, settings.
Components	Saved, reviews, submissions, badges, guides, stats.
Buttons / CTAs	Edit Profile; Submit Vendor; Saved.
Filters	Content tabs.
Cards / content	Standard Hungry Bird content card
User actions	Open review/submission, edit profile, settings.
Navigation	Profile → Saved/Reviews/Contributions/Settings.
API required	GET /api/me; GET /api/me/saved; GET /api/me/reviews; GET /api/me/contributions.
Database fields	users, favorites, reviews, vendor_submissions, badges.
Empty state	New user: explain how to contribute.
Loading state	Profile skeleton.
Error state	Retry.
Mobile version	Vertical profile.
Desktop version	Profile header + tabbed grid.

Specification	Details
Purpose	Collect vendors, trails and guides.
Layout	Tabs → saved cards.
Header	Saved title, search/filter.
Components	Vendor/trail/guide tabs.
Buttons / CTAs	Remove; Open.
Filters	Type, area.
Cards / content	Standard Hungry Bird content card
User actions	Open, remove, share.
Navigation	Saved → Vendor/Trail/Guide.
API required	GET /api/me/saved; DELETE /api/me/saved/{id}.
Database fields	favorites.
Empty state	No saved items: "Save places while exploring."
Loading state	Card skeleton.
Error state	Retry.
Mobile version	Vertical list.
Desktop version	Grid/list toggle.

Specification	Details
Purpose	Surface useful updates and actions.
Layout	Header → notification list.
Header	Back, mark all read.
Components	Vendor updates, submission status, badges, purchases.
Buttons / CTAs	Open; Mark Read.
Filters	Read/unread, type.
Cards / content	Standard Hungry Bird content card
User actions	Open notification, mark read.
Navigation	Notification → relevant screen.
API required	GET /api/me/notifications; PATCH /api/notifications/{id}.
Database fields	notifications.
Empty state	No notifications: simple empty state.
Loading state	List skeleton.
Error state	Retry.
Mobile version	Compact list.
Desktop version	Centered notification panel.

Specification	Details
Purpose	Initialize app and restore session/location.
Layout	Logo + minimal animation.
Header	None.
Components	Logo/loading.
Buttons / CTAs	None.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Wait; continue.
Navigation	Splash → Onboarding/Home.
API required	GET /api/app/config; optional /api/me/session.
Database fields	app_config, users/session.
Empty state	Not applicable.
Loading state	Short loading animation.
Error state	Fallback to offline/try again.
Mobile version	Full-screen.
Desktop version	Not applicable.

Specification	Details
Purpose	Explain value and establish Jaipur/current location.
Layout	Welcome → value slides → location → preferences.
Header	Skip.
Components	Benefits, location permission, city selector, food preferences.
Buttons / CTAs	Allow Location; Choose Jaipur; Continue.
Filters	Optional food preferences.
Cards / content	Standard Hungry Bird content card
User actions	Allow/deny, select city, continue.
Navigation	Onboarding → Home.
API required	GET /api/cities; POST /api/me/preferences.
Database fields	cities, users/preferences.
Empty state	Skip allowed.
Loading state	City list skeleton.
Error state	Permission denied → manual city selection.
Mobile version	Full-screen swipeable.
Desktop version	Web equivalent uses hero/selector.

Specification	Details
Purpose	Fast nearby discovery while outside.
Layout	Header location → search → chips → nearby cards → map preview → hidden gem → trails.

Specification	Details
Header	Location, notification/profile.
Components	Search, category chips, nearby carousel, map preview, saved actions.
Buttons / CTAs	Explore; Map; Directions.
Filters	Quick chips only; full filters on Explore.
Cards / content	Standard Hungry Bird content card
User actions	Search, open vendor, save, change location.
Navigation	Home → Explore/Map/Vendor.
API required	GET /api/vendors/nearby; GET /api/vendors/hidden-gems; GET /api/trails.
Database fields	vendors, vendor_locations, reviews, food_trails.
Empty state	No location → select city.
Loading state	Skeleton cards.
Error state	Retry sections.
Mobile version	Single column; horizontal card carousels.
Desktop version	Responsive web home.

Specification	Details
Purpose	Browse by intent/category.
Layout	Search → chips → filter button → cards.
Header	Back/search/filter.
Components	Categories, results, list/map toggle.
Buttons / CTAs	Filter; Map; Save.
Filters	Price, distance, rating, timing, category, dietary.
Cards / content	Standard Hungry Bird content card
User actions	Search, filter, open vendor, save.
Navigation	Explore → Vendor/Map.
API required	GET /api/vendors; GET /api/search.
Database fields	vendors, categories, reviews.
Empty state	No results recovery.
Loading state	Card skeleton.
Error state	Retry.
Mobile version	Bottom-sheet filters.
Desktop version	Desktop Explore.

Specification	Details
Purpose	Navigate real-world discoveries.
Layout	Full map + floating controls + bottom sheet.
Header	Back/search/filter.
Components	Map, pins, clusters, current location, selected vendor sheet.
Buttons / CTAs	Directions; Details; Save.
Filters	Category/price/distance/open now.
Cards / content	Standard Hungry Bird content card
User actions	Pan, zoom, pin select, directions.
Navigation	Map → Vendor.
API required	GET /api/vendors/nearby.
Database fields	vendor_locations, vendors.
Empty state	No vendors → expand radius.
Loading state	Map loader.
Error state	Map error → list fallback.
Mobile version	Full-screen map.
Desktop version	Desktop split map/list.

Specification	Details
Purpose	Decision screen for a food visit.
Layout	Gallery → summary → signature dish → location/hours → reviews → actions.
Header	Back/save/share.
Components	Photo carousel, score, price, dish, map, reviews, verification.
Buttons / CTAs	Directions; Save; Review; Share.

Specification	Details
Filters	Review sort.
Cards / content	Standard Hungry Bird content card
User actions	Navigate, save, review, report.
Navigation	Vendor → Directions/Review.
API required	GET /api/vendors/{id}; GET /api/vendors/{id}/reviews.
Database fields	vendors, vendor_locations, vendor_hours, food_items, reviews.
Empty state	Missing fields clearly labelled.
Loading state	Image/content skeleton.
Error state	Retry.
Mobile version	Sticky bottom action bar.
Desktop version	Desktop detail.

Specification	Details
Purpose	Make contribution possible in the field.
Layout	Progressive form with location and camera.
Header	Back, progress.
Components	Name, category, location, dish, price, hours, photos, description.
Buttons / CTAs	Use GPS; Camera; Submit.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Capture, pin, submit.
Navigation	Submit → Confirmation/My Contributions.
API required	POST /api/vendors/submit; POST /api/media.
Database fields	vendor_submissions, vendor_media.
Empty state	Not applicable.
Loading state	Upload progress.
Error state	Field/upload errors.
Mobile version	Camera-first, one field group at a time.
Desktop version	Desktop form.

Specification	Details
Purpose	Collect quick but structured feedback.
Layout	Rating → ordered dish → optional attributes → text/photo.
Header	Vendor name, back.
Components	Rating, taste, value, quantity, item, text, photo.
Buttons / CTAs	Submit Review.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Rate, upload, submit.
Navigation	Review → Vendor.
API required	POST /api/reviews; POST /api/review-media.
Database fields	reviews, review_media.
Empty state	Blank first review.
Loading state	Upload progress.
Error state	Validation errors.
Mobile version	Large tap targets, camera integration.
Desktop version	Desktop review panel.

Specification	Details
Purpose	Convert high-intent users into curated guide purchasers.
Layout	Hero → benefits → sample → price → purchase.
Header	Back, share.
Components	Cover, included places, sample content, price, trust/refund info.
Buttons / CTAs	Buy ■49; Restore Purchase.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Preview, buy, unlock.

Specification	Details
Navigation	Premium → Checkout → Guide.
API required	GET /api/premium/products; POST /api/orders.
Database fields	premium_products, orders.
Empty state	Product unavailable → show free discovery.
Loading state	Purchase/loading state.
Error state	Payment failure/pending.
Mobile version	Single-column purchase screen.
Desktop version	Desktop purchase page.

Specification	Details
Purpose	Complete secure payment.
Layout	Order summary → payment → status.
Header	Back.
Components	Product, amount, payment options, terms.
Buttons / CTAs	Pay ■ 49.
Filters	None.
Cards / content	Standard Hungry Bird content card
User actions	Pay, cancel, retry.
Navigation	Checkout → Success/Failure.
API required	POST /api/orders; payment SDK; webhook backend.
Database fields	orders, payments, entitlements.
Empty state	Not applicable.
Loading state	Payment processing indicator.
Error state	Failure/pending/retry.
Mobile version	Native payment UX where supported.
Desktop version	Web checkout.

Specification	Details
Purpose	Give operations team a single control center.
Layout	Sidebar → KPI header → pending queues → charts → alerts.
Header	Admin identity, city, notifications.
Components	Vendor count, pending submissions, reviews, reports, payments, active users.
Buttons / CTAs	Review Queue; Add Vendor; Open Analytics.
Filters	City/date.
Cards / content	Standard Hungry Bird content card
User actions	Open queue, drill down, filter.
Navigation	Dashboard → all admin modules.
API required	GET /api/admin/dashboard.
Database fields	Aggregated metrics.
Empty state	No pending work: success state.
Loading state	Metric skeleton.
Error state	Retry per widget.
Mobile version	Responsive dashboard.
Desktop version	Sidebar + multi-column analytics.

Specification	Details
Purpose	Manage vendor lifecycle and data quality.
Layout	Search/filter → table → detail drawer/page.
Header	Search, city selector.
Components	Vendor table, status, verification, edit form, history.
Buttons / CTAs	Approve; Reject; Verify; Suspend; Edit.
Filters	City, status, verification, category.
Cards / content	Standard Hungry Bird content card
User actions	Open/edit/verify/suspend.
Navigation	Vendor → Verification/History.
API required	GET/PATCH /api/admin/vendors; POST /api/admin/vendors/{id}/verify.
Database fields	vendors, vendor_locations, vendor_verifications, audit_logs.

Specification	Details
Empty state	No vendors: add/import.
Loading state	Table skeleton.
Error state	Retry.
Mobile version	Table becomes cards.
Desktop version	Full data table.

Specification	Details
Purpose	Moderate community vendor submissions.
Layout	Queue → submission detail → duplicate candidates → decision.
Header	Queue filters.
Components	Submitter, vendor data, map, photos, duplicate matches.
Buttons / CTAs	Approve; Request Changes; Reject; Merge.
Filters	Status, city, age.
Cards / content	Standard Hungry Bird content card
User actions	Review, compare, approve/reject.
Navigation	Submission → Vendor.
API required	GET/PATCH /api/admin/submissions; GET /api/vendors/duplicates.
Database fields	vendor_submissions, vendors, vendor_locations.
Empty state	No pending submissions.
Loading state	Queue skeleton.
Error state	Retry.
Mobile version	Stacked review cards.
Desktop version	Split queue/detail.

Specification	Details
Purpose	Protect review quality and community trust.
Layout	Queue → review → vendor context → action.
Header	Search/filter.
Components	Review text, rating, photos, report reason, history.
Buttons / CTAs	Approve; Hide; Restore; Warn/Ban user.
Filters	Reported, spam risk, date, city.
Cards / content	Standard Hungry Bird content card
User actions	Moderate and audit.
Navigation	Review → User/Vendor.
API required	GET/PATCH /api/admin/reviews.
Database fields	reviews, review_media, reports, audit_logs.
Empty state	No reports.
Loading state	Skeleton.
Error state	Retry.
Mobile version	Review card.
Desktop version	Table + detail.

Specification	Details
Purpose	Control editorial/verification quality of gems.
Layout	Candidates → score → evidence → decision.
Header	City, search.
Components	Score factors, review evidence, verification date, curator note.
Buttons / CTAs	Verify Gem; Remove Gem; Edit Score; Add Note.
Filters	City, score, status.
Cards / content	Standard Hungry Bird content card
User actions	Review evidence, approve, update.
Navigation	Gem → Vendor.
API required	GET/PATCH /api/admin/gems/{id}.
Database fields	vendors, gem_scores, reviews, vendor_verifications.
Empty state	No candidates.
Loading state	Skeleton.
Error state	Retry.

Specification	Details
Mobile version	Card-based review.
Desktop version	Evidence table + detail.

Specification	Details
Purpose	Create curated content without developer changes.
Layout	Content list → editor → preview → publish.
Header	Content type, city.
Components	Title, cover, sections/stops, vendors, notes, price, premium flag.
Buttons / CTAs	Save Draft; Preview; Publish; Unpublish.
Filters	City, status, premium.
Cards / content	Standard Hungry Bird content card
User actions	Drag/reorder, add vendor, publish.
Navigation	Guide/Trail → public page.
API required	GET/POST/PATCH /api/admin/guides; /api/admin/trails.
Database fields	city_guides, guide_items, food_trails, food_trail_stops.
Empty state	No content: create first guide.
Loading state	Editor skeleton.
Error state	Validation errors.
Mobile version	Form sections.
Desktop version	Rich multi-column editor.

Specification	Details
Purpose	Manage premium products, purchases and entitlements.
Layout	Product list → orders → transaction detail.
Header	Payment status/date filters.
Components	Products, orders, payment IDs, status, entitlement.
Buttons / CTAs	Create Product; Refund; Grant/Revoke Access.
Filters	Date, status, product.
Cards / content	Standard Hungry Bird content card
User actions	Inspect payment, refund, entitlement.
Navigation	Payments → User/Product.
API required	GET/PATCH /api/admin/payments; /api/admin/products.
Database fields	premium_products, orders, payments, entitlements.
Empty state	No orders.
Loading state	Table skeleton.
Error state	Retry.
Mobile version	Cards.
Desktop version	Data table.

State	UX requirement
Loading	Skeleton matching final component; avoid blank white page
Empty	Explain why empty + provide next action
Error	Human-readable message + Retry; preserve user input
Offline	Show cached public content where possible and disable unsafe actions
Permission denied	Explain benefit and provide manual alternative
Unauthorized	Return to login only when an authenticated action is required
Forbidden	Explain lack of permission; never expose hidden data
Not found	Vendor/guide may have moved; provide nearby alternatives
Closed vendor	Show status and next likely opening time if reliable
Pending moderation	Show status in My Contributions
Payment pending	Do not grant entitlement until server confirmation
Payment failure	Retry and alternate payment method

Screen	Primary tables/fields
Home	cities, vendors, vendor_locations, reviews, categories, food_trails, city_guides
Explore	vendors, vendor_locations, categories, vendor_categories, reviews
Map	vendor_locations.lat/lng, vendors.status, categories

Screen	Primary tables/fields
Vendor Detail	vendors.*, vendor_locations.*, vendor_hours.*, food_items.*, vendor_media.*, reviews.*, vendor_verifications.*
Hidden Gems	vendors, gem_scores, vendor_verifications, reviews
Review	reviews, review_media, food_items, users
Submit Vendor	vendor_submissions, vendor_media
Profile	users, favorites, reviews, vendor_submissions, badges
Premium	premium_products, orders, payments, entitlements
Admin Vendors	vendors, vendor_locations, vendor_verifications, audit_logs
Guides/Trails	city_guides, guide_items, food_trails, food_trail_stops

Viewport	Behavior
360–430 px	Primary mobile design; bottom navigation; bottom sheets; one-column cards
431–767 px	Large mobile/tablet; two-column cards where space permits
768–1023 px	Tablet; collapsible navigation; split content where useful
1024–1439 px	Desktop; sidebar/split map layouts; multi-column grids
1440+ px	Wide desktop; max-width content container; avoid over-stretching cards