

LIVE INCIDENTS

• Deduplication Agent OnLine | Engine: pgvector-v0.2.0 + ollama-llama3

User Session: dharanithasekar23@gmail.com | Local Space

 **ALERT-DEDUPE AI**
SRE AGENT V1.02

LIVE INCIDENTS

LIVE

INGEST WORKSPACE

NEW

PERFORMANCE METRICS

CONFIG & RULES

SRE TESTING SUITE

Ingest Raw Alert Node

SIMULATE

Ingestion Node: Express Server

Status: HEALTHY

FastAPI Replica: [app.py_Code](#)

Live Incidents - Alert Dedupe AI

Updated: 4:54:11 pm

Auto-refresh 30s

Sync Live

Real-time cluster timeline managed dynamically by the pgvector AI deduplication engine.

ACTIVE INCIDENTS

0

Current active unresolved cluster tracks.

RAW ALERTS TODAY

0

Total volume of ingested operational telemetry signals today.

SUPPRESSED TODAY

0

Duplicate telemetry signals aggregated into existing incidents.

NOISE REDUCTION

85%

▲ High

Deduplication efficiency and SRE fatigue reduction metric.

Search by ID, title, or service log message...

All Severities

Search match elements not found. Use suggestion alert presets to simulate!

This unified AI Alert Deduplication Agent system automatically evaluates real-time telemetry clusters using advanced SRE patterns.

PERFORMANCE METRICS

 **ALERT-DEDUPE AI**
SRE AGENT V1.02

 LIVE INCIDENTS

 INGEST WORKSPACE

 **PERFORMANCE METRICS**

 CONFIG & RULES

SRE TESTING SUITE

 Ingest Raw Alert Node



Agent Performance Dashboard

Analyze real-time deduplication statistics, apply timeline filters, and monitor alert-to-incident pipeline conversion ratios.

Today

7 Days

30 Days



RAW ALERTS INGESTED

0



SUPPRESSED DUPLICATES

0



INCIDENTS CREATED

0



NOISE REDUCTION RATIO

85%



ALERT PIPELINE CONVERSION FUNNEL

Analytical metric tracking total raw ingestion signals filtered and categorized into distinct system incident clusters.

Raw Ingestion



0

NaN%

Raw Ingestion

Suppressed logs



0

NaN%

Suppressed logs

Incidents created



0

NaN%

Incidents created



INCOMING RAW ALERTS VELOCITY VS. INCIDENT SPAWNS

Velocity chart demonstrating the efficacy of semantic clustering over historical raw signal volume.



Aggregated Incidents Spawned



Ingested Raw Log Alerts

100

CONFIG & RULES

Alert Deduplication Agent

RemixDevice

Deduplication Agent Online | Engine: pgvector-v0.2.0 + ollama-llama3

User Session: dharanithasekar23@gmail.com | Local Space

ALERT-DEDUPE AI

SRE AGENT V1.02

LIVE INCIDENTS

LIVE

INGEST WORKSPACE

NEW

PERFORMANCE METRICS

CONFIG & RULES

SRE TESTING SUITE

Ingest Raw Alert Node

SIMULATE

Type or select an alert below to trigger the ingestion pipeline. The deduplication engine automatically analyzes existing incidents to either aggregate the alert or create a new tracking incident!

SRE Preset Outage Examples:

FATAL: remaining connection slots reserv...

Redis Cache memory full: command not ...

HTTP_504: timeout on POST /cart/check...

Agent Settings & Rules

Configure agent classification sensitivity parameters, define raw telemetry blacklists, and toggle deterministic manual override schemas.

Section 1: AI Cluster Core Tuning Settings

SIMILARITY SCAN WINDOW (MINUTES)

15 Mins

DEDUPLICATION COSINE THRESHOLD

82% Match

Determines how far back the system will scan for existing similar events to group with (Defaults to 15m).

Minimum similarity log overlap percentage required for alert clustering matching (Must be of limits 0.70-0.95).

ENABLE SRE LLM REASONING

Generates full-sentence deep reasoning and summary paragraphs for incoming alert streams using server-side Gemini intelligence.

AUTO-RESOLVE CHILD ALERTS

Automatically clears or resolves child elements associated with a grouping cascade when the active parent incident is closed.

Section 2: Filter Blacklist Pools

Services or modules registered in this blacklist are immediately dropped and ignored during raw alert ingestion.

e.g. kube-system

Add Filter Rule

kube-system

healthcheck-daemon

prometheus-test

Kafka lag critical on telemetry events topl...

CPU usage spiked to 99% on cluster aut...

Ignore ping timeout heartbeat check-in p...

Alert Message Log:

e.g. FATAL: remaining connection slots reserved...

Target Service: Host node:

payment-service prod-app-server

Default Criticality:

SEV-3 (Warning)

🚩 Trigger Alert Pipeline

Target Log Index: Explorer Settings

Section 3: Deterministic Manual Rules Table

Explicit matching filters that override vector cosine similarity calculations to enforce strict SRE operational guidelines.

RULE ID	RULE IDENTIFIER	BOOLEAN MATCH CONDITION	ENFORCEMENT ACTION	STATUS TOGGLE
RU-1	Ignore Ping Heartbeats	message contains 'ping' or 'heartbeat'	SUPPRESS	ACTIVE
RU-2	Escalate Postgres Failures	service = 'postgres-shard-3' or message contains 'FATAL'	ESCALATE TO SEV-1	ACTIVE
RU-3	Suppress Prometheus Scraping Fluctuations	service = 'healthcheck-daemon'	SUPPRESS	DISABLED
RU-4	Flag Payment Retries	message contains 'stripe' or 'payment-gateway' and status = 'timeout'	ESCALATE TO SEV-2	ACTIVE

Section 4: What-If Boundary Simulator

Evaluate a dry-run threshold modification. Simulation results and dynamic counts are forecasted against current historical signals.

CONFIGURE FORECAST COSINE MATCH

0.82 (Dynamic Default)

▶ FORECAST OUTCOMES