

HcZZ ctag2d + JES/JER — Results

Production: combine_run3_100150_ctag2d_v8_jecshifts

hplusc_mva_4class_ctag2d_scored_v8 + hplusc_mva_4class_ctag2d_jecshifts_scored_v2,
[100,150] GeV, no- $\bar{Z}X$ (MC-only), 15 bins (quantile + surgical rebin "2-4,7-10"),
22 nuisances. Re-verified 2026-09-09 directly against the stored ROOT/JSON.

Yields [100,150] GeV

Process	Rate
Signal	0.053130
ggZZ	2.941801
qqZZ	36.318223
Other_Higgs	55.077609

S/ $\sqrt{B}$ = 0.0055

Final limits (AsymptoticLimits, --run blind)

Quantile	r	κC
2.5%	196.3438	36.70
16%	273.8452	50.15
50% (median)	412.0000	74.11
84%	648.4839	115.09
97.5%	1004.9548	176.84


Without JES/JER (same production, JES/JER rows dropped): $r=411.0/\kappa c=73.93$ —
the 4 added nuisances shift the headline median $\sim 0.2\%$.

JES/JER's 4 rows (CMS_scale_j/CMS_res_j/CMS_scale_m/CMS_res_m) rank #6/#12/#15/#17
by impact — individually bigger than several already-established nuisances
(BR_HZZ4l, pdf_gg, scalevar_muR, higgs_plus_c), even though adding all 4 barely
moves the headline median. Likely explanation: CMS_ctag2d already dominates the
fit ($\sim 10\times$ the #2 nuisance), and JES/JER's shape is largely degenerate with/
absorbed by it — plausible since JES shifts change which jets get c-tagged.
Not independently verified via a correlation matrix.

Systematics: type, assigned value, and impact

Ranked by impact_r (combineTool.py -M Impacts, --expect-signal 412.0). InN rows show the assigned size per affected process; shape rows have no single size, so the value column shows the post-fit constraint instead (all $\approx$ prefit $\pm 1\sigma$ here — expected for a blind Asimov fit, not a sign of anything wrong).

#	Systematic	Type	Value (InN size / pull)	Impact
1	CMS_ctag2d	shape	pull -0.00 (-0.501/+0.443)	180.46
2	QCDscale_qqZZ	InN	1.04 (qqZZ)	17.57
3	ps_isr	shape	pull +0.00 (-0.992/+0.993)	17.19
4	scalevar_muF	shape	pull +0.00 (-0.990/+0.993)	16.15
5	QCDscale_gg	InN	1.039 (ggZZ, Signal)	14.32
6	CMS_scale_j	shape (JES/JER)	pull -0.00 (-0.985/+0.985)	13.64
7	BR_HZZ4l	InN	1.02 (Signal, Other_Higgs)	12.64
8	CMS_eff_e_reco_below20	shape	pull -0.00 (-0.987/+0.987)	10.63
9	pdf_gg	InN	1.032 (ggZZ, Signal)	9.34
10	scalevar_muR	shape	pull +0.00 (-0.993/+0.994)	8.84
11	higgs_plus_c	shape	pull -0.00 (-0.990/+0.991)	8.50
12	CMS_res_j	shape (JES/JER)	pull -0.00 (-0.993/+0.992)	6.01
13	ps_fsr	shape	pull +0.00 (-0.991/+0.994)	3.43
14	lumi_Run3	InN	1.014 (all processes)	3.30
15	CMS_scale_m	shape (JES/JER)	pull +0.00 (-0.992/+0.992)	2.67
16	kfactor_ggZZ	InN	1.10 (ggZZ)	2.63
17	CMS_res_m	shape (JES/JER)	pull +0.00 (-0.992/+0.992)	2.50
18	CMS_eff_e_reco_20to75	shape	pull -0.00 (-0.994/+0.994)	2.23
19	CMS_pileup	shape	pull +0.00 (-0.994/+0.993)	1.79
20	lhe_pdf	shape	pull -0.00 (-0.994/+0.994)	0.35
21	CMS_eff_e_reco_above75	shape	pull +0.00 (-0.994/+0.994)	0.12
22	CMS_eff_m_id	shape	pull +0.00 (-0.994/+0.994)	0.02



HcZZ — with Z+X (true 4-era) results, 2026-09-11

Production: combine_run3_100150_ctag2d_v8_jecshifts_with_zx
[100,150] GeV, ctag2d scheme, 18 shape/lnN + 4 JES/JER systematics,
true 4-era Z+X (reducible background) included via --zx-dir.

Yields in [100,150] GeV

Process	Yield
Signal	0.0531
ggZZ	2.9418
qqZZ	36.3182
Other_Higgs	55.0776
Z+X	133.2386
Total bkg	227.5762

$S/\sqrt{B} = 0.0035$

Final limits (combine -M AsymptoticLimits -m 120 --run blind)

Quantile	r	κC
2.5%	219.3750	40.70
16%	311.0010	56.60
50% (median)	480.0000	85.89
84%	788.0414	139.26
97.5%	1283.8478	225.15

Comparison against related references

Configuration	r (median)	κC
[100,150], no Z+X, current headline (_v8+JES/JER)	412.0	74.11
[100,150], with Z+X, 2-era-only floor (older _v7, no JES/JER)	460.0	82.43
[100,150], with Z+X, true 4-era (_v8+JES/JER, current)	480.0	85.89

Result is looser than both the no-Z+X headline and the 2-era-only floor, as expected: the true 4-era Z+X yield (133.24) is ~2x the 2-era-only floor's (71.85), and more real background loosens the limit. $r \rightarrow \kappa C$ via $\kappa C = \sqrt{(0.97r + 0.03r^2)}$.