



Configure

**General**

Source Code Management



Triggers



Environment



Pre Steps



Build



Post Steps



Build Settings



Post-build Actions

General

Enabled



Description

job for automation project.

Plain text [Preview](#)

Discard old builds



GitHub project



This project is parameterized



Throttle builds



☐ Execute concurrent builds if necessary ☐

Advanced ☐

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

☐ None

☒ Git ☐

Repositories ☐

Repository URL ☐

https://github.com/Saranya619/SeleniumProjectQ

Credentials ☐

- none -

+ Add

Advanced ☐

Add Repository

Branches to build ☐

Branch Specifier (blank for 'any') ☐

*/main

Add Branch

Repository browser ☐

(Auto)

Additional Behaviours

Add ▾

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- ☒ Build whenever a SNAPSHOT dependency is built ☐
- ☐ Schedule build when some upstream has no successful builds ☐
- ☐ Trigger builds remotely (e.g., from scripts) ☐
- ☐ Build after other projects are built ☐
- ☐ Build periodically ☐
- ☐ GitHub hook trigger for GITScm polling ☐
- ☒ Poll SCM ☐
- Schedule ☐

* * * * *

Do you really mean "every minute" when you say "* * * * *"? ☐

Perhaps you meant "H * * * *" to poll once per hour ☐

Would last have run at Wednesday, 6 August, 2025, 9:15:00 pm India Standard Time; would next run at Wednesday, 6 August, 2025, 9:16:00 pm India Standard Time.

- ☐ Ignore post-commit hooks ☐

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- ☐ Delete workspace before build starts

- ☐ Use secret text(s) or file(s)
 - ☐ Add timestamps to the Console Output
 - ☐ Inspect build log for published build scans
 - ☐ Terminate a build if it's stuck
 - ☐ With Ant
-

Pre Steps

Add pre-build step ▾

Build

Root POM

pom.xml

Goals and options

clean test

Advanced ▾

Post Steps

- ☐ Run only if build succeeds
- ☐ Run only if build succeeds or is unstable
- ☒ Run regardless of build result
Should the post-build steps run only for successful builds, etc.

Add post-build step ▾

Build Settings

☐ E-mail Notification

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Publish TestNG Results ✕

TestNG XML report pattern ☐

`**/testng-results.xml`

Advanced ▼

Add post-build action ▼

Save

Apply