```
<html>
<head>
<title>Milestone-8</title>
<style>
ul.a {
 list-style-type: circle;
}
</style>
</head>
<body>
<i>>
<h1 style="color:#ad0762; font-size:50;">Courses Available in Training Center</h1>
<h3 style="color:blue;font-size:30;">Ordered List</h3>
C
Python
Data Structures
C++
>0S
Java
<h3 style="color:#07ad41;font-size:30;">Reversed List</h3>
C
Python
Data Structures
C++
>0S
Java
<h3 style="color:red;font-size:30;">Unordered List</h3>
C
Python
Data Structures
C++
>0S
Java
<h3 style="color:#f5429e;font-size:30">Definition List</h3>
<dl style="font-size:20;">
<dt>C</dt>
<dd>->C is an imperative, procedural language in the ALGOL tradition</dd>
<dt>Python</dt>
<dd>->Python is an interpreted, object-oriented, high-level programming language
with dynamic semantics.</d>
<dt>Data Structures</dt>
<dd>->Data structure is a storage that is used to store and organize data.</dd>
<dt>C++</dt>
<dd>->C++ is a general-purpose programming language created by Danish computer
```

```
scientist Bjarne Stroustrup as an extension of the C programming language</dd>
<dt>OS</dt>
<dd>->An operating system (OS) is system software that manages computer hardware,
software resources, and provides common services for computer programs.</dd>
<dt>Java</dt>
<dd>->Java is a high-level programming language originally developed by Sun
Microsystems and released in 1995.</dd>
</dl>
<h3 style="color:#1f2080;font-size:30">Unordered List with circle attribute</h3>
Software Engineering
MFCS
M-3
DBMS
FLAT
MEFA
</i>
</body>
</html>
```