
Cucumber Report



| Feature | | Scenario T P F S | | | Step | | | | |
|--------------------------|--------------|---------------------|---|---|------|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Login to HRM Application | 2 m 13.543 s | 1 | 0 | 1 | 0 | 3 | 1 | 1 | 1 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|--------------------------|------------------------------|
| 1 | Login to HRM Application | Login with valid credentials |


| TAG | | Scei | nario | | | Fea | ture | |
|-------------------|---|------|-------|---|---|-----|------|---|
| Name | T | P | F | S | T | P | F | S |
| @ValidCredentials | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|--------------|
| 1 | Login to HRM Application | 1 | 0 | 1 | 0 | 2 m 13.543 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|------------------------------|---|---|---|---|--------------|
| 1 | Login to HRM Application | Login with valid credentials | 3 | 1 | 1 | 1 | 2 m 13.543 s |

DETAILED SECTION -- 7 --

Login to HRM Application

| FAILED | DURATION - 2 m 13.543 s | Scenarios | | Steps | |
|---------------------|-------------------------|-----------|---|-----------|-----------|
| | | Total - 1 | | Total - 3 | |
| / 8:42:54.994 pm // | 8:45:08.537 pm / | Pass - 0 | 1 | Pass - 1 | 3 |
| | | Fail - 1 | | Fail - 1 | l 📐 ് 🎜 📗 |
| | | Skip - 0 | | Skip - 1 | |

Login with valid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/" | PASSED | 45.598 s |
| 2 | When User enters username and password | FAILED | 0.021 s |
| | java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:259) at java.base/java.util.Properties.load(Properties.java:408) at com.actions.LoginPageActions.login(LoginPageActions.java:58) at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:26) at ?.User enters username and password(file:///C:/Users/saran/git/Cucumber_Project_Structure/Cucumber_Project_Structure/src/test/resources/features/LoginPage.feature:6) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be able to login successfully and new page open | SKIPPED | 0.001 s |