
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Title of your feature	14.404 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Title of your feature	Login with valid credentials

TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ValidData	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Title of your feature</u>	1	0	1	0	14.404 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	Login with valid credentials	3	1	1	1	14.399 s

DETAILED SECTION -- 7 --

Title of your feature

Scenarios		Steps	
Total - 1		Total - 3	
Pass - 0	1	Pass - 1	3
Fail - 1		Fail - 1	🦶 ŭ 🏓
Skip - 0		Skip - 1	
04 s	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fall - 1	Total - 1 Pass - 0 Fail - 1 Pail - 1

Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HrmLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	12.201 s
2	When User enters username and password	FAILED	0.072 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='password']"} (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c256c1c5976d1ef58a34c3c406f1c2da, findElement {value=password, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165} (fd886e2cb29, userDataDir: C:\Users\saran\AppData\\Loca}, fedcm:curections: true, goog:chromeOptions: {debuggerAddress: localhost:57082}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57082/devtoo, se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c256c1c5976d1ef58a34c3c406f1c2da at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source)		
	at com.actions.LoginPageActions.setPassword(LoginPageActions.java:28)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:55)		
	at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:23)		
	at ?.User enters username and password(file:///C:/Users/saran/eclipse-workspace/Cucumber_Project_Structure/src/test/resources/features/		
	LoginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
3	Then User should able to login successfull and open new page	SKIPPED	0.000 s