**Duration**: 27.069 s Start: Apr 03, 5:40:44.645 pm End: Apr 03, 5:41:11.714 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 33 % 100 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Title of your feature	27.069 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Title of your feature	Login with valid credentials

TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ValidData	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	27.069 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	Login with valid credentials	3	1	1	1	27.064 s

DETAILED SECTION -- 7 --

## **Title of your feature**

FAILED	DURATION - 27.069 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 5:40:44.645 pm //	5:41:11.714 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	l 🦶 🎽 📗
		Skip - 0		Skip - 1	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User is on HrmLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	17.728 s
2	When User enters username and password	FAILED	0.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"*selector":"*selector:"*sele		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source)		
	at com.actions.LoginPageActions.setPassword(LoginPageActions.java:28)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:55)		
	at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:23)		
	at ?.User enters username and password(file:///C:/Users/saran/eclipse-workspace/Cucumber_Project_Structure/src/test/resources/features/		
	LoginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
3	Then User should able to login successfull and open new page	SKIPPED	0.000 s