

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Title of your feature	1 m 32.966 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Title of your feature	Login with valid credentials

TAG		Scei	nario					
Name	T	P	F	S	T	P	F	S
@ValidData	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Title of your feature</u>	1	0	1	0	1 m 32.966 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	Login with valid credentials	3	1	1	1	1 m 32.960 s

DETAILED SECTION -- 7 -

## Title of your feature

FAILED	DURATION - 1 m 32.966 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 6:49:31.828 pm // 6	6:51:04.794 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	🦶 ് 🍠
		Skip - 0		Skip - 1	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User is on HrmLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	49.778 s
2	When User enters username and password	FAILED	8.774 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50daf102d5bd7f12a305d0ae928512cc, findElement {using=name, value=//*[@id='app']/div[1]/div/div[1]/div/div[2]/form/div[3]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29, userDataDir: C:\Users\saran\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58190}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58190/devtoo, se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 50daf102d5bd7f12a305d0ae928512cc at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.DirectConstructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source)		
	at com.actions.LoginPageActions.clickLogin(LoginPageActions.java:41)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:66)		
	at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:23)		
	at ?.User enters username and password(file:///C:/Users/saran/eclipse-workspace/Cucumber_Project_Structure/src/test/resources/features/		
	LoginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
3	Then User should able to login successfull and open new page	SKIPPED	0.001 s