

Cucumber Report

15-Apr-2025, 5:19:23 pm

Start : Apr 15, 4:57:18.729 pm

End : Apr 15, 5:19:21.660 pm

Duration : 22 m 2.931 s

Features



Scenarios

Steps

PASSED - 5
FAILED - 4
SKIPPED - 0

PASSED - 21
FAILED - 18
SKIPPED - 0

PASSED - 155
FAILED - 1
SKIPPED - 135




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add to Cart Functionality on eCommerce Playground</u>	3 m 49.479 s	4	4	0	0	24	24	0	0
<u>Blog functionality</u>	2 m 55.234 s	4	4	0	0	33	33	0	0
<u>Forgot Password Functionality</u>	2 m 35.189 s	3	3	0	0	20	20	0	0
<u>Shopping Cart CheckOut functionality</u>	6 m 58.734 s	4	4	0	0	40	40	0	0
<u>Product compare functionality</u>	36.377 s	2	2	0	0	10	10	0	0
<u>Search functionality</u>	5 m 7.615 s	5	4	1	0	30	28	1	1
<u>User Account Management</u>	0.107 s	5	0	5	0	45	0	0	45
<u>Login Functionality</u>	0.062 s	6	0	6	0	41	0	0	41
<u>User Registration Functionality</u>	0.055 s	6	0	6	0	48	0	0	48

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search functionality by category as input</u>
2	<u>User Account Management</u>	<u>Edit user account details</u>
3		<u>Modify the wishlist by removing a product</u>
4		<u>Subscribe or Unsubscribe from newsletter</u>
5		<u>Subscribe or Unsubscribe from newsletter</u>
6		<u>Change user password</u>
7	<u>Login Functionality</u>	<u>User tries to login with valid credentials</u>
8		<u>User tries to login with invalid credentials</u>
9		<u>User tries to login with invalid credentials</u>
10		<u>User tries to login with invalid credentials</u>
11		<u>User tries to login with invalid credentials</u>
12		<u>User tries to login with valid credentials and logs out</u>
13	<u>User Registration Functionality</u>	<u>Register with valid inputs</u>


#	Feature Name	Scenario Name
14	<u>User Registration Functionality</u>	<u>Register with invalid inputs</u>
15		<u>Register with invalid inputs</u>
16		<u>Register with invalid inputs</u>
17		<u>Register with invalid inputs</u>
18		<u>Register with valid inputs</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@addSingleProduct	1	1	0	0	1	1	0	0
@removeProduct	1	1	0	0	1	1	0	0
@addSameProductMultipleQuantity	1	1	0	0	1	1	0	0
@AddToCartWithoutSize	1	1	0	0	1	1	0	0
@valid_blog_filling_all_required_details	1	1	0	0	1	1	0	0
@invalid_blog_filling_without_required_details	3	3	0	0	1	1	0	0
@ForgotPasswordWithValidEmail	1	1	0	0	1	1	0	0
@ForgotPasswordWithInvalidEmail	1	1	0	0	1	1	0	0
@ForgotPasswordWithoutProvidingEmail	1	1	0	0	1	1	0	0
@Checkout	4	4	0	0	1	1	0	0
@CheckoutAsGuest	1	1	0	0	1	1	0	0
@CheckOutEmptyCart	1	1	0	0	1	1	0	0
@CheckoutAsRegisterUser	1	1	0	0	1	1	0	0
@CheckoutWithExistingEmail	1	1	0	0	1	1	0	0
@CompareWithoutProducts	1	1	0	0	1	1	0	0
@ProductCompare	2	2	0	0	1	1	0	0
@AddProductToComparison	1	1	0	0	1	1	0	0


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidSearchInputs	1	1	0	0	1	0	1	0
@InvalidSearchInputs	1	1	0	0	1	0	1	0
@CaseSensitiveSearchInputs	1	1	0	0	1	0	1	0
@IndentationSearchInputs	1	1	0	0	1	0	1	0
@SearchByCategory	1	0	1	0	1	0	1	0
@EditAccount	1	0	1	0	1	0	1	0
@ModifyWishlist	1	0	1	0	1	0	1	0
@Newsletter	2	0	2	0	1	0	1	0
@ChangePassword	1	0	1	0	1	0	1	0
@login_valid_input	1	0	1	0	1	0	1	0
@login_invalid_input	4	0	4	0	1	0	1	0
@logout	1	0	1	0	1	0	1	0
@registration	6	0	6	0	1	0	1	0
@ValidRegistrationInputs	1	0	1	0	1	0	1	0
@InvalidRegistrationInputs	4	0	4	0	1	0	1	0
@RegistrationWithoutAcceptingPrivacyPolicy	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Add to Cart Functionality on eCommerce Playground</u>	4	4	0	0	3 m 49.479 s
2	<u>Blog functionality</u>	4	4	0	0	2 m 55.234 s
3	<u>Forgot Password Functionality</u>	3	3	0	0	2 m 35.189 s
4	<u>Shopping Cart CheckOut functionality</u>	4	4	0	0	6 m 58.734 s
5	<u>Product compare functionality</u>	2	2	0	0	36.377 s
6	<u>Search functionality</u>	5	4	1	0	5 m 7.615 s
7	<u>User Account Management</u>	5	0	5	0	0.107 s
8	<u>Login Functionality</u>	6	0	6	0	0.062 s
9	<u>User Registration Functionality</u>	6	0	6	0	0.055 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add to Cart Functionality on eCommerce Playground</u>	<u>Add a single product to the cart</u>	5	5	0	0	28.837 s
2		<u>Remove a product from the cart</u>	7	7	0	0	1 m 39.849 s
3		<u>Add multiple quantities of the same product</u>	7	7	0	0	1 m 24.318 s
4		<u>Scenario: User tries to add a product to cart without selecting size</u>	5	5	0	0	16.449 s
5	<u>Blog functionality</u>	<u>Adding a valid comment to the blog</u>	6	6	0	0	12.143 s
6		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	53.585 s
7		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	1 m 6.843 s
8		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	42.645 s
9	<u>Forgot Password Functionality</u>	<u>User requests a password reset link using valid email</u>	7	7	0	0	43.344 s
10		<u>User requests a password reset link using invalid email</u>	7	7	0	0	54.835 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Forgot Password Functionality</u>	<u>User requests a password reset link without providing email</u>	6	6	0	0	57.001 s
12	<u>Shopping Cart CheckOut functionality</u>	<u>To checkout the shopping cart as a guest user</u>	12	12	0	0	2 m 55.737 s
13		<u>To checkout the empty shopping cart as a registered user</u>	3	3	0	0	42.674 s
14		<u>To checkout the cart as a registered user</u>	13	13	0	0	2 m 26.332 s
15		<u>To checkout the cart with existing email</u>	12	12	0	0	53.974 s
16	<u>Product compare functionality</u>	<u>To perform compare without adding products to list</u>	4	4	0	0	17.664 s
17		<u>To Add the products to comparison list</u>	6	6	0	0	18.709 s
18	<u>Search functionality</u>	<u>Search functionality with valid inputs</u>	6	6	0	0	1 m 13.194 s
19		<u>Search functionality with invalid inputs</u>	6	6	0	0	1 m 5.967 s
20		<u>Search functionality with case sensitive inputs</u>	6	6	0	0	1 m 0.108 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Search functionality</u>	<u>Search functionality with unnecessary indentation in search</u>	6	6	0	0	1 m 3.625 s
22		<u>Search functionality by category as input</u>	6	4	1	1	44.706 s
23	<u>User Account Management</u>	<u>Edit user account details</u>	9	0	0	9	0.015 s
24		<u>Modify the wishlist by removing a product</u>	9	0	0	9	0.018 s
25		<u>Subscribe or Unsubscribe from newsletter</u>	9	0	0	9	0.020 s
26		<u>Subscribe or Unsubscribe from newsletter</u>	9	0	0	9	0.016 s
27		<u>Change user password</u>	9	0	0	9	0.014 s
28	<u>Login Functionality</u>	<u>User tries to login with valid credentials</u>	6	0	0	6	0.008 s
29		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.006 s
30		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Login Functionality</u>	<u>User tries to login with invalid credentials</u>	7	0	0	7	0.007 s
32		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.007 s
33		<u>User tries to login with valid credentials and logs out</u>	7	0	0	7	0.005 s
34	<u>User Registration Functionality</u>	<u>Register with valid inputs</u>	8	0	0	8	0.006 s
35		<u>Register with invalid inputs</u>	8	0	0	8	0.006 s
36		<u>Register with invalid inputs</u>	8	0	0	8	0.008 s
37		<u>Register with invalid inputs</u>	8	0	0	8	0.005 s
38		<u>Register with invalid inputs</u>	8	0	0	8	0.008 s
39		<u>Register with valid inputs</u>	8	0	0	8	0.005 s

Add to Cart Functionality on eCommerce Playground



PASSED	DURATION - 3 m 49.479 s	Scenarios		Steps	
/ 4:57:18.729 pm // 5:01:08.208 pm /		Total - 4		Total - 24	
		Pass - 4		Pass - 24	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Add a single product to the cart

PASSED	DURATION - 28.837 s		Steps	
/ 4:57:18.733 pm // 4:57:47.570 pm /			Total - 5	
Add to Cart Functionality on eCommerce Playground			Pass - 5	
@addSingleProduct			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	10.560 s
2	When user clicks the Phones & PDAs category	PASSED	8.848 s
3	And user selects the iPod Nano product	PASSED	4.777 s
4	And user clicks on the Add to Cart button	PASSED	0.195 s
5	Then user should see a confirmation message stating "Success: You have added iPod Nano to your shopping cart!"	PASSED	0.382 s

Remove a product from the cart

PASSED	DURATION - 1 m 39.849 s		Steps	
/ 4:57:47.585 pm // 4:59:27.434 pm /			Total - 7	
Add to Cart Functionality on eCommerce Playground			Pass - 7	
@removeProduct			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	6.598 s
2	When user clicks the Phones & PDAs category	PASSED	17.874 s
3	And user selects the iPod Nano product	PASSED	43.882 s
4	And user clicks on the Add to Cart button	PASSED	0.275 s
5	When user views the shopping cart	PASSED	28.336 s
6	And user removes iPod Nano from the cart	PASSED	0.195 s
7	Then the shopping cart should display "Your shopping cart is empty!"	PASSED	1.367 s

Add multiple quantities of the same product

PASSED	DURATION - 1 m 24.318 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:59:27.438 pm // 5:00:51.756 pm /				
Add to Cart Functionality on eCommerce Playground				
@addSameProductMultipleQuantity				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	30.594 s
2	When user clicks the Phones & PDAs category	PASSED	31.914 s
3	And user selects the iPod Nano product	PASSED	19.616 s
4	And user sets the quantity to 3	PASSED	0.249 s
5	And user clicks on the Add to Cart button	PASSED	0.198 s
6	Then user should see a confirmation message stating "Success: You have added iPod Nano to your shopping cart!"	PASSED	0.354 s
7	And the shopping cart should display "3 item(s)"	PASSED	0.051 s

Scenario: User tries to add a product to cart without selecting size



<div>PASSED</div> <div>DURATION - 16.449 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:00:51.759 pm // 5:01:08.208 pm /</div>			
<div>Add to Cart Functionality on eCommerce Playground</div>			
<div>@AddToCartWithoutSize</div>			

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	5.437 s
2	When user clicks the Phones & PDAs category	PASSED	5.298 s
3	And user selects the Apple Cinema 30 product	PASSED	3.909 s
4	And user clicks on the Add to Cart button	PASSED	0.217 s
5	Then user should see a message "Size required!"	PASSED	0.329 s

Blog functionality



<div>PASSED</div>	<div>DURATION - 2 m 55.234 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 33</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>33</div></div>
<div>/ 5:01:08.228 pm // 5:04:03.462 pm /</div>					

Adding a valid comment to the blog

<div>PASSED</div>	<div>DURATION - 12.143 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:01:08.228 pm // 5:01:20.371 pm /</div>				
<div>Blog functionality</div>				
<div>@valid_blog_filling_all_required_details</div>				


#	Step / Hook Details			Status	Duration
1	Given the user is on the homepage			PASSED	5.433 s
2	When the user clicks on the Blog button			PASSED	2.467 s
3	Then the user selects any article from the blog			PASSED	2.461 s
4	And the user is navigated to the selected blog page			PASSED	0.001 s
5	When the user enters the following comment details:			PASSED	0.568 s
	name	email	comment		
	Jeev	jeev@example.com	This blog was very informative and well written. Keep it up!		
6	Then the user should see the message "Thank you for your comment. It has been submitted to the webmaster for approval."			PASSED	0.005 s

Submitting a blog comment without filling required details

PASSED	DURATION - 53.585 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 5:01:20.376 pm // 5:02:13.961 pm /				
Blog functionality				
@invalid_blog_filling_without_required_details				


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	20.669 s
2	When the user clicks on the Blog button	PASSED	13.208 s
3	Then the user selects any article from the blog	PASSED	16.033 s
4	And the user is navigated to the selected blog page	PASSED	0.001 s
5	When the user enters the name "Jeev"	PASSED	0.257 s
6	And enters the email ""	PASSED	0.145 s
7	And adds the comment ""	PASSED	0.142 s
8	And clicks on the Post Comment button	PASSED	0.153 s
9	Then the user should see the warning message "Warning: Comment Text must be between 25 and 1000 characters!" and "check1"	PASSED	1.706 s

Submitting a blog comment without filling required details



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	30.920 s
2	When the user clicks on the Blog button	PASSED	18.784 s
3	Then the user selects any article from the blog	PASSED	13.794 s
4	And the user is navigated to the selected blog page	PASSED	0.000 s
5	When the user enters the name ""	PASSED	0.204 s
6	And enters the email "jeev@example.com"	PASSED	0.194 s
7	And adds the comment "Viverra accumsan in nisl nisi scelerisque eu. Vestibulum lorem sed risus ultricies tristique."	PASSED	0.312 s
8	And clicks on the Post Comment button	PASSED	0.125 s
9	Then the user should see the warning message "Warning: Comment Name must be between 3 and 25 characters!" and "check2"	PASSED	1.155 s



Submitting a blog comment without filling required details





#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	18.041 s
2	When the user clicks on the Blog button	PASSED	12.681 s
3	Then the user selects any article from the blog	PASSED	8.438 s
4	And the user is navigated to the selected blog page	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When the user enters the name "Jeev"	PASSED	0.246 s
6	And enters the email "jeev@example.com"	PASSED	0.193 s
7	And adds the comment "Hi"	PASSED	0.208 s
8	And clicks on the Post Comment button	PASSED	0.136 s
9	Then the user should see the warning message "Warning: Comment Text must be between 25 and 1000 characters!" and "check3"	PASSED	1.158 s

Forgot Password Functionality

PASSED	DURATION - 2 m 35.189 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 5:04:03.467 pm // 5:06:38.656 pm /					



User requests a password reset link using valid email

PASSED	DURATION - 43.344 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:04:03.467 pm // 5:04:46.811 pm /				
Forgot Password Functionality				
@ForgotPasswordWithValidEmail				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	17.861 s
2	When the user clicks on My Account	PASSED	11.066 s
3	And clicks on login	PASSED	0.007 s
4	When user clicks on Forgotten Password link	PASSED	10.881 s
5	And user enters valid email to receive reset link	PASSED	0.202 s
	email 2k21eeee65@kiot.ac.in		



#	Step / Hook Details	Status	Duration
6	And user clicks continue	PASSED	1.794 s
7	Then user should see an email sent confirmation message	PASSED	0.045 s

User requests a password reset link using invalid email

PASSED	DURATION - 54.835 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:04:46.817 pm // 5:05:41.652 pm /				
Forgot Password Functionality				
@ForgotPasswordWithInvalidEmail				



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	23.073 s
2	When the user clicks on My Account	PASSED	17.108 s
3	And clicks on login	PASSED	0.000 s
4	When user clicks on Forgotten Password link	PASSED	11.636 s
5	And user enters Invalid email to receive reset link	PASSED	0.217 s
	email 2k21eee33@kiot.ac.in		
6	And user clicks continue	PASSED	1.368 s
7	Then user should see an Error Message	PASSED	0.047 s

User requests a password reset link without providing email



PASSED	DURATION - 57.001 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:05:41.655 pm // 5:06:38.656 pm /				
Forgot Password Functionality				
@ForgotPasswordWithoutProvidingEmail				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	22.808 s
2	When the user clicks on My Account	PASSED	19.770 s
3	And clicks on login	PASSED	0.000 s
4	When user clicks on Forgotten Password link	PASSED	11.964 s
5	And user clicks continue	PASSED	0.119 s
6	Then user should see an Error Message	PASSED	0.926 s

Shopping Cart CheckOut functionality

PASSED	DURATION - 6 m 58.734 s	Scenarios		Steps	
/ 5:06:38.661 pm // 5:13:37.395 pm /		Total - 4		Total - 40	
		Pass - 4		Pass - 40	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



To checkout the shopping cart as a guest user

PASSED		DURATION - 2 m 55.737 s			Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 5:06:38.661 pm // 5:09:34.398 pm /						
Shopping Cart CheckOut functionality						
@Checkout @CheckoutAsGuest						

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	26.032 s
2	When the user searches "hp lp3065"	PASSED	21.352 s
3	And user selects the product	PASSED	29.644 s
4	And user clicks on the Add to Cart button	PASSED	0.230 s
5	And user views the shopping cart	PASSED	31.322 s
6	And the user clicks CheckOut	PASSED	18.300 s
7	And Select Guest CheckOut	PASSED	0.184 s


#	Step / Hook Details	Status	Duration																		
8	And Enter the details in form:	PASSED	2.226 s																		
	<table><tr><td>Field</td><td>Value</td></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td>john@test.com</td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>			Field	Value	First Name	John	Last Name	Doe	Email	john@test.com	Telephone	1234567890	Address	123 Main St	City	Salem	Postcode	12345	Country	United States
	Field			Value																	
	First Name			John																	
	Last Name			Doe																	
	Email			john@test.com																	
	Telephone			1234567890																	
	Address			123 Main St																	
	City			Salem																	
Postcode	12345																				
Country	United States																				
And the user accepts the terms and condition		PASSED	0.075 s																		
And clicks continue from the checkout page		PASSED	0.812 s																		
When the user clicks confirm order		PASSED	31.973 s																		
Then the order success message should be displayed		PASSED	11.985 s																		

To checkout the empty shopping cart as a registered user

PASSED		DURATION - 42.674 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:09:34.401 pm // 5:10:17.075 pm /						
Shopping Cart CheckOut functionality						
@Checkout @CheckOutEmptyCart						


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	21.247 s
2	And user views the shopping cart	PASSED	19.967 s
3	Then the user should see the message cart is empty	PASSED	0.045 s

To checkout the cart as a registered user





#	Step / Hook Details	Status	Duration	
1	Given the user is on the homepage	PASSED	22.780 s	
2	When the user searches "hp lp3065"	PASSED	21.990 s	
3	And user selects the product	PASSED	28.563 s	
4	And user clicks on the Add to Cart button	PASSED	0.236 s	
5	And user views the shopping cart	PASSED	32.140 s	
6	And the user clicks CheckOut	PASSED	25.092 s	
7	And Select Registered user CheckOut	PASSED	0.162 s	
8	And Enter the details in payment register form as new user in checkout:	PASSED	2.604 s	
	Field			Value
	First Name			John
	Last Name			Doe
	Email			john@test.com
	Telephone			1234567890
	Pass			1234
	Confirm pass			1234
	Address			123 Main St
	City			Salem
	Postcode			12345
	Country			United States
9	And the user accepts the terms and condition	PASSED	0.213 s	
10	And the user accepts the privacy policy	PASSED	1.120 s	
11	And clicks continue from the checkout page	PASSED	1.150 s	
12	When the user clicks confirm order	PASSED	6.467 s	
13	Then the order success message should be displayed	PASSED	1.848 s	

To checkout the cart with existing email





#	Step / Hook Details	Status	Duration																						
1	Given the user is on the homepage	PASSED	2.174 s																						
2	When the user searches "hp lp3065"	PASSED	11.256 s																						
3	And user selects the product	PASSED	7.346 s																						
4	And user clicks on the Add to Cart button	PASSED	0.277 s																						
5	And user views the shopping cart	PASSED	22.915 s																						
6	And the user clicks CheckOut	PASSED	2.647 s																						
7	And Select Registered user CheckOut	PASSED	0.372 s																						
8	And Enter the details in payment register form: <table><tr><td>Field</td><td>Value</td></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td>john@test.com</td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Pass</td><td>1234</td></tr><tr><td>Confirm pass</td><td>1234</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email	john@test.com	Telephone	1234567890	Pass	1234	Confirm pass	1234	Address	123 Main St	City	Salem	Postcode	12345	Country	United States	PASSED	3.146 s
Field	Value																								
First Name	John																								
Last Name	Doe																								
Email	john@test.com																								
Telephone	1234567890																								
Pass	1234																								
Confirm pass	1234																								
Address	123 Main St																								
City	Salem																								
Postcode	12345																								
Country	United States																								
9	And the user accepts the terms and condition	PASSED	0.111 s																						
10	And the user accepts the privacy policy	PASSED	0.147 s																						
11	And clicks continue from the checkout page	PASSED	0.248 s																						
12	Then the user should see the email already exist error	PASSED	0.482 s																						

Product compare functionality



PASSED	DURATION - 36.377 s	Scenarios		Steps	
/ 5:13:37.407 pm // 5:14:13.784 pm /		Total - 2		Total - 10	
		Pass - 2		Pass - 10	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To perform compare without adding products to list

PASSED	DURATION - 17.664 s		Steps	
/ 5:13:37.407 pm // 5:13:55.071 pm /			Total - 4	
Product compare functionality			Pass - 4	
@CompareWithoutProducts @ProductCompare			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	6.995 s
2	When the user searches " "	PASSED	0.418 s
3	And the user clicks product compare	PASSED	8.363 s
4	Then the user should see no products to compare error "You have not chosen any products to compare."	PASSED	0.067 s



To Add the products to comparison list

PASSED	DURATION - 18.709 s		Steps	
/ 5:13:55.075 pm // 5:14:13.784 pm /			Total - 6	
Product compare functionality			Pass - 6	
@AddProductToComparision @ProductCompare			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	6.719 s

#	Step / Hook Details	Status	Duration
2	When the user searches "mac"	PASSED	0.282 s
3	And user selects the products to compare	PASSED	7.728 s
4	And the user clicks the comparison button	PASSED	0.128 s
5	And the user clicks the comparison arrow	PASSED	2.312 s
6	Then the user should see the comparison page	PASSED	0.042 s

Search functionality


FAILED	DURATION - 5 m 7.615 s	Scenarios		Steps	
/ 5:14:13.790 pm // 5:19:21.405 pm /		Total - 5		Total - 30	
		Pass - 4		Pass - 28	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Search functionality with valid inputs

<div><div>PASSED</div><div>DURATION - 1 m 13.194 s</div></div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:14:13.791 pm // 5:15:26.985 pm /				
Search functionality				
@ValidSearchInputs				


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	23.058 s
2	When the user clicks on My Account.	PASSED	0.182 s
3	And clicks the register button	PASSED	31.557 s
4	Then the user should see the registration page	PASSED	0.037 s
5	When the user searches with valid input from excel	PASSED	16.999 s
6	Then the products must be displayed	PASSED	0.036 s

Search functionality with invalid inputs





#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	17.434 s
2	When the user clicks on My Account.	PASSED	0.172 s
3	And clicks the register button	PASSED	31.151 s
4	Then the user should see the registration page	PASSED	0.069 s
5	When the user searches with invalid input from excel	PASSED	0.451 s
6	Then no products should be displayed	PASSED	15.194 s

Search functionality with case sensitive inputs





#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	19.689 s
2	When the user clicks on My Account.	PASSED	0.200 s
3	And clicks the register button	PASSED	21.313 s
4	Then the user should see the registration page	PASSED	0.034 s
5	When the user searches with case sensitive input from excel	PASSED	0.419 s
6	Then the products must be displayed	PASSED	16.976 s

Search functionality with unnecessary indentation in search

<div>PASSED</div>	<div>DURATION - 1 m 3.625 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:17:33.071 pm // 5:18:36.696 pm /</div>				
<div>Search functionality</div>				
<div>@IndentationSearchInputs</div>				


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.854 s
2	When the user clicks on My Account.	PASSED	0.197 s
3	And clicks the register button	PASSED	29.339 s
4	Then the user should see the registration page	PASSED	0.042 s
5	When the user searches with indented input from excel	PASSED	0.408 s
6	Then the products must be displayed	PASSED	15.288 s

Search functionality by category as input



<div>FAILED</div> <div>DURATION - 44.706 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 5:18:36.699 pm // 5:19:21.405 pm /				
Search functionality				
@SearchByCategory				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.794 s
2	When the user clicks on My Account.	PASSED	0.175 s
3	And clicks the register button	PASSED	25.486 s
4	Then the user should see the registration page	PASSED	0.037 s
5	When the user searches with category input from excel	FAILED	0.013 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.definitions.SearchDefinition		



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:86) at io.cucumber.core.runner.Runner.runPickle(Runner.java:77) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:687) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:995) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at org.testng.internal.thread.graph.TestNGFutureTask.run(TestNGFutureTask.java:22) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 33 more Caused by: java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration. properties </p>		

#	Step / Hook Details	Status	Duration
	at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.actions.UserLoginAction.<init>(UserLoginAction.java:23) at com.definitions.SearchDefinition.<init>(SearchDefinition.java:68) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) ... 36 more Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
6	Then the message "There is no product that matches the search criteria." should be displayed	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.032 s
	Failure Screenshot		
			

User Account Management



FAILED	DURATION - 0.107 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 45 Pass - 0 Fail - 0 Skip - 45	
/ 5:19:21.418 pm // 5:19:21.525 pm /					

Edit user account details

<div>FAILED</div>	<div>DURATION - 0.015 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:19:21.419 pm // 5:19:21.434 pm /</div>				
<div>User Account Management</div>				
<div>@EditAccount</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.004 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters the valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user clicks the "Edit your account information" page	SKIPPED	0.000 s
7	And the user updates telephone number	SKIPPED	0.000 s
8	And clicks on the "EditInfo" Continue button	SKIPPED	0.000 s
9	Then user should see "Success: Your account has been successfully updated."	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.004 s

Modify the wishlist by removing a product

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
/ 5:19:21.438 pm // 5:19:21.456 pm /				
User Account Management				
@ModifyWishlist				



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.003 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters the valid credentials	SKIPPED	0.001 s
5	And the user clicks on the Login button	SKIPPED	0.001 s
6	Then the user clicks the "Modify your wish list" page	SKIPPED	0.000 s
7	And the user has products in their wishlist	SKIPPED	0.001 s
8	When the user removes a product from the wishlist	SKIPPED	0.001 s
9	Then user should see "Success: You have modified your wish list!"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.002 s

Subscribe or Unsubscribe from newsletter

<div>FAILED</div> <div>DURATION - 0.020 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 5:19:21.464 pm // 5:19:21.484 pm /				
User Account Management				
@Newsletter				



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.005 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters the valid credentials	SKIPPED	0.001 s
5	And the user clicks on the Login button	SKIPPED	0.001 s
6	When the user clicks the "Newsletter" page	SKIPPED	0.001 s
7	And the user chooses to "subscribe" the newsletter	SKIPPED	0.000 s
8	And clicks on the "Newsletter" Continue button	SKIPPED	0.000 s
9	Then user should see "Success: Your newsletter subscription has been successfully updated!"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.003 s

Subscribe or Unsubscribe from newsletter

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 5:19:21.489 pm // 5:19:21.505 pm /				
User Account Management				
@Newsletter				



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.003 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.001 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters the valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	When the user clicks the "Newsletter" page	SKIPPED	0.000 s
7	And the user chooses to "unsubscribe" the newsletter	SKIPPED	0.001 s
8	And clicks on the "Newsletter" Continue button	SKIPPED	0.000 s
9	Then user should see "Success: Your newsletter subscription has been successfully updated!"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.001 s

Change user password



<div>FAILED</div> <div>DURATION - 0.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:19:21.511 pm // 5:19:21.525 pm /</div>				
<div>User Account Management</div>				
<div>@ChangePassword</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.003 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters the valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user clicks the "Change your password" page	SKIPPED	0.001 s
7	And the user enters current password and new password details	SKIPPED	0.000 s
8	And clicks on the "ChangePassword" Continue button	SKIPPED	0.002 s
9	Then user should see "Success: Your password has been successfully updated."	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.002 s

Login Functionality

FAILED	DURATION - 0.062 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 41 Pass - 0 Fail - 0 Skip - 41	
/ 5:19:21.533 pm // 5:19:21.595 pm /					



User tries to login with valid credentials

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 5:19:21.533 pm // 5:19:21.541 pm /				
Login Functionality				
@login_valid_input				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.001 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.001 s
6	Then the user should see the My Account page	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		



User tries to login with invalid credentials

FAILED	DURATION - 0.006 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 5:19:21.546 pm // 5:19:21.552 pm /				
Login Functionality				
@login_invalid_input				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters E-Mail "atls2@gmail.com"	SKIPPED	0.000 s
5	And the user enters Password "12345"	SKIPPED	0.000 s
6	And the user clicks on the Login button	SKIPPED	0.000 s
7	Then the user should see the "Warning: No match for E-Mail Address and/or Password." and "check1"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		

#	Step / Hook Details	Status	Duration
	because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		



User tries to login with invalid credentials

<div>FAILED</div>	<div>DURATION - 0.008 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 5:19:21.555 pm // 5:19:21.563 pm /</div>				
<div>Login Functionality</div>				
<div>@login_invalid_input</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters E-Mail "atkd2@gmail.com"	SKIPPED	0.000 s
5	And the user enters Password "1234"	SKIPPED	0.000 s
6	And the user clicks on the Login button	SKIPPED	0.000 s
7	Then the user should see the "Warning: No match for E-Mail Address and/or Password." and "check2"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null		

#	Step / Hook Details	Status	Duration
	at com.definitions.Hooks.tearDown(Hooks.java:30)		



User tries to login with invalid credentials

<div>FAILED</div>	<div>DURATION - 0.007 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
<div>/ 5:19:21.567 pm // 5:19:21.574 pm /</div>				
<div>Login Functionality</div>				
<div>@login_invalid_input</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters E-Mail ""	SKIPPED	0.000 s
5	And the user enters Password "12345"	SKIPPED	0.000 s
6	And the user clicks on the Login button	SKIPPED	0.001 s
7	Then the user should see the "Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour." and "check3"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null		

#	Step / Hook Details	Status	Duration
	at com.definitions.Hooks.tearDown(Hooks.java:30)		



User tries to login with invalid credentials

<div>FAILED</div>	<div>DURATION - 0.007 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 5:19:21.579 pm // 5:19:21.586 pm /</div>				
<div>Login Functionality</div>				
<div>@login_invalid_input</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters E-Mail ""	SKIPPED	0.000 s
5	And the user enters Password ""	SKIPPED	0.000 s
6	And the user clicks on the Login button	SKIPPED	0.000 s
7	Then the user should see the "Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour." and "check4"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null		



#	Step / Hook Details	Status	Duration
	at com.definitions.Hooks.tearDown(Hooks.java:30)		

User tries to login with valid credentials and logs out



<div>FAILED</div> <div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
<div>/ 5:19:21.590 pm // 5:19:21.595 pm /</div>			
<div>Login Functionality</div>			
<div>@logout</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	When the user enters valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user logs out	SKIPPED	0.001 s
7	And the user should see the Account Logout page	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		

User Registration Functionality

FAILED	DURATION - 0.055 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 48 Pass - 0 Fail - 0 Skip - 48	
/ 5:19:21.605 pm // 5:19:21.660 pm /					



Register with valid inputs

FAILED	DURATION - 0.006 s		Steps	
/ 5:19:21.605 pm // 5:19:21.611 pm /			Total - 8	
User Registration Functionality			Pass - 0	
@registration @ValidRegistrationInputs			Fail - 0	
			Skip - 8	

#	Step / Hook Details	Status	Duration
	BEFORE - com definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.003 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters "priya", "ram", "ppta12e@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.001 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Your Account Has Been Created!"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.000 s



Register with invalid inputs

FAILED	DURATION - 0.006 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 5:19:21.615 pm // 5:19:21.621 pm /				
User Registration Functionality				
@registration @InvalidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.001 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "First Name must be between 1 and 32 characters!" for "empty first name"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.001 s

Register with invalid inputs

FAILED		DURATION - 0.008 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 5:19:21.625 pm // 5:19:21.633 pm /						
User Registration Functionality						
@registration @InvalidRegistrationInputs						

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.001 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "oign@gma.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Warning: E-Mail Address is already registered!" for "existing email"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.001 s

Register with invalid inputs

FAILED		DURATION - 0.005 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 5:19:21.636 pm // 5:19:21.641 pm /						
User Registration Functionality						
@registration @InvalidRegistrationInputs						

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.002 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.001 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "" and "1234"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.001 s
8	Then the user should see "Password must be between 4 and 20 characters!" for "empty password"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.001 s



Register with invalid inputs

FAILED	DURATION - 0.008 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 5:19:21.643 pm // 5:19:21.651 pm /				
User Registration Functionality				
@registration @InvalidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.003 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.001 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "4321"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.001 s
8	Then the user should see "Password confirmation does not match password!" for "password mismatch"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)	FAILED	0.001 s

Register with valid inputs

FAILED	DURATION - 0.005 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 5:19:21.655 pm // 5:19:21.660 pm /				
User Registration Functionality				
@registration @RegistrationWithoutAcceptingPrivacyPolicy				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario) java.lang.RuntimeException: Failed to load configuration file from both classpath and filesystem: Configuration.properties at com.utilities.ConfigReader.loadProperties(ConfigReader.java:51) at com.utilities.HelperClass.<init>(HelperClass.java:104) at com.utilities.HelperClass.setUpDriver(HelperClass.java:150) at com.definitions.Hooks.setUp(Hooks.java:24) Caused by: java.io.FileNotFoundException: Configuration.properties (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:213) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:152) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:47)	FAILED	0.002 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And the user not agrees to the privacy policy	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Warning: You must agree to the Privacy Policy!" for "Not checking privacy policy"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		