

# Cucumber Report

29-Apr-2025, 8:04:35 am

Start : Apr 29, 7:41:10.256 am

End : Apr 29, 8:04:33.540 am

Duration : 23 m 23.284 s

Features




Scenarios

Steps

PASSED - 5  
FAILED - 8  
SKIPPED - 0

PASSED - 19  
FAILED - 36  
SKIPPED - 0

PASSED - 168  
FAILED - 10  
SKIPPED - 233



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Jeevika_15APR2025_LambdaTesters_AffiliateAccount</u>	1 m 20.518 s	2	2	0	0	28	28	0	0
<u>Soundar_12APR2025_LambdaTesters_AddToCart</u>	1 m 19.573 s	4	4	0	0	24	24	0	0
<u>Jeevika_16APR2025_LambdaTesters_Blog</u>	1 m 31.683 s	5	5	0	0	38	38	0	0
<u>Soundar_09APR2025_LambdaTesters_ForgotPassword</u>	56.317 s	3	3	0	0	20	20	0	0
<u>Saranya_20APR2025_LamdaTesters_Feature file for HomePage Assertion</u>	1 m 3.491 s	3	3	0	0	9	9	0	0
<u>Saranya_16APR2025_LambdaTesters_My_orders_feature</u>	22 m 8.082 s	2	0	2	0	32	10	2	20
<u>Saranya_12APR2025_LambdaTesters_Shopping_Cart_CheckOut_- functionality</u>	22 m 3.677 s	4	1	3	0	40	18	3	19
<u>Saranya_15APR2025_LambdaTesters_Product_compare_functionality</u>	21 m 49.107 s	3	1	2	0	13	7	2	4
<u>Soundar_16APR2025_LambdaTesters_ProductReview</u>	21 m 23.747 s	4	0	4	0	32	14	3	15
<u>Jeevika_12APR2025_LambdaTesters_Search</u>	0.126 s	5	0	5	0	15	0	0	15
<u>Soundar_15APR2025_LambdaTesters_UserAccountManagement</u>	0.334 s	10	0	10	0	86	0	0	86
<u>Jeevika_09APR2025_LambdaTesters_Login</u>	0.256 s	7	0	7	0	50	0	0	50
<u>Saranya_09APR2025_LambdaTesters_User_Registration_Functionality</u>	0.138 s	3	0	3	0	24	0	0	24

#	Feature Name	Scenario Name
1	<u>Saranya_16APR2025_LambdaTesters_My_orders_feature</u>	<u>To checkout view the order history after ordering</u>
2		<u>To reorder the product in the order history</u>
3	<u>Saranya_12APR2025_LambdaTesters_Shopping_Cart_CheckOut_functionality</u>	<u>To checkout the shopping cart as a guest user</u>
4		<u>To checkout the cart as a registered user</u>
5		<u>To checkout the cart with existing email</u>
6	<u>Saranya_15APR2025_LambdaTesters_Product_compare_functionality</u>	<u>To Add the products to comparision list</u>
7		<u>To Add the products to comparision list</u>
8	<u>Soundar_16APR2025_LambdaTesters_ProductReview</u>	<u>Submit a valid product review with rating and comment</u>
9		<u>Submit review without rating and without comment</u>
10		<u>Submit review without rating but with comment</u>
11		<u>Submit review with rating but without comment</u>
12	<u>Jeevika_12APR2025_LambdaTesters_Search</u>	<u>Search functionality with valid inputs</u>

#	Feature Name	Scenario Name
13	<u>Jeevika_12APR2025_LambdaTesters_Search</u>	<u>Search functionality with case sensitive inputs</u>
14		<u>Search functionality with unnecessary indentation in search</u>
15		<u>Search functionality with invalid inputs</u>
16		<u>Search functionality by category as input</u>
17	<u>Soundar_15APR2025_LambdaTesters_UserAccountManagement</u>	<u>Edit user account details</u>
18		<u>Adding new address</u>
19		<u>Modify the wishlist by removing a product</u>
20		<u>Subscribe or Unsubscribe from newsletter</u>
21		<u>Subscribe or Unsubscribe from newsletter</u>
22		<u>User tries to login with invalid credentials</u>
23		<u>Register with valid inputs</u>
24		<u>Register with invalid inputs</u>
25		<u>Change user password</u>


#	Feature Name	Scenario Name
26	<u>Soundar_15APR2025_LambdaTesters_UserAccountManagement</u>	<u>Change user password without providing new password</u>
27	<u>Jeevika_09APR2025_LambdaTesters_Login</u>	<u>User tries to login with valid credentials</u>
28		<u>User tries to login with invalid credentials</u>
29		<u>User tries to login with invalid credentials</u>
30		<u>User tries to login with invalid credentials</u>
31		<u>Register with invalid inputs</u>
32		<u>Register with invalid inputs</u>
33		<u>User tries to login with valid credentials and logs out</u>
34	<u>Saranya_09APR2025_LambdaTesters_User_Registration_Functionality</u>	<u>Register with valid inputs</u>
35		<u>Register with invalid inputs</u>
36		<u>Register with valid inputs with out checking privacy policy</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@AddToCartWithoutSize	1	1	0	0	1	1	0	0
@addSameProductMultipleQuantity	1	1	0	0	1	1	0	0
@addSingleProduct	1	1	0	0	1	1	0	0
@removeProduct	1	1	0	0	1	1	0	0
@valid_blog_filling_all_required_details	1	1	0	0	1	1	0	0
@invalid_blog_filling_without_required_details	3	3	0	0	1	1	0	0
@category_selection_for_blog	1	1	0	0	1	1	0	0
@ForgotPasswordWithValidEmail	1	1	0	0	1	1	0	0
@ForgotPasswordWithInvalidEmail	1	1	0	0	1	1	0	0
@ForgotPasswordWithoutProvidingEmail	1	1	0	0	1	1	0	0
@HomePage	4	3	1	0	2	1	1	0
@HomePageRedirection	1	1	0	0	1	1	0	0
@HomePageBlock2	1	1	0	0	1	1	0	0
@HeadPhonesBlock	1	1	0	0	1	1	0	0
@MyOrders	7	0	7	0	4	0	4	0
@AccessingOrdersHistory	1	0	1	0	1	0	1	0
@ProductReOrdering	1	0	1	0	1	0	1	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Checkout	7	1	6	0	2	0	2	0
@CheckoutAsGuest	1	0	1	0	1	0	1	0
@CheckOutEmptyCart	1	1	0	0	1	0	1	0
@CheckoutAsRegisterUser	1	0	1	0	1	0	1	0
@CheckoutWithExistingEmail	1	0	1	0	1	0	1	0
@CompareWithoutProducts	1	1	0	0	1	0	1	0
@ProductCompare	5	1	4	0	3	0	3	0
@AddProductToComparision	1	0	1	0	1	0	1	0
@CompareInvalidProduct	1	0	1	0	1	0	1	0
@validReview	1	0	1	0	1	0	1	0
@noRatingNoComment	1	0	1	0	1	0	1	0
@noRatingWithComment	1	0	1	0	1	0	1	0
@withRatingNoComment	1	0	1	0	1	0	1	0
@ValidSearchInputs	1	0	1	0	1	0	1	0
@CaseSensitiveSearchInputs	1	0	1	0	1	0	1	0
@IndentationSearchInputs	1	0	1	0	1	0	1	0
@InvalidSearchInputs	1	0	1	0	1	0	1	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@SearchByCategory	1	0	1	0	1	0	1	0
@EditAccount	1	0	1	0	1	0	1	0
@ModifyAddress	1	0	1	0	1	0	1	0
@ModifyWishlist	1	0	1	0	1	0	1	0
@Newsletter	4	0	4	0	1	0	1	0
@login_invalid_input	4	0	4	0	2	0	2	0
@registration	7	0	7	0	3	0	3	0
@ValidRegistrationInputs	2	0	2	0	2	0	2	0
@InvalidRegistrationInputs	4	0	4	0	3	0	3	0
@ChangePassword	1	0	1	0	1	0	1	0
@ChangePassword_EmptyNewPasswordField	1	0	1	0	1	0	1	0
@login_valid_input	1	0	1	0	1	0	1	0
@logout	1	0	1	0	1	0	1	0
@RegistrationWithoutAcceptingPrivacyPolicy	1	0	1	0	1	0	1	0






#	Feature Name	T	P	F	S	Duration
1	<a href="#">Jeevika_15APR2025_LambdaTesters_AffiliateAccount</a>	2	2	0	0	1 m 20.518 s
2	<a href="#">Soundar_12APR2025_LambdaTesters_AddToCart</a>	4	4	0	0	1 m 19.573 s
3	<a href="#">Jeevika_16APR2025_LambdaTesters_Blog</a>	5	5	0	0	1 m 31.683 s
4	<a href="#">Soundar_09APR2025_LambdaTesters_ForgotPassword</a>	3	3	0	0	56.317 s
5	<a href="#">Saranya_20APR2025_LambdaTesters_Feature file for HomePage Assertion</a>	3	3	0	0	1 m 3.491 s
6	<a href="#">Saranya_16APR2025_LambdaTesters_My_orders_feature</a>	2	0	2	0	22 m 8.082 s
7	<a href="#">Saranya_12APR2025_LambdaTesters_Shopping_Cart_CheckOut_functionality</a>	4	1	3	0	22 m 3.677 s
8	<a href="#">Saranya_15APR2025_LambdaTesters_Product_compare_functionality</a>	3	1	2	0	21 m 49.107 s
9	<a href="#">Soundar_16APR2025_LambdaTesters_ProductReview</a>	4	0	4	0	21 m 23.747 s
10	<a href="#">Jeevika_12APR2025_LambdaTesters_Search</a>	5	0	5	0	0.126 s




#	Feature Name	T	P	F	S	Duration
11	<u>Soundar_15APR2025_LambdaTesters_UserAccountManagement</u>	10	0	10	0	0.334 s
12	<u>Jeevika_09APR2025_LambdaTesters_Login</u>	7	0	7	0	0.256 s
13	<u>Saranya_09APR2025_LambdaTesters_User_Registration_Functionality</u>	3	0	3	0	0.138 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Jeevika_15APR2025_LambdaTesters_- AffiliateAccount</u>	<u>Register a user and register as affiliate with valid and invalid inputs</u>	14	14	0	0	1 m 20.510 s
2		<u>Register a user and register as affiliate with valid and invalid inputs</u>	14	14	0	0	1 m 14.201 s
3	<u>Soundar_12APR2025_LambdaTesters_- AddToCart</u>	<u>User tries to add a product to cart without selecting size</u>	5	5	0	0	1 m 4.113 s
4		<u>Add multiple quantities of the same product</u>	7	7	0	0	55.516 s
5		<u>Add a single product to the cart</u>	5	5	0	0	55.235 s
6		<u>Remove a product from the cart</u>	7	7	0	0	1 m 19.534 s
7	<u>Jeevika_16APR2025_LambdaTesters_- Blog</u>	<u>Adding a valid comment to the blog</u>	7	7	0	0	42.508 s
8		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	44.556 s
9		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	38.960 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
10		<u>Submitting a blog comment without filling required details</u>	9	9	0	0	37.000 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Jeevika_16APR2025_LambdaTesters_- Blog</u>	<u>category wise selection and assertion</u>	4	4	0	0	54.663 s
12	<u>Soundar_09APR2025_LambdaTesters_-ForgotPassword</u>	<u>User requests a password reset link using valid email</u>	7	7	0	0	52.522 s
13		<u>User requests a password reset link using invalid email</u>	7	7	0	0	50.870 s
14		<u>User requests a password reset link without providing email</u>	6	6	0	0	50.721 s
15	<u>Saranya_20APR2025_LamdaTesters_- Feature file for HomePage Assertion</u>	<u>To assert the Functioning of Webelements in home page</u>	3	3	0	0	22.642 s
16		<u>To redirected to the product page after clicking Shop Now button in Block 2</u>	3	3	0	0	1 m 3.231 s
17		<u>To redirected to the product page after clicking Head phones poster</u>	3	3	0	0	52.453 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Saranya_16APR2025_LambdaTesters- _My_orders_feature</u>	<u>To checkout view the order history after ordering</u>	15	5	1	9	22 m 8.039 s
19		<u>To reorder the product in the order history</u>	17	5	1	11	22 m 4.404 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Saranya_12APR2025_LambdaTesters- _Shopping_Cart_CheckOut_functional *</u>	<u>To checkout the shopping cart as a guest user</u>	12	5	1	6	22 m 2.906 s
21		<u>To checkout the empty shopping cart as a registered user</u>	3	3	0	0	38.447 s
22		<u>To checkout the cart as a registered user</u>	13	5	1	7	21 m 51.733 s
23		<u>To checkout the cart with existing email</u>	12	5	1	6	21 m 51.311 s
24	<u>Saranya_15APR2025_LambdaTesters- _Product_compare_functionality</u>	<u>To perform compare without adding products to list</u>	4	4	0	0	1 m 39.057 s
25		<u>To Add the products to comparison list</u>	6	2	1	3	21 m 47.193 s
26		<u>To Add the products to comparison list</u>	3	1	1	1	21 m 25.963 s
27	<u>Soundar_16APR2025_LambdaTesters- _ProductReview</u>	<u>Submit a valid product review with rating and comment</u>	8	7	1	0	21 m 23.622 s
28		<u>Submit review without rating and without comment</u>	8	7	1	0	21 m 23.496 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
29		<u>Submit review without rating but with comment</u>	8	0	1	7	20 m 10.029 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>Soundar_16APR2025_LambdaTesters-ProductReview</u>	<u>Submit review with rating but without comment</u>	8	0	0	8	0.094 s
31	<u>Jeevika_12APR2025_LambdaTesters_-Search</u>	<u>Search functionality with valid inputs</u>	3	0	0	3	0.031 s
32		<u>Search functionality with case sensitive inputs</u>	3	0	0	3	0.031 s
33		<u>Search functionality with unnecessary indentation in search</u>	3	0	0	3	0.048 s
34		<u>Search functionality with invalid inputs</u>	3	0	0	3	0.047 s
35		<u>Search functionality by category as input</u>	3	0	0	3	0.043 s
36	<u>Soundar_15APR2025_LambdaTesters-UserAccountManagement</u>	<u>Edit user account details</u>	9	0	0	9	0.147 s
37		<u>Adding new address</u>	10	0	0	10	0.113 s
38		<u>Modify the wishlist by removing a product</u>	9	0	0	9	0.112 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
39		<u>Subscribe or Unsubscribe from newsletter</u>	9	0	0	9	0.085 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Soundar_15APR2025_LambdaTesters- _UserAccountManagement</u>	<u>Subscribe or Unsubscribe from newsletter</u>	9	0	0	9	0.158 s
41		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.114 s
42		<u>Register with valid inputs</u>	8	0	0	8	0.065 s
43		<u>Register with invalid inputs</u>	8	0	0	8	0.028 s
44		<u>Change user password</u>	9	0	0	9	0.114 s
45		<u>Change user password without providing new password</u>	8	0	0	8	0.209 s
46	<u>Jeevika_09APR2025_LambdaTesters_- Login</u>	<u>User tries to login with valid credentials</u>	6	0	0	6	0.053 s
47		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.120 s
48		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.113 s
49		<u>User tries to login with invalid credentials</u>	7	0	0	7	0.103 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Jeevika_09APR2025_LambdaTesters_-Login</u>	<u>Register with invalid inputs</u>	8	0	0	8	0.063 s
51		<u>Register with invalid inputs</u>	8	0	0	8	0.052 s
52		<u>User tries to login with valid credentials and logs out</u>	7	0	0	7	0.065 s
53	<u>Saranya_09APR2025_LambdaTesters-_User_Registration_Functionality</u>	<u>Register with valid inputs</u>	8	0	0	8	0.082 s
54		<u>Register with invalid inputs</u>	8	0	0	8	0.079 s
55		<u>Register with valid inputs with out checking privacy policy</u>	8	0	0	8	0.050 s

## Jeevika\_15APR2025\_LambdaTesters\_AffiliateAccount

<b>PASSED</b>	<b>DURATION - 1 m 20.518 s</b>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	
/ 7:41:10.256 am // 7:42:30.774 am /					

## Register a user and register as affiliate with valid and invalid inputs

<b>PASSED</b>	<b>DURATION - 1 m 20.510 s</b>		Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 7:41:10.264 am // 7:42:30.774 am /				
Jeevika_15APR2025_LambdaTesters_AffiliateAccount				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	14.249 s
2	When the user clicks on My Account.	PASSED	0.302 s
3	And clicks the register button	PASSED	9.659 s
4	Then the user should see the registration page	PASSED	0.068 s
5	When the user enters "jeev", "ram", "ppta113@gmail.com", "1234567890", "1234" and "1234"	PASSED	1.474 s
6	And agrees to the Privacy Policy	PASSED	0.212 s
7	And submits the registration form	PASSED	0.236 s
8	Then the user should see "Your Account Has Been Created!"	PASSED	8.345 s
9	When the user clicks on continue on register	PASSED	17.538 s
10	And the user clicks on register your affiliate information	PASSED	20.143 s
11	And enters payee name "jeev"	PASSED	0.146 s
12	And clicks on checkbox	PASSED	0.200 s
13	And clicks on register continue button	PASSED	1.834 s
14	Then the user sees "Success: Your account has been successfully updated." based on "valid"	PASSED	0.061 s


## Register a user and register as affiliate with valid and invalid inputs

<div>PASSED</div>	<div>DURATION - 1 m 14.201 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>17.4</td></tr><tr><td>2</td><td>0.3</td></tr><tr><td>3</td><td>17.2</td></tr><tr><td>4</td><td>0.1</td></tr><tr><td>5</td><td>1.5</td></tr><tr><td>6</td><td>0.2</td></tr><tr><td>7</td><td>0.2</td></tr><tr><td>8</td><td>9.7</td></tr><tr><td>9</td><td>10.9</td></tr><tr><td>10</td><td>5.0</td></tr><tr><td>11</td><td>0.1</td></tr><tr><td>12</td><td>0.1</td></tr><tr><td>13</td><td>5.3</td></tr><tr><td>14</td><td>0.0</td></tr></tbody></table></div>	Step	Duration (s)	1	17.4	2	0.3	3	17.2	4	0.1	5	1.5	6	0.2	7	0.2	8	9.7	9	10.9	10	5.0	11	0.1	12	0.1	13	5.3	14	0.0	<div>Steps</div> <div>Total - 14</div> <div>Pass - 14</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>14</div></div>
Step	Duration (s)																																	
1	17.4																																	
2	0.3																																	
3	17.2																																	
4	0.1																																	
5	1.5																																	
6	0.2																																	
7	0.2																																	
8	9.7																																	
9	10.9																																	
10	5.0																																	
11	0.1																																	
12	0.1																																	
13	5.3																																	
14	0.0																																	
<div>/ 7:41:10.315 am // 7:42:24.516 am /</div>																																		
<div>Jeevika_15APR2025_LambdaTesters_AffiliateAccount</div>																																		


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	17.374 s
2	When the user clicks on My Account.	PASSED	0.276 s
3	And clicks the register button	PASSED	17.216 s
4	Then the user should see the registration page	PASSED	0.067 s
5	When the user enters "priya", "ram", "ppta112@gmail.com", "1234567891", "1234" and "1234"	PASSED	1.472 s
6	And agrees to the Privacy Policy	PASSED	0.236 s
7	And submits the registration form	PASSED	0.215 s
8	Then the user should see "Your Account Has Been Created!"	PASSED	9.658 s
9	When the user clicks on continue on register	PASSED	10.924 s
10	And the user clicks on register your affiliate information	PASSED	5.070 s
11	And enters payee name "jeev"	PASSED	0.139 s
12	And clicks on checkbox	PASSED	0.202 s
13	And clicks on register continue button	PASSED	5.325 s
14	Then the user sees "Success: Your account has been successfully updated." based on "valid"	PASSED	0.049 s

## Soundar\_12APR2025\_LambdaTesters\_AddToCart


<div>PASSED</div>	<div>DURATION - 1 m 19.573 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>24</div></div>
<div>/ 7:41:10.277 am // 7:42:29.850 am /</div>					

**User tries to add a product to cart without selecting size**


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.735 s
2	When user clicks the Phones & PDAs category	PASSED	14.742 s
3	And user selects the Apple Cinema 30 product	PASSED	26.608 s
4	And user clicks on the Add to Cart button	PASSED	0.265 s
5	Then user should see a message "Size required!"	PASSED	0.434 s

**Add multiple quantities of the same product**

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.722 s
2	When user clicks the Phones & PDAs category	PASSED	10.491 s
3	And user selects the iPod Nano product	PASSED	21.701 s
4	And user sets the quantity to 3	PASSED	0.298 s
5	And user clicks on the Add to Cart button	PASSED	0.207 s
6	Then user should see a confirmation message stating "Success: You have added iPod Nano to your shopping cart!"	PASSED	0.420 s
7	And the shopping cart should display "3 item(s)"	PASSED	0.063 s

**Add a single product to the cart**



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	17.120 s
2	When user clicks the Phones & PDAs category	PASSED	11.360 s
3	And user selects the iPod Nano product	PASSED	20.147 s
4	And user clicks on the Add to Cart button	PASSED	0.229 s
5	Then user should see a confirmation message stating "Success: You have added iPod Nano to your shopping cart!"	PASSED	0.333 s

**Remove a product from the cart**



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.204 s
2	When user clicks the Phones & PDAs category	PASSED	9.264 s
3	And user selects the iPod Nano product	PASSED	13.432 s
4	And user clicks on the Add to Cart button	PASSED	0.296 s
5	When user views the shopping cart	PASSED	33.806 s
6	And user removes iPod Nano from the cart	PASSED	0.199 s
7	Then the shopping cart should display "Your shopping cart is empty!"	PASSED	0.986 s



Jeevika\_16APR2025\_LambdaTesters\_Blog


PASSED	DURATION - 1 m 31.683 s	Scenarios		Steps	
/ 7:41:10.304 am // 7:42:41.987 am /		Total - 5		Total - 38	
		Pass - 5		Pass - 38	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Adding a valid comment to the blog

PASSED	DURATION - 42.508 s		Steps	
/ 7:41:10.304 am // 7:41:52.812 am /			Total - 7	
Jeevika_16APR2025_LambdaTesters_Blog			Pass - 7	
@valid_blog_filling_all_required_details			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration						
1	Given the user is on the homepage	PASSED	17.404 s						
2	When the user clicks on the Blog button	PASSED	5.344 s						
3	Then the user selects any article from the blog	PASSED	12.932 s						
4	And the user is navigated to the selected blog page	PASSED	0.000 s						
5	When the user enters the following comment details:	PASSED	0.688 s						
	<table><tr><td>name</td><td>email</td><td>comment</td></tr><tr><td>Jeev</td><td>jeev@example.com</td><td>This blog was very informative and well written. Keep it up!</td></tr></table>			name	email	comment	Jeev	jeev@example.com	This blog was very informative and well written. Keep it up!
	name			email	comment				
Jeev	jeev@example.com	This blog was very informative and well written. Keep it up!							
6	And clicks on the Post Comment button	PASSED	0.163 s						
7	Then the user should see the message "Thank you for your comment. It has been submitted to the webmaster for approval."	PASSED	0.565 s						

Submitting a blog comment without filling required details



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	20.147 s
2	When the user clicks on the Blog button	PASSED	7.778 s
3	Then the user selects any article from the blog	PASSED	9.024 s
4	And the user is navigated to the selected blog page	PASSED	0.000 s
5	When the user enters the name ""	PASSED	0.206 s
6	And enters the email "jeev@example.com"	PASSED	0.184 s
7	And adds the comment "Viverra accumsan in nisl nisi scelerisque eu. Vestibulum lorem sed risus ultricies tristique."	PASSED	0.479 s
8	And clicks on the Post Comment button	PASSED	0.204 s
9	Then the user should see the warning message "Warning: Comment Name must be between 3 and 25 characters!" and "check2"	PASSED	0.703 s



### Submitting a blog comment without filling required details



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	18.838 s
2	When the user clicks on the Blog button	PASSED	6.430 s
3	Then the user selects any article from the blog	PASSED	7.024 s
4	And the user is navigated to the selected blog page	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
5	When the user enters the name "Jeev"	PASSED	0.226 s
6	And enters the email ""	PASSED	0.167 s
7	And adds the comment ""	PASSED	0.161 s
8	And clicks on the Post Comment button	PASSED	0.159 s
9	Then the user should see the warning message "Warning: Comment Text must be between 25 and 1000 characters!" and "check1"	PASSED	0.628 s

### Submitting a blog comment without filling required details

PASSED	DURATION - 37.000 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 7:41:10.314 am // 7:41:47.314 am /				
Jeevika_16APR2025_LambdaTesters_Blog				
@invalid_blog_filling_without_required_details				


#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	12.885 s
2	When the user clicks on the Blog button	PASSED	8.487 s
3	Then the user selects any article from the blog	PASSED	8.729 s
4	And the user is navigated to the selected blog page	PASSED	0.001 s
5	When the user enters the name "Jeev"	PASSED	0.266 s
6	And enters the email "jeev@example.com"	PASSED	0.192 s
7	And adds the comment "Hi"	PASSED	0.153 s
8	And clicks on the Post Comment button	PASSED	0.155 s
9	Then the user should see the warning message "Warning: Comment Text must be between 25 and 1000 characters!" and "check3"	PASSED	0.637 s

### category wise selection and assertion




#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	18.505 s
2	When the user clicks on the Blog button	PASSED	21.369 s
3	And the user selects category	PASSED	12.947 s
4	Then the user should see article page	PASSED	0.068 s

### Soundar\_09APR2025\_LambdaTesters\_ForgotPassword





### User requests a password reset link using valid email



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	23.029 s

#	Step / Hook Details	Status	Duration
2	When the user clicks on My Account	PASSED	14.111 s
3	And clicks on login	PASSED	0.000 s
4	When user clicks on Forgotten Password link	PASSED	11.734 s
5	And user enters valid email to receive reset link	PASSED	0.144 s
	<div>email</div> <div>2k21eee65@kiot.ac.in</div>		
6	And user clicks continue	PASSED	0.399 s
7	Then user should see an email sent confirmation message	PASSED	1.681 s

### User requests a password reset link using invalid email

PASSED		DURATION - 50.870 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:41:52.821 am // 7:42:43.691 am /						
Soundar_09APR2025_LambdaTesters_ForgotPassword						
@ForgotPasswordWithInvalidEmail						

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	21.526 s
2	When the user clicks on My Account	PASSED	15.201 s
3	And clicks on login	PASSED	0.001 s
4	When user clicks on Forgotten Password link	PASSED	10.717 s
5	And user enters Invalid email to receive reset link	PASSED	0.151 s
	<div>email</div> <div>2k21eee33@kiot.ac.in</div>		
6	And user clicks continue	PASSED	0.422 s
7	Then user should see an Error Message	PASSED	1.080 s

### User requests a password reset link without providing email



<div>PASSED</div> <div>DURATION - 50.721 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>16.131</td></tr><tr><td>2</td><td>20.878</td></tr><tr><td>3</td><td>0.000</td></tr><tr><td>4</td><td>10.144</td></tr><tr><td>5</td><td>0.542</td></tr><tr><td>6</td><td>1.328</td></tr></tbody></table>	Step	Duration (s)	1	16.131	2	20.878	3	0.000	4	10.144	5	0.542	6	1.328	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div>6</div>
Step	Duration (s)																	
1	16.131																	
2	20.878																	
3	0.000																	
4	10.144																	
5	0.542																	
6	1.328																	
/ 7:41:54.875 am // 7:42:45.596 am /																		
Soundar_09APR2025_LambdaTesters_ForgotPassword																		
@ForgotPasswordWithoutProvidingEmail																		

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	16.131 s
2	When the user clicks on My Account	PASSED	20.878 s
3	And clicks on login	PASSED	0.000 s
4	When user clicks on Forgotten Password link	PASSED	10.144 s
5	And user clicks continue	PASSED	0.542 s
6	Then user should see an Error Message	PASSED	1.328 s

### Saranya\_20APR2025\_LamdaTesters\_Feature file for HomePage Assertion



<div>PASSED</div>	<div>DURATION - 1 m 3.491 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
<div>/ 7:42:05.553 am // 7:43:09.044 am /</div>					

### To assert the Functioning of Webelements in home page

PASSED		DURATION - 22.642 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 7:42:05.553 am // 7:42:28.195 am /							
Saranya_20APR2025_LamdaTesters_Feature file for HomePage Assertion							
@HomePage @HomePageRedirection							



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	20.841 s
2	When the user clicks the shop now in first block	PASSED	0.202 s
3	Then the user needs to redirect to the top of home page	PASSED	0.013 s

### To redirected to the product page after clicking Shop Now button in Block 2

PASSED	DURATION - 1 m 3.231 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:42:05.813 am // 7:43:09.044 am /				
Saranya_20APR2025_LamdaTesters_Feature file for HomePage Assertion				
@HomePage @HomePageBlock2				



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	22.706 s
2	When the user clicks shop now in second block	PASSED	38.949 s
3	Then the user should see the "Canon EOS 5D" page	PASSED	0.070 s

### To redirected to the product page after clicking Head phones poster



PASSED	DURATION - 52.453 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:42:14.393 am // 7:43:06.846 am /				
Saranya_20APR2025_LamdaTesters_Feature file for HomePage Assertion				
@HomePage @HeadPhonesBlock				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	24.398 s
2	When the user clicks hp25 Headphones poster	PASSED	26.387 s
3	Then the user should see the "HP LP3065" product page	PASSED	0.112 s

## Saranya\_16APR2025\_LambdaTesters\_My\_orders\_feature

FAILED	DURATION - 22 m 8.082 s	Scenarios		Steps	
/ 7:42:24.524 am // 8:04:32.606 am /		Total - 2		Total - 32	
		Pass - 0		Pass - 10	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 20	

## To checkout view the order history after ordering

FAILED	DURATION - 22 m 8.039 s		Steps	
/ 7:42:24.524 am // 8:04:32.563 am /			Total - 15	
Saranya_16APR2025_LambdaTesters_My_orders_feature			Pass - 5	
@MyOrders @AccessingOrdersHistory			Fail - 1	
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	11.260 s
2	When the user searches "hp lp3065"	PASSED	0.385 s
3	And user selects the product	PASSED	38.996 s
4	And user clicks on the Add to Cart button	PASSED	0.232 s
5	And user views the shopping cart	PASSED	29.755 s
6	And the user clicks CheckOut	FAILED	20 m 46.007 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: Unable to receive message from renderer (Session info: chrome=135.0.7049.115) Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, clickElement {id=f.5C2222D29C5282856B7699155F43B3DF.d.70E8E9C2F4E824364CE6E388EFCB5A31.e.380}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (07a314fa74e54a865fe6e27646c783df)] -> xpath: //*[@id='content']/div[2]/a[2]] Session ID: 07a314fa74e54a865fe6e27646c783df		




#	Step / Hook Details	Status	Duration																						
	<div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</div> <div>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</div> <div>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)</div> <div>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)</div> <div>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</div> <div>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</div> <div>at jdk.proxy2/jdk.proxy2.\$Proxy60.click(Unknown Source)</div> <div>at com.actions.CheckOutAction.productCheckOut(CheckOutAction.java:49)</div> <div>at com.definitions.CheckoutDefinition.the_user_clicks_check_out(CheckoutDefinition.java:35)</div> <div>at ?.the user clicks CheckOut(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambda-test-bd/src/test/resources/com/features/MyOrder.feature:12)</div> <div>* Not displayable characters are replaced by '?'. </div>																								
7	And Select Registered user CheckOut	SKIPPED	0.002 s																						
8	And Enter the details in payment register form as new user in checkout:	SKIPPED	0.003 s																						
	<table><tr><th>Field</th><th>Value</th></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td></td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Pass</td><td>1234</td></tr><tr><td>Confirm pass</td><td>1234</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email		Telephone	1234567890	Pass	1234	Confirm pass	1234	Address	123 Main St	City	Salem	Postcode	12345	Country	United States		
Field	Value																								
First Name	John																								
Last Name	Doe																								
Email																									
Telephone	1234567890																								
Pass	1234																								
Confirm pass	1234																								
Address	123 Main St																								
City	Salem																								
Postcode	12345																								
Country	United States																								
9	And the user accepts the terms and condition	SKIPPED	0.001 s																						
10	And the user accepts the privacy policy	SKIPPED	0.001 s																						
11	And clicks continue from the checkout page	SKIPPED	0.001 s																						
12	When the user clicks confirm order	SKIPPED	0.000 s																						

#	Step / Hook Details	Status	Duration
13	When the user clicks on My Account in the top	SKIPPED	0.001 s
14	And clicks my order history	SKIPPED	0.000 s
15	Then the order history is displayed	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.240 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## To reorder the product in the order history

FAILED		DURATION - 22 m 4.404 s	
/ 7:42:28.202 am // 8:04:32.606 am /			
Saranya_16APR2025_LambdaTesters_My_orders_feature			
@MyOrders @ProductReOrdering @HomePage			



Step	Duration (approx)
1	10
2	20
3	50
4	0
5	1100
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0


Steps

Total - 17

Pass - 5

Fail - 1

Skip - 11





17

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	12.986 s
2	When the user searches "hp lp3065"	PASSED	22.419 s
3	And user selects the product	PASSED	48.990 s
4	And user clicks on the Add to Cart button	PASSED	0.220 s
5	And user views the shopping cart	PASSED	20 m 38.220 s
6	And the user clicks CheckOut  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, findElement {value=//*[@id='content']/div[2]/a[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.click(Unknown Source) at com.actions.CheckOutAction.productCheckOut(CheckOutAction.java:49) at comdefinitions.CheckoutDefinition.the_user_clicks_check_out(CheckoutDefinition.java:35) at ?.the user clicks CheckOut(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambda-test-bd/src/test/resources/com/features/MyOrder.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.261 s
7	And Select Registered user CheckOut	SKIPPED	0.003 s
8	And Enter the details in payment register form as new user in checkout:	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration																						
	<table><tr><td>Field</td><td>Value</td></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td></td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Pass</td><td>1234</td></tr><tr><td>Confirm pass</td><td>1234</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email		Telephone	1234567890	Pass	1234	Confirm pass	1234	Address	123 Main St	City	Salem	Postcode	12345	Country	United States		
Field	Value																								
First Name	John																								
Last Name	Doe																								
Email																									
Telephone	1234567890																								
Pass	1234																								
Confirm pass	1234																								
Address	123 Main St																								
City	Salem																								
Postcode	12345																								
Country	United States																								
9	And the user accepts the terms and condition	SKIPPED	0.001 s																						
10	And the user accepts the privacy policy	SKIPPED	0.001 s																						
11	And clicks continue from the checkout page	SKIPPED	0.001 s																						
12	When the user clicks confirm order	SKIPPED	0.000 s																						
13	When the user clicks on My Account in the top	SKIPPED	0.002 s																						
14	And clicks my order history	SKIPPED	0.001 s																						
15	And user clicks view button	SKIPPED	0.002 s																						
16	When the user clicks reorder button	SKIPPED	0.001 s																						
17	Then the product reordered message should be displayed	SKIPPED	0.001 s																						
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.017 s																						
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)																								

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)		

## Saranya\_12APR2025\_LambdaTesters\_Shopping\_Cart\_CheckOut\_functionality

<b>FAILED</b>	DURATION - 22 m 3.677 s	Scenarios		Steps	
/ 7:42:29.863 am // 8:04:33.540 am /		Total - 4		Total - 40	
		Pass - 1		Pass - 18	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 19	

### To checkout the shopping cart as a guest user



FAILED		DURATION - 22 m 2.906 s			Steps Total - 12 Pass - 5 Fail - 1 Skip - 6	
/ 7:42:29.863 am // 8:04:32.769 am /						
Saranya_12APR2025_LambdaTesters_Shopping_Cart-Checkout_functionality						
@Checkout @CheckoutAsGuest						

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	11.619 s
2	When the user searches "hp lp3065"	PASSED	21.185 s
3	And user selects the product	PASSED	43.288 s
4	And user clicks on the Add to Cart button	PASSED	0.296 s
5	And user views the shopping cart	PASSED	39.653 s
6	And the user clicks CheckOut	FAILED	20 m 5.180 s
	org.openqa.selenium.TimeoutException: java.net.http.HttpTimeoutException: request timed out Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, clickElement {id=f.AE87DF4B565E9F90B143FD7E1B41015D.d.		

#	Step / Hook Details	Status	Duration																		
	<div>63DAFAE01CEA19688846DCBA5A8AE451.e.369}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (28e27e7436d87f754f00896a33a61120)] -&gt; xpath: //*[@id='content']/div[2]/a[2]] Session ID: 28e27e7436d87f754f00896a33a61120</div> <div>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:495) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583)</div> <div>Caused by: java.net.http.HttpTimeoutException: request timed out at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:949) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)</div>																				
7	And Select Guest CheckOut	SKIPPED	0.003 s																		
8	And Enter the details in form:	SKIPPED	0.003 s																		
	<table><tr><th>Field</th><th>Value</th></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td>john126hvh@test.com</td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email	john126hvh@test.com	Telephone	1234567890	Address	123 Main St	City	Salem	Postcode	12345	Country	United States		
Field	Value																				
First Name	John																				
Last Name	Doe																				
Email	john126hvh@test.com																				
Telephone	1234567890																				
Address	123 Main St																				
City	Salem																				
Postcode	12345																				
Country	United States																				
9	And the user accepts the terms and condition	SKIPPED	0.001 s																		
10	And clicks continue from the checkout page	SKIPPED	0.000 s																		
11	When the user clicks confirm order	SKIPPED	0.001 s																		
12	Then the order success message should be displayed	SKIPPED	0.001 s																		
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.453 s																		
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:																				

#	Step / Hook Details	Status	Duration
	<p>[28e27e7436d87f754f00896a33a61120, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at comdefinitions.Hooks.tearDown(Hooks.java:32)</p>		



### To checkout the empty shopping cart as a registered user

<b>PASSED</b>		<b>DURATION - 38.447 s</b>			<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 7:42:30.780 am // 7:43:09.227 am /							
Saranya_12APR2025_LambdaTesters_Shopping_Cart- _Checkout_functionality							
@Checkout @CheckoutEmptyCart							

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	12.595 s
2	And user views the shopping cart	PASSED	24.361 s
3	Then the user should see the message cart is empty	PASSED	0.043 s

### To checkout the cart as a registered user



<div>FAILED</div> <div>DURATION - 21 m 51.733 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:42:41.807 am // 8:04:33.540 am /</div>			
<div>Saranya_12APR2025_LambdaTesters_Shopping_Cart-Checkout_functionality</div>			
<div>@Checkout @CheckoutAsRegisterUser</div>			



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	21.531 s
2	When the user searches "hp lp3065"	PASSED	40.246 s
3	And user selects the product	PASSED	39.100 s
4	And user clicks on the Add to Cart button	PASSED	0.247 s
5	And user views the shopping cart	PASSED	20 m 9.195 s
6	And the user clicks CheckOut	FAILED	0.006 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b83d72c1fd35f0df9b8aac9c97f64bf4, findElement {value=//*[@id='content']/div[2]/a[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62281}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b83d72c1fd35f0df9b8aac9c97f64bf4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)</p>		



#	Step / Hook Details	Status	Duration																						
	<div>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.click(Unknown Source) at com.actions.CheckOutAction.productCheckOut(CheckOutAction.java:49) at com.definitions.CheckoutDefinition.the_user_clicks_check_out(CheckoutDefinition.java:35) at ?.the user clicks CheckOut(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambdatest-bd/src/test/resources/com/features/ProductCheckOut.feature:41) * Not displayable characters are replaced by '?'. </div>																								
7	And Select Registered user CheckOut	SKIPPED	0.000 s																						
8	And Enter the details in payment register form as new user in checkout: <table><tr><th>Field</th><th>Value</th></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td></td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Pass</td><td>1234</td></tr><tr><td>Confirm pass</td><td>1234</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email		Telephone	1234567890	Pass	1234	Confirm pass	1234	Address	123 Main St	City	Salem	Postcode	12345	Country	United States	SKIPPED	0.000 s
Field	Value																								
First Name	John																								
Last Name	Doe																								
Email																									
Telephone	1234567890																								
Pass	1234																								
Confirm pass	1234																								
Address	123 Main St																								
City	Salem																								
Postcode	12345																								
Country	United States																								
9	And the user accepts the terms and condition	SKIPPED	0.000 s																						
10	And the user accepts the privacy policy	SKIPPED	0.001 s																						
11	And clicks continue from the checkout page	SKIPPED	0.000 s																						
12	When the user clicks confirm order	SKIPPED	0.000 s																						
13	Then the order success message should be displayed	SKIPPED	0.000 s																						
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) <div>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b83d72c1fd35f0df9b8aac9c97f64bf4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62281}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62281/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b83d72c1fd35f0df9b8aac9c97f64bf4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) </div>	FAILED	0.005 s																						

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

### To checkout the cart with existing email



<div>FAILED</div> <div>DURATION - 21 m 51.311 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 7:42:41.993 am // 8:04:33.304 am /</div>				
<div>Saranya_12APR2025_LambdaTesters_Shopping_Cart-Checkout_functionality</div>				
<div>@Checkout @CheckoutWithExistingEmail</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	20.637 s
2	When the user searches "hp lp3065"	PASSED	0.462 s
3	And user selects the product	PASSED	1 m 18.771 s
4	And user clicks on the Add to Cart button	PASSED	0.290 s
5	And user views the shopping cart	PASSED	20 m 9.656 s
6	And the user clicks CheckOut	FAILED	0.011 s
	<pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf72b134c268656b6bcd6bef3eb533b, findElement {value=//*[@id='content']/div[2]/a[2], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62285}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62285/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>		



#	Step / Hook Details	Status	Duration																						
	<div>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cf72b134c268656b6bcd6b6b3eb533b</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy60.click(Unknown Source) at com.actions.CheckOutAction.productCheckOut(CheckOutAction.java:49) at com.definitions.CheckoutDefinition.the_user_clicks_check_out(CheckoutDefinition.java:35) at ?.the user clicks CheckOut(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambdatest-bd/src/test/resources/com/features/ProductCheckOut.feature:67) * Not displayable characters are replaced by '?'. </div>																								
7	And Select Registered user CheckOut	SKIPPED	0.001 s																						
8	And Enter the details in payment register form:	SKIPPED	0.001 s																						
	<table><tr><th>Field</th><th>Value</th></tr><tr><td>First Name</td><td>John</td></tr><tr><td>Last Name</td><td>Doe</td></tr><tr><td>Email</td><td>john@test.com</td></tr><tr><td>Telephone</td><td>1234567890</td></tr><tr><td>Pass</td><td>1234</td></tr><tr><td>Confirm pass</td><td>1234</td></tr><tr><td>Address</td><td>123 Main St</td></tr><tr><td>City</td><td>Salem</td></tr><tr><td>Postcode</td><td>12345</td></tr><tr><td>Country</td><td>United States</td></tr></table>	Field	Value	First Name	John	Last Name	Doe	Email	john@test.com	Telephone	1234567890	Pass	1234	Confirm pass	1234	Address	123 Main St	City	Salem	Postcode	12345	Country	United States		
Field	Value																								
First Name	John																								
Last Name	Doe																								
Email	john@test.com																								
Telephone	1234567890																								
Pass	1234																								
Confirm pass	1234																								
Address	123 Main St																								
City	Salem																								
Postcode	12345																								
Country	United States																								
9	And the user accepts the terms and condition	SKIPPED	0.000 s																						

#	Step / Hook Details	Status	Duration
10	And the user accepts the privacy policy	SKIPPED	0.000 s
11	And clicks continue from the checkout page	SKIPPED	0.000 s
12	Then the user should see the email already exist error	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf72b134c268656b6bcd6bef3eb533b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62285}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62285/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cf72b134c268656b6bcd6bef3eb533b</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Saranya\_15APR2025\_LambdaTesters\_Product\_compare\_functionality



FAILED	DURATION - 21 m 49.107 s	Scenarios		Steps	
/ 7:42:43.705 am // 8:04:32.812 am /		Total - 3		Total - 13	
		Pass - 1		Pass - 7	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

To perform compare without adding products to list

<div>PASSED</div>	<div>DURATION - 1 m 39.057 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 7:42:43.705 am // 7:44:22.762 am /</div>				
<div>Saranya_15APR2025_LambdaTesters_Product_compare_functionality</div>				
<div>@CompareWithoutProducts @ProductCompare</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	20.006 s
2	When the user searches " "	PASSED	36.716 s
3	And the user clicks product compare	PASSED	40.437 s
4	Then the user should see no products to compare error "You have not chosen any products to compare."	PASSED	0.074 s

### To Add the products to comparison list



<div>FAILED</div> <div>DURATION - 21 m 47.193 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 7:42:45.600 am // 8:04:32.793 am /				
Saranya_15APR2025_LambdaTesters_Product_compare_functionality				
@AddProductToComparision @ProductCompare				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	19.160 s
2	When the user searches "mac"	PASSED	19.112 s
3	And user selects the products to compare  org.openqa.selenium.TimeoutException: java.net.http.HttpTimeoutException: request timed out Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, clickElement {id=f.FBF112259D5D67871219C97955AE2BEB.d.235968072BDD32513A21B2C30CE8559F.e.238}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,	FAILED	21 m 7.309 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4f7a820e271de84ceb813269bae1b732)] -&gt; xpath: //*[@id='mz-product-grid-image-41-212469']/div/div[1]/img] Session ID: 4f7a820e271de84ceb813269bae1b732</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:495)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384)  at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  at java.base/java.lang.Thread.run(Thread.java:1583)</p> <p>Caused by: java.net.http.HttpTimeoutException: request timed out  at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:949)  at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)</p>		
4	And the user clicks the comparision button	SKIPPED	0.000 s
5	And the user clicks the comparision arrow	SKIPPED	0.001 s
6	Then the user should see the comparison page	SKIPPED	0.001 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f7a820e271de84ceb813269bae1b732</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)</p>	FAILED	0.447 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)		

### To Add the products to comparison list



FAILED		DURATION - 21 m 25.963 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:43:06.849 am // 8:04:32.812 am /						
Saranya_15APR2025_LambdaTesters_Product_compa-re_functionality						
@CompareInvalidProduct @ProductCompare						

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	1 m 9.483 s
2	When the user searches "mobile"  org.openqa.selenium.TimeoutException: java.net.http.HttpTimeoutException: request timed out Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, clickElement {id=f.D5E952FADA433BF5C0522B3EDE53FE16.d.2A96879BDC734405BD1FF2C237D8FCB5.e.45}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (814718bc6dc24aaa07de4bddb9abfb20)] -> xpath: //button[contains(text(),'Search')]] Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:495) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.net.http.HttpTimeoutException: request timed out	FAILED	20 m 14.771 s





#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:949) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)		
3	Then the user should see the message no products match	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.457 s

## Soundar\_16APR2025\_LambdaTesters\_ProductReview

FAILED	DURATION - 21 m 23.747 s	Scenarios		Steps	
/ 7:43:09.049 am // 8:04:32.796 am /		Total - 4		Total - 32	
		Pass - 0		Pass - 14	
		Fail - 4		Fail - 3	
		Skip - 0		Skip - 15	

Submit a valid product review with rating and comment





<div>FAILED</div> <div>DURATION - 21 m 23.622 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:43:09.049 am // 8:04:32.671 am /</div>				
<div>Soundar_16APR2025_LambdaTesters_ProductReview</div>				
<div>@validReview</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	35.795 s
2	When user clicks the Phones & PDAs category	PASSED	35.374 s
3	And user selects the iPod Nano product	PASSED	20 m 11.024 s
4	And user enters "soundar" in the Name field	PASSED	0.196 s
5	And user writes "Excellent product with great features" in the Review field	PASSED	0.017 s
6	And user selects a 5-star rating	PASSED	0.006 s
7	When user clicks on the Continue button to submit the review	PASSED	0.012 s
8	Then success message "Thank you for your review. It has been submitted to the webmaster for approval." should be displayed  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at com.definitions.ProductReviewDefinition.success_message_should_be_displayed(ProductReviewDefinition.java:45) at ?.success message "Thank you for your review. It has been submitted to the webmaster for approval." should be displayed(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambdatest-bd/src/test/resources/com/features/ProductReview.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.045 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		



### Submit review without rating and without comment

<div>FAILED</div> <div>DURATION - 21 m 23.496 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:43:09.231 am // 8:04:32.727 am /</div>				
<div>Soundar_16APR2025_LambdaTesters_ProductReview</div>				
<div>@noRatingNoComment</div>				

#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	PASSED	35.581 s
2	When user clicks the Phones & PDAs category	PASSED	40.674 s
3	And user selects the iPod Nano product	PASSED	20 m 5.747 s
4	And user enters "soundar" in the Name field	PASSED	0.305 s
5	And user leaves the Review field blank	PASSED	0.006 s
6	And user does not select any rating	PASSED	0.001 s
7	When user clicks on the Continue button to submit the review	PASSED	0.009 s
8	And error message "Please select a review rating" should be displayed	FAILED	0.012 s
	<pre> java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) </pre>		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertTrue(Assert.java:67) at com.definitions.ProductReviewDefinition.error_message_should_be_displayed(ProductReviewDefinition.java:52) at ?.error message "Please select a review rating" should be displayed(file:///C:/Users/saran/git/SeleniumFinalCucumber/ecommerce-lambda-test-bd/src/test/resources/com/features/ProductReview.feature:22) * Not displayable characters are replaced by '?'.		
	<b>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</b>  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.008 s



### Submit review without rating but with comment

<div>FAILED</div> <div>DURATION - 20 m 10.029 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 7:44:22.767 am // 8:04:32.796 am /</div>				
<div>Soundar_16APR2025_LambdaTesters_ProductReview</div>				
<div>@noRatingWithComment @ProductCompare</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given the user is on the homepage</p> <pre>org.openqa.selenium.TimeoutException: java.net.http.HttpTimeoutException: request timed out Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, get {url=https://ecommerce-playground.lambdatest.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:495)     at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)     at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384)     at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)     at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)     at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)     at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)     at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.net.http.HttpTimeoutException: request timed out     at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:949)     at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456)</pre>	FAILED	20 m 8.338 s
2	When user clicks the Phones & PDAs category	SKIPPED	0.001 s
3	And user selects the iPod Nano product	SKIPPED	0.002 s
4	And user enters "soundar" in the Name field	SKIPPED	0.000 s
5	And user writes "Not satisfied with the sound quality" in the Review field	SKIPPED	0.001 s
6	And user does not select any rating	SKIPPED	0.000 s
7	When user clicks on the Continue button to submit the review	SKIPPED	0.000 s
8	Then error message "Please select a review rating" should be displayed	SKIPPED	0.000 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</pre>	FAILED	0.402 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)</pre>		

### Submit review with rating but without comment



<b>FAILED</b>	<b>DURATION - 0.094 s</b>		<b>Steps</b> Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 8:04:32.579 am // 8:04:32.673 am /				
Soundar_16APR2025_LambdaTesters_ProductReview				
@MyOrders @withRatingNoComment				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</pre>	<b>FAILED</b>	0.022 s



#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.028 s
2	When user clicks the Phones & PDAs category	SKIPPED	0.000 s
3	And user selects the iPod Nano product	SKIPPED	0.001 s
4	And user enters "soundar" in the Name field	SKIPPED	0.000 s
5	And user leaves the Review field blank	SKIPPED	0.001 s
6	And user selects a 4-star rating	SKIPPED	0.001 s
7	When user clicks on the Continue button to submit the review	SKIPPED	0.005 s
8	Then error message "Warning: Review Text must be between 25 and 1000 characters!" should be displayed	SKIPPED	0.002 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)		

## Jeevika\_12APR2025\_LambdaTesters\_Search

<b>FAILED</b>	DURATION - 0.126 s	Scenarios		Steps	
/ 8:04:32.642 am // 8:04:32.768 am /		Total - 5		Total - 15	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 15	

## Search functionality with valid inputs

<div>FAILED</div> <div>DURATION - 0.031 s</div>		<div></div>	Steps	<div></div>
<div>/ 8:04:32.643 am // 8:04:32.674 am /</div>			Total - 3	
<div>Jeevika_12APR2025_LambdaTesters_Search</div>			Pass - 0	
<div>@ValidSearchInputs</div>			Fail - 0	
			Skip - 3	



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	<b>FAILED</b>	0.012 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		



#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.002 s
2	When the user searches with valid input from excel	SKIPPED	0.001 s
3	Then the products must be displayed	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.009 s





## Search functionality with case sensitive inputs

<div>FAILED</div> <div>DURATION - 0.031 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 8:04:32.684 am // 8:04:32.715 am /				
Jeevika_12APR2025_LambdaTesters_Search				
@MyOrders @CaseSensitiveSearchInputs				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b>  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.011 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user searches with case sensitive input from excel	SKIPPED	0.001 s
3	Then the products must be displayed	SKIPPED	0.001 s
	<b>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</b>	<b>FAILED</b>	0.014 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com definitions.Hooks.tearDown(Hooks.java:32)</p>		

### Search functionality with unnecessary indentation in search



FAILED		DURATION - 0.048 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 8:04:32.688 am // 8:04:32.736 am /						
Jeevika_12APR2025_LambdaTesters_Search						
@IndentationSearchInputs						

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	<p>135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106)  at com definitions.Hooks.setUp(Hooks.java:26)</p>		
1	Given the user is on the homepage	SKIPPED	0.002 s
2	When the user searches with indented input from excel	SKIPPED	0.001 s
3	Then the products must be displayed	SKIPPED	0.003 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		



### Search functionality with invalid inputs

<div>FAILED</div> <div>DURATION - 0.047 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 8:04:32.694 am // 8:04:32.741 am /</div>				
<div>Jeevika_12APR2025_LambdaTesters_Search</div>				
<div>@InvalidSearchInputs</div>				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) </pre>	<b>FAILED</b>	0.013 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.004 s
2	When the user searches with invalid input from excel	SKIPPED	0.004 s
3	Then no products should be displayed	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.017 s



## Search functionality by category as input

<div>FAILED</div> <div>DURATION - 0.043 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
/ 8:04:32.725 am // 8:04:32.768 am /				
Jeevika_12APR2025_LambdaTesters_Search				
@MyOrders @SearchByCategory				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.012 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user searches with category input from excel	SKIPPED	0.001 s
3	Then the message "There is no product that matches the search criteria." should be displayed	SKIPPED	0.002 s
	<b>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name:	<b>FAILED</b>	0.014 s

#	Step / Hook Details	Status	Duration
	<p>"Windows 11", os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Soundar\_15APR2025\_LambdaTesters\_UserAccountManagement

<b>FAILED</b>	<b>DURATION - 0.334 s</b>	Scenarios		Steps	
/ 8:04:32.747 am // 8:04:33.081 am /		Total - 10		Total - 86	
		Pass - 0		Pass - 0	
		Fail - 10		Fail - 0	
		Skip - 0		Skip - 86	

**Edit user account details**





<div>FAILED</div> <div>DURATION - 0.147 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.005</td></tr><tr><td>2</td><td>0.010</td></tr><tr><td>3</td><td>0.015</td></tr><tr><td>4</td><td>0.010</td></tr><tr><td>5</td><td>0.002</td></tr><tr><td>6</td><td>0.012</td></tr><tr><td>7</td><td>0.005</td></tr><tr><td>8</td><td>0.005</td></tr><tr><td>9</td><td>0.005</td></tr></tbody></table></div>	Step	Duration (s)	1	0.005	2	0.010	3	0.015	4	0.010	5	0.002	6	0.012	7	0.005	8	0.005	9	0.005	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
Step		Duration (s)																					
1		0.005																					
2		0.010																					
3	0.015																						
4	0.010																						
5	0.002																						
6	0.012																						
7	0.005																						
8	0.005																						
9	0.005																						
<div>/ 8:04:32.747 am // 8:04:32.894 am /</div>																							
<div>Soundar_15APR2025_LambdaTesters_UserAccountM- anagement</div>																							
<div>@EditAccount</div>																							

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.017 s
1	Given the user is on the homepage	SKIPPED	0.002 s
2	When the user clicks on My Account	SKIPPED	0.008 s
3	And clicks on login	SKIPPED	0.016 s
4	And the user enters the valid credentials	SKIPPED	0.010 s
5	And the user clicks on the Login button	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
6	Then the user clicks the "Edit your account information" page	SKIPPED	0.012 s
7	And the user updates telephone number	SKIPPED	0.005 s
8	And clicks on the "EditInfo" Continue button	SKIPPED	0.006 s
9	Then user should see "Success: Your account has been successfully updated."	SKIPPED	0.005 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)     at com.definitions.Hooks.tearDown(Hooks.java:32)</pre>	FAILED	0.015 s



### Adding new address

FAILED	DURATION - 0.113 s		<b>Steps</b> Total - 10 Pass - 0 Fail - 0 Skip - 10	
/ 8:04:32.761 am // 8:04:32.874 am /				
Soundar_15APR2025_LambdaTesters_UserAccountM- anagement				
@ModifyAddress				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	FAILED	0.010 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.012 s
3	And clicks on login	SKIPPED	0.006 s
4	And the user enters the valid credentials	SKIPPED	0.020 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user clicks the "Modify your address book entries" page	SKIPPED	0.000 s
7	And the user clicks new address	SKIPPED	0.001 s
8	And user enters valid details	SKIPPED	0.001 s
9	And clicks on the "NewAddress" Continue button	SKIPPED	0.005 s
10	Then user should see "Your address has been successfully added"	SKIPPED	0.005 s
	<b>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<p>135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Modify the wishlist by removing a product



FAILED	DURATION - 0.112 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 8:04:32.763 am // 8:04:32.875 am /				
Soundar_15APR2025_LambdaTesters_UserAccountM- anagement				
@ModifyWishlist				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true,</p>	<b>FAILED</b>	0.011 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106)  at com.definitions.Hooks.setUp(Hooks.java:26)</p>		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.001 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters the valid credentials	SKIPPED	0.002 s
5	And the user clicks on the Login button	SKIPPED	0.005 s
6	Then the user clicks the "Modify your wish list" page	SKIPPED	0.007 s
7	And the user has products in their wishlist	SKIPPED	0.000 s
8	When the user removes a product from the wishlist	SKIPPED	0.007 s
9	Then user should see "Success: You have modified your wish list!"	SKIPPED	0.007 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

### Subscribe or Unsubscribe from newsletter



<div>FAILED</div> <div>DURATION - 0.085 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
<div>/ 8:04:32.785 am // 8:04:32.870 am /</div>			
<div>Soundar_15APR2025_LambdaTesters_UserAccountM- anagement</div>			
<div>@Checkout @Newsletter</div>			

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) </pre>	<b>FAILED</b>	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26) </pre>		
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.001 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters the valid credentials	SKIPPED	0.001 s
5	And the user clicks on the Login button	SKIPPED	0.001 s
6	When the user clicks the "Newsletter" page	SKIPPED	0.001 s
7	And the user chooses to "subscribe" the newsletter	SKIPPED	0.001 s
8	And clicks on the "Newsletter" Continue button	SKIPPED	0.001 s
9	Then user should see "Success: Your newsletter subscription has been successfully updated!"	SKIPPED	0.010 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) </pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)		

## Subscribe or Unsubscribe from newsletter

<div>FAILED</div> <div>DURATION - 0.158 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
/ 8:04:32.791 am // 8:04:32.949 am /				
Soundar_15APR2025_LambdaTesters_UserAccountM- anagement				
@MyOrders @Newsletter				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b>  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.029 s



#	Step / Hook Details	Status	Duration
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.007 s
3	And clicks on login	SKIPPED	0.005 s
4	And the user enters the valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.008 s
6	When the user clicks the "Newsletter" page	SKIPPED	0.001 s
7	And the user chooses to "unsubscribe" the newsletter	SKIPPED	0.001 s
8	And clicks on the "Newsletter" Continue button	SKIPPED	0.008 s
9	Then user should see "Success: Your newsletter subscription has been successfully updated!"	SKIPPED	0.007 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>	FAILED	0.008 s

**User tries to login with invalid credentials**



<div>FAILED</div> <div>DURATION - 0.114 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.005</td></tr><tr><td>2</td><td>0.005</td></tr><tr><td>3</td><td>0.005</td></tr><tr><td>4</td><td>0.005</td></tr><tr><td>5</td><td>0.01</td></tr><tr><td>6</td><td>0.01</td></tr><tr><td>7</td><td>0.005</td></tr></tbody></table></div>	Step	Value	1	0.005	2	0.005	3	0.005	4	0.005	5	0.01	6	0.01	7	0.005	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div><div>7</div></div>
Step	Value																			
1	0.005																			
2	0.005																			
3	0.005																			
4	0.005																			
5	0.01																			
6	0.01																			
7	0.005																			
<div>/ 8:04:32.905 am // 8:04:33.019 am /</div>																				
<div>Soundar_15APR2025_LambdaTesters_UserAccountM- anagement</div>																				
<div>@Checkout @Newsletter @login_invalid_input</div>																				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.013 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.002 s
4	And the user enters E-Mail "atk62@gmail.com"	SKIPPED	0.001 s
5	And the user enters Password "1234"	SKIPPED	0.010 s

#	Step / Hook Details	Status	Duration
6	And the user clicks on the Login button	SKIPPED	0.010 s
7	Then the user should see the "Warning: No match for E-Mail Address and/or Password." and "check2"	SKIPPED	0.006 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>	FAILED	0.008 s



## Register with valid inputs

<b>FAILED</b> DURATION - 0.065 s / 8:04:32.980 am // 8:04:33.045 am / Soundar_15APR2025_LambdaTesters_UserAccountM- anagement @MyOrders @registration @ValidRegistrationInputs		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
---	--	--	--

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	FAILED	0.007 s
1	Given the user is on the homepage	SKIPPED	0.003 s
2	When the user clicks on My Account.	SKIPPED	0.002 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.008 s
5	When the user enters "saran", "A", "", "1239306", "12345" and "12345"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.002 s
7	And submits the registration form	SKIPPED	0.001 s
8	Then the user should see "Your Account Has Been Created!"	SKIPPED	0.000 s
	<b>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07a314fa74e54a865fe6e27646c783df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62126/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true,	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 07a314fa74e54a865fe6e27646c783df</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Register with invalid inputs



<div>FAILED</div> <div>DURATION - 0.028 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
<div>/ 8:04:33.053 am // 8:04:33.081 am /</div>			
<div>Soundar_15APR2025_LambdaTesters_UserAccountM- anagement</div>			
<div>@Checkout @registration @Newsletter @InvalidRegistrationInputs</div>			

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120</p>	<b>FAILED</b>	0.012 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "4321"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Password confirmation does not match password!" for "password mismatch"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28e27e7436d87f754f00896a33a61120, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62177}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62177/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28e27e7436d87f754f00896a33a61120 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

## Change user password



<div>FAILED</div> <div>DURATION - 0.114 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 8:04:32.811 am // 8:04:32.925 am /				
Soundar_15APR2025_LambdaTesters_UserAccountM- anagement				
@ChangePassword @ProductCompare				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) </pre>	<b>FAILED</b>	0.019 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.007 s
2	When the user clicks on My Account	SKIPPED	0.008 s
3	And clicks on login	SKIPPED	0.000 s
4	And the user enters the valid credentials	SKIPPED	0.001 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user clicks the "Change your password" page	SKIPPED	0.000 s
7	And the user enters current password and new password details	SKIPPED	0.001 s
8	And clicks on the "ChangePassword" Continue button	SKIPPED	0.007 s
9	Then user should see "Success: Your password has been successfully updated."	SKIPPED	0.006 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.010 s



## Change user password without providing new password



<div>FAILED</div> <div>DURATION - 0.209 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
<div>/ 8:04:32.815 am // 8:04:33.024 am /</div>				
<div>Soundar_15APR2025_LambdaTesters_UserAccountManagement</div>				
<div>@ChangePassword_EmptyNewPasswordField</div>				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f7a820e271de84ceb813269bae1b732 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.031 s
1	Given the user is on the homepage	SKIPPED	0.013 s
2	When the user clicks on My Account	SKIPPED	0.020 s
3	And clicks on login	SKIPPED	0.014 s
4	And the user enters the valid credentials	SKIPPED	0.007 s





#	Step / Hook Details	Status	Duration
5	And the user clicks on the Login button	SKIPPED	0.014 s
6	Then the user clicks the "Change your password" page	SKIPPED	0.001 s
7	And clicks on the "ChangePassword" Continue button	SKIPPED	0.010 s
8	Then user should see "Password must be between 4 and 20 characters!"	SKIPPED	0.008 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f7a820e271de84ceb813269bae1b732</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Jeevika\_09APR2025\_LambdaTesters\_Login

FAILED	DURATION - 0.256 s	Scenarios		Steps	
/ 8:04:32.849 am // 8:04:33.105 am /		Total - 7		Total - 50	
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 0	
		Skip - 0		Skip - 50	



User tries to login with valid credentials

<div>FAILED</div> <div>DURATION - 0.053 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 8:04:32.849 am // 8:04:32.902 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@login_valid_input				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.009 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.003 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then the user should see the My Account page	SKIPPED	0.000 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>	FAILED	0.016 s

### User tries to login with invalid credentials



FAILED	DURATION - 0.120 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 8:04:32.897 am // 8:04:33.017 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@login_invalid_input				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106)  at com.definitions.Hooks.setUp(Hooks.java:26)</p>		
1	Given the user is on the homepage	SKIPPED	0.010 s
2	When the user clicks on My Account	SKIPPED	0.003 s
3	And clicks on login	SKIPPED	0.001 s
4	And the user enters E-Mail "atgs2@gmail.com"	SKIPPED	0.004 s
5	And the user enters Password "12345"	SKIPPED	0.007 s
6	And the user clicks on the Login button	SKIPPED	0.004 s
7	Then the user should see the "Warning: No match for E-Mail Address and/or Password." and "check1"	SKIPPED	0.001 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [775ea286b3632c0ac88b2bc7628e9f7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62156}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 775ea286b3632c0ac88b2bc7628e9f7d</p>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

### User tries to login with invalid credentials



<b>FAILED</b>	<b>DURATION - 0.113 s</b>		<b>Steps</b> Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 8:04:32.898 am // 8:04:33.011 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@login_invalid_input				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) </pre>	<b>FAILED</b>	0.030 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26) </pre>		
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.002 s
3	And clicks on login	SKIPPED	0.002 s
4	And the user enters E-Mail ""	SKIPPED	0.005 s
5	And the user enters Password "12345"	SKIPPED	0.007 s
6	And the user clicks on the Login button	SKIPPED	0.001 s
7	Then the user should see the "Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour." and "check3"	SKIPPED	0.000 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) </pre>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)		

### User tries to login with invalid credentials

<div>FAILED</div> <div>DURATION - 0.103 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 8:04:32.922 am // 8:04:33.025 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@login_invalid_input				



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106)</p>	<b>FAILED</b>	0.009 s



#	Step / Hook Details	Status	Duration
	at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account	SKIPPED	0.003 s
3	And clicks on login	SKIPPED	0.004 s
4	And the user enters E-Mail ""	SKIPPED	0.006 s
5	And the user enters Password ""	SKIPPED	0.000 s
6	And the user clicks on the Login button	SKIPPED	0.005 s
7	Then the user should see the "Warning: Your account has exceeded allowed number of login attempts. Please try again in 1 hour." and "check4"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62478/devtoo..., se.cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

## Register with invalid inputs





<div>FAILED</div> <div>DURATION - 0.063 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
/ 8:04:33.042 am // 8:04:33.105 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@registration @InvalidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.010 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.001 s
3	And clicks the register button	SKIPPED	0.004 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "oign@gma.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And agrees to the Privacy Policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.004 s
8	Then the user should see "Warning: E-Mail Address is already registered!" for "existing email"	SKIPPED	0.001 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e715eb786f081e17a1ff476b03e946fc, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62476/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e715eb786f081e17a1ff476b03e946fc</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		



## Register with invalid inputs

FAILED	DURATION - 0.052 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 8:04:33.049 am // 8:04:33.101 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@registration @InvalidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106)  at com.definitions.Hooks.setUp(Hooks.java:26)</p>	FAILED	0.014 s
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account.	SKIPPED	0.006 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "" and "1234"	SKIPPED	0.001 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Password must be between 4 and 20 characters!" for "empty password"	SKIPPED	0.000 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adaf31ee8cbad308e4fbdabb0e4aab4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62478}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62478/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true,</p>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adaf31ee8cbad308e4fbdabb0e4aab4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)  at com.definitions.Hooks.tearDown(Hooks.java:32)</p>		

### User tries to login with valid credentials and logs out



<b>FAILED</b>	<b>DURATION - 0.065 s</b>		<b>Steps</b> Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 8:04:32.917 am // 8:04:32.982 am /				
Jeevika_09APR2025_LambdaTesters_Login				
@logout				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20</p>	<b>FAILED</b>	0.014 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account	SKIPPED	0.000 s
3	And clicks on login	SKIPPED	0.000 s
4	When the user enters valid credentials	SKIPPED	0.000 s
5	And the user clicks on the Login button	SKIPPED	0.000 s
6	Then the user logs out	SKIPPED	0.007 s
7	And the user should see the Account Logout page	SKIPPED	0.007 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

## Saranya\_09APR2025\_LambdaTesters\_User\_Registration\_Functionality

<b>FAILED</b>	<b>DURATION - 0.138 s</b>	Scenarios		Steps	
/ 8:04:32.964 am // 8:04:33.102 am /		Total - 3	3	Total - 24	24
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 24	

### Register with valid inputs

<b>FAILED</b>	<b>DURATION - 0.082 s</b>		Steps	
/ 8:04:32.965 am // 8:04:33.047 am /			Total - 8	
Saranya_09APR2025_LambdaTesters_User_Registrati-on_Functionality			Pass - 0	
@registration @ValidRegistrationInputs			Fail - 0	
			Skip - 8	

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	<b>FAILED</b>	0.008 s
	<pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.008 s
2	When the user clicks on My Account.	SKIPPED	0.005 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters "priya", "ram", "", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.003 s
7	And submits the registration form	SKIPPED	0.001 s
8	Then the user should see "Your Account Has Been Created!"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16e24577d8ec8c904cf32562b06f81ff, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62653/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16e24577d8ec8c904cf32562b06f81ff at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)	FAILED	0.012 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32) </pre>		

## Register with invalid inputs

FAILED	DURATION - 0.079 s	<table border="1"><caption>Step Durations (Estimated)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.005</td></tr><tr><td>2</td><td>0.005</td></tr><tr><td>3</td><td>0.005</td></tr><tr><td>4</td><td>0.010</td></tr><tr><td>5</td><td>0.010</td></tr><tr><td>6</td><td>0.005</td></tr><tr><td>7</td><td>0.000</td></tr><tr><td>8</td><td>0.000</td></tr></tbody></table>	Step	Duration (s)	1	0.005	2	0.005	3	0.005	4	0.010	5	0.010	6	0.005	7	0.000	8	0.000	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
Step	Duration (s)																					
1	0.005																					
2	0.005																					
3	0.005																					
4	0.010																					
5	0.010																					
6	0.005																					
7	0.000																					
8	0.000																					
/ 8:04:33.005 am // 8:04:33.084 am /																						
Saranya_09APR2025_LambdaTesters_User_Registrati-on_Functionality																						
@registration @InvalidRegistrationInputs																						

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) </pre>	<b>FAILED</b>	0.011 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)		
1	Given the user is on the homepage	SKIPPED	0.003 s
2	When the user clicks on My Account.	SKIPPED	0.002 s
3	And clicks the register button	SKIPPED	0.003 s
4	Then the user should see the registration page	SKIPPED	0.007 s
5	When the user enters the invalid inputs "", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.007 s
6	And agrees to the Privacy Policy	SKIPPED	0.002 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "First Name must be between 1 and 32 characters!" for "empty first name"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [814718bc6dc24aaa07de4bddb9abfb20, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62453/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 814718bc6dc24aaa07de4bddb9abfb20 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at com.definitions.Hooks.tearDown(Hooks.java:32)	FAILED	0.009 s

**Register with valid inputs with out checking privacy policy**

FAILED		DURATION - 0.050 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 8:04:33.052 am // 8:04:33.102 am /						
Saranya_09APR2025_LambdaTesters_User_Registrati-on_Functionality						
@registration @RegistrationWithoutAcceptingPrivacyPolicy						

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, refresh {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f7a820e271de84ceb813269bae1b732 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.refresh(RemoteWebDriver.java:1106) at com.definitions.Hooks.setUp(Hooks.java:26)	<b>FAILED</b>	0.015 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.000 s
5	When the user enters "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And the user not agrees to the privacy policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Warning: You must agree to the Privacy Policy!" for "Not checking privacy policy"	SKIPPED	0.000 s
	<p>AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f7a820e271de84ceb813269bae1b732, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.115, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\saran\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62344/devtoo..., se:cdpVersion: 135.0.7049.115, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4f7a820e271de84ceb813269bae1b732     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)     at com.definitions.Hooks.tearDown(Hooks.java:32)</pre>	FAILED	0.009 s