

# Cucumber Report

11-Apr-2025, 12:44:26 am

Start : Apr 11, 12:44:25.510 am

End : Apr 11, 12:44:25.765 am

Duration : 0.255 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 48




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Registration</u>	0.255 s	6	0	6	0	48	0	0	48

#	Feature Name	Scenario Name
1	<u>User Registration</u>	<u>Register with valid inputs</u>
2		<u>Register with invalid inputs</u>
3		<u>Register with invalid inputs</u>
4		<u>Register with invalid inputs</u>
5		<u>Register with invalid inputs</u>
6		<u>Register with valid inputs</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@registration	6	0	6	0	1	0	1	0
@ValidRegistrationInputs	1	0	1	0	1	0	1	0
@InvalidRegistrationInputs	4	0	4	0	1	0	1	0
@RegistrationWithoutAcceptingPrivacyPolicy	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Registration	6	0	6	0	0.255 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Registration</u>	<u>Register with valid inputs</u>	8	0	0	8	0.146 s
2		<u>Register with invalid inputs</u>	8	0	0	8	0.012 s
3		<u>Register with invalid inputs</u>	8	0	0	8	0.009 s
4		<u>Register with invalid inputs</u>	8	0	0	8	0.012 s
5		<u>Register with invalid inputs</u>	8	0	0	8	0.016 s
6		<u>Register with valid inputs</u>	8	0	0	8	0.012 s

## User Registration

<b>FAILED</b>	DURATION - 0.255 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 48 Pass - 0 Fail - 0 Skip - 48	
/ 12:44:25.510 am // 12:44:25.765 am /					



## Register with valid inputs

<div>FAILED</div> <div>DURATION - 0.146 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 12:44:25.516 am // 12:44:25.662 am /				
User Registration				
@registration @ValidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)  java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)	FAILED	0.117 s
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters "priya", "ram", "pprns2@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.001 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Your Account Has Been Created!"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		

### Register with invalid inputs

FAILED		DURATION - 0.012 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 12:44:25.674 am // 12:44:25.686 am /						
User Registration						
@registration @InvalidRegistrationInputs						

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters the invalid inputs "", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.002 s
6	And agrees to the Privacy Policy	SKIPPED	0.001 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "First Name must be between 1 and 32 characters!" for "empty first name"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null		





#	Step / Hook Details	Status	Duration
	at com.definitions.Hooks.tearDown(Hooks.java:30)		

## Register with invalid inputs

<div>FAILED</div> <div>DURATION - 0.009 s</div>		<table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.00</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.00</td></tr><tr><td>6</td><td>0.00</td></tr><tr><td>7</td><td>0.00</td></tr><tr><td>8</td><td>0.00</td></tr></tbody></table>	Step	Value	1	0.00	2	0.00	3	0.00	4	0.00	5	0.00	6	0.00	7	0.00	8	0.00	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
Step	Value																					
1	0.00																					
2	0.00																					
3	0.00																					
4	0.00																					
5	0.00																					
6	0.00																					
7	0.00																					
8	0.00																					
/ 12:44:25.692 am // 12:44:25.701 am /																						
User Registration																						
@registration @InvalidRegistrationInputs																						



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.001 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters the invalid inputs "priya", "ram", "oign@gma.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Warning: E-Mail Address is already registered!" for "existing email"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		

## Register with invalid inputs

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 12:44:25.710 am // 12:44:25.722 am /				
User Registration				
@registration @InvalidRegistrationInputs				



#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)		
1	Given the user is on the homepage	SKIPPED	0.001 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "" and "1234"	SKIPPED	0.001 s
6	And agrees to the Privacy Policy	SKIPPED	0.001 s
7	And submits the registration form	SKIPPED	0.001 s
8	Then the user should see "Password must be between 4 and 20 characters!" for "empty password"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		

## Register with invalid inputs

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
/ 12:44:25.729 am // 12:44:25.745 am /				
User Registration				
@registration @InvalidRegistrationInputs				

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)		
1	Given the user is on the homepage	SKIPPED	0.005 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters the invalid inputs "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "4321"	SKIPPED	0.000 s
6	And agrees to the Privacy Policy	SKIPPED	0.001 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Password confirmation does not match password!" for "password mismatch"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		

## Register with valid inputs

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
<div>/ 12:44:25.753 am // 12:44:25.765 am /</div>			
<div>User Registration</div>			
<div>@registration</div> <div>@RegistrationWithoutAcceptingPrivacyPolicy</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - com.definitions.Hooks.setUp(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at java.base/java.io.FileInputStream.<init>(FileInputStream.java:144) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:106) at com.utilities.ConfigReader.loadProperties(ConfigReader.java:12) at com.utilities.HelperClass.<init>(HelperClass.java:24) at com.utilities.HelperClass.setUpDriver(HelperClass.java:63) at com.definitions.Hooks.setUp(Hooks.java:24)		
1	Given the user is on the homepage	SKIPPED	0.000 s
2	When the user clicks on My Account.	SKIPPED	0.000 s
3	And clicks the register button	SKIPPED	0.000 s
4	Then the user should see the registration page	SKIPPED	0.001 s
5	When the user enters "priya", "ram", "priya123@gmail.com", "1234567891", "1234" and "1234"	SKIPPED	0.000 s
6	And the user not agrees to the privacy policy	SKIPPED	0.000 s
7	And submits the registration form	SKIPPED	0.000 s
8	Then the user should see "Warning: You must agree to the Privacy Policy!" for "<Test Case Name>"	SKIPPED	0.000 s
	AFTER - com.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utilities.HelperClass.getDriver()" is null at com.definitions.Hooks.tearDown(Hooks.java:30)		