

X_test

	Oil_Level	Water_Intake	Sleep_Hours	Stree_level
7	6	6	7	5.0
1	9	3	5	8.0
14	2	9	10	2.0
9	5	7	8	4.0
12	3	8	9	3.0
10	4	7	8	4.0

Next steps: [Generate code with X_test](#) [New interactive sheet](#)

```
from sklearn.linear_model import LinearRegression
clf = LinearRegression()
clf.fit(X_train, y_train)
```

LinearRegression

```
clf.predict(X_test)
... array([ 8.91097923, 14.93620178,  0.79821958,  6.4851632 ,  3.22403561,
           5.64985163])
```

+ Code

+ Text

```
clf.score(X_test, y_test)
```

```
0.980289835814671
```

```
X_train, X_test, y_train, y_test = train_test_split(X,y,test_size=0.3,random_state=10)
X_test
```

```
... Oil_Level Water_Intake Sleep_Hours Stree_level
```

```
y=df['Acne_count']
```

```
from sklearn.model_selection import train_test_split  
X_train, X_test, y_train, y_test = train_test_split(X,y,test_size=0.3)
```

▶ X_train

...	Oil_Level	Water_Intake	Sleep_Hours	Stree_level	
13	3	9	9	2.0	 
8	5	6	8	5.0	
2	8	3	5	8.0	
4	7	4	6	7.0	
11	4	8	9	3.0	
3	8	4	6	7.0	
16	1	10	10	1.0	
6	6	5	7	6.0	
0	9	2	4	9.0	
5	7	5	7	6.0	
15	2	10	10	1.0	

Next steps:

[Generate code with X_train](#)[New interactive sheet](#)

y_train


	Acne_count
0	17
3	13
14	1



```
import matplotlib.pyplot as plt
%matplotlib inline
```

```
plt.scatter(df['Oil_Level'],df['Water_Intake'],df['Acne_count'])
```

<matplotlib.collections.PathCollection at 0x7c3ebf189c10>



```
X = df[['Oil_Level','Water_Intake','Sleep_Hours','Stree_level']]
```

```
X['Stree_level']=pd.to_numeric(X['Stree_level'])
```

```
... /tmp/ipykernel_6274/2117581833.py:1: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead
```

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.htm

```
X['Stree_level']=pd.to_numeric(X['Stree_level'])
```



[10]
✓ 0s

```
import pandas as pd
df = pd.read_excel("skintextdata.xlsx")
df.head()
df
```

▼

...

	Oil_Level	Water_Intake	Sleep_Hours	Stree_level	Acne_count	lab
0	9	2	4	9.0	17	apollo
1	9	3	5	8.0	16	medplus
2	8	3	5	8.0	14	srl
3	8	4	6	7.0	13	Viyaya
4	7	4	6	7.0	11	apollo
5	7	5	7	6.0	10	medplus
6	6	5	7	6.0	9	srl
7	6	6	7	5.0	8	medplus
8	5	6	8	5.0	7	apollo
9	5	7	8	NaN	6	srl
10	4	7	8	4.0	5	Viyaya
11	4	8	9	3.0	4	apollo
12	3	8	9	3.0	3	srl
13	3	9	9	2.0	2	medplus
14	2	9	10	2.0	1	apollo
15	2	10	10	1.0	1	srl
16	1	10	10	1.0	0	apollo



Next steps:

[Generate code with df](#)[New interactive sheet](#)

[21]

[12]
✓ 0s

X_test

	Oil_Level	Sleep_Hours	Stree_level	lab
7	6	7	5.0	medplus
4	7	6	7.0	apollo
10	4	8	4.0	Viyaya
11	4	9	3.0	apollo
8	5	8	5.0	apollo
2	8	5	8.0	srl



Next steps:

[Generate code with X_test](#)

[New interactive sheet](#)



[13]
⚠ 0s

```
from sklearn.linear_model import LinearRegression
clf = LinearRegression()
clf.fit(X_train, y_train)
```

```
...
-----
ValueError                                Traceback (most
recent call last)
/tmp/ipykernel_6274/1256496667.py in <cell line: 0>()
      1 from sklearn.linear_model import LinearRegression
      2 clf = LinearRegression()
----> 3 clf.fit(X_train, y_train)
```

⏮ 6 frames ⏭

```
/usr/local/lib/python3.12/dist-
packages/pandas/core/generic.py in __array__(self, dtype,
copy)
    2151     ) -> np.ndarray:
    2152         values = self._values
-> 2153         arr = np.asarray(values, dtype=dtype)
    2154         if (
    2155             astype_is_view(values.dtype, arr.dtype)
```

ValueError: could not convert string to float: 'srl'

Gemini

Hello,
sarany

How ca

[How can I](#)

[Load da](#)

[Show an ex](#)

What can I

+ ≡