FOOD SAFETY AND STANDARDS (HEALTH SUPPLEMENTS, NUTRACEUTICALS, FOOD FOR SPECIAL DIETARY USE, FOOD FOR SPECIAL MEDICAL PURPOSE, FUNCTIONAL FOOD AND NOVEL FOOD) REGULATIONS, 2016

- **1. Short title and commencement. -** (1) These regulations may be called the Food Safety and Standards (Health Supplements, Nutraceuticals, Food for Special Dietary Use, Food for Special Medical Purpose, Functional Food and Novel Food) Regulations, 2016.
- (2) They shall come into force on the date of their publication in the Official Gazette and Food Business Operator shall comply with all the provisions of these regulations by 1^{st} January 2018.
- **2. Definitions.** In these regulations, unless the context otherwise requires,-
 - (a) "Act" means the Food Safety and Standards Act, 2006 (34 of 2006);
 - **(b) "Food Authority"** means the Food Safety and Standards Authority of India established under section 4 of the Act;
 - **(c) "food for special dietary use"** shall have the meaning assigned to it in section 22 of the Act;
 - (d) "food for special medical purpose" means food intended for -
 - (i) particular dietary use specially processed or formulated;
 - (ii) the dietary management of persons and used only under medical advice;
 - (iii) the exclusive or partial feeding of persons with a limited, impaired or disturbed capacity to take, digest, absorb, metabolize or excrete ordinary foodstuffs or certain nutrients contained therein or metabolites; or
 - (iv) other medically determined nutrient requirements, whose dietary management cannot be achieved only by modification of the normal diet, by food for specific nutritional use, or a combination of them;
 - **(e)** "food with added prebiotic ingredients" means food that contains added prebiotic ingredients which are non-viable food components that confer health benefits to the consumer by modulation of gut microbiota;
 - **(f) "food with added probiotic ingredients"** means food with live micro-organisms beneficial to human health, which when ingested in adequate numbers as a single

strain or as a combination of cultures, confer one or more specified or demonstrated health benefits in human beings;

- **(g)** "functional food" shall have the meaning assigned to it in section 22 of the Act;
- **(h)** "health supplements" shall have the meaning assigned to it in section 22 of the Act;
- (i) "non-food" means an ingredient or a substance which is not a 'food' as referred to in clause (j) of section 3 of the Act;
- (j) "novel food" shall have the meaning assigned to it in section 22 of the Act;
- (k) "nutraceuticals" shall have the meaning assigned to it in section 22 of the Act;
- (I) "nutritional ingredients" means the ingredients specified in Schedules other than the food additives specified in Schedule VA to Schedule VF, packed and made available in a form not for retail-consumer use, but meant for use in formulating a product falling under various categories of these regulations or other categories specified in the Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011;
- (m) "nutrient ingredients" means vitamins, minerals, and amino acids as specified in Schedule I and Schedule II;.
- **(n)** "**pre-mixes**" means a combination of two or more ingredients specified in the Schedules in a specific proportion with or without additives, packed and meant for use in formulating a product falling under any category of these regulations or under the categories specified in the Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011;
- **(o)** "specialty food containing plant or botanical ingredients" means food which is shown to be containing plant or botanical ingredients with a history of safe usage; and
- **(p)** "**Schedules**" means the Schedules to these regulations.

Amendment for insertion of new provision

¹[(q) "Sportsperson" means an individual who is involved in various types of sports activities as approved by Sports Authority of India (Ministry of Youth Affairs and Sports, Government of India).]

3. General requirements.- (1) The articles of food sold in capsule format, hard or soft or vegetarian, shall comply with the general monograph and quality requirements specified for them in Indian Pharmacopoeia:

Amendment for substitution of highlighted provision

¹[and quality requirements specified for them in Indian Pharmacopoeia, if applicable]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April,

2022]

Provided that the food business operator may use the approved colours and additives permitted in **Schedule VF**;

Provided further that the food business operator may use the natural flavors or nature identical flavours or synthetic flavors in accoradance with the provisions of regulation 3.3.1 of Food Safety and Standards (Food Product Standards and Food Additives) Regulations, 2011.

- (2) For the purposes of sub-regulation (1) the food business operator may declare the addition of flavour on labels of such products in accoradance with the provisions of Food Safety and Standards (Labelling and Packaging) Regulations, 2011.
- (3) The tablets, capsules and syrups shall fulfil the general quality requirements and standards as specified in Indian Pharmacopoeia, British Pharmacopoeia or United States Pharmacopoeia.
- (4) The quantity of nutrients added to the articles of food shall not exceed the recommended daily allowance as specified by the Indian Council of Medical Research and in case such standards are not specified, the standards laid down by international food standards body, namely, Codex Alimentarius Commission, shall apply.
- (5) In case of food products falling under health supplement categories, the individual nutrient content shall not be less than fifteen per cent of the recommended daily allowance where a nutrient content claim is being made:
 - Provided that, if claim of higher nutrient content is made, the nutrient content shall not be less than thirty per cent of the recommended daily allowance.
- (6) For the articles of food specified in these regulations, the Food Authority may permit the food business operator to add food colours subject to the level restrictions as mentioned in Food Safety and Standards (Food Product Standards and Food Additives) Regulations, 2011.

- (7) The articles of food with standard nutrient or nutritionally complete formulation shall consist of a composition delivering the desired level of energy, protein, vitamins and minerals, and other essential nutrients required for respective age group, gender and physiological stage in accordance with the guidelines made by the Indian Council of Medical Research.
- (8) The purity criteria for the ingredients used in the categories of articles of food covered under these regulations shall be as determined and notified in the official gazette by the Food Authority from time to time.
- (9) In case such standards are not specified, the purity criteria generally accepted by pharmacopoeias, namely, Indian Pharmacopoeia, Ayurvedic Pharmacopoeia of India, relevant Bureau of Indian Standards Specifications, Quality Standards of Indian Medicinal Plants, Indian Council of Medical Reseach, British Pharmacopoeia, United States Pharmacopoeia, Food Chemical Codex, Joint Food and Agriculture Organization or World Health Organisation Expert Committee on Food Additives or CODEX Alimentarius may be adopted by food Business operators.
- (10) The food business operator shall intimate the purity criteria adopted for ingredients to the Food Authority including any change when adopted.
- (11) The tolerance limit for variation in case of articles of food covered in these regulations during analysis of samples of finished products, shall not be more than (-) ten per cent from the declared value of the nutrients or nutritional ingredients on the label.
- (12) The manufacturing of ingredients and products covered under these regulations shall be carried out in compliance with the established good manufacturing practices.
- (13) For purposes of these regulations, any of the ingredients specified in **Schedule II, Schedule III, Schedule IV, Schedule VI, Schedule VII,** and **Schedule VIII** may be used in food in accordance with the provisions of these regulations, and for the said purpose, may use additives as applicable to categories specified in **Schedule VA** to **Schedule VF**.

Explanation 1.- For the purposes of these regulations food or ingredients referred to in Food Safety and Standards Regulations, 2011, and for which standards are provided, and the plants and botanicals specified in **Schedule IV** of these regulations offered in normal or naturally occurring forms shall not constitute a health supplement or nutraceutical, or food for special dietary use or food for special medical purpose.

Explanation 2.- Mere food forms such as vegetables, namely, bhindi, karela and other vegetables; cereals, namely, ragi, jowar, millets and other cereals; legumes, namely, rajmah and other legumes; spices, namely, pepper, jeera, turmeric and other spices; fruits, namely, amla, jamun, grapes and other fruits; and other plants or botanicals, minimally processed (cleaned, de-weeded, sorted, dried or powdered), in either as juice or cooked form, shall not constitute 'health supplement' or 'nutraceutical' or 'food for special dietary use' or 'food for special medical purpose'.

Amendment for insertion of new provision

¹[Explanation 3: To promote maintenance of health primarily through food formats, as permitted under section 22 of the Act, wherever applicable, tablets, capsules and syrups can also be used as formats for presentation of the products.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (14) The formulation of articles of food shall be based on the principles of sound medicine or nutrition and supported by validated scientific data, wherever required.
- (15) No hormones or steroids or psychotropic ingredients shall be added in any of the articles of food specified in these regulations.
- (16) The label on articles of food shall specify the purpose, the target consumer group and the physiological or disease conditions which they address, recommended duration of use, and the specific labelling requirements as mentioned against each type of article of food.
- (17) The label, accompanying leaflet or other labelling and advertisement of each type of article of food, referred to in these regulations shall provide sufficient information on the nature and purpose of the article of food and detailed instructions and precautions for its use, and the format of information given shall be appropriate for the intended consumer.
- (18) An article of food which has not been particularly modified in any way but is suitable for use in a particular dietary regimen because of its natural composition, shall not be designated as 'health supplement' or 'special dietary' or 'special dietetic' or by any other equivalent term, and such food may bear a statement on the label that 'this food is by its nature X' ('X' refers to the essential distinguishing characteristic as demonstrated by the generally accepted scientific data), provided that the statement does not mislead the consumer.
- (19) The Food Authority may suspend or restrict sale of such articles of food as have been placed in the market that are not clearly distinguishable from articles of food for normal consumption and are not suitable for their claimed nutritional purpose, or may endanger human health, in accordance with the provisions of the Act.

- (20) The Food Authority may, at any time, direct a food business operator manufacturing and selling such special type of article of food, to furnish details regarding the history of use of the novel or modified ingredients added and their safety evaluation.
- (21) The mere combination of vitamins and minerals formulated in tablets, capsules, syrup formats shall not be covered in any of the categories of these regulations except when vitamins and minerals are added to an article of food or in a food format.

¹[(21) The combination of vitamins and minerals, including use of single vitamin and mineral, in dosage formats such as tablets, capsules, syrups, at levels equal to a maximum of one Recommended Dietary Allowances or below shall be covered under these regulations.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (22) The labelling on the article of food shall be in accoradance with the Food Safety and Standards (Packaging and Labelling) Regulations, 2011, and the specific labelling requirements provided in these regulations.
- (23) The articles of food shall conform to the Food Safety and Standards (Contaminants, Toxins and Residues) Regulations, 2011.
- (24) No person shall manufacture, pack, sell, offer for sale, market or otherwise distribute or import any food products referred to in these regulations unless they comply with the requirements laid down in these regulations.
- (25) Whoever contravenes the provisions of these regulations shall be liable for punishment provided under Chapter IX of the Act.

Amendment for insertion of new provision

- ¹[(26) These regulations shall not be applicable to infants up to the age of 24 months. Foods intended for infants up to the age 24 months are specified under the Food safety and Standards (Food for infant nutrition) Regulations, 2020. The products covered under these regulations intended for children 2 to 5 years of age shall only be given under medical advice by any physician or certified dietician or nutritionist.
- (27) Cereal grains, legumes, fruits and vegetables mentioned in Indian Food Composition Tables published by National Institute of Nutrition, Indian council of Medical Research, and spices included in the list published by the Spices Board of India, may be used either as such or as processed ingredients including extracts, as a supplement or nutraceutical as applicable. However, for claiming specific health benefits prior approval from the Food Authority shall be obtained.

- (28) Flavours for products covered under these regulations may be used in accordance with the provisions of regulation 3.3.1 of Food Safety and Standards (Food Product Standards and Food Additives) Regulations, 2011.
- (29) For combining ingredients there shall be a rationale based on available scientific and technical evidence which shall be made available to the Food Authority as and when called for.
- (30) Any single purified chemical entity listed in these regulations, except extracts of botanicals, which are to be sold as health supplement or nutraceutical or food for special dietary use or food for special medical purpose, as the case may be, is not permitted without prior approval of the Food Authority.
- (31) Products covered under these regulations may also contain such additional ingredients, other than additives, which are either standardised or permitted for use in preparation of the other standardised foods as specified in the Food Safety and Standards (Food Products Standards and Food Additives) Regulations, 2011.
- (32) The food business operator may use water, ethyl alcohol or hydro alcoholic process of extraction for obtaining plants or botanicals extract used in the products covered under these regulations.
- (33) Food business operator shall seek approval of the claims for the ingredients or products covered under these regulations as per the Food Safety and Standards (Advertising and Claims) Regulations, 2018.]

- **4. Claims. -** (1) Every food business operator may make nutritional or health claims in respect of an article of food.
- (2) For the purposes of sub regulation (1), a nutritional claim shall consist of the 'Ingredients (nutrient or nutritional) content' of an article of food which shall be subject to the nutritional supplement requirements specified in **Schedule II**, **Schedule III**, **Schedule IV**, and **Schedule VI**.
- (3) For the purposes of these regulations, health claim means any representation in respect of an article of food that states, suggests or implies that a relationship exists between the constituent of that nutrient or nutritional, health, and specific disease conditions.
- (4) The health claim in respect of an article of food consists of the following two essential components, namely:-
- (i) nutrient or nutritional ingredients; and
- (ii) health related benefits.

- (5) The health claim in respect of an article of food may include the following types, but not limited to
- (i) ingredients (nutrient or nutritional) function claims;
- (ii) enhanced function claims;

¹[(iii) disease risk reduction claims;]
[Amendment for omission of this provision w.e.f. 1st April, 2022]

- (iv) health maintenance claims;
- (v) immunity claims increased resistance (excluding vaccines); and
- (vi) anti-ageing claims.
- (6) The other claims in an article of food that are not drug claims may be allowed subject to prior approval of the Food Authority.

Amendment for substitution of highlighted words

[Any other claims]

- (7) The health claims in respect of an article of food shall be commensurate with the adequate level of documentation and valid proof made available for review by the Food Authority when called for.
- (8) To claim ingredients, nutrient or nutritional, in respect of an article of food for enhanced function and disease risk reduction, regard shall be had to-
 - (i) claims that led to ingredients (nutrient or nutritional);
 - (ii) available scientific literature including official traditional texts and post market data or consumer studies or cohort or retroactive studies based on eating pattern and health benefits, epidemiological international and national data, and other well documented data;
 - (iii) consensual, congruent and concurrent validity studies;
 - (iv) health promotive and disease risk reduction based on proof from literature and human data of efficacy and safety of the nutrient;
 - (v) not only controlled clinical trials for efficacy and safety data; but also nutraepidemiological data;
 - (vi) qualified structure function claims for specific organ or function which are comprehensible to consumer;
 - (vii) prohibition of implied claims for curing disease or claims of drug like efficacy such as 'Prevents bone fragility in post menopausal women';

- (viii) prohibition of implied cure for disease claims by the name of the product such as cancer cure or through pictures, vignettes or symbols, namely, electrocardiogram tracing, lipid profile; and
- (ix) for structure-function claims, a case-to-case basis consumer information for specific age or gender or vulnerable population.
- (9) (i) For the product led claims in respect of an article of food based on human studies with evidence based data, regard shall be had to-
 - (a) valid data and suitable statistical design proving the benefit for disease risk reduction, that is, human intervention studies;
 - (b) ingredient, that is, nutrient or nutritional;
 - (c) the product compatibility for the proposed claim benefit and suitable qualifiers such as *heart healthy* claim on polyunsaturated fatty acids;
 - (d) the use of word "shown" as depicted in the example below when a single human intervention study shows significant benefit:

"Product <Name of the Product> is 'shown' to be helping in <keeping your heart healthy> or <heart healthy>:

(e) the use of word "Proven" as depicted in the example below when more than one human intervention studies or epidemiological evidence on Indian population have been provided with concurrent validity:

"Product <Name of the Product> is 'proven' <to make you lose weight>:

- (ii) For health claims where scientific support does not exist, or if a novel ingredient is to be introduced, there shall be a prior approval of the Authoity which shall be based on adequate scientific evidence.
- (iii) If the health claims are product led, the food business operator shall notify to the Food Authority before putting the same in the market, by submitting relevant documents along with a copy of the label.
- **5. General principles for query or challenge.-**The food business operator shall-
 - (i) prepare and make available the comprehensive product information, safety and claims support data and shall periodically get it reviewed and scrutinised by a scientist or expert with relevant qualifications and experience;
 - (ii) attach the scientific view of the reviewer on claims and its veracity along with the qualification and experience of the reviewer as an essential part of the document;

- (iii) clarify, in case of a technical query from the Food Authority or on a public complaint lodged with the Food Authority, and assist the Food Authority to examine or authorise an appropriate expert group to review the case; and
- (iv) alter or modify or stop claim when directed by the Food Authority which shall be based on the opinion of an expert group.
- **6. Health supplements.-** (1) (i) Health supplements may be used to supplement the normal diet of a person above the age of five years.
 - (ii) the health supplements shall contain concentrated source of one or more nutrients, namely, amino acids, enzymes, minerals, proteins, vitamins, other dietary substances, plants or botanicals, prebiotics, probiotics and substances from animal origin or other similar substances with known and established nutritional or beneficial physiological effect, which are presented as such and are offered alone or in combination, but are not drugs as defined in the clause (b) of section 3 of the Drugs and Cosmetics Act, 1940 (23 of 1940) and the rules made thereunder.
 - (iii) the health supplements shall be marketed in single use packaging as appropriate to maintain integrity and quality of the product, or in dosage forms namely, capsules, tablets, pills, sachets; jelly or gel, semi-solids and other similar forms or any other forms of liquids and powders designed to be taken in measured unit quantities.
 - (iv) the health supplements shall not include any of the food products or categories of articles of food for which specific standards have been laid down in any other parts of these regulations.
- (2) (i) The health supplements shall contain any of the ingredients specified in **Schedule I** or **Schedule II** or **Schedule IV** or **Schedule VII** or **Schedule VIII** or enzymes only of **Schedule VI**.

¹[(i) The health supplement shall contain singly or in combination with any of the ingredients specified in Schedule I or Schedule II or both. It may also contain singly or in combination with any of the ingredients specified in Schedule IV, Schedule VI (protein and enzymes only), Schedule VII and Schedule VIII.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

(ii) The ingredients specified in the Schedules referred to in clause (i) of subregulation (2) may be used in manufacturing of health supplements without prejudice to modifications for one or more of these nutrients rendered necessary by the intended use of the product.

- (iii) The quantity of nutrients added to the articles of food shall not exceed the recommended daily allowance as specified by the Indian Council of Medical Research and in case such standards are not specified, standards laid down by the international food standards body, namely, Codex Alimentarius Commission shall apply.
- (iv) The food business operator shall apply to the Food Authority for inclusion of any new nutrient or other substance with a nutritional or physiological function, which has no history of use in India or that without evidence, establishing that the nutrient may result in certain nutritional and physiological benefits with justification for approval.
- (v) The Food Authority may, after proper scientific evaluation, specify the nutrients approved by it from time to time.
- (3) (i) The labelling, presentation and advertisement shall not claim that the health supplement has the property of preventing, treating or curing a human disease, or refer to such properties;
- (ii) The statement by the food business operator relating to the structure or function or the general well being of the body may be allowed by the Food Authority if the statement is supported by the generally accepted scientific data;
- (iii) Every package of health supplement shall carry the following information on the label, namely.-
 - (a) the words "HEALTH SUPPLEMENT";
 - (b) the common name of the health supplement, or a description sufficient to indicate the true nature of the health supplement including the common names of the categories of nutrients or substances that characterise the product;
 - (c) a declaration as to the amount of the nutrients or substances with a nutritional or physiological effect present in the product;
 - (d) an advisory warning 'NOT FOR MEDICINAL USE' prominently written;
 - (e) the quantity of nutrients, where applicable expressed in terms of percentage of the relevant recommended daily allowances as specified by the Indian Council of Medical Research and bear a warning, "Not to exceed the recommended daily usage";
 - (f) a statement that the health supplement is not be used as a substitute for a varied diet;

- (g) a warning or any other precautions to be taken while consuming, known side effects, if any, contraindications, and published product or drug interactions, as applicable; and
- (h) a statement that the product is required to be stored out of reach of children.
- (4) No food business operator shall use additives for health supplement formulation except those specified in **Schedule VA** or **Schedule VE** or **Schedule VF**.
- **7. Nutraceuticals.** (1)(i) The nutraceuticals shall provide a physiological benefit and help maintain good health.
- (ii) A food business operator may extract, isolate and purify nutraceuticals from food or non-food sources, that is preparing amino acids and their derivatives by bacterial fermentation under controlled conditions.
- (iii) A food business operator may prepare and sell the nutraceuticals in the foodformat of granules, powder, tablet, capsule, liquid, jelly or gel, semi-solids and other formats and may be packed in sachet, ampoule, bottle, and in any other format as measured unit quantities except those formats that are meant for parenteral administration.
- (2) (i) The nutraceuticals shall contain any of the ingredients specified in **Schedule I** or **Schedule II** or **Schedule IV** or **Schedule VII** or **Schedule VIII**.

¹[(i) The nutraceutical shall contain ingredients specified in Schedule VI. It may also contain singly or in combination with any of the ingredients specified in Schedule I, Schedule II, Schedule IV, Schedule VII and Schedule VIII.]

- (ii) A food business operator may use ingredients specified in the Schedules referred to in clause (i) of sub-regulation (2) in manufacturing an article of food containing nutraceuticals without prejudice to modifications for one or more of these nutrients rendered necessary by the intended use of the product;
- (iii) The quantity of nutrients added where applicable, shall not exceed the recommended daily allowance as specified by the Indian Council of Medical Research and in case such standards are not specified, the standard laid down by international food standards body, namely Codex Alimentarius Commission shall apply;

- (iv) A nutraceutical which is not provided in these regulations but its safety has been established in India or in any other country, shall be manufactured or sold in India only on prior approval of the Food Authority;
- (v) For the purposes of clause (iv), a food business operator shall apply to the Food Authority for approval which shall be accompanied by documented history of usage of at least fifteen years in India, or thirty years in the country of origin;
- (vi) The Food Authority may from time to time specify the nutraceuticals as approved by it after undertaking proper scientific evaluation.
 - (3) (i) No ingredient other than those specified in **Schedule VI** shall be used as nutraceutical with standardisation to marker compounds specified and at daily usage levels specified therein;
 - (ii) The ingredient for which the standardisation of the marker coumpound has not been specified shall comply with manufacturer specifications or quality requirements and purity criteria as specified in regulation 3;
 - (iii) For the ingredient for which the daily minimum and maximum usage levels have not been specified, the food business operator shall adopt the usage level based on relevant scientific data and retain the documentary evidence of such data;
 - (iv) For the purpose of clause (iii), the food business operator shall submit the documented scientific data to the Food Authority as and when called for;
 - (v) No food business operator shall use the extract of ingredient as nutraceutical other than that specified in **Schedule IV**;
 - Provided that the ingredient of plant or botanical origin specified in **Schedule IV** and **Schedule VI** may be used either in the given form, or their extract, subject to the extractive ratios in relation to the daily usage value.
- (4) (i) The labelling, presentation and advertisement shall not claim that the nutraceutical has the property of preventing, treating or curing a human disease, or refer to such properties;
 - (ii) The statement by the food business operator relating to the structure or function or the general well-being of the body may be allowed by the Food Authority, if the statement is supported by the generally accepted scientific data;
 - (iii) Every package of food containing nutraceutical shall carry the following information on the label, namely:-

- (a) the word "NUTRACEUTICAL";
- (b) the common name of the nutraceutical;
- (c) a declaration as to the amount of each nutraceutical ingredient in the product that either has a nutritional or physiological effect;
- (d) where it is appropriate, the quantity of nutrient shall be expressed in terms of percentage of the relevant recommended daily allowances as specified by the Indian Council of Medical Research even when the nutrient is present along with a nutraceutical as an adjunct and shall bear an advisory warning 'not to exceed the stated recommended daily usage';
- (e) an advisory warning for 'recommended usage';
- (f) an advisory warning 'NOT FOR MEDICINAL USE' prominently written;
- (g) an advisory warning in cases where a danger may exist with excess consumption;
- (h) an advisory warning or any other precautions to be taken while consuming, known side effects, if any, contraindications, and product-drug interactions, as applicable;
- (i) a statement that the product is required to be stored out of reach of children;
- (5) No food business operator shall use additives for nutraceutical formulation except those specified in **Schedule VA** or **Schedule VE** or **Schedule VF**.
- 8. Food for special dietary use, other than infants, and those products intended to be taken under medical advice. –

Food for special dietary use, other than infants, and those products intended to be taken under medical advice of physician or certified dietician or nutritionist

- (1) No food business operator shall manufacture, formulate or process an article of food for special dietary use unless-
- (i) specially processed or formulated to satisfy particular dietary requirements which may exist or arise because of certain physiological or specific health conditions, namely:-
 - (a) low weight, obesity, diabetes, high blood pressure;

- (b) pregnant and lactating women; 1[****]
- (c) geriatric population and celiac disease and other health conditions.

Amendment for insertion of new provision

¹[(d) food for Sportspersons.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

(ii) The food business operator shall clearly indicate on the label whether or not the food for special dietary use is to be taken under medical advice;

Amendment for insertion of new provision

¹[Provided that food for special dietary use for sportsperson shall only be used under medical advice by physician or certified dietician or nutritionist.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (iii) A food business operator may manufacture or sell an article of food for special dietary use in single use packaging or in dosage form, namely, granules, capsules, tablets, pills, jelly, semi-solid and other similar forms, sachets of powder, or any other similar forms of liquids and powders designed to be taken in measured unit quantities with a nutritional or physiological effect;
- (iv) A food business operator may formulate an article of food for special dietary use in formats meant for oral feeding through enteral tubes but shall not be used for parenteral use;

Amendment for insertion of new provision

¹[Provided that food for special dietary use for sportsperson shall only be in formats meant for oral consumption]
[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (v) An article of food for special dietary use shall not include the normal food which is merely enriched or modified with nutrients and meant for mass consumption, intended for improvement of general health for day to day use and do not claim to be targeted to consumers with specific disease conditions and also not include the article of food intended to replace complete diet covered under food for special medical purpose specified in regulation 9.
- (2) (i) The articles of food for special dietary use shall contain any of the ingredients specified in Schedules I or Schedule III or Schedule IV or Schedule VI or Schedule VIII.

¹[(i) The food for special dietary use shall contain singly or in combination of any of the ingredients specified in Schedule I, Schedule II, Schedule IV, Schedule VI, Schedule VII and Schedule VIII.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (ii) A food business operator may use the ingredients specified in the Schedules referred to in clause (i) of sub-regulation (2) in manufacturing food for special dietary use without prejudice to modifications for one or more of these nutrients rendered necessary by the intended use of the product.
- (iii) For any new nutrient, which has no history of use in India or that without a proof establishing that the nutrient may result in certain nutritional and physiological benefits, the food business operator shall apply to the Food Authority with justification for approval, and the Food Authority may, from time to time specify the nutrients approved by it after proper scientific evaluation.
- (iv) A food business operator may add the quantity of the nutrients at a level higher than the recommended daily allowance, but not exceeding the limits of vitamins and minerals specified in **Schedule III**.

Amendment for substitution of highlighted provision

¹[(iv) The food business operator shall add the quantity of the nutrients at levels equal to a maximum of one Recommended Dietary Allowances or below.

Provided that product with higher Recommended Dietary Allowances in food format (except tablet, capsule, syrup) may be allowed subject to prior approval of the Food Authority which shall be based on adequate scientific evidence.]

- (v) (i) The articles of food used as a formula food presented as a replacement for all meals of the daily diet for slimming, weight management and weight control purposes shall comply with the following, namely:-
 - (a) provide energy not less than 800 kcal (3,350 kJ) and not more than 1,200 kcal (5,020 kJ);
 - (b) the individual portions or servings contained in the formula food shall provide approximately one-third or one-fourth of the total energy of the food in the pack depending on whether the recommended number of portions or servings per day is three or four, as the case may be, respectively.
- (ii) A formula food presented as a replacement for one or more meals of the daily diet shall comply with the following, namely:-

- (a) provide energy not less than 200 kcal (835 kJ) and not more than 400 kcal (1,670 kJ) per meal;
- (b) when such products are presented as a replacement for the major part of the diet, the total energy intake shall not exceed 1,200 kcal (5,020 kJ).
- (iii) Not less than twenty five per cent and not more than fifty per cent of the energy available from the food, when ready-to-serve, shall be derived from its protein content and the total amount of protein shall not exceed 125 g per day.
- (iv) The quality of protein shall have-
 - (a) the protein digestibility corrected amino acid score of 1.0 known as, the reference protein;
 - (b) the protein digestibility corrected amino acid score where less than 1.0, the minimum level shall be increased to compensate for the lower protein quality;
 - (c) the protein with a protein digestibility corrected amino acid score of 0.8 or more shall be used in a formula food for use in a weight control diet; and
- (v) For improving the protein quality, the food business operator shall add only L-forms of essential amino acids except for methionine where DL form is allowed.
- (vi) Not more than thirty per cent of the energy available from fat and not less than three per cent of the energy from linoleic acid in the form of a glyceride.
- (vii) A formula food represented as a replacement for all meals per day, shall not have less than a hundred per cent of the reccommended daily allowance of vitamins and minerals in the daily intake.
- (viii) The formula food for special dietary use shall have adequate dietary fiber.

Amendment for insertion of new provision

¹[(ix) The food for special dietary use as a formula food for replacement of all meals of the daily diet for slimming, weight management and weight control purposes shall not be considered as food for special dietary use for a sportsperson.]

- (3) (i) No statement or claim shall be made on the label implying prevention, cure or treatment of any specific disease or its diagnosis or otherwise preventing or interfering with the normal operation of a physiological function, whether permanently or temporarily, unless otherwise approved by the Food Authority;
- (ii) The statement by the food business operator relating to the structure or function or the general well-being of the body may be allowed by the Food Authority, if the statement is supported by the generally accepted scientific data;

- (iii) Every package containing food for special dietary use shall carry the following information on the label, namely:-
 - (a) the words "FOOD FOR SPECIAL DIETARY USE" followed by "Food for......." (mentioning the particular physiological or health condition)";
 - (b) a statement "For weight control and management" in close proximity to the name of the articles of food specially prepared for weight management and control:

Amendment for insertion of new provision

¹[(ba) a statement "FOR SPORTSPERSON ONLY" in close proximity to the name of the articles of food, "Recommended to be used under medical advice by a physician or certified dietician ornutritionist only" and the logo as specified below for the article of food specially prepared for sportsperson.



[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

(c) a statement that the product is not to be used by pregnant, nursing and lactating women or by infants, children, adolescents and elderly, except when medically advised;

Amendment for substitution of highlighted provision

¹[(c) a statement that the product is not to be used by pregnant, nursing and lactating women or by infants, children under 5 years, adolescents and elderly except when medically advised:

Provided that in case of the article of food specially prepared for sportsperson, a statement that the product is not to be used by pregnant, nursing and lactating women or by infants, children under 5 years and elderly.]

- (d) a statement on the target consumer group, rationale for use of the product and a description of the properties or characteristics that make it useful;
- (e) if the product has been formulated for a specific age group, a prominent statement to that effect;

¹[(e) if the product has been formulated for a specific age group, sports activity as per the approved list of Sports Authority of India (Ministry of Youth Affairs and Sports, Government of India), a prominent statement to that effect;]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (f) a statement specifying the nutrient which is reduced, deleted, increased or otherwise modified, relating to normal requirement, and the rationale for the reduction, deletion, increase or other modification;
- (g) an advisory warning 'NOT FOR MEDICINAL USE' prominently written;
- (h) a warning in cases where a danger may exist with excess consumption;
- (i) a warning that the product is not for parenteral use;

Amendment for insertion of new provision

¹[Provided that a statement 'for oral consumption only' for the article of food specially prepared for sportsperson;]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

- (j) a warning or any other precautions to be taken while consuming, known side effects, if any, contraindications, and product-drug interactions, as applicable;
- (k) the quantity of nutrients expressed in terms of percentage of the recommended daily allowance where it is appropriate;
- (l) information on osmolality or osmolarity or on acid-base balance where appropriate; and
- (m) a statement that the product shall be stored out of reach of children.

Amendment for insertion of new provision

- ¹[(n) a statement 'the food is not a sole source of nutrition and shall be consumed in conjunction with a nutritious diet' for the article of food specially prepared for sportsperson;
- (o) a statement 'the food shall be used in conjunction with an appropriate physical training or exercise regime' for the article of food specially prepared for sportsperson.]

 [Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st

 April, 2022]
- (4) No food business operator shall use additives for food for special dietary uses, except those specified in **Schedule VB** or **Schedule VE** or **Schedule VF**.

Amendment for insertion of new provision

- ¹[(5) Advertisement of food for special dietary use for general public shall clearly indicate that the product is to be taken under medical advice, wherever applicable.
- (6) Prohibited substances declared by the World Anti-Doping Agency (WADA) shall not be added in any of the articles of food specified for sport persons. Food business operator must ensure to check the list of prohibited substances which is published annually by the World Anti-Doping Agency and is effective from the January 1 every year.]

- **9. Food for special medical purpose.-** (1) (i) Food for special medical purpose shall include food specially prepared for weight reduction and intended as total replacement of normal diet.
- (ii) A food business operator may formulate food for special medical purpose in format meant for oral feeding through enteral tubes.
- (iii) The articles of food for special medical purpose shall not be used for parenteral use.
- (iv) The articles of food for special medical purpose, other than those intended for infants, may either be nutritionally complete food which, when used in accordance with the manufacturer's instructions, shall constitute the sole source of nourishment for the persons for whom they are intended or nutritionally incomplete food with formulation specific for a disease, disorder or medical condition, but are not suitable to be used as the sole source of nourishment.
- (v) For the purposes of these regulations, the food for special medical purpose may be classified in to following three categories, namely:-
 - (a) 'nutritionally complete food with a standard nutrient formulation', which when used in accordance with the manufacturer's instructions, may constitute the sole source of nourishment for the persons for whom they are intended;
 - (b) 'nutritionally complete food with a nutrient-adopted formulation specific for a disease, disorder or medical condition', which when used in accordance with the manufacturer's instructions, may constitute the sole source of nourishment for the persons for whom they are intended; and
 - (c) 'nutritionally incomplete food with a standard formulation or a nutrient-adopted formulation specific for a disease, disorder or medical condition', which is not suitable to be used as the sole source of nourishment.

Note.- the food specified in sub-clauses (b) and (c) of clause (v) may be used as a partial replacement or as a supplement to the person's diet.

(2) (i) Food for special medical purpose shall contain any of the ingredients specified in Schedule I or Schedule II or Schedule III or Schedule IV or Schedule VII or Schedule VIII or enzymes only of Schedule VI.

Amendment for substitution of highlighted provision

¹[(i) Food for special medical purpose shall contain any of the ingredients specified in Schedule I, Schedule II, Schedule IV, Schedule VI (enzymes only), Schedule VII and Schedule VIII.]

- (ii) A food business operator shall use only the ingredients specified in the Schedules referred to in clause (i) of sub-regulation (2) in manufacturing food for special medical purpose without prejudice to modifications for one or more of these nutrients rendered necessary by the intended use of the product.
- (iii) A food business operator may apply to the Food Authority for any new nutrient, which has no history of use in India or those without proof establishing that the nutrient may result in certain nutritional and physiological benefits with justification for approval and the Food Authority may from time to time specify the nutrients approved by it after proper scientific evaluation.
- (iv) The articles of food specially prepared for weight reduction and intended as total replacement of complete diet shall, apart from complying with **Schedule III**, shall also ensure the following, namely:-
 - (a) that a formula food for very low energy diet is prepared according to instructions, with a daily energy intake of 450-800 kcal as the only source of energy;
 - (b) that not less than 50 g protein with a protein digestibility corrected amino acid score of 1 is present in the recommended daily intake of energy, and essential amino acids may be added to improve protein quality only in amounts necessary for this purpose;
 - (c) for the purposes of clause (b) the food business operator shall add only Lforms of essential amino acids except for methionine where DL form is allowed.
 - (d) very low energy diet provides not less than-
 - (I) 3 g of linoleic acid; and
 - (II) 0.5 g α -linolenic acid in the recommended daily intake with the α -linoleic acid and linolenic acid ratio between 1:5 and 1:15;

- (e) very low energy diet provides not less than 50 g of available carbohydrates in the recommended daily intake of energy;
- (f) that the formula food for special medical purpose have adequate dietary fiber.
- (v) In food for special medical purpose, nutrients may be added at levels higher than the recommended daily allowance, but not exceeding the limits of vitamins and minerals as specified in **Schedule III.**

¹[(v) Food business operator shall add the quantity of the nutrients at levels equal to a maximum of one Recommended Dietary Allowances or below.

Provided that product other than food specially prepared for weight reduction and intended as total replacement of complete diet with higher RDA in food format (except tablet, capsule, syrup) may be allowed subject to prior approval of the Food Authority which shall be based on adequate scientific evidence.]

- (3) Every package of food for special medical purpose shall carry the following information on the label, namely:-
 - (a) the words 'FOOD FOR SPECIAL MEDICAL PURPOSE' printed in the immediate proximity of the name or brand name of the product;
 - (b) an advisory warning "RECOMMENDED TO BE USED UNDER MEDICAL ADVICE ONLY" appearing on the label in bold letters in an area separated from other written, printed or graphic information;
 - (c) the statement "For the dietary management of _____" (with the blank to be filled in with the specific disease, disorderor medical conditionfor which the product is intended, and for which it has been shown to be effective) supported by appropriate scientific, and clinical or epidemiological data, and subject to its approval by the Food Authority;
 - (d) a statement 'NUTRITIONALLY COMPLETE' if the food is intended to be used as a nutritionally complete food;
 - (e) a statement on the rationale for use of the product by the target consumer group and a description of the properties or characteristics that make it useful;
 - (f) a statement if the product has been formulated for a specific age group;

- (g) a statement specifying the nutrient which have been reduced, deleted, increased or otherwise modified, relating to normal requirements, and the rationale for the reduction, deletion, increase or other modification;
- (h) the quantity of nutrients expressed in terms of percentages of the recommended daily allowances, where it is appropriate;
- (i) information on osmolality or osmolarity, Renal Solute Load, Potential Renal Solute Load or acid-base balance, wherever applicable;
- (j) instructions for appropriate preparation, feeding, use and storage of the product after the opening of the container;
- (k) a warning that the product is not for parenteral use; and
- (l) a statement that the product required to be stored out of reach of children.
- (4) No food business operator shall use additives for food for special medical purpose except those specified in **Schedule VC** or **Schedule VD** or **Schedule VE** or **Schedule VF**.
- (5) No food business operator shall advertise the food for special medical purpose for use by general public.
 - **10. Food with added probiotic ingredients. –** (1) (i) No food business operator shall use probiotic ingredients in food except the probiotic culture of the microorganisms specified in **Schedule VII** or those probiotic microorganisms approved by the Food Authority from time to time. Probiotic preparations may contain added prebiotics permitted under these regulations.
 - (ii) The viable number of organisms in food with added probiotic ingredients shall be ≥10⁸ CFU/g:

Provided that a lower viable number may be specified with proven studies on health benefits with those numbers subject to the prior approval of the Food Authority.

Amendment for substitution of highlighted provision

¹[(ii) The viable number of added probiotic organisms in food shall be ≥108 CFU in the recommended serving size per day;]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

(iii) The Food Authority may, from time to time, specify the probiotic microorganisms approved by it after proper scientific evaluation:

Provided that the presence of the commonly used starter cultures of lactic acid producing bacteria such as *Lactococcus spp.*, earlier known as *Streptococcus spp.*, *Lactobacillus spp.* and other such microorganisms used in the preparation of fermented milk (dahi) and related products shall not be considered as probiotics, if the probiotic properties have not been substantiated.

Note.- The guidelines issued by the Indain Council of Medical Research and Department of Biotechnology with respect to probiotics provide additional information on their use.

- (2) (i) The labelling, presentation and advertisement shall not claim that the probiotic food has the property of preventing, treating or curing a human disease, or refer to such properties.
- (ii) The statement by the food business operator relating to structure or function or the general well-being of the body may be allowed by the Food Authority, if the statement is supported by the generally accepted scientific data.
- (iii) Every package of probiotic food shall carry the following information on the label, namely:-
 - (a) the words "PROBIOTIC FOOD";
 - (b) genus and species including strain designation or culture collection number, where applicable, in brackets where probiotics are mentioned in the list of ingredients;
 - (c) viable numbers at the end of the shelf-life of probiotic strain corresponding to the level at which the efficacy is claimed;
 - (d) the recommended serving size which shall deliver the effective viable dose of probiotics related to health claims and recommended duration of use, proper storage temperature conditions, and time limit for 'Best Use' after opening the container;
 - (e) an advisory warning 'NOT FOR MEDICINAL USE' prominently written; and
 - (f) a warning or any other precaution to be taken while consuming, known side effects, if any, contraindications, and product-drug interactions, as applicable.
 - (3) No food business operator shall use additives in probiotic preparations except those specified in **Schedule VA** to **Schedule VF**.
 - **11. Food with added prebiotic ingredients.** (1) (i) No food business operator shall use prebiotics in manufacturing food containing prebiotics except those specified in **Schedule VIII** or those prebiotics approved by the Food Authority from time to time.
 - (ii) The prebiotic component, not an organism, to which the claim of being made, shall be characterised for a given product by providing the source, origin, purity,

chemical composition and structure, vehicle, concentration and amount in which it is to be delivered to the host.

Amendment for insertion of new provision

(iii) Maximum limit for prebiotic per day shall not exceed 40g/2000 kcal for adults.

- (2) (i) The labelling, presentation and advertising shall not claim that the prebiotic has the property of preventing, treating or curing a human disease, or refer to such properties.
- (ii) The statement by the food business operator relating to structure or function or the general well-being of the body may be allowed by the Food Authority, if the statement is supported by the generally accepted scientific data.
- (iii) Every package of food containing prebiotics shall carry the following information on the label, namely:-
 - (a) the words "PREBIOTIC FOOD";
 - (b) name of prebiotic;
 - (c) the suggested or recommended serving size which shall deliver the effective dose of prebiotic related to the health claim;
 - (d) an advisory warning 'NOT FOR MEDICINAL USE' prominently written;
 - (e) a warning or any other precautions to be taken while consuming, known side effects, if any, contraindications, and product-drug interactions, as applicable.
- (3) No food business operator shall use additives in prebiotic preparations except those specified in **Schedule VA** to **Schedule VF**.
- **12. Specialty food containing plant or botanical ingredients with safe history of usage.-** (1) (i) A food business operator shall use only plant or botanical ingredients specified in **Schedule IV** for the preparation of specialty food containing plant or botanical ingredients.
 - (ii) The plant or botanical ingredient which is not specified in these regulations but its safety has been established in India or in any other country, may be

manufactured or sold in India only after taking prior approval of the Food Authority.

- (iii) The application for approval to the Food Authority shall be accompanied by documented history of usage of at least fifteen years in India, or thirty years in the country of origin.
- (2) The health supplement or nutraceutical or food for special dietary use or food for special medical purpose may contain the ingredient as specified in **Schedule IV**, formulated either alone or in combination of ingredients or botanicals or their extracts either in unprocessed or in approved processed forms, formulated in a regular or conventional food format such as liquid or syrup, suspension or powder, granule, tablet or capsule or any other format approved by the Food Authority.
- (3) (i) Every manufacturer or importer shall prepare and maintain a product information file, which shall contain information on the ingredients from **Schedule IV** used, finished product quality confirmation, and the test methods to demonstrate the presence of the active ingredient in the food.
- (ii) The usage level of the specialty food containing plant or botanical ingredients shall not exceed those levels specified in **Schedule IV**:
 - Provided that the usage level may be distributed or provided, or formulated for delivery in one portion daily, or distributed in more than one portion to be taken in a day.
- (iii) To use any other plant or botanical ingredient, which is not specified in **Schedule IV**, the food business operator shall seek prior approval of the Food Authority by submitting-
 - (a) a product information file containing information on the material used;
 - (b) quality confirmation, test methods to demonstrate the presence of the ingredient in the food;
 - (c) relevant published literature providing scientific and technical information of the material or product related to safety and health benefits; and
 - (d) any human intervention study published or conducted, and other relevant information.

- (iv) The product information file shall be produced for inspection and review by the Food Authority as and when called for.
- (v) The product information file shall primarily consist of technical and scientific information covering the following, namely:-
 - (a) information on quality of all raw ingredients with official scientific or botanical name;
 - (b) details of formulation or block diagram and brief description of the processing methods or steps adopted;
 - (c) shelf life study data;
 - (d) quality specifications and test methods for analysis of the finished product;
 - (e) safety and pharmacological information, literature base, and additional study, if any conducted;
 - (f) information on human studies, if any;
 - (g) regulatory status in other countries, if any; and
 - (h) any other relevant product information.
- (4) No food business operator shall use additives for preparation of specialty food containing plant or botanical ingredients except those specified in **Schedule VE** or **Schedule VF**.
- **13. Novel food.-** (1)(i) For the purposes of these regulations novel food is a food that-
- (a) may not have a history of human consumption; or
- (b) may have any ingredient used in it which or the source from which it is derived, may not have a history of human consumption; or
- (c) a food or ingredient obtained by new technology with innovative engineering process, where the process may give rise to significant change in the composition or structure or size of the food or food ingredients which may alter the nutritional value, metabolism or level of undesirable substances.
- (ii) No novel food shall be manufactured or imported for commercial purpose without the prior approval of the Food Authority by filing an application along with all relevant documents and details as specified by the Food Authority from time to time.
- (2) The labelling of novel food shall be-
 - (i) in accordance with the specific labelling requirements, if any; or

- (ii) specific to claims relating to the novel product; or
- (iii) as per the category notified by the Food Authority in the specific regulations.

Schedule – I

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 8.(2)(i) and 9.(2)(i)]

List of vitamins and minerals and their components

S.No.	Vitamins and Minerals	Components				
A.	Vitamins-					
1.	Vitamin A	(i)	Retinol – all trans retinol			
		(ii)	Retinyl acetate			
		(iii)	Retinyl palmitate			
2.	Provitamin A	(i)	Beta-Carotene			
3.	Vitamin B ₁	(i)	Thiamine chloride hydrochloride			
		(ii)	Thiamine mononitrate			
4.	Vitamin B ₂	(i)	Riboflavin			
		(ii)	Riboflavin 5'- phosphate, sodium			
5.	Vitamin B ₆	(i)	Pyridoxine hydrochloride			
		(ii)	Pyridoxal 5'-phosphate			
6.	Vitamin B ₁₂	(i)	Cyanocobalamin			
		(ii)	Hydroxocobalamin			
7.	Vitamin C	(i)	L-ascorbic acid			
		(ii)	Sodium-L-ascorbate			
		(iii)	Calcium-L-ascorbate			
		(iv)	Potassium-L-ascorbate			
		(v)	6-palmitoyl-L-ascorbic acid			
		(vi)	Ascorbyl palmitate			
8.	Vitamin D	(i)	Vitamin D ₃ (cholecalciferol) – Animal source			
		(ii)	Vitamin D ₂ (ergocalciferol) – Plant source			
		Aı	mendment for insertion of new provision			
		¹ [(iii)	Vitamin D3 (cholecalciferol) – Lichen/Algae*			
		5.4	(*The species of lichen/algae shall need prior approval of Food Authority)]			
		[Amendment in force from 6 th September, 2021; FBOs to comply with the provisions by 1st April, 2022]				
9.	Vitamin E	(i)	D-alpha-tocopherol			
		(ii)	DL-alpha-tocopherol			
		(iii)	D-alpha-tocopheryl acetate			
		(iv)	DL-alpha-tocopheryl acetate			

S.No.	Vitamins and Minerals		Components	
		(v)	D-alpha-tocopheryl acid succinate	
		(vi)	DL-alpha-tocopheryl acid succinate	
		(vii)	DL-alpha-tocopheryl polyethylene glesol succinate	
		Amendme	nt for insertion of new provision	
		¹[(viii)	Tocotrienols]	
			ent in force from 6 th September, 2021; FBOs to the the provisions by 1st April, 2022]	
10.	Vitamin K ₁	(i)	Phylloquinone	
		(ii)	Phytomenadione (2-methyl 3-phytyl-1)	
		(iii)	1,4-napthoquinone	
		(iv)	Phytonamidione	
11.	Vitamin K ₂ (MK-7)	(i)	Menaquinone	
12.	Vitamin K ₂ (MK-4)	(i) Menatetrenone		
13.	Biotin	(i) D-biotin		
14.	Folic Acid	(i)	n-pteroyl-l-glutamic acid	
15.	Niacin	(i)	Nicotinic acid	
		(ii)	Nicotinamide	
		(iii)	Nicotinic acid amide	
16.	Pantothenic acid	(i)	D-pantothenate, calcium	
		(ii)	D-pantothenate, sodium	
		(iii)	D-panthenol	
		(iv)	DL- pantholnol	
		(v)	Sodium-D-pantothenate	

Note.- Addition of appropriate overages to ensure adequate availability of vitamins in the products shall be permitted based on scientific rationale. However, the maximum proportion of overages shall not exceed as given in the Table 'C', below, unless scientifically justified. Labels of such products shall make a declaration of the same as "appropriate overages added" in the composition declaration Panel.

B.	Minerals (Chemical sources)				
1.	Calcium	(i) Calcium carbonate			
		(ii)	Calcium chloride		
		(iii) Calcium salts of citric acid			
		(iv)	Calcium gluconate		
		(v)	Calcium glycerophosphate		
		(vi)	Calcium orthophosphate		

S.No.	Vitamins and Minerals		Components		
		(vii)	Calcium hydroxide		
	-	(viii)	Calcium oxide		
		(ix)	Calcium phosphate, monobasic		
		(x)	Calcium phosphate, dibasic		
		(xi)	Calcium phosphate, tribasic		
		(xii)	Calcium sulphate		
		(xiii)	Calcium from algal source (Algus calcarius)		
		Amend	ment for substitution of highlighted provision		
		¹[(xiii)	Calcium from algae including red seaweed]		
			ent in force from 6 th September, 2021; FBOs to th the provisions by 1st April, 2022]		
	•	(xiv)	Calcium lactate		
		Aı	mendment for insertion of new provision		
		¹ [(xv)	natural forms of calcium obtained from corals, shells, pearls, conch, oysters and milk]		
		[Amendment in force from 6 th September, 2021; FBOs a comply with the provisions by 1st April, 2022]			
2.	Chloride	(i)	Calcium chloride		
		(ii)	Choline chloride		
		(iii)	Magnesium chloride		
		(iv)	Manganese chloride		
		(v)	Potassium chloride		
		(vi)	Sodium chloride		
3.	Chromium (i)		Chromium (III) chloride		
		(ii)	Chromium (III) sulphate		
4.	Copper	(i)	Cumuia cambamata		
	-	(-)	Cupric carbonate		
	-	(ii)	Cupric carbonate Cupric citrate		
	- -				
	- - -	(ii)	Cupric citrate		
	- -	(ii)	Cupric citrate Cupric gluconate		
	- - -	(ii) (iii) (iv) (v)	Cupric citrate Cupric gluconate Cupric sulphate		
	- - -	(ii) (iii) (iv) (v)	Cupric citrate Cupric gluconate Cupric sulphate Copper lysine complex		
		(ii) (iii) (iv) (v) An 1[(vi)	Cupric citrate Cupric gluconate Cupric sulphate Copper lysine complex mendment for insertion of new provision Copper oxide (copper (II) oxide, cupric		

S.No.	Vitamins and Minerals		Components
		(ii)	Sodium iodate
		(iii)	Potassium iodide
		(iv)	Potassium iodate
6.	Iron	(i)	Ferrous succinate
		(ii)	Ferrous citrate
		(iii)	Ferric ammonium citrate
		(iv)	Ferrous gluconate
		(v)	Ferrous fumarate
		(vi)	Ferric sodium di-phosphate
		(vii)	Ferrous lactate
		(viii)	Ferrous sulphate
		(ix)	Ferric di-phosphate
		(x)	Ferric saccharate
		(xi)	Ferrous bis glycinate
		(xii)	Hydrogen reduced iron
		(xiii)	Sodium iron EDTA
		(xiv)	Carbonyl iron
		(xv)	Ferrous orthophosphate
		(xvi)	Ferrous sodium pyrophosphate
		(xvii)	Elemental iron
		(xviii)	Electrolytic iron
7.	Magnesium	(i)	Magnesium aspartate
		(ii)	Magnesium carbonate
		(iii)	Magnesium chloride
		(iv)	Magnesium gluconate
		(v)	Magnesium phosphate dibasic (Magnesium hydrogen phosphate)
		(vi)	Magnesium phosphate tribasic (Trimagnesium phosphate)
		(vii)	Magnesium oxide
		(viii)	Magnesium sulphate
8.	Manganese	(i)	Manganese carbonate
		(ii)	Manganese chloride
		(iii)	Manganese citrate
		(iv)	Magnanese sulphate
		(v)	Magnanese gluconate

S.No.	Vitamins and Minerals	Components		
		(vi)	As amino acid chelate	
9.	Molybdenum	(i)	Ammonium molybdate (Molybdenum (VI)	
		(ii)	Sodium molybdate (Molybdenum (VI)	
		(iii)	As amino acid chelate	
10.	Phosphorous	(i)	Potassium glycerophosphate	
		(ii)	Potassium phosphate, monobasic	
		(iii)	Potassium phosphate, dibasic	
11.	Potassium	(i)	Potassium bicarbonate	
		(ii)	Potassium carbonate	
		(iii)	Potassium chloride	
		(iv)	Potassium citrate	
		(v)	Potassium gluconate	
		(vi)	Potassium glycerophosphate	
		(vii)	Potassium lactate	
		(viii)	Potassium monobasic phosphate	
		(ix)	Potassium dibasic phosphate	
12.	Selenium	(i)	Sodium selenate	
	_	(ii)	Sodium selenite	
	_	(iii)	Sodium hydrogen selenite	
		(iv)	Selenomethionine	
		Amendment for insertion of new provision		
		¹ [(v)	Selenious acid]	
			ent in force from 6 th September, 2021; FBOs to the the provisions by 1st April, 2022]	
13.	Sodium	(i)	Sodium bicarbonate	
		(ii)	Sodium carbonate	
		(iii)	Sodium chloride	
		(iv)	Sodium citrate (Trisodium citrate)	
		(v)	Sodium gluconate	
		(vi)	Sodium lactate	
		(vii)	Sodium phosphate monobasic (Sodium dihydrogen phosphate)	
		(viii)	Sodium phosphate dibasic (disodium hydrogen phosphate)	
		(ix)	Sodium sulphate	
14.	Zinc	(i)	Zinc acetate	

S.No.	Vitamins and Minerals		Components	
		(ii)	Zinc chloride	
			Zinc citrate	
		(iv)	Zinc gluconate	
		(v)	Zinc lactate	
		(vi)	Zinc oxide	
		(vii)	Zinc carbonate	
		(viii)	Zinc sulphate	
15	Boron	(i)	Boron proteonate	

Note- Suitable esters and salts of vitamins and salts and chelates of minerals may be used

Amendment for substitution of highlighted provision

¹[Suitable esters, derivatives and salts of vitamins and salts and chelates of minerals may be used. Food business operator shall notify in writing to Food Authority, whenever they use such esters, salts, chelates and derivatives. FBOs shall be required to submit additional safety data/information when requested by the Food Authority for such cases.]

	Table C. Permissible overages*				
S.No.	Micronutrient	Overage (per cent)			
1.	Vitamin A	30			
2.	Vitamin C	20			
3.	Vitamin D	30			
4.	Vitamin E	10			
5.	Thiamine (vitamin B ₁)	25			
6.	Riboflavin (vitamin B ₂)	25			
7.	Niacin (vitamin B ₃)	10			
8.	Vitamin B ₆	25			
9.	Vitamin B ₁₂	25			
10.	Folic acid	25			
11.	Pantothenic acid	10			
12.	Vitamin K ₁	30			
13.	Minerals	10			
14.	Iodine	20			

^{*} Overage means the amount of excess nutrients added above label claim during manufacture as a means of maintaining at least the claimed amount of the ingredient(s) for the normal shelf life of the product to compensate for the expected manufacturing / storage loss and to allow for variation in assay performance. Where overages are more than those listed in **Schedule I, Table C,** the same shall be scientifically substantiated.

Schedule - II

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 8.(2)(i) and 9.(2)(i)]

List of amino acids and other nutrients

A.	Essential Amino Acids				
(i)	L-Histidine	(xii)	L-Aspartic acid		
(ii)	L-Histidine hydrochloride	(xiii)	L-Argine L-aspartate		
(iii)	L-Isoleucine	(xiv)	L-Threonine		
(iv)	L-Isoleucine hydrochloride	(xv)	L- Alanine		
(v)	L-Leucine	(xvi)	L-Phenylalanine		
(vi)	L-Leucine hydrochloride	(xvii)	L-Cyststeine hydrochloride		
(vii)	L-Lysine	(xviii)	L-Tyrosine		
(viii)	L-Lysine hydrochloride	(xix)	L-Arginine		
(ix)	DL-Methionine	(xx)	L-Tryptophan		
(x)	L-Cysteine	(xxi)	L-Valine		
(xi)	L-Cysteine hydrochloride	(xxii)	L-Arginine hydrochloride		
В.	Non- Essential Amino Acids				
(i)	L-Carnitine	(xv)	L- Proline		
(ii)	L-Carnitine hydrochloride	(xvi)	L-Lycine-L-glutamate dihydrate		
(iii)	Carnitine, acetyl-L	(xvii)	Megnesium L- aspartate		
(iv)	L-Glutamic acid	(xviii)	Calcium L- glutamate		
(v)	L-Glutamine	(xix)	Potassium – L- glutamate		
(vi)	Glycine	(xx)	Carnitine tartrate		
(vii)	L-Hydroxylysine	(xxi)	Taurine		
(viii)	L-Hydroxyproline	(xxii)	Choline		
(ix)	L-Lycine acetate	(xxiii)	Choline chloride		
(x)	N-acetyl-L-cysteine	(xxiv)	Choline citrate		
(xi)	L- Ornithine	(xxv)	L-Serine		
(xii)	L-Ornithine mono hydrochloride	(xxvi)	Tyrosine, acetyl-L		
(xiii)	L-Lycine –L- aspartate	(xxvii)	Choline hydrogen tartrate		
(xiv)	L-Citruline	(xxviii)	Myo-inositol		
C.	Nucleotides				
(i)	Adenosine 5-monophosphate (AMP)	(v)	Disodium uridine 5-monophosphate		
(ii)	Cystidine 5-mono phosphate (CMP)	(vi)	Disodium guanosine 5-mono phosphate		
(iii)	Guanosine 5-mono phosphate (GMP)	(vii)	Disodium ionosine 5-mono phosphate		
(iv)	Inosine 5-mono phosphate (IMP)				

Note.- Suitable esters and salts of amino acids may be used.

Amendment for substitution of highlighted provision

¹[Suitable esters, derivatives, isomers and salts of amino acids may be used. Food business operator shall notify in writing to Food Authority, whenever they use such esters, salts, isomers and derivatives. Food business operator shall be required to submit additional safety data or information when requested by the Food Authority for such cases.]

Schedule - III

[See regulations 3.(13), 4.(2), 8.(2)(i), 8.(2)(iv), 9.(2)(i), 9.(2)(iv) and 9.(2)(v)]

Values for vitamins, minerals and trace elements allowed to be used in food for special dietary use and food for special medical purpose (other than those intended for use in infant formula)

Amendment for substitution of highlighted provision

¹[[See regulations 3(13), 4(2) and 9(2)(iv)]

Values for vitamins, minerals and trace elements allowed to be used in Food for special medical purpose (other than those intended for use in infant formula)] [Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

1. Vitamins

	RDA for Vitamins					
Vitamins	Per 100) kJ	Per 100	Per 100 kcal		
	Minimum	Maximum*	Minimum	Maximum*		
Vitamin A (μg RE)	8.4	43	35	180		
Vitamin D (μg)	0.12	0.65 (0.75)1	0.5	2.5 (3)1		
Vitamin K (μg)	0.85	5	3.5	20		
Vitamin C (mg)	0.54	5.25	2.25	22		
Thiamin (mg)	0.015	0.12	0.06	0.5		
Riboflavin (mg)	0.02	0.12	0.08	0.5		
Vitamin B ₆ (mg)	0.02	0.12	0.08	0.5		
Niacin (mg NE)	0.22	0.75	0.9	3		
Folic acid (µg)	2.5	12.5	10	50		
Vitamin B ₁₂ (μg)	0.017	0.17	0.07	0.7		
Pantothenic acid (mg)	0.035	0.35	0.15	1.5		
Biotin (μg)	0.18	1.8	0.75	7.5		
Vitamin E (mg α-TE)	0.5/g of polyunsaturated fatty acids expressed as linoleic acid but in no case less than 0.1 mg per 100 available kJ	0.75	0.5/g of poly unsaturated fatty acids expressed as linoleic acid but in no case less 0.1 mg per 100 available kcal	3		

^{(1):} For products intended for children of 1 to 10 years of age; NE – Niacin equivalent;

TE – Tocopherol equivalent.

^{*} When no upper safe level (maximum permissible level higer than 1 (100 percent) RDA)

has been specified for a particular vitamins and minerals, the content of such nutrient shall not exceed NOAEL (No observed adverse effect level) or one tenth of LOAEL (Lowest observed adverse effect level)

2. Minerals

2	RDA for Minerals				
Minerals	Per 100 kJ		Per 100 kcal		
	Minimum	Maximum*	Minimum	Maximum*	
Sodium (mg)	7.2	42	30	175	
Chloride (mg)	7.2	42	30	175	
Potassium (mg)	19	70	80	295	
Calcium (mg)	8.4 (12)1	42 (60)1	35 (50) ¹	175 (250) ¹	
Phosphorus (mg)	7.2	19	30	80	
Magnesium (mg)	1.8	6	7.5	25	
Iron (mg)	0.12	0.5	0.5	2.0	
Zinc (mg)	0.12	0.36	0.5	1.5	
Copper (µg)	15	125	60	500	
Iodine (μg)	1.55	8.4	6.5	35	
Selenium (µg)	0.6	2.5	2.5	10	
Manganese (mg)	0.012	0.12	0.05	0.5	
Chromium (µg)	0.3	3.6	1.25	15	
Molybdenum (μg)	0.72	4.3	3.5	18	

^{(1):} For products intended for children of 1 to 10 years of age;

^{*}When no upper safe level (maximum permissible level higer that 1 (100 per cent) RDA) has been specified for a particular nutrient the content of such nutrient shall not exceed NOAEL (No observed adverse effect level) or one tenth of LOAEL (Lowest observed adverse effect level)

Schedule - IV

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 7.(3)(v), 8.(2)(i), 9.(2)(i), 12.(1)(i), 12.(2), 12.(3)(ii), 12.(3)(iii) and 12.(3)(iii)]

List of plant or botanical ingredients

S. No.	Botanical name and part used	Common name	Permitted range of usage for adults per day (given in terms of raw herb/ material)	
1.	Abelmoschus esculentus (L.) Moench.			
	Fruit/Root	Bhindi	5-10 g (as powder)	
2.	Abies spectabilis (D.Don) / A. pindrow Roy	vle	1	
	Leaves	Talis patra / Talis bhed	2-4 g (as powder)	
3.	Asculus indica colebs./ A. hippocastanum			
	Fruit /kernel	Indian Horse Chestnut/ kanar	10-20 g	
4.	Abelmoschus moschatus			
	Seed	Lata kasturi	3-5 g	
5.	Abutilon indicum (L.) Sweet ssp. Indicum	/ A. fruiticosum		
	Seed/Root	Atibala	5-10 g (as powder)	
6.	Acacia arabica Willd. (Now known as Acacia nilotica (L.) Willd. ex Del. ssp. indica (Benth.) Brenan)			
	Gum Stem bark	Babbula Babbula	5-10 g 5-10 g	
7.	Acacia catechu	Daubula	3-10 g	
/.	Extract	Katha/khair	1-3 g	
8.	Achyranthes aspera (L.)/ A. bidentala	Tatha/ Mian	1 3 8	
	Seed/Plant	Chirchida	3-5 g (as powder)	
9.	Adhatoda zeylanica / A. vasaka			
	Leaf/Root/Flower	Adusa/Vasa	5-10 g	
10.	Aegle marmelos (L.) Corr.	•		
	Unripe fruit pulp	Bael	5-10 g	
	Ripe fruit	Bael	50-100 g (as pulp)	
	Leaves/Bark	Bael	5 -10 g (as pulp)	
		Pather/Bael chhal		
11.	Ajuga bracteosa wall			
	Plant	Neel Kanthi	2-3 g	
12.	Alangium salvifolium (L.f.) Wang. ssp. salv	1		
	Fruit	Ankota	10-20 g (as powder)	
13.	Albizia lebbeck (L.) Benth/A. Procera/A.o			
	Flower	Siris	2 6 9 (29 204)	
	Seed	Siris	3-6 g (as powder)	
	seeu	31118	1-3 g (as powder)	

	Stem bark	Siris	3-6 g	
	Leaf	Siris	3-6 g (as powder)	
14.	Alpinia galanga	1 01110	To og (as pomas)	
	Rhizome	Kulanjan	2-4 g	
15.	Allium cepa L.		10-20 g	
10.	Bulb	Pyaja	10-20 ml (as juice)	
	Seed	Pyaja	1-3 g (as powder)	
	Leaf	Pyaja	20-40 g (as vegetable)	
16.	Allium sativum L.	i yaja	20 10 g (as vegetable)	
10.	Bulb	Lahsuna	3-6 g	
	Build	Lansuna	(Not recommended during	
			pregnancy)	
	Leaf	Lahsuna	20-40 g (as vegetable)	
17.	Allium stracheyi Bakerno			
	Whole plant	Farana	2-3 g	
18.	Alocasia indica Spach (Now known as Alo	casia macrorhiza	(L.) G. Don)	
	Tuber	Mankanda	5-10 g	
19.	Aloe barbadensis Mill. / A. Ferox / A. vera			
	Leaf	Ghikvar	5-10 g	
	Dry leaf juice	Elua -	0.5 -1 g	
		Mussabar		
20.	Althaea officinalis Linn			
	Flower/Root	Resh-Khatmi	5-10 g (as powder)	
21.	Alternanthera sessilis (L.) R. Br. ex DC.			
	Whole plant	Gudarisaga	3-5 g (as powder)	
22.	Amaranthus gangeticus L. (Now known as Amaranthus tricolor L.) / Amaranthus blitum			
	L.			
	Aerial part	Lal marsa –	10-20 g (as leafy	
		Sag marsa	vegetable)	
23.	Amaranthus spinosus L. / A. paniculatus L.	T		
	Whole plant	Chaulai Kateli	20-30 g (as leafy	
		/ Jal Chaulai	vegetable)	
24.	Amomum aromaticum Roxb. / A. aromatic	cum		
	Seed	Bangiya Ela	2-4 g (as powder)	
25.	Amomum subulatum Roxb./ A. aromaticu			
	Fruit	Badi Elaichi	1-3 g (as powder)	
	Seed	Badi Elaichi	1-2 g (as powder)	
26.	Amorphophallus campanulatus (Roxb.) Bl		1128 (40 50 401)	
_0.	Corm	Jimikanda	20-50 g (as vegetables)	
27.	Anacardium occidentale L.			
·	Fruit Kernel	Kaju	10-20 g	
28.	Anacyclus pyrethum DC.	1 120/0	1 20 20 8	
_0.	Root	Akarkara	100 - 250 mg (as powder)	
	Tiout .	Tinaria a	(Not recommended for children	
			below 5 years)	
	Seed	Akarkara	100 - 250 mg (as powder)	
			(Not recommended for children	
20	Angnas somosus (L.) Mowe	Dinganala	below 5 years)	
29.	Ananas comosus (L.) Merr.	Pineapple	50-100 g (as fruit)	
29.	Ananas comosus (L.) Merr.	Pineapple	50-100 g (as fruit) 50-100 ml (as juice)	
29.	Ananas comosus (L.) Merr.	Pineapple	50-100 g (as fruit)	

	Fruit	Sowa	3-6 g (as powder (fruit))
	Leaf	Sowa	10-20 g (as powder (leaf)
31.	Angelica glauca Edgew./ Angelica arch	hangelica L.	
	Root and Root stock	Chora	1-3 g (as powder)
32.	Annona squamosa L./A.reticulata /A. r	nuricata/ A. Cherimo	
	Fruit pulp	Shareefa /	20-30 g (as fruit pulp)
		Shareefa	
		bhed	
	Leaf	Shareefa	3-5 g (as powder)
			(Not recommended for children
22	Assistant lantar hallage (David) Marell / A	Cuarraglana Linn	below 16 years)
33.	Apium leptophyllum (Pers.) Muell. / A. Fruit		1 2 g (ag poyydar)
	Fruit	Ajamod / Ajmoda bhed	1-3 g (as powder)
34.	Arachis hypogaea L.	Ajilloua bileu	
34.	Seeds	Chinia Badam	10-20 g
	seeus	/ Mungphali	10-20 g
	Seed oil	Mungaphali	5-10 ml
	Seeu on	tail	2-10 IIII
35.	Areca catechu L.	tall	<u> </u>
JJ.	Seed	Supari	1-2 g (as powder)
	Seed	Supari	(only to be used after shodhana
			(purification))
			(Not recommended for childre
0.6			below 5 years)
36.	Artemisia absinthium Linn /	A.C /	
	Whole plant	Afsantin /	3-6 g
		Astimisia /	
37.	Artocarpus heterophyllus Lam.	Chauhar /	
37.	Ripe / unripe fruit	Katahal	20 F0 g
	Seeds	Katahal	20-50 g 5-10 g
38.	Artocarpus lakoocha Roxb.	Katallal	3-10 g
30.	Ripe Fruit / unripe fruit	Badhal	20.20 g
	Seed	Badhal	20-30 g 5-10 g
39.	Arnebia nobilis/A. benthamii	Daullal	3-10 g
37.	Root	Ratanjot	2-4 g
40.	Asparagus adscendens Roxb.	Natarijot	2-4 g
40.	Tuberous root	Safed musali	3-6 g (as powder)
41.	Asparagus officinalis L.	Saleu Illusali	3-0 g (as powder)
41.	Root	Shatavar	3-6 g (as powder)
	Root	bhed	3-0 g (as powder)
	Tender Shoots	Shatavar	20-50 g
40		bhed	
42 .	Asparagus racemosus Willd.	C'.	26.6.12
	Tuberous root	Sitawar	3-6 g (as powder)
40	Tender Shoots	Sitawar	20-50 g
43.	Asparagus sarmentosus Linn.	D. 1: 01	26.6.13
4.4	Tuberous root	Badi Shataver	3-6 g (as powder)
44.	Avena sativa L.		140.00
4-	Seed	Oat	10-30 g (as powder)
45 .	Averrhoa carambola L.	17 11	10.00
4.5	Fruit	Kamarakh	10-20 g
46 .	Azadirachta indica A. Juss.		

	<u></u>				
	Leaf	Neem	1-3 g (as powder) (Not recommended for males and females planning to		
	Fruit	Neem	conceive) 1-2 g (as pulp) (Not recommended for males and females planning to conceive) (Not recommended for children		
			below 5 years)		
	Flower	Neem	2-4 g (as powder)		
	Root bark	Neem	3-6 g (as powder)		
47.	Bambusa arundinacea (Retz.) Willd.	•			
	Tender shoots (Young leaf)	Bansh	20-30 g (as vegetable)		
	Seed	Bansh chaval	20-30 g (as powder)		
	Crystals	Bansalochan	0.5-2g (as powder)		
48.	Bacopa monnieri		1		
	Whole plant	Brahmi	5-10 g (as powder)		
	Extract	Brahmigha	1-2 g		
49.	Basella alba L.				
	Leaf	Poyi Saag	20-30 g (as vegetable)		
50.	Bauhinia variegata L. / Bauhinia purpu				
	Stem bark	Kachnar /	3-6 g		
		Sona			
	Flower / Buds	Kachnar /	10-20 g (as juice)		
		Sona			
51 .	Benincasa hispida (Thunb.) Cogn.				
	Fruit	Petha, Bhatua	30-50 g (as vegetable)		
52.	Berberis aristata DC./B. asiatica/B. ly				
	Fruit	Daruhaldi	5-10 g (as fruit)		
	Stem extract	Rasaunt	0.5-1 g		
53.	Beta vulgaris L.		1		
	Tuber	Chukandar	10-20 ml (as juice)		
54.	Boerhaavia diffusa L. (Now known as I verticillata				
	Aerial part	Saag itsit	20-30 g (as aerial parts)		
	Root	Vishkhaprs	10-15 g (as root)		
55.	Bombax ceiba L.		T = 40		
	Stem bark	Semal	5-10 g		
	Flower	Semal	10-20 ml (as juice)		
	Gum	Semal	1-3 g (as powder)		
FC	Root	Semal Musali	5-10 g (as powder)		
56.	Bombax malabarica / Salmalia malaba		10.20		
57.	Fruit/Flower/Root	Semal/Semar	10-20 g		
57.	Boswellia serrata Roxb.	Coloi guagal	2.4 ~		
FO	Oleoresin	Salai guggal	2-4 g		
58.	Borassus flabellifer L.	Tankul /Tank	1.2 g (2g 22vvd2v)		
	Dried inflorescence	Tarkul/Taad	1-3 g (as powder)		
	Seed pulp of unripe fruit	Tarkul/Taad	10-30 g		
FO	Exudate of stem / sap	Tarkul/Taad	100-200 ml (as juice)		
59.	B. verticillata		10-15 g		
	Root	December 1			
60.	Brassica campestris L. (Now known as				
	Seed	Sarson	10-20 g (as paste)		
	Seed oil	Sarson	10-20 ml		

	Leaf	Sarson	10-30 g (as leafy vegetable)			
61.	Brassica juncea (L.) Czern.	•				
	Seed	Rai	1-2 g			
	Leaf	Rai	10-20 g (as leafy vegetable)			
62.	Brassica nigra (L.) Koch.					
	Seeds	Banarasi rai	0.5-1 g			
63.	Brassica rapa L.					
	Tuber	Shalgam	20-40 g			
	Leaf	Shalgam	20-30 g (as vegetable)			
64.	Buchanania lanzan Spreng.					
	Seed	Cherounjee	5-10 g (as powder)			
65.	Butea monosperma					
	Seed/Gum/Root/Bark	Dhark	3-6 g			
66.	Bixa orellana	Annato Plant	1-3 g			
67.	Caesalpinia bonducella (L.) Flem.	(Now known as Caesalp	inia bonduc (L.) Roxb.)			
	Leaf	Karanjuva	2-3 g			
	Seed	Karanjuva	2-3 g			
68.	Cajanus cajan (Linn.)Millsp.	<u>.</u>				
	Seed	Arahar /	30-50 g			
		Tuvar				
69.	Camellia sinensis					
	Tea leaf / extract	Chaya / Tea	1-2 g			
	,	extract				
	Tea catachins	Green tea	0.5-1 g			
		catechins				
70.	Canavalia ensiformis sensu Baker	Canavalia ensiformis sensu Baker (Now known as Canavalia gladiata (Jacq.) DC.)				
	Seed	Sema	5-10 g			
71.	Canscora decussata (Roxb.) J.F. an	nd J.H. Schult.	-			
	Leaf	Bangiya	2-4 g (as powder)			
		Sankhapuspi				
72.	Capparis decidua (Forssk.) Edgew	I.				
	Fruit	Kareer / Dela	10-20 g			
73.	Capsicum annum L. var. annum					
	Unripe fruit	Hari Mircha	1-2 g (Not recommended for children below 5 years)			
	Ripe fruit	Lal Mircha	0.5-1.0 g (as powder) (Not recommended for children below 5 years)			
74.	Capsicum frutescens L.					
	Fruit	Simla Mirch	30-50 g (as vegetable)			
75.	Carica papaya L.	<u>.</u>				
	Ripe fruit	Papita	50-100 g (as ripe fruit)			
	Unripe fruit	Papita	30 -50 g (as unripe fruit)			
76.	Carissa carandas L.	1 1				
	Fruit	Karounda	5-10 g			
77.	Carissa spinarum L.		1 3			
	Fruit	Karawan	5-10 g			
78.	Carthamus tinctorius L.		1 0			
, 5.	Flower Head	Barre	2-4 g (as powder)			
	Seed	Barre	2-4 g (as powder)			
	Seed oil	Barre -tail	5-10 ml			
	Jecu on	Daile -tall	J-10 IIII			

79.	Carum carvi L.		
79.	Fruit	Syaha jeera	1-3 g (as powder)
80.	Cassia absus L.	Syalia Jeera	1-3 g (as powder)
ου.	Seed	Chaksu	2-5 g
81.	Cassia occidentalis L.	Chaksu	2-3 g
01.	Leaf	Kasoundi	5-10 g
	Seed	Kasoundi	1-3 g
82.	Cassia tora L.	Kasounui	1-3 g
04.	Leaf	Chakvad /	10-20 g
	Leal	Chakarmard	10-20 g
	Seed	Chakwad	2 F g (as nowder)
83.		Cliakwau	3-5 g (as powder)
03.	Cassia fistula	Amaltaa	10.20 a (as mula)
	Fruit pulp	Amaltas	10-20 g (as pulp)
0.4	Seed	Amaltas	2-5 g (as seed)
84.	Cassia angustifolia/ C. acutifolia		2.6
	Seed/leaves	Sanay /	3-6 g
0.5	C. I I. I D. I.	Senna	
85.	Cedrus deodar Roxb.	D 1	F 40 /2 4 1
0.6	Seed/Wood/Oil	Devdar	5-10 g /2-4 ml
86.	Celosia argentea L. var. argentea	0 1: /	
	Seed	Surwali /	3-6 g
0.7		Safed murga	
87.	Celastrus paniculatus	36.11	F 40 (1 (1))
	Seed/Oil	Malkanguni	5-10 g, (as powder (seed))
			2-4 ml (as oil)
88.	Centella asiatica (L.) Urban		100.00 (
	Leaf/Whole Plant	Brahmi	20-30 g (as vegetable)
		(Galpatri)	1.0
	Extract	Brahmi	1-3 g
		(Galpatri)	
89.	Centratherum anthelminticum	77 1: /	
	Fruit/Seed	Kali-jirii /	3-6 g
00		Van- jirii	
90.	Chenopodium album L.	D d	20.20 () (
	Whole plant/leaves	Bathua	20-30 g (as leafy
	C 1	D d	vegetable)
0.4	Seed	Bathua	2-5 g
91.	Chlorophytum borivillianum / C.	Musali	5- 10 g
02	arundinaceum/C. tuberosum		
92.	Cicca acida (L.) Merrill	TT C 1:	10.20
00	Fruit	Harfa rewadi	10-20 g
93.	Cicer arietinum L.	Cl /	20.50 - (16
	Tender leaf	Chana /	30-50 g (as leafy
		Kalachana	vegetable)
		01 /	20.00
	Seed	Chana /	20-30 g
0.4	Cial saisus and it is	Kalachana	
94.	Cichorium endivia	1 .	F 10.
	Seed	kasani	5-10g
95.	Cinnamomum tamala Nees and Ebern		
	Leaf	Tejapatra	2-3 g
96.	Cinnamomum zeylanicum Blume (Nov		
	Stem bark	Dalchini	1-2 g
		(Ceyloni)	(Not recommended during

97.	Cissampelos pareria L. var. hirsuta (BuchHam. ex DC.) Forman.			
<i>)</i> / .	Leaf / Plant	Padhi	10-20 g (as powder)	
98.	Cissus quadrangularis L.	Taum	10 20 g (as powder)	
<i>7</i> 0.	Aerial part	Hadjod	10-20 g (as wet chutney	
	Tieriai par c	Tiaajoa	(paste))	
	Stem	Hadjod	3-6 g	
99.	Citrullus colocynthis (L.) Schard.	Haajou	1308	
,,,	Fruit	Indarun /	0.25-0.5 g (as powder)	
		Indrayan	(Not recommended during	
		marayan	pregnancy)	
100.	Citrullus vulgaris Schrad. ex Eckl.and	Zeyh. var. fistulosus (
	Fruit	Tinda	20-40 g (as vegetable)	
101.	Citrullus lanatus (Thunb.) Matsura ar	nd Nakai		
	Fruit pulp	Tarbuj	50-100 g	
	Seed	Tarbuj	3-6 g	
	Seed oil	Tarbuj	1-3 ml	
102.	Citrus aurantifolia (Christm. and Pan	,	•	
	Fruit	Nimbu	3-5 ml (as juice)	
103.	Citrus limon (Linn.)Burm.f.	•	. , ,	
	Fruit	Jameerinibu	5-10 ml (as juice)	
104.	Citrus maxima (Burm.)Merr.		, , ,	
	Fruit	Chakotara	5-10 ml (as juice)	
			30-50 g (as fruit)	
105.	Citrus medica L.var. medica			
	Fruit	Bijoura	5-10 ml (as juice)	
106.	Citrus reticulata Blanc.	<u> </u>		
	Fruit	Narangi	30-50 ml (as juice)	
107.	Citrus sinensis (L.) Osbeck	, ,	, , ,	
	Fruit	Mousami	50-100 ml (as juice)	
108.	Clerodendrum phlomidis			
	Whole plant	Arani	10-20 g	
109.	Clerodendrum serratum	<u> </u>		
	Whole plant	Bharangi	10-20 g	
110.	Coccinia grandis (L.) Voigt. / C. indica			
	Leaf	Kundru phal	5-10 g	
		/ Kuntru shak	(Not recommended for childs	
		77 1	below 5 years)	
	Stem	Kundru	3-6 g (as powder)	
	Whole plant	Kundru	3-6 g (as powder)	
	Fit	17 1 .	5-10 ml (as juice)	
111	Fruit	Kundru	20-50 g (as vegetable)	
111.	Cocos nucifera L.	NT , 7	10.20	
	Endosperm	Nariyal	10-20 g	
	Water	Nariyal jala	100-200 ml	
440	Flower	Nariyal	5-10 g	
112.	Cocculus hirsutus (L.) Theob.		140.00	
	Leaf	Jalajamani	10-20 g	
113.	Coix lacryma-jobi L.		T	
	Seed	Gargri	10-20 g	
114.	Coffea arabica		T	
	Seed/Dry/Green	Coffea	3-5 g	
			(Not recommended for childr	

115.	Coleus forskohlii / C.aromaticus	Pathachoor,	5-10 g	
1101	doicus joi skoilii y diai oiliacicus	Parn-yavani	(Not recommended for children	
			below 5 years)	
116.	Colocasia antiquorum Schott. (Now l	known as Colocasia es	• • • • • • • • • • • • • • • • • • • •	
	Rhizome	Arui	20-30 g (as vegetable)	
			(Not recommended for children	
115	Comment of the second of the s		below 16 years)	
117.	Commelina bengalensis L.	77		
440	Whole plant	Kausar	3-6 g	
118.	Commiphora wightii	0 1		
	Oleoresin	Guggal	2-4 g	
			(Not recommended for children below 5 years)	
119.	Commiphora myrrha		below b years)	
	Oleoresin	Hirabol	2-4 g	
		11114001	(Not recommended for children	
			below 5 years)	
120.	Convolvulus pluricaulis			
	Whole plant	Shankh-	10-20 g	
		pushpi		
121.	Corchorus acutangulus Lam. (Now ki	nown as <i>Corchorus ae</i>		
	Aerial part	Chench	10-20 ml	
122.	Corchorus capsularis L.			
	Aerial part	Narcha	10-20 ml (as juice)	
123.	Corchorus olitorius L.			
	Aerial part	Palva Saag	10-20 ml (as juice)	
124.	Cordia dichotoma Forst. f.(Cordia wa	llichii G.Don)		
	Fruit	Lisora	10-20 g	
125.	Cordia rotthii Roem. and Schult. (Now known as Cordia gharaf (Forssk.) Ehrenb and			
	Asch.			
	Fruit	Chhota Lisora	10-20 g	
126.	Coriandrum sativum L.			
	Fruit	Dhaniya	1-3 g (as powder)	
	Aerial part	Dhaniya	10-20 ml (as juice)	
127.	Costus speciosus	Kemuk	2-4 g (as powder)	
			(Not recommended for children	
400			below 5 years)	
128.	Crataeva nurvala	77	10.20	
400	Fruit/Bark/leaf	Varana	10-20 g	
129.	Crocus sativus L.	77 1	05.50	
	Style and Stigma	Kumkum	25-50 mg (Not recommended for children	
		(Kesar)	below 16 years)	
130.	Cucumis melo L.	l	, , , , , , , , , , , , , , , , , , , ,	
	Fruit	Kharbooja	50-100 g	
	Seed	Kharbooja	1-3 g (as powder)	
131.	Cucumis melo L. var. momordica Dut.		- 8 (- F)	
	Fruit	Phoot	40-50 g (as vegetable)	
132.	Cucumis melo L. var. utilissimus (Rox		1 6 (40 , - 660, 4010)	
	Seed	Kakri	3-6 g	
	Fruit	Kakri	50-100 g (as vegetable)	
133.	Cucumis sativus L.	IXIXI I	100 100 g (as vegetable)	
133.	Seed Seed	Khira	3-6 g (as powder)	
	Fruit	Khira	50-100 g (as vegetable)	
134.	Cucurbita maxima Duch. ex Lam.	Milla	1 30-100 g (as vegetable)	
134.		Vachinhal	F 10 a	
	Seed	Kashiphal	5 -10 g	

	Fruit	Kashiphal	50-100 g (as vegetable)
135.	Cucurbita pepo L.	-	
	Fruit	Safed Kaddu	50-100 g (as vegetable)
	C 1	/ safed petha	F 10 ()
126	Seed	Safed petha	5-10 g (as powder)
136.	Cuminum cyminum L.	T T	12 (1)
405	Fruit	Jeera	1-3 g (as powder)
137.	Curculigo orchioides Gaertn.	77 11 1 11	
400	Tuber	Kalimushli	3-5 g
138.	Curcuma amada Roxb.	A 1 11:	F 40 (C)
	Rhizome	Amahaldi	5-10 g (as fresh)
120	C		2-4 g (as powder)
139.	Curcuma angustifolia	m. 1.1.1.	2.5
440	Root	Tavkshir	2-5 g
140.	Curcuma longa L.	77 11:	25 ()
	Rhizome	Haldi	2-5 g (as powder)
444	Fresh Rhizome	Haldi	5-10 ml (as juice)
141.	Curcuma zedoaria Roxb. (Now known as		
	Rhizome	Kachur	2-5 g (as powder)
142.	Cyamopsis tetragonoloba	_	
	Pod/Seed/Gum	Guar, Guar	20-30 g (as powder:
		gum	pod/seed)
			5-10 g (as powder: gum)
143.	Cymbopogon citratus (DC.) Stapf		1
	Whole plant	Harichaya	1-3 g
144.	Cymbopogon coloratus Stapf	T	T
	Aerial part	Manjan pullu	1-3g
145.	Cymbopogon jwarankusa (Jones) Schult.	T	Tuo
	Root	Lamajjaka	1-3 g
146.	Cymbopogon martini (Roxb.)Wats.	T	140
	Whole plant	Rosha ghas	1-3 g
147.	Cynodon dactylon (L.) Pers.	Τ_ ,	T = =
440	Leaf	Duba	3-5 g
148.	Cyperus rotundus L.	T x	
	Rhizome	Nagarmotha	2-5 g
149.	Daucus carota L.	Τα.	
	Tuberous root	Gajar	50-100 g (as vegetable)
		0.1	50-100 ml (as juice)
	Seed	Gajar	1-2 g (as powder) (Not recommended during
			pregnancy)
150.	Desmodium gangeticum / D. latifolium		1 1 2 2 2 2
-	Whole plant	Sarvan	5-10 g
151.	Dillenia indica L.		
	Fleshy fresh sepals (Fruit)	Chalta	40-50 g (as vegetable)
152.	Dioscorea alata L. / D. deltoidea	-	, , , , , , , , , , , , , , , , , , , ,
	Tuber/Corm	Kathalu	10-20 g
153.	Dioscorea bulbifera L.		
	Tuber	Genthi /	20-30 g (as vegetable)
	-	Taradi	5-10 g (as powder)
	Extract	Genthi /	1-2 g (as extract)
		Taradi	(

	Tuber	Suthani	5-10 g
155.	Dioscorea pentaphylla L.	butituiii	0 10 8
	Tuber	Kantalu	5-10 g
156.	Diplezia maxima	11011100110	10108
200.	Tender shoots	Lungru	30-50 g
157.	Diospyros peregrina Gurke (Now known		
1071	Ripe fruit	Gab	50-100 g
	Unripe fruit	Gab	4-8 g (as powder)
158.	Dolichos biflorus L. (Now known as Vigi		
100.	Seed	Kulathi	30-50 g
159.	Dolichos lablab L. (Now known as Labla		
1071	Seed	Sem	20-40 g (as seed)
	Tender Pod	Sem	30-40 g (as vegetable)
160.	Echinochloa frumentacea Link	Jem	30 Tog (us vegetable)
100.	Fruit	Sanwa	50-100 g
161.	Eclipta prostata L.	Janwa	30-100 g
101.	Whole plant	Bhangra	3-6 g (as powder)
162.	Elettaria cardamomum (L.) Maton	Dilaligia	3-0 g (as powder)
104.	Seed Liettaria caraamomam (L.) Maton	Choti elaichi	250-500 mg (as powder)
163.			230-300 filg (as powder)
103.	Eleusine coracana (L.) Gaertn. ssp. cora	Madua	20-50 g
164.	Caryopsis Emblica officinalis Gaertn. (Now known		
104.			
	Fruit	Anwala / Amla	20-30 g (as fresh fruit)
		Ama	3-6 g (as powder)
	Extract		5-10 ml (as juice)
165.	Embelia ribes Burm. f.		2-4 g (as extract)
105.	Fruit	Phabhiranga	1-2 g
	Fruit	Bhabhiranga	(Not recommended for females
			planning to conceive)
166.	Enicostemma littorale Blume	Mamejwa	2-3 g
167.	Ephedra gerardiana Wall.	Mamejwa	2-3 g
107.	Leaves/Whole plant	Somlata	2 5 9
		Dominata	
160	, .		2-5g
168.	Euphorbia neriifolia/ E. pilosa		
168.	, .	Thuhar	10-20 g (as stem)
168.	Euphorbia neriifolia/ E. pilosa		10-20 g (as stem) 3-5 g (as leaf)
168.	Euphorbia neriifolia/ E. pilosa		10-20 g (as stem) 3-5 g (as leaf)
168. 169.	Euphorbia neriifolia/ E. pilosa		10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre
	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf		10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre
	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb.	Thuhar	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years)
	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb.	Thuhar	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed)
169.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed	Thuhar	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed)
169.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides	Thuhar Makhana	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder)
169. 170.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant	Thuhar Makhana	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder)
169. 170.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench.	Thuhar Makhana Vishnukranta	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder)
169. 170. 171.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed	Thuhar Makhana Vishnukranta	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g
169. 170. 171.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L.	Thuhar Makhana Vishnukranta Kottu	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g
169. 170. 171.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L. Oleo-gum resin Ficus benghalensis L.	Thuhar Makhana Vishnukranta Kottu Hing	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g 50-100 g
169. 170. 171.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L. Oleo-gum resin	Thuhar Makhana Vishnukranta Kottu	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g 50-100 g 125 mg, Max (as powder) 40-50 g (as fruit)/ 5-10 g
169. 170. 171.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L. Oleo-gum resin Ficus benghalensis L. Fruit / Shoots	Thuhar Makhana Vishnukranta Kottu Hing	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g 50-100 g
169. 170. 171. 172.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L. Oleo-gum resin Ficus benghalensis L. Fruit / Shoots Ficus carica L. / F. palmata/ F. lacor	Thuhar Makhana Vishnukranta Kottu Hing Baragad	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g 50-100 g 125 mg, Max (as powder) 40-50 g (as fruit)/ 5-10 g (as shoots)
169. 170. 171. 172.	Euphorbia neriifolia/ E. pilosa Stem (tender) after boiling / Leaf Euryale ferox Salisb. Seed Evolvulus alsinoides Plant Fagopyrum esculenttum Moench. Seed Ferula asafoetida L. Oleo-gum resin Ficus benghalensis L. Fruit / Shoots	Thuhar Makhana Vishnukranta Kottu Hing Baragad Anjeer	10-20 g (as stem) 3-5 g (as leaf) (Not recommended for childre below 5 years) 20-30 g (as seed) 3-5 g (as powder) 10-20 g 50-100 g 125 mg, Max (as powder) 40-50 g (as fruit)/ 5-10 g

176.	Ficus hispida L.f.		
170.	Fruit	Kathgulara	10-20 g
	Truit	(Kakodumba)	10 20 g
	Tender leaf	Kathgulara	20-40 ml (as juice)
177.	Ficus religiosa L.	1100011801101101	
	Fruit	Pipal	5-10 g
	Tender Leaf	Pipal	5-10 g
178.	Flacourtia jangomas (Lour.)Raeusch syn. I		
	Fruit	Paniyala	10-20 g
179.	Flacourtia ramontchi L'Herit (Now known		
	Fruit	Katai /	5-10 g
		Kanghu	
180.	Foeniculum vulgare Mill.		
	Fruit	Sounf	5-10 g (as powder)
181.	Fumaria vaillantii (Lois.) Hook. f. and Tho	ns. var. <i>indica</i> Ha	aussk. (Now known as
	Fumaria indica (Haussk.) Pugsley)		
	Leaves	Pittapapda	5-10 g
182.	Garcinia indica (Thour.) Choisy / G. cambo	gia	
	Mature fruit / Butter/ Oil	Kokam	10-20 ml (as juice)
			5-10 g (as powder)
183.	Garcinia pedunculata Roxb. ex BuchHam.		
	Fruit rind	Amalbeda	5-10 ml/g (as
			juice/Powder)
184.	Gardenia turgida Roxb. (Now known as Ce		`
	Gum	Kharahar	1-3 g (as powder)
185.	Gisekia pharnaceoides L.	Г	
	Leaf	Baluka Saga	5-10 g
186.	Glycine max (L.) Merr.		
40=	Seed	Soyabean	20-40 g
187.	Glycyrrhiza glabra L.	34 1 .1 .	540 ()
100	Root and Stolon	Mulethi	5-10 g (as powder)
188.	Gmelina arborea Roxb.	Carraharri	20.20 -
100	Fruit	Gamhari	20-30 g
189.	Gmelina asiatica L.	Dadhara	20.20 ~
190.	Fruit	Badhara	20-30 g
190.	Gossypium herbaceum Seed/Root	Kapas	10-20g
191.	Grewia hirsuta Vahl	Kapas	10-20g
191.	Root	Gulsakari	5-10 g
192.	Grewia populifolia Vahl (Now known as Gr		
172.	Stem bark / Fruit	Gangeran	5-10 g (as powder)
193.	Grewia tiliaefolia Vahl / G.sclerophylla	dangeran	3-10 g (as powder)
175.	Fruit	Dhamin	20-30 g
194.	Gymnema sylvestre	Dhainni	20 30 g
	Plant	Gudmar	5-10 g
			_
40=	Extract	Gudmar	1-2 g
195.	Gynandropsis gynandra (L.) Briq. (Now kn		
	Seed	Hurhur	1-3 g (as powder)
401	Whole plant	Hurhur	10-20 ml (as juice)
196.	Habenaria intermedia	D: IL:	2.5
405	Root tuber, Rhizome	Ridhi	3-5 g
197.	Hedychium spicatum Ham ex Smith	Vanue	2
	Rhizome	Kapur-	3-5 g

		Kachari	
198.	Hemidesmus indicus		
	Root / Stem	Anantmula	3-6 g
199.	Hibiscus rosa-sinensis L. Flower	Gudahal	1-3 g (as powder) (Not recommended during pregnancy)
200.	Hibiscus sabdariffa L.		pregnancy
_00.	Leaf	Patawa	5-10 g (as powder)
	Seed	Patawa	1-3 g (as powder)
	Ripe calyx	Patawa	5-10 g (as powder)
201.	Hippophae rhamnoides L. / H. salid	L	1 2 8 (1 2 F 2 2 2)
	Fruit / Leaf	Amlavetasa	10-20 g
	Extract	Amalvets	1-3 g
202.	Hordeum vulgare L.	·	
	Fruit	Jaou	100-200 g (as powder)
	Whole plant	Jaou	10-20 g
203.	Hygrophila spinosa	Makhana / Tal makhana	20-30 g
204.	Hypericum perforatum		
	Leaf	Basant	3-6 g
	Plant extract	Basant	1-1.5 g (as extract)
205.	Illicium verum Hook. f.	<u> </u>	1
	Fruit	Badiyan Khatai	250 - 500 mg As powder
206.	<i>Inula racemosa.</i> Hook	1	1
	Root	Pushkar mool	3- 6 g (as powder)
207.	Ipomoea aquatica Forssk.		
	Leaf	Kalamisaag	20-30 g
208.	Ipomoea batatas (L.) Lam.		G
	Tuber	Shakarkand	20-30 g
209.	Ipomoea digitata auct. non L. (Nov	v known as <i>Ipomoea ma</i>	
	Root/Tuber	Bilaikand	3-6 g
210.	Juglans regia Linn.		
	Fruit/Leaf/Bark	Akhrot	10-20 g
211.	Juniperus communis		
	Flower/Leaf	Hauber	5-10 g
212.	Lagenaria vulgaris Ser. (Now know	vn as Lagenaria sicerari	
	Fresh fruit	Alabu	100 -150 g (as vegetable)
	Seed	Alabu	1-3 g (as powder)
213.	Lagerstroemia indica	-	
213.		Alabu Jarul	6 - 12 g (as powder)
213.	Lagerstroemia indica	-	
213.214.	Lagerstroemia indica Leaf	Jarul Frash	6 - 12 g (as powder)
	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf	Jarul Frash Sidh	6 - 12 g (as powder) 1-2 g (as extract) 6-12 g (as powder)
214.	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf Fruit extract	Jarul Frash	6 - 12 g (as powder) 1-2 g (as extract)
	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf Fruit extract Lens culinaris Medik.	Jarul Frash Sidh Sidh	6 - 12 g (as powder) 1-2 g (as extract) 6-12 g (as powder) 1-2 g (as extract)
214. 215.	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf Fruit extract Lens culinaris Medik. Seed	Jarul Frash Sidh	6 - 12 g (as powder) 1-2 g (as extract) 6-12 g (as powder)
214.	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf Fruit extract Lens culinaris Medik. Seed Lepidium sativum L.	Jarul Frash Sidh Sidh Masura	6 - 12 g (as powder) 1-2 g (as extract) 6-12 g (as powder) 1-2 g (as extract) 20-40 g (as seed)
214. 215.	Lagerstroemia indica Leaf Fruit extarct Lagerstroemia parviflora Leaf Fruit extract Lens culinaris Medik. Seed	Jarul Frash Sidh Sidh	6 - 12 g (as powder) 1-2 g (as extract) 6-12 g (as powder) 1-2 g (as extract)

217.	Leptadenia reticulata (Retz.)W. and A.			
217.	Leaf	Dodisaka	20-30 g (as vegetable)	
218.	Leucas cephalotus (Koenig ex Roth) Spre		20 00 g (us vegetable)	
	Leaf	Guma	20-30 g	
219.	Limonia acidissima L.		1 20 00 8	
	Fruit	Kaith	20- 40 g (as fruit)	
220.	Linum usitatissimum L.	1		
	Seed	Atasi	10-20 g	
	Seed Oil	Atasi	10-20 ml	
221.	Litchi chinensis Sonner			
	Fruit	Litchi	50-100 g	
222.	Luffa acutangula (L.)Roxb.		3	
	Whole plant	Torai	5 -10 g (as powder)	
	Fruit	Torai	30-50 g (as vegetable)	
	Seed	Torai	1-3 g (as powder)	
223.	Luffa cylindrica (L.)M. Roem.		- 8 (F)	
	Fruit	Nenua	20-40 g (as vegetable)	
	Seed	Nenua	1-3 g (as powder)	
224.	Lycopersicon esculentum Mill. (Now know			
	Fruit	Tamatar	20-40 g (as vegetable)	
225.	Madhuca indica Gmel.(Now known as Madhuca longifolia (Koen.) Macbride var.			
	latifolia)			
	Flower	Mahua	10-15 g (as flower)	
	Fruit	Mahua	10-15 g	
	Seed oil	Koyna ka tel	2-5 ml	
226.	Madhuca longifolia (Koenig) Macbride v	ar. longifolia		
	Flower/Fruit	Jal mahua	10-15 g	
227.	Malva sylvestris L.			
	Fruit	Gulkhair	5-7 g (as powder)	
	Leaf	Gulkhair	3-6 g (as powder)	
228.	Mangifera indica L.			
	Ripe fruit	Aam	50-150 g	
	Unripe fruit pulp	Aam	10-30 g	
	Seed Kernel	Aam Beej /	1-2 g (as powder)	
		Majja		
	Leaf	Aam	3-5 g	
	Extract	Amara (ghan)	0.5-1 g	
229.	Maranta arundinacea L.	T .		
	Rhizome	Ararota	10-30 g (as powder)	
230.	Marsilea minuta L.	T av .		
	Leaf	Chowpatia	20-30 g (as vegetable)	
	7	(1)	2-4 g (as powder)	
	Extract	Chowpatia	1-2 g (as extract)	
231.	Mentha spicata L. Mentha arvensis L. / M	. aquatica Linn.	•	
	Aerial part	Pudina	5-10 g	
232.	Mentha piperata L./ Mentha species	Peppermint/	10-30 mg	
		Sat pudina		
233.	Mesua ferrea Linn.			
	Stemen/Flower	Nagkesar	2-5 g	
234.	Microstylis musifera Ridley	1 0	- U	
434.	Tuber	Jivaka	5-10 g	
	1 ubci	jivana	J 10 8	

235.	Microstylis wallichii Lindl. (Now known a	s Malaxis acumin	ate D. Don)
	Tuber	Rishabhka	5-10 g
236.	Mimosa pudica		1 8
	Whole plant/Seed	Lajwanti	3-6 g
237.	Mimusops elengi L.	1 1	1 6
	Pericarp	Maulsiri	20-40 g
	Flower	Maulsiri	5-10 g
	Stem bark	Maulsiri	3-5 g
238.	Mimusops hexandra Roxb. (Now known a		
200.	Pericarp	Khirni	20-40 g
239.	Momordica charantia L.	TXIIII III	20 10 5
2021	Fresh fruit / Seed	Karela	30-50 g (as vegetable) 3-5 g (as seed) (Not recommended for females planning to conceive) (Not recommended for children below 5 years)
240.	Momordica dioica Roxb. ex Willd.		
	Root	Khekhasa	3-6 g (as powder)
	Fruit	Khekhasa	30-50 g
241.	Monochoria vaginalis (Burm.f.)Presl.		
	Rhizome	Indivara	3-6 g
242.	Moringa oleifera Lam. / M.concanensis N	mmo	
	Leaf	Sahijan / Muringya / Lal sehanjan	10-20 g (as vegetable or paste)
	Seed	Sahijan / Muringya	2-6 g (as vegetable)
	Pod	Sahijan / Muringya	40-80 g
	Flower	Sahijan / Muringya	10-20 g
	Stem bark	Sahijan / Muringya	10-20 g 2-5 g (as powder)
243.	Morus alba L. / M. Indica / M.nigra		
	Fruit / Leaves / Bark / Flower	Shahtoot	20-30 g (as fruit) 3-5 g (as leaf)
244.	Moschella esculenta/M. elata		
	Plant	Guchhi	10-30 g
245.	Mucuna pruriens (L.) DC.		
	Root	Kawach	10-20 g
	Pod	Kawach	20-30 g (as vegetable)
	Seed	Kawach	5-10 g
246.	Murraya koenigii (L.) Spreng. / M. exotica		
	Leaf / Fruit	Kadhipatta	5-10 g
247.	Musa paradisiaca L.		
	Flower	Kela	20-30 g
	Fresh shoot	Kela	20-50 g 10-20 ml (as juice)
	Ripe Fruit	Kela	100-200 g
	Unripe Fruit	Kela	50-100 g
248.	Myrica esculenta Buch. Ham. / M. nagi Ho		
_ 10.	Fruit	Kaiphal	5-10 g
	Stem bark	Kaiphal	2-3 g
	Joens Burn	Impilal	1-78

249.	Myristica fragrans Houtt.		
	Seed	Jaiphala	0.25- 1.0 g (Caution: excessive use may cause giddiness)
	Aril	Javitri	0.25 -1 g (as powder)
250.	Myristica malabarica Lam.		
	Seed	Jangali Jayaphala	0.5 -2 g
	Aril	Jangali javitri	0.25 -1 g
251.	Nardostachys jatamansi	Jatamansi	2-5 g
252.	Nasturtium officinale/ N. aquaticum	Water-cress	20-40 g
253.	Nelumbo nucifera Gaertn.		-
	Flower	Kamal	3-6 g (as powder)
	Rhizome	Bhen	30-50 g
	Stalk	Murar	30-50 g (as powder)
	Seed	Kamalgatta	3-6 g (as powder)
254.	Nymphaea alba Linn/ N. rubra/ N. stella		
	Rhizome/ Seed/ Flower	Kamlini	10-20 g
			3-6 g (as flower)
255.	Nigella sativa L.	L	1
200.	Seed	Kalaunji	5-10 g (Not recommended during pregnancy)
256.	Nyctanthes arbortristis L.		
	Flower	Harshringara	1-2 g
	Leaf	Harshringara	1-3 g
257.	Nymphaea rubra Roxb. ex Salisb		-
	Flower	Lal Kumud	3-6 g (as powder)
258.	Nymphaea stellata Willd.		
	Flower	Neelofer	3-6 g (as powder)
259.	Ocimum basilicum L.		
	Leaf	(Bhavari	3-6 ml (as juice)
		Tulsi)	1-3 g (as powder)
		Niajboo	
	Seed	Tulasi	125-250 mg
		(Jangali)	
260.	Ocimum gratissimum L.		
	Leaf	Ram Tulasi (Mumbai)	2-4 g (as powder)
261.	Ocimum sanctum L. (Now known as Ocia	mum tenuiflorum L	<u>)</u>
	Leaf	Tulasi	2-5 g
	Seed	Tulasi	1-2 g
262.	Olea europaea	.	
	Seed/Oil	Jaitun/Tail	10-20 g/ml
263.	Onosma bracteatum		
	Whole plant/Leaf	Gaujvan	5-10 g
264.	Onosma hispidum	•	
	Root	Ratanjol	3-5 g
265.	Operculina turpethum	•	· •
	Root/seed	Nishoth	3-5 g (Not recommended for children below 5 years)
266.	Opuntia vulgaris / O. dillenii		
	Fruits	Nagphani	10-20 g
267.	Orchis latifolia L. (Now known as Dacty)		

	Tuber	Salampanja	5-10 g (as powder)
268.	Origanum majorana L.		
	Leaf	Marubaka	5-10 drops (as juice)
269.	Oroxylum indicum	1	
	Bark/Seed	Shyonok	5-10 g
270.	Oryza sativa L.	1	
	Seed	Chawal - shali	100-200 g (as powder)
271.	Oxalis corniculata L.	T	
	Leaf	Tinpatia	5-10 ml (as juice)
272.	Pandanus odoratissimus L.f.	T	T
	Oil / Flower	Kewada	2-5 drops /2-5 g
273.	Panicum miliaceum L.	Tax	I #0 400
	Seed	Cheen	50-100 g
274.	Papaver somniferum L.	Τ	
	Seed	Postadana	2-5 g (as powder)
275.	Parmelia perlata		
	Whole plant	Chharila	3-5 g
276.	Paspalum scrobiculatum L.	•	
	Seed/Caryopsis	Kodo	50-100 g
277.	Paspalum scrobiculatum		-
	Fruit/Seed	Kodon	30-500 g
278.	Pedalium murex	Bada gokharu	5-10 g
279.	Pennisetum typhoideum L. C. Rich. (Now k	nown as <i>Pennise</i>	tum americanum (L.) K.
	Schum.)		
	Seed	Bajra	20-40 g
280.	Peucedanum graveolens (L.) Benth. and H	ook.f	
	Seed	Shepu	1-3 g
281.	Phaseolus aconitifolius Jacq. (Now known		
	Seed	Moth	20-50 g
282.	Phaseolus aureus Roxb. (Now known as V	· · ·	,
	Seed	Jangali	20-50 g
		moong	
283.	Phaseolus lunatus L.	T -	
	Pod	Sem	25-50 g (as pulse)
284.	Phaseolus mungo L. (Now known as Vigno		
	Seed	Urad	- 20-50 g (as pulse)
285.		II.	20 30 g (as paise)
	Phaseolus radiatus L. / P. trilobus sensu		
200	Seed	Moong	50-100 g (as pulse)
286.	Seed Phaseolus vulgaris L.		50-100 g (as pulse)
	Seed Phaseolus vulgaris L. Pod	Moong	
286. 287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L.	Lobia	50-100 g (as pulse) 10-20 g (as pulse)
	Seed Phaseolus vulgaris L. Pod	Lobia Chuhara /	50-100 g (as pulse)
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit	Lobia	50-100 g (as pulse) 10-20 g (as pulse)
	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis	Lobia Chuhara / Khajur	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit	Lobia Chuhara / Khajur Khajoor	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap)	Lobia Chuhara / Khajur	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap) Phyllanthus amarus / P. urinaria	Lobia Chuhara / Khajur Khajoor Khajoor	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g 20-50 g 30-50 ml (as fresh juice)
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap)	Lobia Chuhara / Khajur Khajoor	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap) Phyllanthus amarus / P. urinaria	Lobia Chuhara / Khajur Khajoor Khajoor	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g 20-50 g 30-50 ml (as fresh juice)
287. 288. 289.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap) Phyllanthus amarus / P. urinaria Plant Extract	Lobia Chuhara / Khajur Khajoor Khajoor Tamlaki	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g 20-50 g 30-50 ml (as fresh juice) 5-10 g (as plant)
287.	Seed Phaseolus vulgaris L. Pod Phoenix dactilifera L. Fruit Phoenix sylvestris (L.) Roxb. / P. acaulis Fruit Nira (Sap) Phyllanthus amarus / P. urinaria Plant	Lobia Chuhara / Khajur Khajoor Khajoor Tamlaki	50-100 g (as pulse) 10-20 g (as pulse) 20-50 g 20-50 g 30-50 ml (as fresh juice) 5-10 g (as plant)

	Fruit	Papoto	10-20 g
292.	Physalis peruviana L.	-	-
	Fruit	Rasbhari	10-20 g
293.	Pimpinella anisum L.		
	Fruit	Anisoon	1-3 g
294.	Pinus excelsa		
	Fruit /Oil	Kail	5-10 g/1-2 ml (Not recommended for children below 5 years)
295.	Pinus gerardiana Wall.		
	Endosperm	Chilgoja	5-10 g
296.	Pinus roxburghii		
	Fruit /Oil	Chiia	5-10 g / 1-2 ml (Not recommended for children below 5 years)
297.	Piper betle L.		
	Leaf	Pana	2-5 g (Not recommended below the age of 5 years)
298.	Piper chaba Hunter (non Blume) (Now kr	nown as <i>Piper ret</i>	rofractum Vahl)
	Leaf	Chabh	1-3 g (as powder)
299.	Piper cubeba L.f.		
	Fruit	Kabab chini	1-3 g (as powder)
300.	Piper longum L.		
	Fruit	Pipar	0.5-2 g (as powder) (Not recommended for prolonged use)
301.	Piper nigrum L.		
	Fruit	Kali Maricha	0.5-2 g
302.	Pistacia integerrima Stewart (Now know) (Stewart) Rech.f.	_	
	Gall	Kakadasingi	1-2 g
303.	Pistacia vera L.		
	Seed	Pista	5-10 g
304.	Pisum sativum L.		
	Seed	Matar	50-150 g (as vegetable)
305.	Plantago ovata Forssk.		
	Seed / Husk	Isabgol	5-10 g (as vegetable)
306.	Polygonatum cirrhifolium (Wall.) Royle		
	Polygonatum cirrhifolium (Wall.) Royle Rhizome	Isabgol Meda	5-10 g (as vegetable) 5-10 g
306. 307.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All.	Meda	5-10 g
307.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome		
	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L.	Meda Mahameda	5-10 g
307. 308.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part	Meda	5-10 g
307.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L.	Meda Mahameda	5-10 g
307. 308.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part	Meda Mahameda	5-10 g
307. 308.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L.	Meda Mahameda Kulpha - sag	5-10 g 5-10 g 20-30 g (as vegetable)
307. 308. 309.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part	Meda Mahameda Kulpha - sag	5-10 g 5-10 g 20-30 g (as vegetable)
307. 308. 309.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia	Meda Mahameda Kulpha - sag Nonia - sag	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g
307. 308. 309. 310.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia Whole plant / Bark	Meda Mahameda Kulpha - sag Nonia - sag	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g
307. 308. 309. 310.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia Whole plant / Bark Prunus amygdalus Baill. var. dulchin	Meda Mahameda Kulpha - sag Nonia - sag Agnimanth	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g
307. 308. 309. 310.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia Whole plant / Bark Prunus amygdalus Baill. var. dulchin Kernel	Meda Mahameda Kulpha - sag Nonia - sag Agnimanth Badama	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g 10-20 g
307. 308. 309. 310.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia Whole plant / Bark Prunus amygdalus Baill. var. dulchin Kernel	Meda Mahameda Kulpha - sag Nonia - sag Agnimanth Badama Badama ka	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g 10-20 g
307. 308. 309. 310.	Polygonatum cirrhifolium (Wall.) Royle Rhizome Polygonatum verticillatum (L.) All. Rhizome Portulaca oleracea L. Aerial part Portulaca quadrifida L. Aerial part Premna integrifolia / P. latifolia Whole plant / Bark Prunus amygdalus Baill. var. dulchin Kernel Seed oil	Meda Mahameda Kulpha - sag Nonia - sag Agnimanth Badama Badama ka	5-10 g 5-10 g 20-30 g (as vegetable) 20-30 g 10-20 g

	Seed oil	Khumani	3-5 ml
313.	Prunus cerasoides	Kiiuiiiaiii	3-3 1111
313.		Padamkasht	T 10 ~
	Wood/Flower		5-10 g
314.	Drumus newsica (L.) Potach	/ Pajja	
314.	Prunus persica (L.) Batsch.	۸ ۵۰۰	10.20 ~
315.	Pericarp Psidium guajava L.	Adu	10-20 g
315.		Λ	20 50 - (f
	Fruit	Amruda	20-50 g (as fresh fruit)
246	Leaf	Amruda	3-5 g
316.	Pterocarpus marsupium	17::	T 10 -
245	Ht. Wood	Vijaysar	5-10 g
317.	Pterocarpus santalinus	T.l.ll.	F 10
240	Ht Wood	Lal chandan	5-10 g
318.	Pueraria tuberosa (Roxb. ex Willd.) DC.	D . 177 1 1	10.00
0.4.0	Tuber	Patal Kohda	10-20 g
319.	Punica granatum L.	1.	0.50
	Seed	Anar	20-50 g (as seed)
	Fruit rind	Anar	5-10 g (as fruit rind)
320.	Putranjiva roxburghii	T	T
	Fruit	Jiya-pota	3-6 g
			(Not recommended for children below 5 years)
321.	Pyrus communis L.		below 3 years)
321.	Fruit	Nashpaati	50-100 g
322.	Pyrus malus L. (Now known as Malus pun	1	30-100 g
322.	Fruit	Seb	100-200 g
	Truit	Seb	20-40 ml (as juice)
323.	Raphanus sativus L.		20 10 mm (us jaice)
0201	Root	Muli	20-50 g
	Leaf	Muli	20-50 g
	Seed	Muli	125-250 mg
324.	Reinwardtia indica	Piun	120 200 mg
321.	Whole plant/leaf/	Basanti	5-10 g (as powder)
	extract	Busunti	0.5-1 g (as extract)
325.	Rhododendron arboreum Sm. / R. companulatum / R. lepidotum Wall		
020.	Flower	Buransa	20-30 g (as flower)
	Extract	Buransa	2-3 g (as extract)
326.	Rheum emodi Wall. ex Meissn. / R. officin		2 og (do extract)
J=01	Leaf	Revand chini	0.5-1 g
327.	Rhus parviflora Roxb. ex DC.	1.c. rana cinin	1 + 8
<i>527</i> .	Fruit	Samakdana	30-75 g
328.	Ricinus communis	Jamanaana	100,08
J20.	Seed/Root/Leaf	Erand	5-10 g
	Seed/Root/ Bear	Liana	(Not recommended for children
			below 5 years)
329.	Rosa alba L.		
	Flower	Safed gulab	10-20 g
330.	Rosa centifolia L.		
	Flower	Gulab	10-20 g (as flower)
	Oil	Gulab	2-5 drop (as oil)
331.	Rosa damascena Mill.		
	Flower/oil	Gulab Fasali	10-20 g / 2-5 drops
332.	Roscoea procera Wall.	•	
	Root tuber	Kandamula	5-10 g (as powder)
t			<u>, </u>

333.	Rubia cordifolia			
	Root/Stem	Manjeeth	3-6 g	
334.	Rumex vesicarius L.	1		
	Leaf	Ambat chukka	10-20 g	
335.	Rumex nepalensis / R.maritimus / R.acetosella	Shak/Fafru	20-40 g (Not recommended for children below 5 years)	
336.	Saccharum officinarum L.	- 1		
	Stem / Juice /Root / Decoction	Ganna	100-200 ml (as juice) (Not recommended for diabetics)	
	Sugar	Chini / Shakkar	50-100 g (Not recommended for diabetics)	
	Jaggery	Gud	50-100 g (Not recommended for diabetics)	
337.	Salacia chinensis L. / Salacia oblonga			
	Wall. ex Wight and Arn / Salacia reticular			
	Root	Saptrangi	5-10 g	
	Stem extract	Saptrangi	0.5-1 g	
338.	Salvadora persica/ S. oleoides			
	Fruit/Leaf	Peelu / Bada pelu	5-10 g	
339.	Santalum album L.	_		
	Oil	Chandan ka tel	3-5 drops (as oil)	
	Hard wood		1-2 g (as hard wood)	
340.	Saraca asoca			
	Bark/Leaf	Ashok	5-10 g (Not recommended for children below 5 years)	
341.	Saussurea lappa			
	Root/Rhizome	Kuth	3-5 g (Not recommended for children below 5 years)	
342.	Scindapsus officinalis	1	1 2000 11 2 3 0 0 0 0 0	
	Stem	Gaj pippali	3-5 g	
343.	Scirpus kysoor Roxb. (Now known as Scir	pus grossus (L.f.)		
	Rhizome	Kasheru	20-50 g (as vegetable)	
344.	Selinum tenuifolium / S.vaginatum	1		
	Rhizome /Root	Bhootkesi	3-5 g	
345.	Sesamum indicum L. (Now known as Sesa			
	Seed	Tila	10-20 g	
246	Oil	Tila	5-10 ml	
346.	Sesbania grandiflora (L.) Poir. Flower	Agathi	10-20 g (as vegetable)	
			9 ()	
247	Leaf Setavia italica (L.) P. Roppy	Agathi	10-20 g	
347.	Setaria italica (L.) P. Beauv. Seed	Kangu	10-50 g	
348.	Sida cordifolia L. / S. rhombifolis Linn/ S.	•	10-30 g	
340.	Whole plant / Extract	Bariyara	10-30 g	
	Seed	Bariyara	3-5 g	
349.	Solanum indicum / S.surattense / S.torvun		0	
	Whole plant	Kantkari	5-10 g	
	Fruit extract	Kateli	1-2 g (as extract)	
			B (ms official)	

350.	Solanum melongena L.	1	
	Fruit	Baigan	50-100 g
351.	Solanum nigrum L.		
	Leaf / Plant	Choti Makoy	30-60 g
352.	Sorghum vulgare Pers.		
	Seed	Jwara	50-100 g
353.	Sphaeranthus indicus		
	Flower	Gorakmundi	5-10 g
354.	Spinacia oleracea L.		
	Leaf	Palak	50-100 g
355.	Spondias mangifera Willd. (Now k	nown as <i>Spondias pinna</i>	ta (L.f.) Kurz.)
	Fruit / Leaf	Ambada	20-50 g
			1-3 g (as powder)
356.	Strychnos potatorum L.		
	Seed	Nirmali	5-10 g (as powder)
357.	Swertia chirayita / S.ciliata / S.ang	gustifolia	
	Whole plant	Chiraita	3-5 g (as whole plant)
	Extract	Chiraita	0.5-1 g (as extract)
358.	Symplocos racemosa	<u> </u>	
	Bark/Leaf	Lodhar	3-5 g
359.	Syzygium aromaticum (L.)Merr. a:		
	Flower bud	Laung	0.5-1 g
360.	Syzygium cuminii (L.) Skeels	ı G	
	Pericarp and mesocarp	Jamun	10-50 g
	Seed	Jamun	5-10 g
361.	Tacca aspera Roxb.) -	1 3
	Tuber	Bhevara ke	20-50 g
		kand	8
362.	Tamarindus indica L.	l .	
	Fruit pulp	Imali	5-10 g
			(Not recommended during ski
			ailments)
	Seed	Imali	5-10 g
363.	Tephrosia purpurea		
	Whole plant	Sarponkha	5-10 g
364.	Teramnus labialis (L.f.) Spreng.		
	Whole plant	Mashaparni	20-50 g
365.	Terminalia arjuna		
	Bark/Leaf/Fruit	Arjun	5-10 g
	Extract	Arjun	0.5 -1 g (as extract)
366.	Terminalia belerica (Gaertn.) Rox		10.3-1 g (as extract)
300.	` ` `	Bahera	3-5 g (as fruit pericarp)
	Fruit pericarp Extract	Bahera	0.5-1 g (as extract)
367.	Terminalia catappa L.	Daneld	1 0.2-1 & (as exitact)
30/.	Kernel	Dogi hadama	10.20 α
260	Terminalia chebula Retz.	Desi badama	10-20 g
368.		Harad	2 E a (ac nevedan)
	Fruit pericarp		3-5 g (as powder)
	Extract	Harar	0.5-1 g (as extract)
369.	Terminalia tomentosa		T =
	Stem/Bark/Leaf	Jarandrum /	5-10 g
		Asan	<u> </u>
370.	Thymus serpyllum auct. non L. (No	j	,
	Leaf	Ban ajwain	1-3 g (as powder)

371.	Trachyspermum ammi (L.) Sprague		
071	Seed Seed	Ajwain	1-3 g (as powder)
	Leaf	Ajwain	10-20 g
372.	<i>Trapa bispinosa</i> Roxb. (Now known as <i>Tr</i>	,	
3/2.	Endosperm / Fruit	Singhada	30-60 g
373.	Trianthema portulacastrum L.	Jiligilaua	30-00 g
3/3.	Whole plant	Swet	10-20 g
	whole plant		10-20 g
374.	Tribulus terrestris	punarnava	
3/4.		Gokhru	E 10 a
	Fruit/Whole plant	GORIII U	5-10 g
375.	Tricholepis glaberrima		
	Plant	Brahm dandi	3-6 g
376.	Trichosanthes anguina L.		
	Fruit	Chichinda	30-60 g
377.	Trichosanthes dioica Roxb.		
	Fruit/ Leaf	Parawal	30-60 g
378.	Trigonella foenum-graceum L.		
	Seed	Methi	5-10 g
	Leaf	Methi	50-100 g
379.	Triticum aestivum L.		
	Seed	Gehun	50-100 g
	Tender shoot/spout	Ankurita	10-50 g
	, ,	Gehu	
380.	Typhonium trilobatum (L.) Schott.	-	
	Tuber	Konchu	20-50 g
381.	Tinospora cardifolia Miers. (menispermaceae) Syn. T. glabra (n. Burm)		
	Roots/stem	, <u>,</u>	5-10 g (as powder)
	,		10-20 ml (as decoction)
			400 mg, Max (as sattva)
	Extract		1-2 g
382.	Urtica parviflora / U. dioica	•	
	Tender Leaf	Bicchubuti	10-20 g
383.	Uraria picta	1	
	Whole plant	Pithvin	5-10 g
384.	Valeriana jatamansi Jones / V. wallichii	1	
	Rhizome	Tagar	1-3 g (as powder)
385.	Vetiveria zizanioides		
	Whole plant	Khas	10-20 g
386.	Vigna trilobata (L.) Verdc.		
	Whole plant	Mugvan	20-50 g
387.	Viola odorata / V. pilosa / V. sylvestris		
	Whole plant/Flower	Vanksha	3-5 g
	,		(Not recommended for children
			below 5 years)
388.	Vitex agnus-castus Linn.		
	Seed / Leaf	Renuka beej /	3-6 g
	,	Sage	(Not recommended for children
		0 -	below 5 years)
389.	Vitex negundo / V. trifolia	1	
	Fruit/Seed/Leaves	Nirgundi	3-5 g
390.	Vitis vinifera L.	1	
	Fruit	Munakka	10-30 g
	Seed / Fruit skin	Munakka	1-3 g

. Wedelia calendulacea (L.) Less. (Now known as Wedelia chinensis (Osbeck) Mer.)		
Leaf	Pila bhagra	5-10 g (as powder)
Withania coagulans (Stocks) Dunal		
Fruit	Paneer Doda	5-10 g
Withania somnifera (L.) Dunal.		
Root	Asgandh	3-6 g (as powder)
Extract	Asgandh	0.5-1 g (as extract)
Woodfordia fruticosa		
Flower	Dhay ke	5-10g
	phool	
Wrightia tinctoria / W.tomentosa		
Bark/Leaf/Seed	Meetha kutaj	5-10 g
Zanthoxylum alatum Roxb. (Now known as Zanthoxylum armatum DC.)		
Seed / Stem bark	Timura	1-3 g
Zea mays L.		
Seed	Makka	20-100 g
Anthers	Makka	5-10 g
Zingiber officinale Rosc.		
Rhizome	Adrakh	5-10 g
		(Not recommended during
		hypertension and bleeding disorders)
Zizynhus iuiuha Lam		uisoruersj
	Ber	10-50 g
	Bei	10 00 8
	Iangali Ber /	15-30 g
1 of four p		10006
	Leaf Withania coagulans (Stocks) Dunal Fruit Withania somnifera (L.) Dunal. Root Extract Woodfordia fruticosa Flower Wrightia tinctoria / W.tomentosa Bark/Leaf/Seed Zanthoxylum alatum Roxb. (Now known as Seed / Stem bark Zea mays L. Seed Anthers Zingiber officinale Rosc.	Leaf Withania coagulans (Stocks) Dunal Fruit Paneer Doda Withania somnifera (L.) Dunal. Root Asgandh Extract Asgandh Woodfordia fruticosa Flower Dhay ke phool Wrightia tinctoria / W.tomentosa Bark/Leaf/Seed Meetha kutaj Zanthoxylum alatum Roxb. (Now known as Zanthoxylum alatum Zea mays L. Seed Makka Anthers Makka Zingiber officinale Rosc. Rhizome Adrakh Zizyphus jujuba Lam. Pericarp Ber Zizyphus nummularia (Burm.f.)W. and A.

- Note 1.- Ingredients listed in the above Schedule shall be used after due processing or in their extract forms subject to permissible usage range given in the last column of the Table. Offering these ingredients, either alone or in combinations as such or minimally processed (cleaned, de-weeded, sorted, dried or powdered) is/are not permitted.
- Note 2.- The ingredients listed above shall comply with Food Safety and Standards (Contaminants, Toxins and Residues) Regulations, 2011.
- Note 3.- Permitted range of usage for children between 5-16 years is ½ of the permitted range of usage for adults.
- Note 4.- Permitted range of usage for children between 1-5 years is ¼ of the permitted range of usage for adults.

Amendment for substitution of Schedule IV 1 [Schedule - IV

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 7.(3)(v), 8.(2)(i), 9.(2)(i), 12.(1)(i), 12.(2), 12.(3)(i), 12.(3)(ii)]

List of plant or botanical ingredients

S.No.	Botanical name and part used	Official and common names,	Permitted range of usage for adults per day (given in terms of raw herb/ material)		
1.	Abelmoschus esculentus (L.) Moench.				
	Fruit/Root	Bhindi	5-10 g (as powder)		
2.	Abies spectabilis (D.Don) / A. pin	drow Royle / Abies webbiana Li	ndl (syn)		
	Leaf/ Fruit	Talis patra / Talis bhed	2-3 g (as powder)		
3.	Asculus indica colebr./ A. hippoc	astanum	1		
	Fruit /Kernel	Ban-khoda / Indian Horse Chestnut	3 – 5 g (as powder)		
	Extract		300 – 500 mg		
4.	Abelmoschus moschatus / Hibiscus abelmoschus (syn)				
	Seed	Lata kasturi	1-2 g		
5.	Abutilon indicum (L.) Sweet ssp. indicum / A. fruiticosum				
	Seed/Root / Stem	Atibala / kanghibala	3 – 4 g (as powder)		
6.	Acacia arabica Willd. (Now known as Acacia nilotica (L.) Willd. ex Del. ssp. indica (Benth.) Brenan				
	Gum	Babbul	1-3 g		
	Bark		5-10 g		
7.	Acacia catechu				
	Extract / heartwood	Khadir/ Katha/khair	1-3 g		
8.	Acacia leucophloea Willd/A. fari	nesiana (syn)	1		
	Bark/Leaf	Airmed/Trimed	3-5 g		

	Seed/Gum		2-3 g		
9.	Achillea millefolium Linn. / A. Lanulosa Nutt. (syn)				
	Leaf	Gandana/Biranjaasif	2-3 g (as powder)		
10.	Achyranthes aspera (L.)/ A. bi	dentala			
	Seed/Plant	Apamarga / Chirchida	5-8 g (as powder)		
11.	Acorus calamus Linn.				
	Leaf	Vachha/Waj/Vacha	60-125 mg (as powder)		
12.	Adhatoda zeylanica / A. vasak	ra			
	Stem/ Leaf /Root/ Flower	Vasa / Adusa	5-10 g		
13.	Aegle marmelos (L.) Corr.				
	Unripe fruit pulp	Bilwa / Bael	5-10 g (as pulp)		
	Ripe fruit pulp		30-50 g (as pulp)		
	Leaf/Bark	Bael Pather/ Bael chhal	3-6 g (as powder)		
14.	Ajuga bracteosa Wall.				
	Plant	Neel Kanthi	0.5 – 1 g		
15.	Alangium salvifolium (L.f.) Wang. ssp. salvifolium / A. lamarckii (syn)				
	Fruit	Ankota	2-6 g (as powder)		
16.	Albizia lebbeck (L.) Benth/A. procera/A. odoratissima				
	Flower/ Stem bark / Leaf	Shireesh / Siris	3-6 g (as powder)		
	Seed	Siris	1-3 g (as powder)		
17.	Alpinia galanga				
	Rhizome	Kulanjan	1-3 g (as powder)		
18.	Allium cepa L.				
	Bulb	Plandu / Pyaj	10-20 ml (as juice		
	Seed	Pyaj	1-3 g (as powder)		
	Leaf	 	20-40 g (as fresh)		

19.	Allium sativum L.			
	Bulb	Rason/ Lahsun	1-3 g	
			(Not recommended during pregnancy)	
	Leaf	Lahsun	10-20 g (as fresh)	
20.	Allium stracheyi Bakerı	10		
	Whole plant	Farran	2-3 g	
21.	Alocasia indica Spach (Now known as <i>A. macrorhiza</i> (L.) G. Don)	
	Tuber	Mankand / Kasnalu	5-10 g	
22.	Aloe barbadensis Mill. /	' A. Ferox / A. vera / A. indica		
	Leaf	Kumari / Ghikvar / Ghrit kumari	5-10 g (as pulp)	
	Dried Pulp	Elua -mussabar / kanyasar	0.5 – 1 g	
23.	Althaea officinalis Linn.			
	Flower/Root	Khatmi / Resha-khatmi	3-6 g (as powder)	
24.	Alternanthera sessilis (L.) R. Br. ex DC.			
	Whole plant	Matsyakshi / Gudarisaga	2-3 g (as powder)	
25.	Amaranthus gangeticus L. (Now known as A. tricolor L.) / A. blitum L.			
	Aerial part	Maaraish / Lal marsa -sag / marsa	10-20 g (as fresh)	
26.	Amaranthus spinosus L. / A. paniculatus L. (A. hybridus L.)			
	Whole plant	Tanduliya / Chaulai Kateli / Jal Chaulai	20-30 g (as fresh)	
27.	Amomum subulatum Ro	oxb./ A. aromaticum Roxb.		
	Fruit	Sthula- elaa / Badi Elaichi	1-3 g (as powder)	
	Seed	Badi Elaichi	1-2 g (as powder)	
28.	Amorphophallus campo	anulatus (Roxb.) Blume ex Decne.		
	Corm	Suran / Jimikand	20-50 g (as fresh)	
29.	Anacardium occidental	e L.		

Root/S Root/S Root/S 31. Ananas Fruit 32. Androgn Whole p Extract 33. Anethun Fruit Leaf 34. Angelica Root / F 35. Annona	us pyrethrum DC. eed comosus (L.) Meri	Akarkar r. Ananas / Pineapple	100 - 250 mg (as powder) (Not recommended for children below 5 years)	
31. Ananas Fruit 32. Androgn Whole p Extract 33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo		r.	powder) (Not recommended for children below 5 years)	
Fruit 32. Androgn Whole p Extract 33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo	comosus (L.) Meri		for children below 5 years)	
Fruit 32. Androgn Whole p Extract 33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo	comosus (L.) Meri			
32. Androga Whole p Extract 33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo		Ananas / Pineapple		
Whole part of Extract 33. Anethur Fruit Leaf 34. Angelicate Root / Factor of Fact			50-100 g (as fresh)	
Whole part of Extract 33. Anethur Fruit Leaf 34. Angelicate Root / Factor of Fact			50-100 ml (as juice)	
Whole part of Extract 33. Anethur Fruit Leaf 34. Angelicate Root / Factor of Factor			(Not recommended during pregnancy)	
Extract 33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo	raphis paniculata			
33. Anethur Fruit Leaf 34. Angelica Root / F 35. Annona cherimo	olant	Kalmegh / Bhuunimba	1-3 g (as powder)	
Fruit Leaf 34. Angelica Root / F 35. Annona cherimo				
Fruit Leaf 34. Angelica Root / F 35. Annona cherimo			125 - 250 mg	
Leaf 34. Angelica Root / F 35. Annona cherima	Anethum sowa Roxb. ex Flem. (Now known as A. graveolens L.)			
34. Angelica Root / F 35. Annona cherima		Shataahvaa / Shatapushpa/ Sowa / Indian dill seed	3-6 g (as powder)	
Root / F 35. Annona cherimo		Sowa	10-20 g (as fresh)	
35. Annona cherimo	Angelica glauca Edgew./ A. archangelica L. / A. himalaica Krishna. & Badhwar.			
cherimo	Root stock	Chandeo / Choraka / Chora	2-4 g (as powder)	
Fruit pu	Annona squamosa L (Sitaphal)./A. reticulata (Ramphal)/A. muricata (Laxmanphal)/ cherimola (Hanuman phal)			
	ılp	Shareefa	20-30 g	
Leaf			3-5 g (as powder)	
			(Not recommended for children below 16 years)	
36. <i>Apium l</i>		Apium leptophyllum (Pers.) Muell. / A. graveolens Linn.		

	Fruit	Ajamod / Ajmoda bhed / celery	1-3 g (as powder)	
37.	Arachis hypogaea L.			
	Seeds (kernel)	Mungphali / peanut / ground nut / sing dana	20-30 g	
	Seed oil	Mungaphali tail	5-10 ml	
38.	Argyreia speciosa Sweet / A.	nervosa (syn)		
	Root	Vridharuka / Bridhara	3-5 g	
	Seed		1-2 g	
39.	Armoracia lapathifolia Gilib	/ A .rusticana Gaertn. (syn)		
	Leaf	Horse radish	2 -5 g	
40.	Artemisia absinthium Linn / A.vulgaris / A. officinalis Linn / A. maritima / A. dracunculus / A. annua			
	Whole plant	Damanak / Afsantin / Chauhar /	1-2 g	
41.	Artocarpus heterophyllus Lam. (Jackfruit)			
	Ripe / unripe fruit	Katahal	20-50 g	
	Seeds		5-10 g	
42.	Artocarpus lakoocha Roxb.			
	Ripe fruit / Unripe fruit	Lakuch / Badhal	20-30 g	
	Seed	Badhal / Dhehu	5-10 g	
43.	Arnebia nobilis/A. benthamii			
	Root	Ratanjot	2-4 g	
44.	Asparagus adscendens Roxb.			
	Tuberous root	Musali / Safed musali	3-6 g (as powder)	
45.	Asparagus officinalis L.			
	Root	Shatavari bhed	3-6 g (as powder)	
	Tender Shoots		20-50 g	
46.	Asparagus racemosus Willd.	1		

	Tuberous root	Shatawar	3-6 g (as powder)		
	Tender Shoots		20-50 g		
47.	Asparagus sarmentosus Linn.				
	Tuberous root	Badi shatawar	3-6 g (as powder)		
48.	Astragalus gummifer Labill.	l			
	Gum	Kateeva gond (gum)/ Tragacanth gum	3-5 g		
49.	Avena sativa L.	l	1		
	Seed	Oat	10-30 g (as powder)		
50.	Averrhoa carambola L.				
	Fruit	Karmarang / Kamarakh	10-20 g		
51.	Azadirachta indica A. Juss.				
	Leaf	Nimba / Neem / Margosa tree	1-3 g (as powder) (Not recommended for males and females planning to conceive)		
	Flower Bark / Root bark	Neem	1-2 g (as pulp) (Not recommended for males and females planning to conceive) (Not recommended for children below 5 years) 2-4 g (as powder) 3-6 g (as powder)		
52.	Bambusa arundinacea (Retz.) Willd. / B. bambos Linn. (syn)				
	Tender shoots (Young leaf)	Bansh	20-30 g (as fresh)		
	Seed	Bansh chaval	20-30 g (as powder)		
	Crystals	Bansalochan	0.5-2 g (as powder)		
53.	Bacopa monnieri				

	Whole plant	Brahmi	5-10 g (as fresh)		
	Extract	Brahmi ghan	0.5 - 1 g		
54.	Basella alba L.				
	Leaf	Poyi saag	20-30 g (as fresh)		
55.	Bauhinia variegata L. / B. purpmalabarica. Roxb.	pureaL. / B. tomentosa. Linn / B. ro	acemosa / B.		
	Bark	Kachnar	1-3 g		
	Flower / Buds	Kachnar / Kurvindar / Kovindar	10-20 ml (as juice)		
	Extract	Kovindar	0.5 – 1 g		
56.	Benincasa hispida (Thunb.) Co	ogn.			
	Fruit	Kushmanda / Petha / Bhatua	30-50 g (as fresh)		
	Seed		5-10 g		
57.	Berberis aristata DC./B. asiatica / B. lycium / B. vulgaris				
	Fruit / Leaf / Root / Stem	Daruhaldi / kashmall	5-10 g		
	Root extract/ Stem extract	Rasaunt	0.5-1 g		
58.	Bergenia linguts Wall / B.ciliatasyn. / Saxifraga lingulata Wall.				
	Root/ Leaf	Pashanbhed / Pathar Chatta	10-20 g (for decoction)		
			3-6 g (as powder)		
59.	Beta vulgaris L.				
	Tuber	Palanki / Chukandar	10-20 ml (as juice)		
60.	Blepharis edulis Pers. / B. linariaefolis				
	Root	Uttangan/ Karmavridhi	5-10 g (for decoction)		
	Seed		3-6 g		
61.	Boerhavia diffusa L. (Now kno	wn as <i>B. repens</i> L. var. <i>diffusa</i> (L.)	Hook.f.) / B. Verticillata		
	Aerial part	Punarnava / Itsit	20-30 g (for decoction)		
			1-3 g (as powder)		

	Root	Bishkhapra	10-15 g (for	
			decoction)	
			1-3 g (as powder)	
62.	Bombax malabarica / Salmal	ia malabarica / B. ceiba L.		
	Bark	Shalmali / Semal / Semal	5-10 g	
	Flower	Musali	10-20 ml (as juice	
			2-5 g (as powder)	
	Gum/Root		1-3 g (as powder)	
63.	Boswellia serrata Roxb.			
	Oleoresin	Shallaki / Kunduru / Salai guggal	1-3 g	
64.	Borassus flabellifer L.			
	Dried inflorescence	Tarkul/Taad / Taadi	1-3 g (as powder)	
	Seed pulp of unripe fruit		10-30 g	
	Exudate of stem / sap		100-200 ml (as	
			juice)	
65.	Brassica campestris L. (Now known as B. rapa L. ssp. campestris (L.) Clapham)			
	Seed	Sarshap/	10-20 g (as paste)	
	Seed oil	Sarson	10-20 ml	
	Leaf		10-30 g (as fresh)	
66.	Brassica juncea (L.) Czern./B. nigra Linn.			
	Seed	Rajikaa / Rai / Raai	1-2 g	
	Leaf	Rai	10-20 g (as fresh)	
67.	Brassica rapa L.	I		
	Tuber	Shalgam /	20-40 g	
	Leaf	Shaljam	20-30 g (as fresh)	
68.	Buchanania lanzan Spreng.	I		
	Seed	Priyala / Chirounji	5-10 g (as powde	
69.	Butea monosperma Taub / B.	frondosa		

	Seed	Palash / Dhark	1 – 3 g		
	Gum		0.5-1.5 g		
	Root/Bark		5-10 g (for decoction)		
70.	Bixa orellana Linn.				
	Seed	Sindhuri / Annato Plant	1-3 g		
71.	Caesalpinia bonducella (L	.) Flem. (Now known as <i>C. bonduc</i> (L	.) Roxb. <i>C.crista</i>)		
	Leaf /Bark / Seed	Putikaranj / Karanjuva / Latakaranja	2-3 g		
72.	Cajanus cajan (Linn.) Mill	sp.			
	Seed	Adaki / Arahar / Tuvar ki daal	20-30 g		
73.	Camellia sinensis				
	Tea leaf	Chai patti	Upto 10 g per day dried or processed leaf as infusion		
	Extract	Tea extract	0.5 – 2 g		
	Tea catachins	Green tea catechins	0.3-0.7 g		
74.	Canavalia ensiformis sensu Baker (Now known as C. gladiata (Jacq.) DC.)				
	Fresh pod	Sem	30-50 g		
	Seed		5-10 g		
75.	Canscora decussata (Roxb.) J.F. and J.H. Schult.				
	Leaf	Bangiya / Sankhapusphi	2-4 g (as powder)		
76.	Capparis decidua (Forssk.) Edgew./ C. aphylla Edgew (syn)				
	Fruit	Kareer / Dela	10-20 g		
77.	Capparis seppiara Linn. /	C. spinosa Linn.			
	Root / Plant	Himsraa/ Kakadaani	5 – 10 g (as powder / for decoction)		
78.	Capsicum annum L. var. a	nnum			

	Unripe fruit	Hari Mirch	1-5 g		
			(Not recommended for children below 5 years)		
	Ripe fruit	Lal Mirch	0.5-1 g (as powder)		
			(Not recommended for children below 5 years)		
79.	Capsicum frutescens L.				
	Fruit	Simla mirch	30-50 g (as fresh)		
80.	Carica papaya L.		<u> </u>		
	Ripe fruit	Erand karkaki / Papita	50-100 g		
	Unripe fruit	Papita	30 -50 g		
			(Not recommended during pregnancy)		
	Leaf/Juice		5 – 10 g/ml (for decoction)		
			(Not recommended during pregnancy)		
81.	Carissa carandas L. / C. spinarum L.				
	Fruit	Karmard / Karounda	10 – 20 g		
	Bark	Garnaa	10-20 g (for decoction)		
82.	Carthamus tinctorius L.				
	Flower / Leaf / Seed	Kusumbh / Barre	2-4 g (as powder)		
	Seed oil	Barre -tail	5-10 ml		
	Carum carvi L.				
83.					
83.	Fruit	Krishna jeerak/ Syaha /kala jeera	1-3 g (as powder)		
83.	Fruit Cassia absus L.		1-3 g (as powder)		
			1-3 g (as powder) 2-5 g		

	Leaf	Kasmard / Kasoundi	5-10 g		
	Seed / Fruit		1-3 g		
86.	Cassia tora L. / C. alata L.				
	Leaf/Juice	Chakarmard / Chakwad	10-20 g/ml		
	Seed		3-5 g (as powder)		
87.	Cassia fistula Linn.		<u> </u>		
	Fruit / Tender fruit	Aaragavadh / Amaltas	10-20 g (as pulp)		
	Seed / Bark	Amaltas	2-5 g (as powder)		
88.	Cassia angustifolia/ C. acut	cifolia / C. senna L	<u>I</u>		
	Seed/Leaf	Swarnapatri / Sanay / Senna	0.5 – 2 g (as powder)		
	Extract		125 – 250 mg		
89.	Cedrus deodar Roxb.				
	Seed/Wood/Bark	Devdaru / Devdar	3-6 g (as powder)		
	Oil		2-4 ml		
90.	Celosia argentea L. var. argentea				
	Seed	Shitivaaraka / Surwali / Safed murga	3-6 g		
91.	Celastrus paniculatus				
	Seed	Jyothishmati / Malkanguni	2 – 3 g (as powder)		
		, ,			
	Oil		1-2 ml		
92.	Celastrus paniculata willd.				
	Seed	Jyothishmati / Maalkangni	3-5g		
	Seed oil		5 - 15 drops		
	Leaf		3-5 g (as powder)		
93.	Centella asiatica (L.) Urbar	1			

	Whole Plant	Mandukaparni / Brahmi	20-30 g (as fresh)		
	Leaf	(Galpatri) / Manduki	3-5 g (as powder)		
	Extract	Brahmi	0.5 - 1 g		
94.	Centratherum anthelminticum	n	1		
	Fruit/Seed	Aranya jeerak/ Kali-jeeri / Van- jeeri	1 – 3 g		
95.	Chenopodium album L.	l			
	Whole plant/Leaf	Vasthuka/ Bathua	20-30 g (as fresh)		
	Seed	Bathua	2-5 g		
96.	Chlorophytum borivillianum /	C. arundinaceum/C. tuberosum	L		
	Root	Musali safed / Musali	3 – 6 g (as powder)		
97.	Cicca acida (L.) Merrill				
	Fruit	Harfa rewadi	10-20 g		
98.	Cicer arietinum L.				
	Tender leaf	Chanak / Chana / Kalachana	30-50 g (as fresh)		
	Seed	Chana / Kalachana	20-30 g		
99.	Cichorium endivia				
	Seed/Root	Kasani/Chicory	5-10 g		
100.	Cinnamomum tamala Nees/ I	Eberm. / <i>C. wightii</i>			
	Leaf	Tamalpatra/ Tejapatra	2-3 g		
101.	Cinnamomum zeylanicum Blume (Now known as C. verum J. S. Presl.)/ C. cassia (syn) C. aromaticum				
	Bark	Twak / Dalchini (Ceyloni)	1-2 g		
			(Not recommended during pregnancy)		
102.	Cissampelos pareria L. var. hi	rsuta (Buch. Ham. ex DC.) Forman.			
	1				

103.	Cissus quadrangularis L.			
	Aerial part	Astisamhara / Hadjod	20-30 g (as fresh)	
	Stem	Hadjod	3-6 g	
	Extract		0.5 – 1 g	
104.	Citrullus colocynthis (L.) Schar	d.		
	Fruit / Root / Leaf	Indarvaruni / Indarun / Indrayan	0.25-0.5 g (as powder)	
			(Not recommended during pregnancy)	
105.	Citrullus vulgaris Schrad. ex E	 ckl.and Zeyh. var. <i>fistulosus</i> (Sto	ocks) Stewart	
	Fruit	Tinda	20-40 g (as fresh)	
106.	Citrullus lanatus (Thunb.) Mat	sura and Nakai		
	Fruit	Tarbuj	50-100 g (as pulp)	
	Seed		3-6 g	
	Seed oil		1-3 ml	
107.	Citrus aurantifolia (Christm. and Panz.) Swingle / C. medica / C. acida. Roxb.			
	Fruit / Leaf / Root	Nimbuca / Nimbu	3-5 ml (as juice)	
108.	Citrus limon (Linn.) Burm.f.			
	Fruit / Leaf / Root	Jambeer / Jameerinibu	5-10 ml (as juice)	
109.	Citrus maxima (Burm.)Merr./ C.grandis L			
	Fruit / Leaf	Chakotara /	30-50 g (as fresh)	
		Sadaphala	5-10 ml (as juice)	
110.	Citrus medica L.var.medica			
	Fruit	Turanuj / Bijoura	5-10 ml (as juice)	
111.	Citrus reticulata Blanc.			
	Fruit / Leaf	Narangi / Santra	30-50 ml (as juice)	
112.	Citrus sinensis (L.) Osbeck			
		1		
	Fruit / Leaf	Mousami	50-100 ml (as juice	

	Whole plant	Bhandiri / Bhaandi / Bhatechh	10 – 20 ml (as juice		
114.	Clerodendrum phlomidis				
	Whole plant	Arani / Laghuagnimandh	10-20 g (for decoction)		
			3-5 g (as powder)		
115.	Clerodendrum serratum				
	Whole plant	Bharangi	3-6 g (as powder)		
116.	Clitoria ternatea Linn.				
	Root/Seed	Girikarnika / Aparajita	1-3 g		
	Leaf		2-5 g (as powder)		
117.	Coccinia grandis (L.) Voigt. / C	C. indica / C. cardifolia (syn)			
	Leaf	Bimbi/ Kundru phal /	5-10 g		
		Kuntru shak	(Not recommended for children below		
			years)		
	Stem	Kundru	3-6 g (as powder)		
	Whole plant	Kundru	3-6 g (as powder)		
			5-10 ml (as juice)		
	Fruit	Kundru	20-50 g (as fresh)		
118.	Cocos nucifera L.				
	Endosperm	Nariyal	10-20 g		
	Water	Nariyal jala	100-200 ml		
	Flower	Nariyal	5-10 g		
	Shell / Fibre / Whole fruit	Ash	125 – 250 mg		
119.	Cocculus hirsutus (L.) Theob.		I		
	Leaf / Whole plant	Chilihintha / Jalajamani	10-20 g (for		
			decoction)		
			2 – 4 g (as powder)		
120.	Coix lacryma-jobi L.				

	Seed	Millet/ Gavedhukaa/ Gargari	10-20 g		
121.	Coffea arabica / C. robusta				
	Seed (Dry/Green)	Kaaphi / Kahava / Coffee	3-5 g		
			(Not recommended for children below 5 years)		
122.	Coleus forskohlii / C. aromaticus / C. barbatus (syn)				
	Root / Leaf / Whole plant	Gandiva / Pathachoor / Parn-yavani	3-5 g (as powder) (Not recommended for children below 5 years)		
123.	Coleus vettiveroides K.C. Jacob.	<u> </u>			
124.	Stem / Leaf / Root Coleticum luteum Baker	Hrivera / Baalatka	3-5 g (as powder)		
	Corm	Suranjan / Suranjan-kadvi	0.5 - 1 g (Not recommended in children below 5 years and pregnant mothers)		
125.	Colocasia antiquorum Schott. (Now known as C. esculenta (L.) Schott.)				
	Rhizome	Pindalaka/ Arvi/ Aaluki	20-30 g (as fresh) (Not recommended for children below 16 years)		
126.	Commelina bengalensis L.	1	<u> </u>		
	Whole plant	Karnsphota / karnmorata / Kausar	3-6 g		
127.	Commiphora wightii	<u> </u>	<u> </u>		
	Oleoresin	Guggal	2-4 g (Not recommended for children below 5 years)		
128.	Commiphora myrrha				
	Oleoresin	Hirabol	2-4 g		

			(Not recommended for children below 5 years)		
129.	Convolvulus pluricaulis / Evolv	rus alsinoides			
	Whole plant (with white or bluish flowers)	Shankh-pushpi / Vishnukranta	10-20 g (for decoction)		
130.	Convolvulus turpethum / Iporius turpethum				
	Root / Seed	Sygma-kali nishoth / Safed Nishoth	2-4 g (as powder)		
131.	Coptis teeta Wall. / C. chinensis	s syn	1		
	Whole plant	Mamira / Tiktamoola	1-3 g (as powder)		
132.	Corchorus acutangulus Lam. (1 olitorius L	Now known as <i>C. aestuans</i> L.) / <i>C.</i>	. capasularis L / C.		
	Aerial part	Chunchu / kaala / shaak / palva saag / Chench	10-20 ml (as juice)		
133.	Cordia dichotoma Forst. f. (C. wallichii G.Don)				
	Fruit	Shlashmotaka / Lisora / gondra	10-20 g		
134.	Cordia rotthii Roem. and Schult. (Now known as C. gharaf (Forssk.) Ehrenb and Asch.				
	Fruit	Chhota Lisora / Lasudi	10-20 g		
135.	Coriandrum sativum L.				
	Fruit / Seed	Dhanyaka / Dhaniya	1-3 g (as powder)		
	Aerial part / Fresh leaf	Dhaniya	10-20 ml (as juice)		
136.	Costus speciosus / C. koeniga (s	syn)			
	Rhizome / Root	Kebuka / Kemuk	2-4 g (as powder)		
			(Not recommended for children below! years)		
137.	Crataeva nurvala Buch- ham /	' C. megna DC	-1		
	Fruit/Bark/Leaf	Varun / Barana	10-20 g (for decoction)		
138.	Crocus sativus L.				

	Style/ Stigma	Kumkum	25-50 mg		
		(Kesar)	(Not recommended for children below 16 years)		
139.	Cucumis melo L. / C. melo L. var utilissimus (Roxb.) Duthie and I	r. <i>momordica</i> Duthie and Fuller / Fuller	C. melo L. var.		
	Fruit	Kharbooja	50-100 g		
	Seed		1-3 g (as powder)		
140.	Cucumis sativus L.	ı	1		
	Seed	Tripasha / Khira/cucumber	3-6 g (as powder)		
	Fruit	Khira	50-100 g (as fresh)		
141.	Cucurbita maxima Duch. ex Lan	n.			
	Seed	Peetkushmand/ Kashiphal/kaddu	5 -10 g		
	Fruit	Kashiphal	50-100 g (as fresh)		
142.	Cucurbita pepo L.				
	Fruit	Kushmand / Safed Kaddu / safed petha	50-100 g (as fresh)		
	Seed	Safed petha	5-10 g (as powder)		
143.	Cuminum cyminum L.				
	Fruit	Jeerak / Jeera / safed	1-3 g (as powder)		
144.	Curculigo orchioides Gaertn.				
	Tuber		Talmuli / 3-5 Kalimushli g		
145.	Curcuma amada Roxb.				
	Rhizome	Aamra haridra / Ambaahaldi	5-10 g (as fresh)		
			2-4 g (as powder)		
146.	Curcuma angustifolia	1	1		
	Root	Tavakasheer/ Tavkshir / Tikhur	2-5 g		

147.	Curcuma longa L.				
	Rhizome	Haldi	1-3 g (as powder)		
	Fresh Rhizome / Leaf		5-10 ml (as juice)		
148.	Curcuma zedoaria Roxb. (Now known as C. aromatica Salisb.)				
	Rhizome	Karchura / Kachur	1-3 g (as powder)		
149.	Cyamopsis tetragonoloba				
	Pod/Seed	Gaurphali /Guar / Guar gum	20-30 g (as powde		
	Gum		5-10 g (as powde		
150.	Cymbopogon citratus(DC.) Sta C. martini (Roxb.)Wats	pf / C. coloratusStapf / C. jwara	nkusa (Jones) Schult ,		
	Whole plant	Lamajjaka / Harichaya / Rosha Ghas / lemon grass	1-3 g (as infusion)		
151.	Cynodon dactylon (L.) Pers.				
	Leaf / Whole plant	Durva / Duba	3-5 g		
152.	Cyperus rotundus L. / C. searios	sus R. Br	<u> </u>		
	Rhizome	Mushtaka / Nagarmotha / Bhadramushtaka	2-5 g		
153.	Daucus carota L.				
	Tuberous root	Gajar	50-100 g (as fresh		
			50-100 ml (as juice		
	Seed		1-2 g (as powder)		
			(Not recommended during pregnancy)		
154.	Desmodium gangeticum / D. la	tifolium			
	Whole plant / Root	Shaalparnii / Sarvan	5-10 g (for decoction		
			2-5 g (as powder)		
155.	Dillenia indica L.		<u>I</u>		
	Fleshy fresh sepals / Bark /	Bhavya /Chalta	10-20 g (for		

	Fruit		40-50 g (as fresh)		
156.	Dioscorea alata L. / D. delta	oidea	1		
	Tuber / Aerial bulbs	Kathalu /	10-20 g		
	Extract	Shingali	0.5-1 g		
157.	Dioscorea bulbifera L.				
	Tuber /Aerial bulbs	Varahikand / Genthi / Taradi	20-30 g (as fresh)		
			5-10 g (as powder		
	Extract		0.5-1 g		
158.	Dioscorea esculenta (Lour.)) Burkill / <i>D. pentaphyla</i> L			
	Tuber	Madhvaluk / Suthani	5-10 g		
159.	Diplezia maxima				
	Tender shoots	Lungru	30-50 g		
	Root		5 – 10 g		
160.	Diospyros peregrina Gurke (Now known as D. malabarica (Desr.) Kostel)				
	Ripe fruit	Tinduka / Tendu /	20-30 g		
		Gab			
	Unripe fruit	Gab	4-8 g (as powder)		
	Bark / Leaf / Seed		3-5 g (as powder)		
161.	Dluchea lameolata C.B. Cla	rke			
	Aerial parts / Leaf	Razana / Vaaya-surai	5-10 g (as powder		
162.	Dolichos biflorus L. (Now known as Vigna unguiculata (L.) Walp.)				
	Seed	Kulath / Kulathi	20-30 g		
		Gontha			
163.	Dolichos lablab L. (Now kn	own as Lablab purpureus (L.) Sweet)	<u>I</u>		
	Seed	Nishpaav/ Sem/	20-40 g (as seed)		
		Semphali			
	Tender Pod	Sem	30-40 g (as fresh)		

164.	Echinochloa frumentacea Link / Panicum frumentacea (syn)				
	Fruit	Sanwa / Shyamaka	30-50 g		
165.	Eclipta prostata L. / E. alba (syn)				
	Whole plant	Bhringaraj/ Bhangra	3-6 g (as powder)		
166.	Elettaria cardamomum (L.) Maton				
	Seed	Elaa/ Sukshma elaa/ Chhoti elaichi	250-500 mg (as powder)		
167.	Eleusine coracana (L.)	Gaertn. ssp. coracana (Finger millet)			
	Seed	Madhuli / Madua / Ragi	20-50 g		
168.	Elsholtzia cristata Wil	ld. / E. ciliate (syn)			
	Leaf	Ajogandha	5-10 ml (as juice)		
	Seed		2-3 g		
169.					
	Fruit	Amalaki/ Anwala / Amla	20-30 g (as fresh)		
			3-6 g (as powder)		
			5-10 ml (as juice)		
	Extract		1-3 g		
170.	Embelia ribes Burm. f.				
	Fruit	Vidanga / Vai-vidanga /	1-2 g		
		Bhabhiranga	(Not recommende for females plannin to conceive)		
171.	Embelica tsjeriam -cot	ton A.DC / E. robusta (syn)	<u> </u>		
	Fruit	Vidanga (bhed) / Bai-vidang (bhed)	5-10 g (as powder)		
172.	Enicostemma littorale	Blume			
	Whole plant	Maamajaka / Mamejwa / Naai	2-3 g		
	Extract		0.5 – 1 g		
173.	Ephedra gerardiana W	<u> </u>			

	Leaf/Whole plant	Somlata /	2-3 g (as powder)	
		Som /		
		Somvalli		
174.	Euphorbia hidra Linn. / E. thy	emifolis Linn.	1	
	Whole plant	Dugdhika / Dudhi	3-5 g (as powder)	
175.	Euphorbia neriifolia/ E. pilosa	/ E. royalana / E. dracunculoides		
	Stem (tender) after boiling	Snuhi /	10-20 g (as fresh)	
		Thuhar /		
		Sehund	3-5 g (as fresh)	
	Leaf		(Not recommended for children below 5 years and pregnant women)	
			20 – 30 mg	
	Latex			
176.	Euryale ferox Salisb.			
	Seed	Makhana /	20-30 g (as seed)	
		Fox-nut	3-5 g (as powder)	
177.	Fagopyrum esculentum Moench. / F. tataricum Gaertn. / F. essence			
	Seed	Kuttu	30 -50 g	
1	Ferula asafoetida L. / Syn. F. foetida Regal/ F. narthex. Boiss			
178.	Ferula asafoetida L. / Syn. F. fo	petida Regal/ F. narthex. Boiss		
178.	Ferula asafoetida L. / Syn. F. fo	petida Regal / F. narthex. Boiss Hingu /	60- 125 mg (as	
178.			60- 125 mg (as powder)	
178. 179.		Hingu /		
	Oleo-gum resin	Hingu /		
	Oleo-gum resin Ficus benghalensis L.	Hingu / Hing / Heeng	powder) 40-50 g 5-10 g (for decoction)	
	Oleo-gum resin Ficus benghalensis L. Fruit	Hingu / Hing / Heeng	powder)	

	Fruit	Anjeer / fig / phalguni / Indian fig	20-30 g		
	Leaf / Bark		3 – 5 g (as powder)		
181.	Ficus glomerata Roxb. (Now k	known as <i>F. racemosa</i> L.)			
	Fruit / Leaf	Udumbara / Gular	20-30 g (as fresh)		
	Bark		3 – 5 g (as powder)		
182.	Ficus hispida L.f.				
	Fruit	Kathgulara / Kakodumba	10-20 g		
	Bark		3 – 5 g (as powder)		
	Tender leaf	Kathgulara	20-40 ml (as juice)		
183.	Ficus locar Buch. Ham / F. infectoria				
	Fruit / Stem / Bark / Leaf	Plaksha / Pakad	5-10 g		
184.	Ficus religiosa L.				
	Fruit / Tender Leaf	Aswath /Pipal / Peepal	5-10 g		
	Bark		3 – 5 g (as powder)		
185.	Flacourtia ramontchi L' Herit (Now known as F. indica (Burm.f.) Merr.) / F. jangomas (Lour.) Raeusch				
	Fruit	Vikantaka / Katai / Kanghu /Surva vruksha	5-10 g		
186.	Foeniculum vulgare Mill.				
	Fruit	Mishraya / Sounf / Fennel seed	3-6 g (as powder)		
	Leaf		20-30 g (as fresh)		
187.	Fumaria vaillantii (Lois.) Hoo indica (Haussk.) Pugsley) / F.	k. f. and Thoms. var. <i>indica</i> Hauss parviflora (syn)	k. (Now known as F.		
	Whole plant	Parpat /	1-3 g (as powder)		

		Pittapapda		
188.	Garcinia indica (Thour.) Choisy / G. cambogia			
	Mature fruit	Vrukshamala / Kokam	10-20 ml (as juice)	
			5-10 g (as powder	
	Butter/ Oil		3-5 g/ml	
	Extract		1 – 2 g	
189.	Garcinia pedunculata Roxb.	ex Buch-Ham.		
	Fruit rind	Vatasamla / Amalbeda	5-10 ml/g (as juice/powder)	
190.	Gardenia gummifera Linn. F	1	l	
	Gum	Naadihingu / Dikkamaali	250 – 500 mg	
191.		w known as <i>Ceriscoides turgida</i> (Rox	_	
	Gum	Kharahara /Mahapindi /	1-3 g (as powder)	
		Kharahatta		
192.	Gentiana kurroo Royle.			
	Rhizome / Root	Trayamana / Trayanta	1 – 3 g	
193.	Gisekia pharnaceoides L.			
	Leaf	Elavallukavari / Baluka Saga	5-10 g	
194.	Glycine max (L.) Merr.	I		
	Seed	Soya / Soyabean	20-40 g	
	Soya proteins		10-20 g	
195.	Glycyrrhiza glabra L.			
	Root / Stolon	Madhuyasti / Yashtimadhu / Mulethi / liquorice	5-10 g (as powder	
196.	Gloriosa superba Linn.			
	Root / Tubers	Langali / Kalihari	125 – 250 mg (not indicated in children and lactating mothers)	
197.	Gmeling arhorea Roxh / Pre	emna arborea Roth (syn)	•	

	Fruit	Gambhari / Gamhari /	20-30 g
		Kaashmari	
	Stem /Bark / Leaf		3 – 5 g (as powder
198.	Gmelina asiatica L.		
	Fruit	Gopabhadra, Badhara	20-30 g
	Stem / Bark / Leaf		1 – 3 g (as powder
199.	Gossypium herbaceum / G. a	rboreum L.	
	Seed	Karpasi/ Kapas/	10-20 g
	Root	Cotton	3 – 6 g (as powder
200.	Grewia hirsuta Vahl		
	Root / Stem	Nagabala / Gulsakari	5-10 g (as powder)
	Fruit		3- 5 g
201.	Grewia populifolia Vahl (Now known as G. tenax (Forssk.) Fiori)		
	Bark / Fruit	Gangeru / Gangeran	5-10 g (as powder
202.	Grewia tiliaefolia Vahl / G. s	clerophylla / G. optiva	
	Fruit	Dhanvana / Dhamin	20-30 g
	Bark		3 – 5 g powder
203.	Gymnema sylvestre B. Br.		
	Plant	Markarkarkary	
	Tant	Meshashrungi / Gudmar /	5-10 g (for decocti
	Trant	Madhunashini	5-10 g (for decocti 3-5 g (as powder)
	Extract		
204.	Extract	Madhunashini	3-5 g (as powder) 0.5-1 g
204.	Extract Gynandropsis gynandra (L.)	Madhunashini Gudmar	3-5 g (as powder) 0.5-1 g ndra L.) / G. pentaphy
204.	Extract Gynandropsis gynandra (L.) DC	Madhunashini Gudmar Briq. (Now known as <i>Cleome gyna</i>	3-5 g (as powder) 0.5-1 g ndra L.) / G. pentaphy. 1-3 g (as powder)
204.	Extract Gynandropsis gynandra (L.) DC Seed Whole plant	Madhunashini Gudmar Briq. (Now known as <i>Cleome gyna</i> Ajagandha / Hurhur	3-5 g (as powder) 0.5-1 g ndra L.) / G. pentaphy 1-3 g (as powder)
	Extract Gynandropsis gynandra (L.) DC Seed Whole plant	Madhunashini Gudmar Briq. (Now known as <i>Cleome gyna</i> Ajagandha / Hurhur Hurhur	3-5 g (as powder) 0.5-1 g

	Rhizome	Shatti / Kapur-Kachari	3-5 g		
207.	Helicteres isora Linn.				
	Pod (fruit) / Bark / Leaf	Avartani / Avartaki / Marodphali	3-6 g (as powder)		
208.	Heliotropium indicum Linn.				
	Whole plant	Hastishundi / Vrisehikaali	3-6 g (as powder)		
209.	Hemidesmus indicus syn. Periplo	oca indicus L.			
	Root / Stem	Anantmula	3-6 g		
210.	Hibiscus rosasinensis L.				
	Flower	Japakusum/ Gudahal	1-3 g (as powder)		
			(Not recommended during pregnancy)		
211.	Hibiscus sabdariffa L.				
	Leaf	Abaasthaki/Patawa	5-10 g (as powder)		
	Seed	Patawa	1-3 g (as powder)		
	Ripe calyx		5-10 g (as powder)		
212.	Hippophae rhamnoides L. / H. salicifolia				
	Fruit / Leaf	Amlavetasa / Leh-beri/ Chharma/ Sea buck thorn	10-20 g		
	Extract	Amalvets	0.5-2 g		
213.	Hordeum vulgare L.				
	Seed	Yava/Jau	30-50 g		
	Aerial parts (processed)/Ash		2.5		
	Tieriai parts (processeu)/Tisii		2-5 g		
214.	7 (4),	ata syn. / H. schull (ham)	2-5 g		
214.	7 (4),	Kokilaksha/ Ikshura / Tal makhana	2-5 g 3 - 6 g		
214.	Hygrophila spinose / H. auricula	Kokilaksha/ Ikshura / Tal			
214.	Hygrophila spinose / H. auricula Seed Whole plant	Kokilaksha/ Ikshura / Tal	3 - 6 g		

	Plant extract		0.5-1 g	
216.	Hyssopus officinalis Linn.			
	Whole plant	Zuufea dayaa-kunji	3-5 g	
217.	Illicium verum Hook. f.			
	Fruit	Badiyan Khatai /Aniseed star	250 - 500 mg (as powder)	
218.	Inula racemosa. Hook / I. roy	vlanna non- DC (syn)	<u> </u>	
	Root	Pushkar mool /	1-3 g (as powder)	
		Pokhar mool		
219.	Ipomoea aquatica Forssk. / I	I. raptans por (syn)		
	Leaf	Kalambi / Kalamisaag	20-30 g	
220.	Ipomoea batatas (L.) Lam.			
	Tuber	Shakarkandi / Mukhaalwka /	20-30 g	
		Sweet potato		
221.	Ipomoea digitata auct. non L. (Now known as I. mauritiana Jacq.)			
	Root/Tuber	Kasheer – vidhara /	3-6 g	
	Seed	Vidarikand	1-2 g	
222.	Ipomia nil Linn. / Convolvulus nil Linn. / Convolvulus biobatus (syn)			
	Seed	Shankhini / Krishanbeej / Kaaladana	3-5 g (Not recommended in children below 5 years and pregnant women)	
223.	Juglans regia Linn. / J. cinera	ıria L.	womeny	
	Fruit/Endosperm	Akshod / Akhrot / Walnut	10-20 g	
	Leaf/Bark		3-5 g	
224.	Juniperus communis	1	1	
	Flower/Leaf	Hapusha / Hauber	2 - 6 g	
225.	Jusmin auriculata Vahl. / J. h	umile Linn.	l	
	Leaf / Flower	Yuthika / Juhil / Swarn-	3-5 g	

		yuthika (swarnjati)			
226.	Jusmn officinale Linn. / J. grandiflorum				
	Leaf / Flower	Jaati / Chameli / Jasmin	3-5 g		
227.	Kaempferin galanga Linn.				
	Rhizome	Sugandhvacha / Chandevmula	500mg - 1 g		
228.	Kigelia pinnata Jaeg. DC .				
	Fruit	Balam kheera	20-30 g		
	Stem / Bark		3-6 g		
229.	Lagenaria vulgaris Ser. (N	low known as <i>L. siceraria</i> (Mol.) Stand	dl.)		
	Fresh fruit	Katutumbi / Tumbini	10-20 g		
	Seed	Alabu	1-3 g (as powder)		
230.	Lagerstroemia indica / L.	parviflora			
	Leaf	Jarul	6 - 12 g (as powder)		
	Extract	Frash/ Faransh	1-2 g		
231.	Lens culinaris Medik.				
	Seed	Masura	20-40 g		
232.	Lepidium sativum L.				
	Seed	Chandershoola / Chansur /	3-6 g (as powder)		
		Halon / Garden cress	(Not recommended during pregnancy)		
	Aerial part	Chansur	30-50 g (as fresh)		
233.	Leptadenia reticulata (Retz.)W. and A.				
	Leaf/ Aerial part	Jeevanti/ Dodisaka/ Hemavati	20-30 g (as fresh)		
			5-10 g (for decoction)		
	Root / Whole plant		3-5 g (as powder)		
234.	Leucas cephalotus (Koenig	g ex Roth) Spreng./ <i>L. aspera</i>			
	Leaf	Drona pushpi / Guma	20-30 g (as fresh)		
			3-5 g (as powder)		
	l	1	ı		

235.	Limonia acidissima L.				
	Fruit	Kapittha / Kainth / Wood apple	20- 40 g (as fruit)		
	Leaf/Bark extract		1-3 g		
236.	Linum usitatissimum L.				
	Seed	Alasi / Atasi/ linseed/flaxseed	10-20 g		
	Seed oil	Atasi ka tail	10-20 ml		
237.	Litchi chinensis Sonner				
	Fruit	Litchi	30-50 g		
238.	Luffa acutangula (L.) Ro	exb.			
	Whole plant	Katu koshatakri / Torai / dhartorai / ridged gourd	5 -10 g (as powder)		
	Fruit	Torai	30-50 g (as fresh)		
	Seed		1-3 g (as powder)		
239.	Luffa cylindrica (L.)M. Roem. / L. echinata (devdali)				
	Fruit	Dhaamargava /Nenua / Rajkoshataki	20-40 g (as fresh)		
	Seed	Nenua	1-3 g (as powder)		
240.	Lycopersicon esculentum Mill. (Now known as L. lycopersicum (L.) Karsten.)				
	Fruit	Tamatar/ tomato	20-40 g (as fresh)		
241.	Madhuca indica Gmel.(Now known as M. longifolia (Koen.) Macbride var. / M. longifolia (Koenig) Macbride var. latifolia)				
	Flower	Madhuca / Mahua / jal mahua	10-15 g (as flower)		
	Fruit	Mahua	10-15 g		
	Seed oil	Koyna ka tail	2-5 ml		

	Emile	Carranahala / Whashbaraii /	F 7 c (ac navyday)		
	Fruit	Suvarchala / Khubharaji / Gulkhair	5-7 g (as powder)		
	Leaf	Gulkhair	3-6 g (as powder)		
243.	Mangifera indica L.				
	Ripe fruit	Aamar / Aam	50-150 g		
	Unripe fruit pulp	Aam	10-30 g		
	Seed kernel	Aam Beej / Majja	1-2 g (as powder)		
	Leaf / Bark	Aam	3-5 g		
	Extract of leaf	Amara (ghan)	0.5-1 g		
244.	Maranta arundinacea L.	I			
	Rhizome	Kookaineer (Sidha)/ Ararota/ Arrow-root	10-30 g (as powder		
245.	Marrubium vulgare Linn.				
	Whole plant	Fasaasiyum	3-5 g (as powder)		
246.	Marsilea minuta L.				
	Leaf / Whole plant	Sunishannak/ Chowpatia	10-20 g (as fresh)		
			2-4 g (as powder)		
	Extract	Chowpatia	0.5-1 g		
247.	Mentha spicata L. / M. arvensis L. / M. aquatica Linn./ M. suaveolans				
	Aerial part	Putina/ Pudina	3-5 g		
248.	Mentha piperata L./ Mentha spp.				
	Leaf	Peppermint / Sat pudina	2-5 g (as fresh)		
			1-2 g (as dry)		
	Distilled oil/Extract		10-30 mg		
249.	Mesua ferrea Linn.	I	<u> </u>		
	Stemen/Flower bud	Nagkesar	1-3 g		
250.	Microstylis musifera Ridley	<u> </u>			
	Tuber	Jivaka	3-5 g		

251.	Microstylis wallichii Lindl. (Now known as Malaxis acuminate D. Don)			
	Tuber	Rishabhka	5-10 g	
252.	Mimosa pudica			
	Whole plant/Seed	Lajjalu / Lajwanti	3-6 g	
253.	Mimusops elengi L.			
	Pericarp	Bakula / Maulsiri	20-40 g	
	Flower	Maulsiri	5-10 g	
	Bark		3-5 g	
254.	Mimusops hexandra Roxb	. (Now known as <i>Manilkara hexandra</i>	(Roxb.) Dub.)	
	Pericarp	Khirni	20-40 g	
255.	Momordica charantia L.	I	1	
	Fresh fruit / seed	Karabelwa / Karela	30-50 g (as fresh)	
			3-5 g (as seed)	
	Dried fruit / seed			
			0.5-1 g	
	Extract		(Not recommended	
			for females planning to conceive and	
			children below 5	
			years)	
256.	Momordica dioica Roxb. ex Willd.			
	Root	Karkotaka / Khekhasa/ Karkoda	3-6 g (as powder)	
	Fruit	Khekhasa	30-50 g	
257.	Monochoria vaginalis (Burm.f.)Presl.			
257.	Monochoria vaginalis (Bu	i iii.i.ji i csi.		
257.	Monochoria vaginalis (Bu Rhizome	Indivara	3-6 g	
257. 258.		Indivara	3-6 g	

		/ Lal sehanjan	powder)		
	Seed	Sahijan / Muringya	2-6 g (as fresh)		
	Pod		40-80 g (as fresh)		
	Flower		2-5 g (as powder) 10-20 g (as fresh)		
	Extract of Bark/ Leaf/Fruit		0.5-1 g		
259.	Morus alba L. / M. Indica / M. n	igra			
	Fruit	Shahtoot / Toot	20-30 g		
	Tender leaf / Bark / Flower		3-5 g		
260.	Morchella esculenta/M. elata				
	Fruiting body	Guchhi	10-20 g		
261.	Mucuna pruriens (L.) DC. / M. prurita Honk.				
	Root	Atma Gupta / Kapikachhu / Kawach/ Concha	10-20 g (for decoction after processing)		
	Pod	Kawach	20-30 g (as fresh after processing)		
	Seed		3-6 g		
	Extract		0.5-1 g		
262.	Murraya koenigii (L.) Spreng. / M. exotica Linn (Kamini)				
	Leaf / Fruit	Kaidarya /meetha neem/ Kadhipatta	5-10 g		
263.	. Musa paradisiaca L.				
	Flower	Kadali / Kela / banana / plantain	20-30 g		
	Fresh shoot	Kela	20-50 g		
			10-20 ml (as juice)		
	Ripe Fruit		30-50 g		
	Unripe Fruit		10-20 g		

rk ristica fragrans Houtt. ed (kernel) il (outer part of fruit) ristica malabarica Lam. ed il rdostachys jatamansi DC / N em/Aerial parts	Kataphala / Kaiphal Kaiphal Jatiphala / Jaiphala / Jatipatra Javitri Pashika / Pashupati / Jangali Jayaphala Jangali javitri grandiflora Jatamansi / mansi	5-10 g 2-3 g 0.25- 1.0 g (Caution: excessive use may cause giddiness) 0.25 -1 g (as powder) 0.5 -2 g 0.25 -1 g	
ed (kernel) il (outer part of fruit) pristica malabarica Lam. ed il prdostachys jatamansi DC / N em/Aerial parts	Jatiphala / Jaiphala / Jatipatra Javitri Pashika / Pashupati / Jangali Jayaphala Jangali javitri grandiflora	0.25-1.0 g (Caution: excessive use may cause giddiness) 0.25-1 g (as powder) 0.5-2 g 0.25-1 g	
ed (kernel) il (outer part of fruit) pristica malabarica Lam. ed il prdostachys jatamansi DC / N em/Aerial parts	Jatipatra Javitri Pashika / Pashupati / Jangali Jayaphala Jangali javitri grandiflora	(Caution: excessive use may cause giddiness) 0.25 -1 g (as powder) 0.5 -2 g	
il (outer part of fruit) pristica malabarica Lam. ed il prdostachys jatamansi DC / N em/Aerial parts	Jatipatra Javitri Pashika / Pashupati / Jangali Jayaphala Jangali javitri grandiflora	(Caution: excessive use may cause giddiness) 0.25 -1 g (as powder) 0.5 -2 g	
eristica malabarica Lam. ed il rrdostachys jatamansi DC / N em/Aerial parts	Pashika / Pashupati / Jangali Jayaphala Jangali javitri a grandiflora	powder) 0.5 -2 g 0.25 -1 g	
ed il erdostachys jatamansi DC / N em/Aerial parts	Jayaphala Jangali javitri grandiflora	0.25 -1 g	
il erdostachys jatamansi DC / N em/Aerial parts	Jayaphala Jangali javitri grandiflora	0.25 -1 g	
rdostachys jatamansi DC / N em/Aerial parts	. grandiflora		
em/Aerial parts		2-5 g	
	Jatamansi / mansi	2-5 g	
traat			
tract		0.25-0.50 g	
Nasturtium officinale/ N. aquaticum			
af	Chhu-nalli / Water-cress /	10-20 g	
	Piriya - haalim		
lumbo nucifera Gaertn.			
ower	Kamal / Padam	3-6 g (as powder)	
izome	Bhen / Bhain	30-50 g (as fresh)	
alk	Murar / Kamalgatta	30-50 g (as fresh)	
ed	kamalbeej	3-6 g (as powder)	
mphaea alba Linn/ N. rubra/	'N. stellate	1	
izome/ Seed	Kumud – utpala / Kamlini/ Nilofer /Shavet/ rakta / neel kamal	10-20 g	
	lumbo nucifera Gaertn. ower izome ilk ed mphaea alba Linn/ N. rubra/	Piriya - haalim Jumbo nucifera Gaertn. Wer Kamal / Padam Jizome Bhen / Bhain Murar / Kamalgatta Jik Murar / Kamalgatta Jik kamalbeej Mamphaea alba Linn/ N. rubra/ N. stellate Jizome/ Seed Kumud – utpala / Kamlini/ Nilofer /Shavet/ rakta / neel	

	pl		2.6		
	Flower		3-6 g		
271.	Nigella sativa L.				
	Seed	Kalaunji / Kaala jaaji	1-3 g(Not recommended during pregnancy)		
272.	Nilgirianthus ciliatus (Nee	es) / Strobilanthes ciliatus (syn)			
	Fruit	Sehachara	3-5 g (as powder)		
273.	Nyctanthes arbortristis L.	·	·		
	Flower	Parijat / Shephaali/ Harshringara	1-2 g		
	Leaf / Seed	Harshringara	1-3 g		
274.	Ocimum basilicum L. / O.	pilosum Wild.	1		
	Leaf	Barbari /Bhavari Tulsi/	3-6 ml (as juice)		
		Niajboo	1-3 g (as powder)		
	Seed		125-250 mg		
	Extract		0.25-0.50 g		
275.	Ocimum gratissimum L.				
	Leaf / Seed	Vriddha tulasi / Ram Tulasi	1-3 g (as powder)		
	Extract		0.25-0.50 g		
276.	Ocimum sanctum L. (Now known as Ocimum tenuiflorum L.)				
	Leaf	Tulasi / Surasa / vrinda	2-5 g		
	Seed	Tulasi	1-2 g		
	Extract		0.25-0.50 g		
277.	Olea europaea				
	Seed	Zaitoon / Jaitun	10-20 g		
	Oil		10 – 20 ml		
	Leaf		3-5 g (as powder)		
278.	Onosma bracteatum				
	Whole plant/Leaf	Gojihraa /Gaozabaan	5-10 g		

279.	Onosma hispidum/ O. echioides Linn.				
	Root	Ratanjot	3-5 g		
280.	Operculina turpethum ,	/ Ipomea turpethum (syn)			
	Root/Seed	Trivrat /	1-3 g		
		Nishoth	(Not recommended for children below 5 years)		
281.	Ophiocordyceps sinensi	s / O. indica D.Don			
	Whole plant	Keetjaadi	20-60 mg		
282.	Opuntia vulgaris / O. di	<u>I</u>	1		
	Ripe fruit	Nagphani /	10-20 g (as fresh)		
		Chhiter thohar			
283.	Orchis latifolia L. (Now known as Dactylorhiza hategeria (D. Don) Soo)				
	Tuber	Mynjataka /	3-5 g (as powder)		
		Salampanja /			
		Salam-mishu			
284.	Origanum majorana L. / Majorana hostensis (syn)				
	Leaf	Marubaka /	5-10 drops (as juic		
		Marnaa			
285.	Oroxylum indicum				
	Bark/Seed	Shyonok /Sonapatha /	5-10 g (for decoction		
		Talvarphali /Tataplang	3-5 g (as powder)		
286.	Oryza sativa L.				
	Seed	Shali-tandul /	50-100 g		
	Root stock	Chawal - shali			
			10-20 g (for		
			decoction)		
287.	Oxalis corniculata L.	<u>.</u>			
	Leaf	Changeri / Chukraa /	5-10 ml (as juice)		

		Tinpatia			
288.	Paederia foetida Linn.				
	Whole Plant	Prasarini / Gandh Prasarini	5-10 g (for decoction)		
289.	Panax pseudo ginseng	Wall / P. quinquefolium Linn. / P. schinse			
	Root	Laxmana	1-3 g (as powder)		
290.	Pandanus odoratissimi	us L.f. / <i>P. facicularis</i> Linn.			
	Oil	Kethaki / Koedaa/	2-5 drops		
		Kewada			
	Flower		2-5 g		
291.	Panicum miliaceum L.	(Millet)			
	Seed (grains)	Chinast /Cheenaa	50-100 g		
292.	Papaver somniferum L.				
	Seed	Posta-daana /	1-2 g (if taken		
		Khas-Khas	regularly)		
			2-5 g (as powder occasionally)		
293.	Parmelia perlata (Huds) Ach.				
	Whole plant	Lichen / Shaileya /	3-5 g		
		Shailpushp /			
		Chhareela			
294.	Paspalum scrobiculatu	m L. (Kodo millet)			
	Seed	Kodrava /Kodon/	50-100 g		
		Kodo			
295.	Pedalium murex Linn.	<u> </u>			
	Fruit	Brihat Gokshura	5 – 10 g (for		
		Bada gokharu	decoction)		
			3-5 g (as powder)		
296.	Pennisetum typhoideur	m L. C. Rich. (Now known as <i>P. americanu</i>	um (L.) K. Schum.)		

	(Millet)			
	Seed	Bajra	20-40 g	
297.	Peucedanum graveole	ns (L.) Benth. and Hook.f		
	Seed	Shepu	1-3 g	
298.	Phaseolus aconitifoliu	s Jacq. (Now known as <i>Vigna aconitifolia</i>	(Jacq.) Marechal)	
	Seed	Makushtha /	20-50 g	
	Whole plant	Moth -dal	3 – 6 g (as powder	
299.	Phaseolus aureus Rox	b. (Now known as <i>Vigna radiata</i> (L.) Wilc	zek var. <i>radiata</i>)	
	Seed	Jangali moong	20-50 g	
	Whole plant		3 – 6 g (as powder	
300.	Phaseolus lunatus L.	I		
	Pod	Sem	25-50 g (as pulse)	
301.	Phaseolus mungo L. (Now known as Vigna mungo (L.) Hepper)			
	Seed	Masha /	20-50 g (as pulse)	
		Urad - kale		
302.	Phaseolus radiatus L. / P. trilobus Sensu.			
	Seed	Mudga /	50-100 g (as pulse	
		Mudgaparni /		
		Moong		
303.	Phaseolus vulgaris L. ,	/ P. namus Linn.		
	Pod / Seed	Lobia /Rajma /	10-20 g (as pulse)	
		Kidney bean		
304.	Phoenix dactilifera L.	1		
	Fruit	Kharjuura /Khajur /	20-30 g	
		Chuhara		
305.	Phoenix sylvestris (L.)	Roxb. / P. acaulis		
	Fruit	Kharjuura/Khajoor –jungli	20-30 g	
	Nira (Sap)	Khajoor	30-50 ml (as fresh	

			juice)		
306.	Phyllanthus amarus / P. urinaria / P. fraternus Webster				
	Plant	Tamlaki /Bhumyamalaki/	5-10 g		
		Bhui - amla			
	Extract	Tamlaki	0.5-1 g		
307.	Physalis alkekengi L.		<u> </u>		
	Fruit	Raajabutraka /Winter cherry /Kaknaj	5-10 g		
308.	Physalis minima L.		L		
	Fruit	Tankaari /Papoto	10-20 g		
309.	Physalis peruviana L.		l		
	Fruit	Parpoti (var) /	10-20 g		
		Rasbhari			
310.	Picorhiza kurroa Royle Ex. Benth / P. scrophularii flora				
	Root	Katuk / Kutaki / Kulaki (Bheda)	1-3 g (as powder)		
044	Extract		125-250 mg		
311.	Pimpinella anisum L.				
	Fruit	Anisoon /	1-3 g		
		Aniseed			
	Oil		0.5 - 1 ml		
312.	Pinus excelsa / P. wallichiana (syn)				
	Fruit	Kail /	5-10 g		
	Oil	Saral (var)	1-2 ml		
	Bark		2 – 3 g		
			(Not recommended for children below! years)		
313	Pinus gerardiana Wall.				
313.	Tinas geraratana wan.				

	Oil	Chilgoja /	1- 2 ml		
	Bark	Neerachail	2 -3 g		
314.	Pinus roxburghii /P. longifolia Roxb				
	Fruit /	Saral /	10-20 g		
	Oleoresin	Cheer /	1-2 g		
	Oil	Cheel	1-2 ml		
			(Not recommended for children below 5 years)		
315.	Piper betle L.				
	Leaf	Tambula /	2-5 g		
		Pana-patta /	(Not recommended		
		Paan	for children below 5 years)		
316.	Piper chaba Hunter (non Blume) (Now known as P.r retrofractum Vahl)/ P. officinarum				
	Leaf	Chabya /	1-3 g (as powder)		
		Chabh /			
		Chavika			
317.	Piper cubeba L.f.				
	Fruit	Kankola /	1-3 g (as powder)		
		Kabab chini			
318.	Piper longum L. / P. retrofractu	m Linn.			
	Fruit	Pippaali /	0.5-2 g (as powder)		
		Long pepper /	(Not recommended		
		Magha	for prolonged use)		
319.	Piper nigrum L.				
	Fruit	Maricha /	0.5-2 g		
		Kali Maricha/			
		Black pepper			
320.	Pistacia integerrima Stewart (N	Now known as <i>P. chinensis</i> Bunge	e ssp. <i>integerrima</i>		

	(Stewart) Rech.f.			
	Gall	Karkatasharingi / Kakadasingi /	1-2 g	
		kakdain		
321.	Pistacia lentiscum Linn.	1	ı	
	Gum-Resin	Mastagi / Roomi-mastagi	2-3 g	
322.	Pistacia vera L.			
	Seed endosperm	Mukuulaka /	5-10 g	
		Pista		
323.	Pisum sativum L.	1		
	Seed and pod	Matar	30-50 g (as fresh)	
324.	Plantago ovata Forssk. / P. m.	ajor Linn. / P. lanceolata Linn.	1	
	Seed	Isabgol	5-10 g	
	Husk		5 – 10 g	
325.	Plumbago zeylanica Linn. / P. indica			
	Root	Chitraka / Chitra-sfed / Lal- pushp	1-2 g (as powder) after purification	
			(Not recommended for children below years and pregnan women)	
326.				
	Fruit / Rhizome / Root	Ban-kakadi / Giriparpat	125-250 mg (Not recommended for children below 5 years and pregnan women)	
327.	Pongania pinnorta Pierre. / P.	. glabra syn		
	Seed	Karanj	1-3 g (as powder)	
	Leaf/ Stem/ Bark		3-5 g	
	Oil		1-2ml	
328.	Polygonatum cirrhifolium (Wa	all.) Royle		
-	Rhizome	Meda	5-10 g	

329.	Polygonatum verticillatum (L.) All.				
	Rhizome	Mahameda	5-10 g		
330.	Portulaca oleracea L. / P. quadrifida L.				
	Aerial part	Kulpha - sag /	20-30 g (as fresh)		
		Nonia - sag			
331.	Premna integrifolia / P. latifolia / P. tomentosa				
	Whole plant / Bark / Leaf	Agnimanth	5-10 g (as powder)		
332.	Prosopis spicegera Linn. / P.ci	neriaria Druce/ P. stephaniann	na (syn)		
	Pods	Shami / Khekjjadii	Pods 20-30 g (as		
	Leaf / Bark /Flower		fresh)		
			3-6 g (as powder)		
333.	Prunus amygdalus Baill. var. a	lulchin			
	Fruit seed	Vaataama /	10-20 g		
		Badam			
	Seed oil	Badam ka tail	3 - 5 ml		
334.	Prunus armeniaca L.				
	Pericarp	Khumani /	10-20 g		
		Aaluka /			
		Apricot			
	Kernel	Khumani	3-5 g		
	Seed oil		3-5 ml		
335.	Prunus cerasoides D. Dons / P	. puddum Roxb. (syn)			
	Wood	Padmaka /	1-3 g (as powder)		
		Padamkasht / Pajja/			
		Wild Himalaya cherry			
	Flower		1 -2 g		
336.	Prunus domestika Linn. / P. co	ommunis Huds.			
	Fruit	Aarak/ Aaluuchar /	5-10 g (as dried fru		
		Aaluubhukaara			

	Seed Oil		2-3 ml	
	Stem extract		200 mg, Max (not recommended for usage beyond 30 days.)	
337.	Prunus persica (L.) Batsch. / P. v	vulgaris Nutt.	•	
-	Pericarp / Fruit	Aarun /	10-20 g	
		Adu/		
		Aaluka/		
		Aru-adu		
338.	Psidium guajava L.			
-	Fruit	Peruka /	20-50 g	
		Peru/		
		Amruda		
-	Leaf	Amruda	3-5 g	
339.	Pterocarpus marsupium Roxb.			
-	Heart wood	Asana /	5-10 g	
		Vijaysar /		
	Extract	Beejaka - beeja	0.5-1 g	
340.	Pterocarpus santalinus Linn.			
-	Heart wood	Rakt Chandan/	5-10 g	
		Lal chandan		
341.	Pterospermum cerifolium Willd.			
_	Flower	Muchukund	3-6 g	
	Leaf		5-10 g	
342.	Pueraria tuberosa (Roxb. ex Wi	lld.) DC.		
Ī	Tuber	Vidaari /	10-20 g	
		Patal Kohda /		
		Bhumi-kushmand /		
		Lasood		

343.	Punica granatum L.				
	Seed	Dadima/	20-50 g		
		Dadaka/			
		Anar			
	Fruit rind	Anar	5-10 g		
	Leaf		5 -10 g (for decoction)		
344.	Putranjiva roxburghii				
	Fruit seed kernel	Putrajivak /	3-6 g		
		Jiya-pota	(Not recommended for children below years)		
345.	Pyrus communis L.				
	Fruit	Nashpaati /	50-100 g		
	Seed	Babbughosha	1 – 3 g		
	Leaf		1-5 g (for decoction		
346.	Pyrus malus L. (Now known as Malus pumila Mill.)				
	Fruit	Seb	100-200 g		
			20-40 ml (as juice)		
347.	Ranunculus scleratus Linn.				
	Whole plant /Root	Kaandir / Jal dhaniya	1-3 g (as powder)		
348.	Raphanus sativus L.				
	Root / Leaf	Muulika /	20-50 g (as fresh)		
		Muli			
	Seed		125-250 mg		
349.	Reinwardtia indica				
	Whole plant/Leaf	Basanti	5-10 g (as powder)		
	Extract		0.5-1 g		
350.	Rhododendron arboreum	Sm. / R. companulatum / R. lepido	tum Wall.		
	Flower	Rodo /	10-20 g		

		Burans /		
		Baraha		
	Extract	Burans	1-2 g	
351.	Rheum emodi Wall. ex Meissn. /	R. officinale		
	Leaf	Revand chini /	0.5-1 g	
	Root / Stem	Peatmuli	1 – 2 g	
352.	Rhus parviflora Roxb. ex DC. / R.	coriaria Linn.		
	Fruit	Tinda /	30-75 g	
		Samakdana		
353.	Ricinus communis			
	Seed/ Root	Erand /	5-10 g	
	Leaf	Arand /	5-10 ml (as juice)	
	Oil	Castor seed	1-5 ml (as laxative occassionally)	
			(Not recommended for children below 5 years)	
354.	Rosa alba L. / R. centifolia L. / R	damascena Mill.		
	Flower	Gulab / Taaruni	10-20 g	
	Oil (distilled)		2 – 5 drops	
355.	Roscoea procera Wall.			
	Root tuber	Kakoli /Kandamula /	5-10 g (as powder)	
		Ksheerakakoli		
356.	Rubia cordifolia			
	Root/Stem	Manjishta /Manjeeth	1-2 g	
357.	Rumex vesicarius L. / R. nepalen	sis / R. maritimus / R. acetosella	1	
	Leaf	Ambat chukka / Chukra	10-20 g	
			(Not recommended for children below 5	

			years)		
358.	Saccharum Munja Roxb. / S. spontaneum Linn.				
	Root	Shara-munja / Kaasha	10-20 g (for decoction)		
			6-10 g (as powder)		
359.	Saccharum officinarum L.				
	Stem - Juice	Iiksashu/	100-200 ml (as juice)		
	Root	Ganna	5-15 g (for decoction		
			(Not recommended for diabetics)		
	Sugar	Chini / Shakkar	15-30 g		
			(Not recommended for diabetics)		
	Jaggery	Gud	15-30 g		
			(Not recommended for diabetics)		
360.	Salacia chinensis L. / Salacia oblonga Wall. ex Wight and Arn / Salacia reticulata Wight. / S. roxburghii / S. macrosperma				
	Root /Stem	Saptachakra /Saptrangi /	5-10 g (for decoction		
		Suvarnamula /Anakoranti ke mula			
		Continue	0 7 4		
	Extract of root or stem	Saptrangi	0.5-1 g		
361.		a/S. capra/S. frag. Lis / S. tetrasper			
361.		a/ S. capra/ S. frag. Lis / S. tetrasper Jalavetas / vetas / Bed-	mi 10-20 g (for		
361.	Salix alba Linn./S. babylonic	a/ S. capra/ S. frag. Lis / S. tetrasper	mi		
	Salix alba Linn./S. babylonic Leaf / Bark / Root	a/ S. capra/ S. frag. Lis / S. tetrasper Jalavetas / vetas / Bed- Mushak	mi 10-20 g (for		
361.	Salix alba Linn./S. babylonic Leaf / Bark / Root Salvadora persica/ S. oleoide	a/ S. capra/ S. frag. Lis / S. tetrasper Jalavetas / vetas / Bed- Mushak	mi 10-20 g (for decoction) 3-6 g (as powder)		
	Salix alba Linn./S. babylonic Leaf / Bark / Root	a/ S. capra/ S. frag. Lis / S. tetrasper Jalavetas / vetas / Bed- Mushak	mi 10-20 g (for decoction)		
	Salix alba Linn./S. babylonic Leaf / Bark / Root Salvadora persica/ S. oleoide	Jalavetas / vetas / Bed- Mushak Peelu / Bada pelu	mi 10-20 g (for decoction) 3-6 g (as powder)		

			3-5 g (as leaf	
	Plant		powder)	
364.	Santalum album L.			
	Oil	Chandan ka tail	3-5 drops	
	Hard wood		1-2 g (as powder)	
365.	Saraca asoca Roxb. / S. in	ndica		
	Bark/Leaf	Ashok	5-10 g	
			(Not recommended for children below ! years)	
366.	Saussurea lappa (Deeni)	/S. costus		
	Root/Rhizome	Kushta /	3-5 g	
		Kuth	(Not recommended for children below ! years)	
	Oil		5-10 drops	
367.	Scindapsus officinalis (Sc	choft)		
	Stem	Gajapipplai/Gaj pippali /	3-5 g	
		Gaj krishna		
368.	Scirpus kysoor Roxb. (No	ow known as <i>S. grossus</i> (L.f.) Palla) / <i>S</i>	S. tuberosus Desf.	
	Rhizome	Kasheruk /Kasheru /	20-50 g (as fresh)	
	Tuber	Rajkasheruka		
369.	Selinum tenuifolium / S. vaginatum / S. Monnieri Linn.			
	Rhizome /Root	Murra-Maangi /	1-3 g	
		Bhuutakoshi		
370.	Semicarpus anacardium	Linn.		
	Fruits / Nuts	Bhallataka / Bhallava	Detoxified fruit 1-2 in milk confection (Not recommdeded for children beow 5 years and pregnant	

371.	Sesamum indicum L. (Nov	y known as S orientale I)	women)	
3/1.	Sesumum maicum L. (NOV	v Milowii as 3. Ultelitute L.J		
	Seed	Tila /Sesame /Gingelly	10-20 g	
	Oil	Tila	5-10 ml	
	Whole plant		2-3 g (as ash)	
372.	Sesbania grandiflora (L.)	Poir. / S. susben Linn.		
	Flower	Agasthya /Jayanti /	10-20 g (as fresh)	
		Agathi /Jait		
	Leaf	Agathi	10-20 g	
373.	Setaria italica (L.) P. Beau	ıv. (Millet)	I	
	Seed	Kanguni /	10-50 g	
		Kangu		
374.	Shoria robusta Gaertn.			
	Raisin	Saala / Shaala	1-3 g	
	Fruit / Bark /Wood			
	Oil		3-5 g (as powder)	
			1-3 ml	
375.	Sida cordifolia L. / S. rhombifolis Linn./ S. acuta / S. spinose/ S. veronica folia			
	Whole plant	Balla /	10-20 g (for	
		Mahaballa /Nagaballa /	decoction)	
		Rajaballa /Bariyara		
			1-2 g	
	Extract			
	Seed	Bariyara	1-2 g	
376.	Sisimbrium rio Linn./S. los	setii Linn.		
	Seed	Khuub Kalan	1-3 g	
	Plant		3-6 g (as powder)	
377.	Smilax china Linn./S. glab	ra Roxb./ <i>S. lanceifolia</i> Roxb.		

	Tuber	Chobachini / Deepanter Vaacha	60-125 mg (as powder)	
378.	Solanum indicum / S. suratten.	se / S. torvum / S. trilobetum Linn.		
	Whole plant/ Root / Fruit	Bruhati /	5-10 g (for decoction)	
		Kantkari-shavet		
	Extract	Kateli	0.5-1 g	
379.	Solanum nigrum L.			
	Whole Plant	Kakamachi /	10-20 g	
		Chhoti Makoy /		
		Mako		
380.	Sorghum vulgare Pers. (Millet)		
	Seed	Jwara /	50-100 g	
		Yaava - naal		
381.	Sphaeranthus indicus			
	Flower	Mundi /	5-10 g	
		Mundika /		
		Gorakmundi		
382.	Spinacia oleracea L.			
	Leaf	Palak / Spinach	30 -50 g	
383.	Spondias mangifera Willd. (Now known as S. pinnata (L.f.) Kurz.)			
	Fruit	Aamrataka /	20-30 g	
		Ambada /		
	Leaf / Bark	Kapitania	5-10 g (for decoction)	
			1-3 g (as powder)	
384.	Stephania glabra Miers.	1		
201	Tuber / Rhizome / Leaf	Raaja paatha / Kitha-kanehar	1-3 g (as powder)	
385.	Strychnos potatorum L.	T		
	Seed	Kataki /	1-3 g (as powder)	
		Nirmali		

386.	Swertia chirayita / S. ciliata / S. angustifolia			
	Whole plant	Kiratik /Cheretta /	3-5 g	
		Bhuunimba /Chiraita		
	Extract	Chiraita	0.5-1 g	
387.	Symplocos racemose Roxb. /	S. paniculata Thunb.		
	Bark/Leaf	Lodhara /	3-5 g	
		Lodhera - pathani		
388.	Syzygium aromaticum (L.)M	Ierr. and L.Perry		
	Flower bud	Lavanga /Laung	0.5-1 g	
389.	Syzygium cuminii (L.) Skeels	S		
	Pericarp and mesocarp	Jambu /Jamun	10-50 g	
	Seed	Jamun	3-5 g	
390.	Tacca aspera Roxb.			
	Tuber	Bhevara ke kand	20-30 g	
391.	Tamarindus indica L. / T. of	ficinalis Hk (syn)		
	Fruit pulp	Amlika /Chincha /	2-5 g	
		Imali /Tamarind	(Not recommended during skin ailments	
	Seed	Imali	5-10 g	
392.	Taraxacum officinale			
	Leaf /Whole Plant	Dugdh - pheni / Dudhi / Dandelion	1-2g (as powder)	
393.	Taxus baccata			
	Leaf	Talis patra/ Sthavneyak / Thunera / Birmi	1-3 g (as powder)	
	Bark		3-5 g (as powder)	
394.	Tecomella undulata Seem.			
	Bark	Rohitaka / Roheda	15-30 g (for decoction)	
			3-6 g (as powder)	
395.	Tephrosia purpurea	l .		

	Whole plant	Sarponkha	5-10 g (for decoction)		
			3-5 g (as powder)		
396.	Teramnus labialis (L.f.) Spreng.				
	Whole plant	Mashaparni	10-20 g (for decoction)		
397.	Terminalia arjuna Roxb.				
	Bark/Leaf/Fruit	Arjun /Parth	1-5 g		
	Extract	Arjun	0.5 -1 g		
398.	Terminalia belerica (Gaertn.) Ro	xb.			
	Fruit pericarp	Bibitaki	3-5 g		
		Bahera			
	Extract	Bahera	0.5-1 g		
399.	Terminalia catappa L.				
	Kernel	Jungali badaama / Desi badama	10-20 g		
400.	Terminalia chebula Retz.				
	Fruit pericarp	Haritaki /Harad /	3-5 g (as powder)		
		Shiva			
	Extract	Harar	0.5-1 g		
401.	Terminalia tomentosa Wight. and Arn.				
	Stem/Bark/Leaf	Asana /	5-10 g (for decoction)		
		Jarandrum / Asan	3-5 g (as powder)		
402.	Tetragonia expansa/ T. tetragon	l poides Pall.			
	Shoots / Seed / Root / Flower	Van-paalak	20-50 g (as fresh)		
			5-10 g (as powder)		
403.	Thalictrum foliolosum DC.		·		
	Plant / Root	Peetranga / Mamirii	1-2 g (as powder)		
404.	Thespesia populnea soland.	T			
	Stem / Bark	Paarisha / kapitana / Paarish-pippala	10-20 g (for decoction)		

			3-6 g (as powder)	
405.	Thymus serpyllum auct. non L. (Now known as T. linearis Benth.) / T. vulgaris			
	Leaf	Banya-ajwain /	1-3 g (as powder)	
		Ban ajwain		
406.	Tilia cordata Linn. / T. Vu	lgaris		
	Flower	Telia	2-5 g (as powder)	
407.	Trachyspermum ammi (L.)) Sprague	1	
	Seed	Yavani /Ajwain /	1-3 g (as powder)	
		Desi ajwain		
	Leaf	Ajwain	3 -5 g	
	Oil		5-10 drop	
408.	Trapa bispinosa Roxb. (No	ow known as <i>T. natans</i> L. var. <i>bispinos</i>	a (Roxb.) Makino)	
	Endosperm / Fruit	Shrungataka /	30-60 g	
		Singhada /		
		Sigadu		
409.	Trianthema portulacastrum L.			
	Whole plant	Varsha vhun /	1-3 g	
		Vishakhaparna		
410.	Tribulus terrestris Linn.			
410.	Tribulus terrestris Liiii.			
	Fruit/Whole plant	Gokhru /	2-4 g (as powder)	
		Gokshura	5-10 g (for decoction)	
411.	Tricholepis glaberrima DC			
	Plant	Brahmadandi /Brahm dandi	3-6 g	
412.	Trichosanthes anguina L.			
	Fruit	Dadhipushpi /Chichinda	30-60 g	
413.	Trichosanthes dioica Roxb).	l	
	İ			

	Seed	Methika /	1-2 g (soaked in	
		Methi	water or germinate or roasted)	
	Leaf	Methi	50-100 g (as fresh)	
415.	Triticum aestivum L.	,		
	Seed	Gehun	50-100 g	
	Tender shoot/spout	Ankurita Gehu	10-30 g	
416.	Typhonium trilobatum (L.)	Schott.		
	Tuber	Karu karunai /	20-50 g	
		Konchu		
417.	Tinospora cardifolia Miers.	(menispermaceae) syn. <i>T. glabra</i> (r	n. Burm) / T. crispa Lin	
	Roots/Stem	Guduchi /	5-10 g (as powder)	
		Amrita-valli /	10-20 ml (for	
		Giloya /	decoction)	
		Giloy	0.5-1 g Max (as sattva)	
	Extract		0.5-1 g	
418.	Trichosanthes bracteata Lam. / T. palmata Roxb. (syn)			
	Root / Fruit	Inder Vaaruni / Vishaalaa	0.5-1 g (as powder)	
			(Not recommended for children below! years and pregnant	
			women)	
419.	Urtica parviflora / U. dioica	1		
419.	Urtica parviflora / U. dioica Tender Leaf	Vrishchhiya – shaakiar /	women) 10-20 g (for	
419.	. ,		women)	
419.	. ,	Vrishchhiya – shaakiar / Bicchubuti	women) 10-20 g (for	
	Tender Leaf	Vrishchhiya – shaakiar / Bicchubuti	women) 10-20 g (for	

	Bulb / Root / Leaf	Van palandu / jangali piyaz / kolakand	125-250 mg	
			(Not recommended for children below 5 years and pregnant women)	
422.	Valeriana jatamansi Jones / V.	wallichii		
	Rhizome	Sugandh -baalaa / Tagar	1-3 g (as powder)	
423.	Veronika officinalis / V. teres W			
	Whole plant / Leaf	pamukha	0.25 – 1 g	
424.	Vetiveria zizanioides			
	Whole plant	Ushira /	5 - 10 g (for decoction)	
		Khas /	decocnony	
		Vetiver		
425.	Vigna trilobata (L.) Verdc.			
	Whole plant	Mudadaparni /	2-4 g (as powder)	
		Mugvan		
426.	Viola odorata / V. pilosa / V. syl	vestris		
	Whole plant	Banafsha /	3-5 g	
	Flower	Vanksha	1-2 g	
427.	Vitex agnus-castus Linn.			
	Seed	Renuka beej / Sage	1-2 g	
	Leaf		1-3 g	
			(Not recommended for children below 5 years)	
428.	Vitex negundo / V. trifolia	<u> </u>	1	
	Fruit/Seed/Leaf	Nirgundi /Sambhaalu	1-3 g	
			1	

	Fruit dry	Draksha /Munakka	5-10 g	
	Seed / Fruit skin	Munakka	1-3 g	
430.	Wedelia calendulacea (L.) Less. (Now known as W. chinensis (Osbeck) Mer.)/ W. biflora DC.			
	Leaf	Peet-bhringraja/ Pila bhagra	5-10 g (for decoction) 1-3 g (as powder)	
431.	Withania coagulans (Stock	rs) Dunal		
	Fruit	Desi – asgandh /	3-10 g	
		Paneer doda		
432.	Withania somnifera (L.) Du	unal.		
	Root	Ashwagandha /Asgandh /	3-6 g (as powder	
		Nagauri / asgandha		
	Extract	Asgandh	0.5-1 g	
433.	Woodfordia fruticosa			
	Flower	Dhataki pushp /Dhay ke phool	3-5 g	
434.	Wrightia tinctoria / W. tomentosa			
	Bark/Leaf	Svet kutaj /	3- 5 g	
		Meetha kutaj /		
		Inderyava		
	Seed		1-3 g	
435.	Zanthoxylum alatum Roxb	. (Now known as Zanthoxylum armat	tum DC.)	
	Seed / Bark	Timura /Tejovati /Tis-mira	1-3 g	
436.	Zea mays L.			
	Seed	Makka	20-50 g	
	Anthers / Corn silk		3-5 g	

	Rhizome	Adrakh /Shunti	5-10 g (as fresh)
			1-3 g (as dried)
			0.1 - 1 g
	Evtract		(Not recommended during hypertension and bleeding disorders)
	Extract		
438.	Zizyphus jujuba Lam.		
	Pericarp	Unnaba / unnab ber	10-50 g (as fresh)
			10-20 g (as powder)
439. Zizyphus nummularia (Burm.f.) W. and A. / Z. oenoplia /			ra Willd.
	Pericarp	Jangali Ber / Jhar ber	15-30 g (as fresh fruit)
	Leaf		3-6 g (as powder)

- Note 1.- Ingredients listed in the above Schedule shall be used after due processing or in their extract forms subject to permissible usage range given in the last column of the Table. Offering these ingredients, either alone or in combinations as such or minimally processed (cleaned, de-weeded, sorted, dried or powdered) is/are not permitted.
- Note 2.- Adequate scientific rationale, either based on rationale as enshrined in the Authoritative texts, or as demonstrated in published scientific literature shall be applied for manufacturing foods as supplements/nutraceuticals while using ingredients listed in the Schedule IV of said regulations. In case of use of more than one ingredient listed in the above Schedule in a formulation, adjustment may be permitted by way of reduction or alteration within the permissible usage range (given in the last column of the Table) based on similar scientific rationale subject to that such a use provides a safe formulation. Ingredients, if used in extracts form, as permitted in these regulations, proportion of which shall be based on extractive values as applicable. FBO's shall provide the rationale as part of the application or when demanded by the Authority.
- Note 3.- The ingredients listed above shall comply with Food Safety and Standards (Contaminants, Toxins and Residues) Regulations, 2011.
- Note 4.- Permitted range of usage for children between 5-16 years is ½ of the permitted range of usage for adults.

Note 5.- Permitted range of usage for children between 2-5 years is ¼ of the permitted range of usage for adults.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

Schedule - VA

[See regulations 3.(13), 6.(4), 7.(5), 10.(3) and 11.(3)]

List of food additives for health supplements, nutraceuticals and food with added probiotics and prebiotics

S. No.	INS No.	Food Additive or Group	Maximum permitted level
1.	950	Acesulfame potassium	2,000 mg/kg
2.	304, 305	Ascorbyl Esters	500 mg/kg
3.	951	Aspartame	5,500 mg/kg
4.	962	Aspartame-Acesulfame salt	2,000 mg/kg
5.	901	Beeswax	GMP
6.	210, 211, 212, 213	Benzoates	2,000 mg/kg
7.	133	Brilliant blue FCF	300 mg/kg
8.	320	Butylated hydroxyanisole (BHA)	400 mg/kg
9.	321	Butylated hydroxytoluene (BHT)	400 mg/kg
10.	902	Candelilla wax	GMP
11.	150c	Caramel III – Ammonia caramel	20,000 mg/kg
12.	150d	Caramel IV – Sulfite ammonia caramel	20,000 mg/kg
13.	903	Carnauba wax	5,000 mg/kg
14.	160a(ii)	beta-Carotenes (vegetable)	600 mg/kg
15.	160a(i), (iii), 160e, 160f		
16.	1503	Castor oil	1,000 mg/kg
17.	141(i),(ii)	Chlorophylls and Chlorophyllins, Copper Complexes	500 mg/kg
18.	472e	Diacetyltartaric and fatty acid 5,000 mg esters of glycerol	
19.	385, 386	Ethylene diamine tetra acetates	150 mg/kg
20.	143	Fast green FCF	600 mg/kg
21.	163(ii)	Grape skin extract	500 mg/kg

S. No.	INS No.	Food Additive or Group	Maximum permitted level	
22.	132	Indigotine (Indigo carmine)	300 mg/kg	
23.	961	Neotame	90 mg/kg	
24.	338, 339(i)-(iii),	Phosphates	2,200 mg/kg	
	340(i)-(iii), 341(i)- (iii), 342(i),(ii), 343(i)-(iii),			
	450(i)-(iii),(v)-(vii), 451(i),(ii), 452(i)-(v), 542			
25.	1203	Polyvinyl alcohol	45,000 mg/kg	
26.	900a	Polydimethylsiloxane	50 mg/kg	
27.	1521	Polyethylene Glycol	70,000 mg/kg	
28.	432-436	Polysorbates	25,000 mg/kg	
29 . 1201		Polyvinylpyrrolidone	GMP	
30.	124	Ponceau 4R (Cochineal red A)	300 mg/kg	
31.	310	Propyl gallate	400 mg/kg	
32.	101(i)-(iii)	Riboflavins	300 mg/kg	
33.	954(i)-(iv)	Saccharins	1,200 mg/kg	
34.	904	Shellac, Bleached	GMP	
35.	200-203	Sorbates	2,000 mg/kg	
36.	960	Steviol Glycosides	2,500 mg/kg	
37.	955	Sucralose (Trichlorogalactosucrose)	2,400 mg/kg	
38.	474	Sucroglycerides	2,500 mg/kg	
39.	110	Sunset yellow FCF	300 mg/kg	
	Amendme	nt for insertion of new provision		
1 [40 .	172(i), 172(ii).	Iron oxides	7.500 mg/kg (For	

Amendment for insertion of new provision				
¹ [40 .	172(i), 172(ii), 172(iii)	Iron oxides	7,500 mg/kg (For use in surface treatment only)]	

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

Schedule - VB

[See regulations 3.(13), 8.(4), 10.(3) and 11.(3)]

List of food additives for foods for special dietary use and food with added probiotics and prebiotics

1. 950 Acesulfame potassium 450 mg/kg 2. 956 Alitame 300 mg/kg 3. 304,305 Ascorbyl Esters 500 mg/kg 4. 951 Aspartame 1,000 mg/kg 5. 962 Aspartame-acesulfame salt 450 mg/kg 6. 210,211,212,213 Benzoates 2,000 mg/kg 7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(ii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 342(i),(ii), 343(i)-(iii), 452(i)-(v), 542 542 17. 900a Polydimethylsiloxa	S. No.	INS No.	Food Additive or Group	Maximum permitted Level
3. 304, 305 Ascorbyl Esters 500 mg/kg 4. 951 Aspartame 1,000 mg/kg 5. 962 Aspartame-acesulfame salt 450 mg/kg 6. 210, 211, 212, 213 Benzoates 2,000 mg/kg 7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 452(i)-(v), 542 Phosphates 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18.	1.	950	Acesulfame potassium	450 mg/kg
4. 951 Aspartame 1,000 mg/kg 5. 962 Aspartame-acesulfame salt 450 mg/kg 6. 210, 211, 212, 213 Benzoates 2,000 mg/kg 7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(ii), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 450(i)-(iii), 451(i)-(iii), 451(2.	956	Alitame	300 mg/kg
5. 962 Aspartame-acesulfame salt 450 mg/kg 6. 210, 211, 212, 213 Benzoates 2,000 mg/kg 7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(ii), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 450(i)-(iii), 451(i)-(iii), 45	3.	304, 305	Ascorbyl Esters	500 mg/kg
6. 210, 211, 212, 213 Benzoates 2,000 mg/kg 7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f 12. 472e Diacetyltartaric and fatty acid esters of glycerol 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 342(i),(iii), 341(i)-(iii), 342(i),(iii), 450(i)-(iii), (v)-(vi), 451(i),(iii), 452(i)-(v), 542 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	4.	951	Aspartame	1,000 mg/kg
7. 133 Brilliant blue FCF 300 mg/kg 8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 342(i),(iii), 343(i)-(iii), 450(i)-(iii), 450(i)-(iii), (v)-(vii), 451(i),(iii), 452(i)-(v), 542 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/k	5.	962	Aspartame-acesulfame salt	450 mg/kg
8. 150c Caramel III - Ammonia caramel 20,000 mg/kg 9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f 12. 472e Diacetyltartaric and fatty acid esters of glycerol 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 340(i)-(iii), 450(i)-(iii), 450(i)-(iii), 451(i),(ii),452(i)-(v), 542 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 20. 955	6.	210, 211, 212, 213	Benzoates	2,000 mg/kg
9. 150d Caramel IV - Sulfite ammonia caramel 20,000 mg/kg 10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f 12. 472e Diacetyltartaric and fatty acid esters of glycerol 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 340(i)-(iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii), (v)-(vii), 451(i),(ii),(v)-(vii), 451(i),(ii),(v)-(vii), 451(i),(iii), 810(i) Riboflavins 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	7.	133	Brilliant blue FCF	300 mg/kg
10. 160a(ii) Beta-Carotenes (vegetable) 600 mg/kg 11. 160a(i), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 342(i)-(iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii), 450(i)-(iii), 451(i),(i),(v)-(vii), 451(i),(ii),452(i)-(v), 542 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	8.	150c	Caramel III – Ammonia caramel	20,000 mg/kg
11. 160a(i), (iii), 160e, 160f Carotenoids 300 mg/kg 12. 472e Diacetyltartaric and fatty acid esters of glycerol 5,000 mg/kg 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 450(i)-(iii), 450(i)-(iii), 450(i)-(iii), (v)-(vii), 451(i), (iii), 452(i)-(v), 542 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	9.	150d	Caramel IV - Sulfite ammonia caramel	20,000 mg/kg
12. 472e Diacetyltartaric and fatty acid esters of glycerol 13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 340(i)-(iii), 450(i-(iii), 451(i),(i)i/452(i)-(v), 542 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	10.	160a(ii)	Beta-Carotenes (vegetable)	600 mg/kg
13. 163(ii) Grape skin extract 250 mg/kg 14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 342(i)-(iii), 450(i)-(iii), (v)-(vii), 451(i),(ii),452(i)-(v), 542 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg 26. 250 mg/kg 27.	11.		Carotenoids	300 mg/kg
14. 132 Indigotine (Indigo carmine) 300 mg/kg 15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 450(i)-(iii), 450(i)-(iii), (v)-(vii), 451(i),(ii),452(i)-(v), 542 Phosphates 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	12.	472e	1	5,000 mg/kg
15. 961 Neotame 65 mg/kg 16. 338, 339(i)-(iii), 341(i)-(iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii),(v)-(vii), 451(i),(ii),452(i)-(v), 542 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	13.	163(ii)	Grape skin extract	250 mg/kg
16. 338, 339(i)-(iii), 341(i)-(iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii),(v)-(vii), 451(i),(ii),452(i)-(v), 542 Phosphates 2,200 mg/kg 17. 900a Polydimethylsiloxane 50 mg/kg 18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	14.	132	Indigotine (Indigo carmine)	300 mg/kg
340(i)-(iii), 341(i)-(iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii),(v)-(vii), 451(i),(ii),452(i)-(v), 542	15.	961	Neotame	65 mg/kg
18. 124 Ponceau 4R (Cochineal red A) 300 mg/kg 19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	16.	340(i)-(iii), 341(i)- (iii), 342(i),(ii), 343(i)-(iii), 450(i)-(iii),(v)-(vii), 451(i),(ii),452(i)-(v),	Phosphates	2,200 mg/kg
19. 101(i)-(iii) Riboflavins 300 mg/kg 20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	17.	900a	Polydimethylsiloxane	50 mg/kg
20. 954(i)-(iv) Saccharins 200 mg/kg 21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	18.	124	Ponceau 4R (Cochineal red A)	300 mg/kg
21. 200-203 Sorbates 1,500 mg/kg 22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	19.	101(i)-(iii)	Riboflavins	300 mg/kg
22. 960 Steviol glycosides 660 mg/kg 23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	20.	954(i)-(iv)	Saccharins	200 mg/kg
23. 955 Sucralose (Trichlorogalactosucrose) 400 mg/kg	21.	200-203	Sorbates	1,500 mg/kg
Job Sucratose (Trientor ogataecosaerose) 100 mg/ kg	22.	960	Steviol glycosides	660 mg/kg
24. 110 Sunset yellow FCF 300 mg/kg	23.	955	Sucralose (Trichlorogalactosucrose)	400 mg/kg
	24.	110	Sunset yellow FCF	300 mg/kg

Schedule - VC

[See regulations 3.(13), 9.(4), 10.(3) and 11.(3)]

List of food Additives for foods for special medical purpose (other than those products intended for foods for infants) and food with added probiotics and prebiotics

S. No.	INS No.	Food Additive or Group	Maximum Permitted Level
1.	950	Acesulfame potassium	500 mg/kg
2.	951	<u>Aspartame</u>	1,000 mg/kg
3.	962	Aspartame-acesulfame salt	500 mg/kg
4.	<u>210</u> - 213	Benzoates	1,500 mg/kg
5.	133	Brilliant blue FCF	50 mg/kg
6.	<u>150c</u>	Caramel III – Ammonia caramel	20,000 mg/kg
7.	<u>150d</u>	Caramel IV - Sulfite Ammonia caramel	20,000 mg/kg
8.	160a(ii)	beta-Carotenes (vegetable)	600 mg/kg
9.	160a(i), (iii), 160e, 160f	Carotenoids	50 mg/kg
10.	<u>472e</u>	Diacetyltartaric and fatty acid esters of glycerol	5,000 mg/kg
11.	163(ii)	Grape skin extract	250 mg/kg
12.	132	Indigotine (Indigo carmine)	50 mg/kg
13.	961	<u>Neotame</u>	33 mg/kg
14.	338, 339(i)-(iii), 340 (i)-(iii), 341(i)-(iii), 342 (i),(ii), 343(i), (iii), 450 (i)-(iii), (v)-(vii), 451(i), (ii), 452(i)-(v), 542	Phosphates 2,200 mg/	
15.	<u>900a</u>	Polydimethylsiloxane	50 mg/kg
16.	432 - 436	<u>Polysorbates</u>	1,000 mg/kg
17.	124	Ponceau 4R (Cochineal red A)	50 mg/kg
18.	477	Propylene glycol esters of fatty acids 5,000 mg/kg	
19.	101(i)-iii)	Riboflavins 300 mg/kg	
20.	954 (i)-(iv)	Saccharins	200 mg/kg
21.	200-203	Sorbates	1,500 mg/kg
22.	960	Steviol glycosides	350 mg/kg
23.	955	Sucralose 400 mg/kg (Trichlorogalactosucrose)	
24.	474	Sucroglycerides 5,000 mg/kg	
25.	110	Sunset yellow FCF	50 mg/kg

Schedule - VD

[See regulations 3.(13), 9.(4), 10.(3) and 11.(3)]

List of food additives for foods for special medical purpose (other than those intended for infant foods); formula for slimming purpose and weight reduction and food with added probiotics and prebiotics

S. No.	INS No.	Food Additive or Group	Maximum permitted Level
1.	950	Acesulfame potassium	450 mg/kg
2.	304, 305	Ascorbyl Esters	500 mg/kg
3.	951	<u>Aspartame</u>	800 mg/kg
4.	962	Aspartame-acesulfame salt	450 mg/kg
5.	<u>210</u> - 213	Benzoates	1,500 mg/kg
6.	133	Brilliant blue FCF	50 mg/kg
7.	150c	Caramel III – Ammonia caramel	20,000 mg/kg
8.	<u>150d</u>	Caramel IV - Sulfite Ammonia caramel	20,000 mg/kg
9.	160a(ii)	Beta-Carotenes (vegetable)	600 mg/kg
10.	160a(i), (iii), 160e, 160f	Carotenoids	50 mg/kg
11.	472e	Diacetyltartaric and fatty acid esters of glycerol	5,000 mg/kg
12.	163(ii)	Grape skin extract	250 mg/kg
13.	132	Indigotine (Indigo carmine)	50 mg/kg
14.	961	Neotame 33 mg/kg	
15.	338, 339(i)-(iii), 340(i)-(iii), 341(i)-(iii), 342(i),(ii), 343(i)-(iii), 450 (i)-(iii),(v)-(vii), 451(i),(ii), 452(i)-(v), 542	Phosphates 2,200 mg/kg	
16.	900a	Polydimethylsiloxane	50 mg/kg
17.	432 - 436	<u>Polysorbates</u>	1,000 mg/kg
18.	124	Ponceau 4R (Cochineal red A)	50 mg/kg
19.	477	Propylene glycol esters of fatty acids 5,000 mg/kg	
20.	101(i)-iii)	<u>Riboflavins</u>	300 mg/kg
21.	954 (i)-(iv)	Saccharins	300 mg/kg
22.	200-203	Sorbates	1,500 mg/kg
23.	960	Steviol Glycosides	270 mg/kg
24.	955	Sucralose 320 mg/kg (Trichlorogalactosucrose)	
25.	474	Sucroglycerides 5,000 mg/kg	
26.	110	Sunset yellow FCF	50 mg/kg

Schedule - VE

[See regulations 3.(13), 6.(4), 7.(5), 8.(4), 9.(4), 10.(3), 11.(3) and 12.(4)]

List of food additives to be used (at GMP levels) for-

- (I) Nutraceuticals,
- (II) Foods for special dietary use other than foods for infants,
- (III) Foods for special medical purpose,
- (IV) Foods with added probiotic ingredients and prebiotic ingredients,
- (V) Specialty foods containing plant or botanical ingredients, and
- (VI) Health supplements

S. No.	INS No.	Additive	Functional Class
1.	260	Acetic acid, glacial	Acidity regulator, Preservative
2.	472a	Acetic and fatty acid esters of glycerol	Emulsifier, Sequestrant, Stabilizer
3.	1422	Acetylated distarch adipate	Emulsifier, Stabilizer, Thickener
4.	1417	Acetylated distarch phosphate	Emulsifier, Stabilizer, Thickener
5.	1451	Acetylated oxidized starch	Emulsifier, Stabilizer, Thickener
6.	1401	Acid treated starch	Emulsifier, Stabilizer, Thickener
7.	406	Agar	Bulking agent, Carrier, Emulsifier, Gelling agent, Glazing agent, Humectant, Stabilizer, Thickener
8.	400	Alginic acid	Bulking agent, Carrier, Emulsifier, Foaming agent, Gelling agent, Glazing agent, Humectant, Sequestrant, Stabilizer, Thickener
9.	1402	Alkaline treated starch	Emulsifier, Stabilizer, Thickener
10.	1100 (i)	alpha-Amylase from Aspergillus oryzae	Flour treatment agent
11.	1100 (vi)	Carbohydrase from <i>Bacillus licheniformis</i>	Flour treatment agent
12.	1100 (iv)	alpha-Amylase from Bacillus megaterium expressed in Bacillus subtilis	Flour treatment agent
13.	1100 (ii)	alpha-Amylase from <i>Bacillus</i> stearothermophilus	Flour treatment agent
14.	1100 (v)	alpha-Amylase from <i>Bacillus</i> stearothermophilus expressed in <i>Bacillus subtilis</i>	Flour treatment agent
15.	1100 (iii)	alpha-Amylase from <i>Bacillus</i> subtilis	Flour treatment agent
16.	264	Ammonium acetate	Acidity regulator
17.	403	Ammonium alginate	Bulking agent, Carrier, Emulsifier, Foaming agent, Gelling agent, Glazing agent, Humectant, Sequestrant, Stabilizer, Thickener

S. No.	INS No.	Additive	Functional Class	
18.	503(i)	Ammonium carbonate	Acidity regulator, Raising agent	
19.	510	Ammonium chloride	Flour treatment agent	
20.	503(ii)	Ammonium hydrogen carbonate	Acidity regulator, Raising agent	
21.	527	Ammonium hydroxide	Acidity regulator	
22.	328	Ammonium lactate	Acidity regulator, Flour treatment agent	
23.	300	Ascorbic acid, L.	Acidity regulator, Anti-oxidant, Flour treatment agent	
24.	162	Beet red	Colour	
25.	1403	Bleached starch	Emulsifier, Stabilizer, Thickener	
26.	1101(iii)	Bromelain	Flavour enhancer, Flour treatment agent, Stabilizer	
27.	629	Calcium 5'-guanylate	Flavour enhancer	
28.	633	Calcium 5'-inosinate	Flavour enhancer	
29.	634	Calcium 5'-ribonucleotides	Flavour enhancer	
30.	263	Calcium acetate	Acidity regulator, Preservative, Stabilizer	
31.	404	Calcium alginate	Anti-foaming agent, Bulking agent, Carrier, Foaming agent, Gelling agent, Glazing agent, Humectant, Sequestrant, Stabilizer	
32.	302	Calcium ascorbate	Anti-oxidant	
33.	170(i)	Calcium carbonate	Acidity regulator, Anti-caking agent, Carrier, Firming agent, Flour treatment agent, Stabilizer	
34.	509	Calcium chloride	Firming agent, Stabilizer, Thickener	
35.	623	Calcium di-L-glutamate	Flavour enhancer	
36.	578	Calcium gluconate	Acidity regulator, Firming agent, Sequestrant	
37.	526	Calcium hydroxide	Acidity regulator, Firming agent	
38.	327	Calcium lactate	Acidity regulator, Flour treatment agent	
39.	352(ii)	Calcium malate, DL-	Acidity regulator	
40.	529	Calcium oxide	Acidity regulator, Flour treatment agent	
41.	282	Calcium propionate	Preservative	
42.	552	Calcium silicate	Stabilizer	
43.	516	Calcium sulfate	Firming agent, Flour treatment agent, Sequestrant, Stabilizer	
44.	150a	Caramel I – plain caramel	Colour	
45.	290	Carbon dioxide	Carbonating agent, Packaging gas, Preservative, Propellant	

S. No.	INS No.	Additive	Functional Class	
46.	410	Carob bean gum	Emulsifier, Stabilizer, Thickener	
47.	407	Carrageenan	Bulking agent, Carrier, Emulsifier, Gelling agent, Glazing agent, Humectant, Stabilizer, Thickener	
48.	427	Cassia gum	Emulsifier, Gelling agent, Stabilizer, Thickener	
49.	140	Chlorophylls	Colour	
50.	1001	Choline salts and esters	Emulsifier	
51.	330	Citric acid	Acidity regulator, Anti-oxidant, Sequestrant	
52.	472c	Citric and fatty acid esters of glycerol	Anti-oxidant, Emulsifier, Flour treatment agent, Sequestrant, Stabilizer	
53.	466	Cross carmellose sodium	Binder, Thickening agent, Disintegrant	
54.	468	Cross-linked sodium carboxymethyl cellulose (Crosslinked- cellulose gum)	Stabilizer, Thickener	
55.	424	Curdlan	Firming agent, Gelling agent, Stabilizer, Thickener	
56.	457	Cyclodextrin, alpha-	Stabilizer, Thickener	
57.	458	Cyclodextrin, gamma-	Stabilizer, Thickener	
58.	1504 (i)	Cyclotetraglucose	Carrier, Glazing agent	
59.	1504 (ii)	Cyclotetraglucose syrup	Carrier	
60.	1400	Dextrins, roasted starch	Emulsifier, Stabilizer, Thickener	
61.	628	Dipotassium 5'-guanylate	Flavour enhancer	
62.	627	Disodium 5'-guanylate	Flavour enhancer	
63.	631	Disodium 5'-inosinate	Flavour enhancer	
64.	635	Disodium 5'-ribonucleotides	Flavour enhancer	
65.	1412	Distarch phosphate	Emulsifier, Stabilizer, Thickener	
66.	315	Erythorbic Acid (Isoascorbic acid)	Anti-oxidant	
67.	968	Erythritol	Flavour enhancer, Humectant, Sweetener	
68.	462	Ethyl cellulose	Bulking agent, Carrier, Glazing agent, Thickener	
69.	467	Ethyl hydroxyethyl cellulose	Emulsifier, Stabilizer, Thickener	
70.	297	Fumaric acid	Acidity regulator	
71.	418	Gellan gum	Stabilizer, Thickener	
72.	575	Glucono delta-lactone	Acidity regulator, Raising agent, Stabilizer	
73.	1102	Glucose oxidase	Anti-oxidant	
74.	620	Glutamic acid, L(+)-	Flavour enhancer	
75.	422	Glycerol	Humectant, Thickener	

S. No.	INS No.	Additive	Functional Class	
76.	626	Guanylic acid, 5'-	Flavour enhancer	
77.	412	Guar gum	Emulsifier, Stabilizer, Thickener	
78.	414	Gum arabic (Acacia gum)	Bulking agent, Carrier, Emulsifier, Glazing agent, Stabilizer, Thickener	
79.	507	Hydrochloric acid	Acidity regulator	
80.	463	Hydroxypropyl cellulose	Bulking agent, Emulsifier, Foaming agent, Glazing agent, Stabilizer, Thickener	
81.	1442	Hydroxypropyl distarch phosphate	Emulsifier, Stabilizer, Thickener	
82.	464	Hydroxypropyl methyl cellulose	Emulsifier, Glazing agent, Stabilizer, Thickener	
83.	1440	Hydroxypropyl starch	Emulsifier, Stabilizer, Thickener	
84.	630	Inosinic acid, 5'	Flavour enhancer	
85.	953	Isomalt (Hydrogenated isomaltulose)	Anti-caking agent, Bulking agent, Glazing agent, Sweetener	
86.	416	Karaya gum	Emulsifier, Stabilizer, Thickener	
87.	425	Konjac flour	Carrier, Emulsifier, Gelling agent, Glazing agent, Humectant, Stabilizer, Thickener	
88.	270	Lactic acid, L-, D- and DL-	Acidity regulator	
89.	472b	Lactic and fatty acid esters of glycerol	Emulsifier, Sequestrant, Stabilizer	
90.	966	Lactitol	Emulsifier, Sequestrant, Stabilizer	
91.	322(i)	Lecithin (and its salts and esters from soya or other sources)	Anti-oxidant, Emulsifier	
92.	1104	Lipases	Stabilizer	
93.	160d(iii)	Lycopene, Blakeslea trispora	Colour	
94.	160d(i)	Lycopene, synthetic	Colour	
95.	160d (ii)	Lycopene, tomato	Colour	
96.	504(i)	Magnesium carbonate	Acidity regulator, Anti-caking agent, Colour retention agent	
97.	511	Magnesium chloride	Colour retention agent, Firming agent, Preservative	
98.	625	Magnesium di-L-glutamate	Flavour enhancer	
99.	580	Magnesium gluconate	Acidity regulator, Firming agent, Flavour enhancer	
100.	528	Magnesium hydroxide	Acidity regulator, Colour retention agent	
101.	504(ii)	Magnesium hydroxide carbonate	Acidity regulator, Anti-caking agent, Carrier, Colour retention agent	
102.	329	Magnesium lactate, DL-	Acidity regulator, Flour treatment	

S. No.	INS No.	Additive	Functional Class	
			agent	
103.	530	Magnesium oxide	Anti-caking agent	
104.	553(i)	Magnesium silicate, synthetic	Anti-caking agent	
105.	518	Magnesium sulfate	Firming agent, Flavour enhancer	
106.	296	Malic acid, DL-	Acidity regulator	
107.	965(i)	Maltitol	Bulking agent, Emulsifier, Humectant, Stabilizer, Sweetener	
108.	965(ii)	Maltitol syrup	Bulking agent, Emulsifier, Humectant, Stabilizer, Sweetener	
109.	421	Mannitol	Anti-caking agent, Bulking agent, Humectant, Stabilizer, Sweetener	
110.	461	Methyl cellulose	Bulking agent, Glazing agent, Humectant, Stabilizer, Thickener	
111.	465	Methyl ethyl cellulose	Emulsifier, Gelling agent, Stabilizer, Thickener	
112.	460(i)	Microcrystalline cellulose (Cellulose gel)	Anti-caking agent, Bulking agent, Carrier, Emulsifier, Foaming agent, Glazing agent, Stabilizer, Thickener	
113.	471	Mono and di-glycerides of fatty acids	Anti-foaming agent, Emulsifier, Stabilizer	
114.	624	Monoammonium L-glutamate	Flavour enhancer	
115.	622	Monopotassium L-glutamate	Flavour enhancer	
116.	621	Monosodium L-glutamate	Flavour enhancer	
117.	1410	Monostarch phosphate	Emulsifier, Stabilizer, Thickener	
118.	941	Nitrogen	Packaging gas, Propellant	
119.	942	Nitrous oxide	Anti-oxidant, Foaming agent, Packaging gas, Propellant	
120.	1404	Oxidized starch	Emulsifier, Stabilizer, Thickener	
121.	1101(ii)	Papain	Flavour enhancer	
122.	440	Pectins	Emulsifier, Gelling agent, Stabilizer, Thickener	
123.	1413	Phosphated distarch phosphate	Emulsifier, Stabilizer, Thickener	
124.	1200	Polydextroses	Bulking agent, Glazing agent, Humectant, Stabilizer, Thickener	
125.	964	Polyglycitol syrup	Sweetener	
126.	1202	Poly vinyl pyrrolidone, insoluble, including cross povidone	Colour retention agent, Stabilizer	
127.	632	Potassium 5'-inosinate	Flavour enhancer	
128.	261	Potassium acetates	Acidity regulator, Stabilizer	
129.	402	Potassium alginate	Bulking agent, Carrier, Emulsifier, Foaming agent, Gelling agent, Glazing agent, Humectant, Sequestrant,	

S. No.	INS No.	Additive	Functional Class	
			Stabilizer, Thickener	
130.	303	Potassium ascorbate	Anti-oxidant	
131.	501(i)	Potassium carbonate	Acidity regulator, Stabilizer	
132.	508	Potassium chloride	Flavour enhancer, Gelling agent, Stabilizer, Thickener	
133.	332(i)	Potassium dihydrogen citrate	Acidity regulator, Sequestrant, Stabilizer	
134.	577	Potassium gluconate	Acidity regulator, Stabilizer	
135.	501(ii)	Potassium hydrogen carbonate	Acidity regulator, Raising agent, Stabilizer	
136.	351(i)	Potassium hydrogen malate	Acidity regulator	
137.	515 (ii)	Potassium hydrogen sulfate	Acidity regulator	
138.	525	Potassium hydroxide	Acidity regulator	
139.	326	Potassium lactate	Acidity regulator, Anti-oxidant	
140.	351(ii)	Potassium malate	Acidity regulator	
141.	283	Potassium propionate	Preservative	
142.	515(i)	Potassium sulfate	Acidity regulator	
143.	460(ii)	Powdered cellulose	Anti-caking agent, Bulking agent, Carrier, Emulsifier, Foaming agent, Glazing agent, Stabilizer, Thickener	
144.	407a	Processed eucheuma seaweed	Bulking agent, Carrier, Emulsifier, Gelling agent, Glazing agent, Humectant, Stabilizer, Thickener	
145.	944	Propane	Propellant	
146.	280	Propionic acid	Preservative	
147.	1101(i)	Protease	Flavour enhancer, Flour treatment agent, 1999 Glazing agent, Stabilizer	
148.	1204	Pullulan	Glazing agent, Thickener	
149.	470(i)	Salts of myristic, palmitic and stearic acids with ammonia, calcium, potassium and sodium	Anti-caking agent, Emulsifier, Stabilizer	
150.	470(ii)	Salts of oleic acid with calcium, potassium and sodium	Anti-caking agent, Emulsifier, Stabilizer	
151.	551	Silicon dioxide, amorphous	Anti-caking agent, Anti-foaming agent, Carrier	
152.	262(i)	Sodium acetate	Acidity regulator, Preservative, Sequestrant	
153.	401	Sodium alginate	Bulking agent, Carrier, Emulsifier, Foaming agent, Gelling agent, Glazing agent, Humectant, Sequestrant, Stabilizer, Thickener	

S. No.	INS No.	Additive	Functional Class	
154.	301	Sodium ascorbate	Anti-oxidant	
155.	500(i)	Sodium carbonate	Acidity regulator, Anticaking agent, Raising agent	
156.	466	Sodium carboxymethyl cellulose (Cellulose gum)	Bulking agent, Emulsifier, Firming agent, Gelling agent, Glazing agent, Humectant, Stabilizer, Thickener	
157.	469	Sodium carboxymethyl cellulose, enzymatically hydrolysed (Cellulose gum, enzymatically hydrolyzed)	Stabilizer, Thickener	
158.	331(i)	Sodium dihydrogen citrate	Acidity regulator, Emulsifier, Sequestrant, Thickener	
159.	350(ii)	Sodium DL-malate	Acidity regulator, Humectant	
160.	316	Sodium erythorbate (Sodium isoascorbate)	Anti-oxidant	
161.	365	Sodium fumarates	Acidity regulator	
162.	576	Sodium gluconate	Sequestrant, Stabilizer, Thickener	
163.	500(ii)	Sodium hydrogen carbonate	Acidity regulator, Anti-caking agent, Raising agent	
164.	350(i)	Sodium hydrogen DL-malate	Acidity regulator, Humectant	
165.	514(ii)	Sodium hydrogen sulfate	Acidity regulator	
166.	524	Sodium hydroxide	Acidity regulator	
167.	325	Sodium lactate	Acidity regulator, Anti-oxidant, Bulking agent, Humectant, Thickener	
168.	281	Sodium propionate	Preservative	
169.	500(iii)	Sodium sesquicarbonate	Acidity regulator, Anti-caking agent, Raising agent	
170.	-	Sodium starch glycolate	Binder, Thickening agent, Disintegran	
171.	514(i)	Sodium sulfate	Acidity regulator	
172.	420(i)	Sorbitol	Bulking agent, Humectant, Sequestrant, Stabilizer, Sweetener	
173.	420(ii)	Sorbitol syrup	Bulking agent, Humectant, Sequestrant, Stabilizer, Sweetener	
174.	1420	Starch acetate	Emulsifier, Stabilizer, Thickener	
175.	1450	Starch sodium octenyl succinate	Emulsifier, Stabilizer, Thickener	
176.	1405	Starches, enzyme treated	Emulsifier, Stabilizer, Thickener	
177.	473a	Sucrose Oligoesters, Type I and Type II	Emulsifier, Stabilizer	
178.	553(iii)	Talc	Anti-caking agent, Glazing agent, Thickener	
179.	417	Tara gum	Gelling agent, Stabilizer, Thickener	
180.	957	Thaumatin	Flavour enhancer, Sweetener	

S. No.	INS No.	Additive	Functional Class	
181.	171	Titanium dioxide	Colour	
182.	413	Tragacanth gum	Emulsifier, Stabilizer, Thickener	
183.	1518	Triacetin	Carrier, Emulsifier, Humectant	
184.	380	Triammonium citrate	Acidity regulator	
185.	333(iii)	Tricalcium citrate	Acidity regulator, Firming agent, Sequestrant, Stabilizer	
186.	332(ii)	Tripotassium citrate	Acidity regulator, Sequestrant, Stabilizer	
187.	331(iii)	Trisodium citrate	Acidity regulator, Emulsifier, Sequestrant, Stabilizer	
188.	415	Xanthan gum	Emulsifier, Gelling agent, Stabilizer, Thickener	
189.	967	Xylitol	Emulsifier, Humectant, Stabilizer, Thickener	

Schedule VF

[See regulations 3.(1), 3.(13), 6.(4), 7.(5), 8.(4), 9.(4), 10.(3), 11.(3) and 12.(4)]

List of food additives to be used in formats such as tablets, capsules and syrups

- (I) Nutraceuticals,
- (II) Foods for special dietary uses other than foods for infants,
- (III) Foods for special medical purpose,
- (IV) Foods with added probiotic ingredients and prebiotic ingredients,
- (V) Speciality foods containing plant or botanical ingredients, and
- (VI) Health supplements

S.No.	Additive (Pharmaceutical Aid)	Functionality	Maximum Permitted Level
1.	Acacia gum	Binding agent	GMP
2.	Acetone	Solvent for coating	GMP (does not remain in the tablet and residual levels to be as per IP)
3.	Ascorbic acid and its esters and salts	Antioxidant	0.5%
4.	Benzoic acid and its salts	Preservative	0.5%
5.	ВНА	Antioxidant	0.5%
6.	ВНТ	Antioxidant	0.5%
7.	Bronopol	Preservative	0.5%
8.	Calcium carbonate	Diluent, Dissintegrant	GMP
9.	Calcium stearate	Lubricant	1%
10.	Carboxymethylcellulose Calcium	Binding agent	5-15%
11.	Carrageenan gum	Binding agent	2%
12.	Cellulose acetate phthalate	Coating agent	2%
13.	Citric acid	Disintegrant	2%
14.	Citric and fatty acid esters of glycerol	Stabilizer	2%
15.	Copovidone	Binding agent	2-5%
16.	Corn oil	Vehicle	GMP
17.	Corn starch	Diluent, Binding agent, Dissintegrant	GMP
18.	Cross carmellose sodium	Disintegrant	<mark>2%</mark>
			Amendment for substitution of highlighted provision 1[0.5 to 5 %] [Amendment in force from 6 th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

19.	Cyclodextrin	Diluent	GMP
20.	Dextrose	Diluent	GMP
21.	Dicalcium phosphate	Diluent	GMP
22.	Ethyl acetate	Solvent for coating	GMP (does not remain in the tablet and residual levels to be as per IP)
23.	Ethyl alcohol	Solvent for coating	GMP (does not remain in the tablet and residual levels to be as per IP)
24.	Ethyl cellulose	Coating agent, Ingredient of capsule shells	GMP
25.	Fructose	Diluent	GMP
26.	Gelatin	Binding agent, Ingredient of capsule shells	GMP
27.	Glycerin	Vehicle, Humectant for capsule shells	GMP
28.	Guar gum	Binding agent	GMP
29.	Hydrogenated castor oil	Lubricant	2%
30.	Hydrogenated vegetable oil	Lubricant	1%
31.	Hydroxy propyl methylcellulose	Coating agent, Ingredient of capsule shells	GMP
32.	Isomalt	Soluble fiber	15%
33.	Kaolin	Diluent	GMP
34.	Lactitol	Diluent	200 mgper capsule
35.	Lactose	Diluent	GMP
36.	Lecithin and its salts/esters from soya or other sources	Emulsifier, Stabilizer	GMP
37.	Light magnesium carbonate	Anticaking agent	0.5%
38.	Light magnesium oxide	Anticaking agent	0.5%
39.	Liquid glucose	Binding agent	GMP
40.	Magnesium carbonate	Adsorbant	0.3%
41.	Magnesium stearate	Antisticking agent, Glidant	2%
42.	Maize Starch	Diluent, Binding agent, Dissintegrant	GMP
43.	Maltitol	Sweetener, Diluent	GMP
44.	Maltodextrin	Diluent	GMP
45.	Maltose	Diluent	GMP
46.	Manitol	Diluent, Sweetner	GMP
47.	Methyl paraben and its salts	Preservative	0.2%
48.	Microcrystalline cellulose	Diluent	GMP
49.	¹ [Natural and synthetic colors as per FSSR	Coloring agents	Limits as per FSSR]

50.	Peanut oil	Vehicle	GMP		
51.	Pectin	Binding agent	GMP		
52.	PEG 4000	Diluent for direct compression tablets	GMP		
53.	Colors permitted under Rule 127 of Drugs & Cosmetics Rules including lake colours	Coloring agents	GMP		
54.	Poly ethylene glycol (PEG)	Vehicle, Humectant for capsule shells	GMP		
55.	Povidone	Binding agent	5%		
56.	Propyl paraben and its salts	Preservative	0.02%		
57.	Propylene glycol	Vehicle, Humectant for capsule shells	GMP		
58.	Purified Talc	Glidant, Dusting powder for coating	2%		
59.	Saff flower oil	Vehicle	GMP		
60.	Sodium alginate	Binding agent	5%		
61.	Sodium starch glycolate	Disintegrant, Binder, Thickening agent	2%		
62.	Sorbitan crystalline	Diluent	15%		
63.	Sorbitan oleate esters (Tweens)	Solubalizers	0.5%		
64.	Sorbitol liquid	Vehicle, Humectant for capsule shells	GMP		
65.	Starch, pregelatinized	Disintegrant	1%		
66.	Stearic acid	Antisticking agent, Glidant	2%		
67.	Sucrose	Diluent, Coating agent	GMP		
68.	Sunflower oil	Vehicle	GMP		
69.	TBHQ	Antioxidant	0.5%		
70.	Tocoferol and its esters	Antioxidant	0.5%		
71.	Tragacanth gum	Binding agent	GMP		
72.	Tribasic calcium phosphate	Diluent, anticaking agent	GMP		
73.	Tricalcium phosphate	Diluent	GMP		
74.	Vegetable oils	Vehicle	GMP		
75.	Xanthan gum	Binding agent	GMP		
76.	Xylitol	Diluent, Sweetner	GMP		
77.	Zinc stearate	Lubricant	0.5-1.5%		
A 1 10 1 11 0 11 11					

	Amendment for insertion of new provision				
¹ [78.	Glycerol palmito stearate	-	GMP		
79.	Medium chain triglyceride	-	GMP		
80.	Glycerylbehenate	-	GMP		
81.	Triethyl citrate	-	GMP		

82.	Methacrylate copolymers	-	GMP			
83.	Propane 1, 2 diol alginate (INS 405)	-	1200mg/kg			
84.	Isopropyl alcohol	Solvent for coating	GMP			
85.	Dichloromethane	Solvent for coating	GMP			
86.	Potassium chloride	Gelling agent	GMP]			
[Am	[Amendment in force from 6 th September, 2021; FBOs to comply with the provisions by 1st April, 2022]					

Schedule -VI

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 7.(3)(i), 7.(3)(v), 8.(2)(i) and 9.(2)(i)]

$List\ of\ ingredients\ as\ nutraceuticals$

	PART A					
S. No.	Nutraceutical ingredients	Common name	Purity Criteria	Permitted Range		
1.	Astaxanthin (from Haematococus pluvalis), powder or oleoresin	-	Astaxanthin content	4 mg/day, Max		
2.	Boswellia serrate - gum resin extract	Salai guggul / Kundru	Total boswelic acids or 11- keto-beta boswelic acids content	250 - 1,500 mg extract/day		
3.	Caffiene	Caffiene	Per cent caffiene	Within levels specified in FSS Regulations		
4.	Chromium picolinate/ nicotinate	-	Chromium picolinate/ nicotinate content	200 - 400 mcg / day		
5.	Cimicifuga racemosa (or Actaea racemosa). Extracted from rhizomes and roots	Black cohosh	Total triterpene glycosides (minimum 0.4%), calculated as 23-epi-26-deoxyactein).	40 - 200 mg /day, Max		
6.	Citrus Bioflavonoids (Citrus x paradisi, Citrus reticulata x maxima, C. x sinensis and Citrus limon)	Citrus	Bioflavinoids and total polyphenol content	150 - 600 mg / day, Max		
7.	CoQ10 from non GM source	Co enzyme Q10	Ubiqinone and ubiqinol content	100-1,000 mg / day, Max		
8.	Echinacea (E. angustifolia, E. purpurea, and E. pallida) Liquid/powder extract	Echinacea	Alkamides (0.25 mg/ml) and cichoric acid (2.5 mg/ml), if the extract used is in liquid form. In case of Hydroethanolic Echinacea extract is in a powdered form computation may be done proportionately to the weight/weight dry powder extract based on liquid	900 mg / day, Max		

	PART A				
S. No.	Nutraceutical ingredients	Common name	Purity Criteria	Permitted Range	
			extract used to obtain a dry powder format.		
9.	Ginkgo biloba extract obtained from dried leaves of Ginkgo (Ginkgo biloba. L.).	Ginkgo biloba extract	Ginkgo flavone glycosides and Ginkgolides (diterpene lactones). Total flavonoids content (20.2 to 27% calculated as flavanol glycosides and tested for total terpene lactones (5.4% to 12.0%). Presence of Ginkgolides A, B, C needs to be tested qualitatively.	120-240 mg/ day, Max	
10.	Glucosamine hydrochloride	Glucosamine	Glucosamine content	1,500-3,000 mg/day, Max	
11.	Glucosamine sulphate	Glucosamine	Glucosamine content	2,500-5,000 mg/day, Max	
12.	<i>Gymnema sylvestre</i> extract powder	Gudmar extract	Gymnemic acid content	500-1,500mg / day, Max	
13.	Lactase (β- galactosidase)*	-	Enzyme activity	3,000 – 9,000 IU (or FCC units) / day, Max	
14.	Panax ginseng (Syn;Korean Ginseng) extract - (obtained from 0.6 to 2.0 gm of Ginseng root, (<i>Panaxginseng</i> .C A. Meyer, Araliaceae)	Ginseng extract	Ginsenoside content ranging from 0.7 to 3%.	90 - 400 mg /day, Max	
15.	Phycocynin from Spirulina plantesis (Aethrospira plantesis) Dried powder	Spirulina	Protein: 50-70 %; Carbohydrates: 20-40%; Minerals (Ash): 5.0 – 15%; Moisture: 3.0 – 6.0 %	50 – 250 mg /day, Max	
16.	Piper nigrum / Piper longum extract	Peeper / Pippali	Piperine content	15 mg/day of piperine, Max(Duration of use: maximum 30 days)	
17.	Quercetin obtained from extracts of citrus fruits and other vegetables	-	Quercetin content	100 mg / day, Max	
18.	Schizandra berry extract	Five-flavor berry	Schizandrin berries containing 2.5-3.0% schizandrin	1 – 3 g / day, Max	
19.	Scutellaria bicalensis	Skullcap	Aq. Extract of <i>Scutellaria</i> bicalensis standardized to bicallin content (NLT 50%)	250 – 1,000 mg/ day, Max	
20.	Selenium Yeast	-	Selenium content and number of yeast counts (Cfu/g)	2 mg/day of selenium, Max	
21.	Siberian ginseng- obtained from 0.6 to 2.0 gm of Ginseng	Ginseng extract	Releutherosides content	100 – 450 mg / day, Max	

	PART A					
S. No.	Nutraceutical ingredients	Common name	Purity Criteria	Permitted Range		
	root (<i>Acanthopanax</i> senticosus, belonging to panax type, C A. Meyer, Araliaceae)					
22.	Silybum marianum extract (silymarin extract)	Milk Thistle	Standardized extract – silimarin content	250 - 1,000 mg/ day		
23.	Spirulina (algae) from Spirulina platensis (Arthrospira platensis)	Spirulina	(Protein (min.) - 55%, carbohydrates (max.)-30%, fats (lipid) – not more than 10%, minerals (ash)-5-10%, moisture- 3-6% (also fatty acid profile to be mentioned on the package)	500 - 3,000 mg / day		
24.	Vaccinium myrstillus extract	Bilberry extract	Anthocyanin content	50 - 600 mg / day, Max		

Part B					
S.No.	Nutraceuticals / Ingredients	Common name.			
1.	(+) Hydroxycitric acid				
2.	Allium sativum – bulbs dried powder / extract powder standardized	Garlic			
3.	Aloe vera – juice /concentrate /powder of sap /gel	Indian aloe, Ghrit kumari			
4.	Alpha amylase*	-			
5.	Alpha mangostin	-			
6.	Alpha-galactosidase*	-			
7.	Alpha-lipoic acid	-			
8.	Amaranthus tricolor – leaf powder / extract	-			
9.	Amylase*	-			
10.	Amyloglucosidase*	-			
11.	Anethum graveolens L seeds and oil	Dill			
12.	Anthocyanin	-			
13.	Arabinogalactan	-			
14.	Arachidonic acid	-			
15.	Asparagus densiflorus - extract	Asparagus			
16.	Bacopa monnieri - leaf extract	Brahmi			
17.	Barley seed powder	Barley			
18.	Berberis vulgaris – stem/root extract	Berberry			
19.	Beta carotene – standardized soft concentrate / emulsified concentrate / powder	-			
20.	Beta ecdysterone	-			
21.	Beta glucans	-			
22.	Beta vulgaris – root extract	Beet			

Part B				
S.No.	Nutraceuticals / Ingredients	Common name.		
23.	Beta sitosterol	-		
24.	Betula platyphylla - bark extract	Birch		
25.	Biota orientalis - seed powder	Biota		
26.	Black /green tea extract, standardized powder	-		
27.	Borago officinalis - oil	Borage		
28.	Campestanol	-		
29.	Campesterol	-		
30.	Capsicum annum - extract / standardized to capsicin content	Cayenne pepper		
31.	Caricus papaya – leaf extract	Papaya		
32.	Carotenoids (natural mixed, including from algal sources)	-		
33.	Casein and caseinates			
34.	Caulophyllum thalictroides - root extract	Blue cohosh		
35.	Cellulase*	-		
36.	Centella asiatica – leaf/aerial parts standardized extract	Mandukparni / Gotu Kola		
37.	Matricaria chamomilla (Matricaria recutita) – aerial parts extract	Chamomile		
38.	Chlorella platensis – dried powder	Green algae		
39.	Chlorogenic acids and caffeic acid	-		
40.	Chondroitin sulphate	Chondroitin		
41.	Cichorium intybus – roasted root powder	Chicory		
42.	Cinnamomum verum – bark powder / extract	Cinnamon		
43.	Citrulline	-		
44.	Citrus aurantium – peel extract / bioflavonoids standardized	Bitter orange		
45.	Citrus naringenin	-		
46.	Citrus naringinine	-		
47.	Clove powder	Lavang		
48.	Cnicus benedictus – aerial parts extract / root extract	Blessed thistle		
49.	Cocoa (chocolate) bean - extract	-		
50.	Coccinia grandis (L.) Voigt - extract	Ivy gourd		
51.	Collagen hydrolysed	-		
52.	Conjugated linoleic acid concentrate	-		
53.	Crustacean shells			
54.	Cuminum cyminum L – oil / extract	Cumin		
55.	Curcuma longa – rhizome powder / extract standardized	Turmeric		
56.	Curcuminoids – soft extract / powder and curcumin complex	-		
57.	Cyperus rotandus - extract	Nirgundi		
58.	Dehydroepiandrosterone (DHEA) and 7-Keto DHEA			
59.	Diastase*	-		
60.	D-Pinitol	-		
61.	Edible legumes (seed powder), legume proteins (protein isolates/ concentrates/ hydrolysates)	-		

Part B					
S.No.	Nutraceuticals / Ingredients	Common name.			
62.	Ellagic acid	-			
63.	Emblica officinalis – dried fruit extract / spray dried pulp powder	Indian gooseberry/ amla			
64.	Eriocitrin (from citrus fruit)	-			
65.	Evening primrose oil	-			
66.	Fagopyrum esculentum - seed	Buckwheat			
67.	Fish oil	-			
68.	Foeniculum vulgare - fruit - oil / extract	Fennel			
69.	Freeze-dried banana powder	-			
70.	Galactomannan	-			
71.	Gallic acid	-			
72.	Gamma-linoleic acid (GLA)	-			
73.	Gamma-oryzanol	-			
74.	Garcinia gummi-gatti and Garcinia cambogia – fruit rind extract standardized to hydroxyl citric acid, powder)	Kokum / Brindall Berry / Malabar tamarind			
75.	Garcinia mangostana – seed extract standardized	Mangosteen			
76.	Glucoamylase*	-			
77.	Glucomannan	-			
78.	Glycyrrhiza glabra - extract	Licorice			
79.	Grape seed extract	-			
80.	Green coffee seed extract standardized, including decaffeinated coffee bean powder/extract	-			
81.	Grifola frondosa – standardized extract	Maitake mushroom			
82.	Guar gum and gum arabic and its derivatives as a source of fibers; and fibers from other food sources				
83.	Hemicellulase*	-			
84.	Hesperidin	-			
85.	High oleic sun flower oil and other vegetable oils with high oleic content	-			
86.	Hippophaerh amnoides – fruit dried powder / extract / juice	Sea buckthorn			
87.	Humulus lupulus L – powder / extract	Hops			
88.	Hydrolysed whey peptide	Whey			
89.	Hypericum perforatum – aerial parts standardized extract	St. Johns Wort			
90.	Inula racemosa - root extract	Pushkarmoola			
91.	Invertase*	-			
92.	Isoflavones (genistein, daidzein)	-			
93.	Kelp (brown algae)	-			
94.	Krill oil - standardized for DHA / EPA	-			
95.	Lactalbumin	-			
96.	Lactoferrin	-			
97.	Lactoperoxidase*	-			
98.	Lagerstroemia speciosa L (leaf extract)	Banaba			

Part B				
S.No.	Nutraceuticals / Ingredients	Common name.		
99.	Lecithins	-		
100.	Lignans	-		
101.	Linum usitatissimum - seed powder and oil	Flaxseed		
102.	Lipase*	-		
103.	Lutein	-		
104.	Lutein/zeaxanthin complex	-		
105.	Lycopene	-		
106.	<i>Lycium eleagnus</i> - fruit - dried powder / concentrate standardized	Goji berry (wolfberry)		
107.	Maltase*	-		
108.	Medicago sativa extract	Alfalfa		
109.	Medium chain triglycerides	-		
110.	Menyanth estrifoliata - Leaf powder	Buckbean / bogbean		
111.	Millets and their powder	-		
112.	Momordica charantia - fruit / seed extract	Bitter melon (bitter gourd)		
113.	Monodora myristica (Gaertn.) Dunal – oil / extract	Nutmeg		
114.	Morinda citrifolia extract	Noni		
115.	Moringa oleifera leaf / pods / seed extract powder	Moringa / drum stick		
116.	Mulberry tea – leaf / fruit extract	Mulberry		
117.	Myrica cerifera – bark extract	Bayberry		
118.	Myristica fragrans	Mace		
119.	N-Acetyl D-glucosamine	-		
120.	Nasturtium officinale - extract	Watercress		
121.	Nattokinase enzyme (as Soy Bean Fibrinase)	-		
122.	Ocimum tenuiflorum /Ocimum sanctum – aerial parts / seed extract	Basil /tulasi		
123.	Omega-3 fatty acids (docosahexaenoic acid - eicosapentaenoic acid - alpha - linolenic acid)	-		
124.	Omega-6-fatty acids (linoleic acid, arachidonic acid and conjugated linoleic acid)	-		
125.	Oyster shell powder	-		
126.	Pancreatin*	-		
127.	Pancrelipase*	-		
128.	Papain*	-		
129.	Passiflora foetida - extract	Passion flower		
130.	Arachis hypogaea - (roasted) powder	Pea nut		
131.	Pectin	-		
132.	Pepsin*	-		
133.	Phellodendron amurense leaf oil	Phellodendron		
134.	Phosphatides /Phospholipids	-		
135.	Phyllanthus amarus - extract	Bhuiamalaki		

Part B				
S.No.	Nutraceuticals / Ingredients	Common name.		
136.	Phytase*	-		
137.	Picrorhiza (<i>Picrorhiza kurroa</i>) - extract	Kurchi		
138.	Pimento officinalis L extract/powder	Allspice		
139.	Pinus gerardiana - bark extract	Pine nut		
140.	Piper longum - extract	Long pepper (pippali)		
141.	Piper nigram - green extract	Green pepper		
142.	Piper nigrum- powder / standardized extract	Black pepper		
143.	Policosanol	-		
144.	Protease*	-		
145.	Prunus serotina - extract	Black cherry		
146.	Psyllium (Ispaghula) - seed husk	Isaphgul		
147.	Pumpkin seed oil /meal	-		
148.	Punica granatum – fruit /seed /skin extract /powder	Pomegranate / dadima		
149.	Raphanus sativus var. niger - root powder/ extract	Black radish		
150.	Red wine - extract /concentrate	-		
151.	Red yeast rice	-		
152.	Resveratrol	-		
153.	Rhododendron arboretum - juice/extract	Rhododendron		
154.	Rice bran	-		
155.	Rice bran arabinoxylan compound	-		
156.	Rose hips	-		
157.	Rosmarinus officinalis – leaves/ needles extract /oil	Rosemary		
158.	Royal Jelly	-		
159.	Rutin from fruit peels	-		
160.	Salvia officinalis – leaf extract	Sage		
161.	Sambucus nigra - extract	Elderberry/ Black elderberry		
162.	Shark cartilage /squalene oil	-		
163.	Shiitake mushroom - extract	-		
164.	Solanum lycopersicum – fruit powder/ extract	Tomato		
165.	Soy sprouts – dried powder	-		
166.	Soya protein isolate/ edible legume seed protein isolate	-		
167.	Spearmint – leaf and distillate	-		
168.	Stanols and sterols including cholesterols	-		
169.	Tagetes sp. – petals oleo resin / extract	Marigold		
170.	Tea catechins (epigallo catechin gallate, epicatechin, catechin gallates)	-		
171.	Terminalia arjuna - bark /leaf extract (standardized extract)	Arjuna		
172.	Terminalia bellerica - fruit extract	Myrobalan / Baheda		
173.	Terminalia chebulia - fruit extract	Myrobalan / Harad		
174.	Theaflavin	-		

Part B				
S.No.	Nutraceuticals / Ingredients	Common name.		
175.	Theanine	-		
176.	Theobromine			
177.	Tocopherols	-		
178.	Trigonella-foenum-graecum – seeds extract	Fenugreek		
179.	Triticum sativum - bran	Wheat		
180.	Trypsin*	-		
181.	Vaccinium corymbosum - fruit - dried powder / concentrate standardized	Blueberry		
182.	Vaccinium oxycoccos - fruit - dried powder / concentrate standardized	Cranberry		
183.	Vitis alba and Vitis vinifera - fruit - dried powder / concentrate standardized	Blue grapes		
184.	Wheat germ	-		
185.	Zeaxanthin (max. 4 mg/day)	-		
186.	Zingiber officinale - rhizome standardized extracts	Ginger		
187.	α-galactosidase*	-		

Note.- *Enzymes- The enzymes listed in this schedule are primarily used as processing aids, but also may be used in nutraceutical products.

$\label{eq:linear_problem} A \text{mendment for substitution of Schedule VI} \\ {}^1 \mbox{[Schedule -VI]}$

[See regulations 3.(13), 4.(2), 6.(2)(i), 7.(2)(i), 7.(3)(i), 7.(3)(v), 8.(2)(i) and 9.(2)(i)]

List of ingredients as nutraceuticals

	PART A					
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range		
(1)	(2)	(3)	(4)	(5)		
1.	American ginseng (Panax quinquefolius L.)	extract	American ginseng extract (containing NLT 10% of total ginsenosides on dried basis).	90 - 400 mg /day, Max		
2.	Astaxanthin (from Haematococcus pluvalis), powder or oleoresin	-	Astaxanthin content	2 - 12 mg/day, Max		
3.	Beta Alanine	-	-	4 - 6 g / day, Max (not more than 4 weeks at a		

		PAI	RT A	
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range
(1)	(2)	(3)	(4)	(5)
				stretch)
4.	Betaine (N,N,N,- trimethylglycine)	-	-	600 - 650 mg /day, Max
5.	Boswellia serrata - gum resin extract	Salai guggul / Kundru	Total boswelic acids or 11- keto-beta boswelic acids content	250 - 1,500 mg extract/day, Max
6.	Caffeine	Caffeine	Caffeine Per cent	3 mg/kg b/w per day, subject to a maximum limit of 300mg per day and not more than 200mg in a single dose (only for adults and not recommended for pregnant and lactating women).
7.	Calcium hydroxyl methyl butyrate (CaHMB)		CaHMB content	3 - 6 g / day, Max (Not recommended for use by pregnant women and lactating mothers)
8.	Chlorella vulgaris – dried powder	Green algae / Shaiwal		1 – 4 g/day, Max
9.	Chromium picolinate/ nicotinate	-	Chromium picolinate/ nicotinate content	200 - 400 mcg / day, Max
10.	Cimicifuga racemosa (or Actaea racemosa). Extracted from rhizomes and roots	Black cohosh	Total triterpene glycosides (minimum 0.4%), calculated as 23-epi-26-deoxyactein).	40 - 200 mg /day, Max
11.	Citrus bioflavonoids	Citrus /	Bioflavinoids and total	150 - 600 mg/

	PART A				
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range	
(1)	(2)	(3)	(4)	(5)	
	(Citrus paradisi, C. reticulate, C.maxima, C. sinensis and Citrus limon)	Jambir	polyphenol content	day, Max	
12.	CoQ10 from non GM source and Ubiquinol acetate	Co enzyme Q10	Ubiqinone and ubiqinol content	60 -300 mg / day, Max	
13.	Colostrum	-	-	Bovine colostrum spray dried powder at usage level of 15g per day (containing 3g of IgG) or 3g per day (containing 0.3g IgG) without any efficacy claims.	
14.	Creatine (source- Creatine monohydrate, Creatine hydrochloride and Creatine nitrate)	-	-	3 g / day, Max (for adults only)	
15.	Cryptoxanthin / Mesoxanthin	-	-	3 mg / day, Max	
16.	Echinacea (E. angustifolia, E. purpurea, and E. pallida) Liquid/powder extract	Echinacea	Alkamides (0.25 mg/ml) and cichoric acid (2.5 mg/ml), if the extract used is in liquid form. In case of Hydroethanolic Echinacea extract is in a powdered form computation may be done proportionately to the weight/weight dry powder extract based on liquid extract used to obtain a dry powder format.	900 mg / day, Max	
17.	Ginkgo biloba extract obtained from dried	Ginkgo biloba extract	Ginkgo flavone glycosides and Ginkgolides (diterpene	120-240 mg/ day, Max	

		PAl	RT A	
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range
(1)	(2)	(3)	(4)	(5)
	leaves of Ginkgo (Ginkgo biloba. L.).		lactones). Total flavonoids content (20.2 to 27% calculated as flavanol glycosides and tested for total terpene lactones (5.4% to 12.0%). Presence of Ginkgolides A, B, C needs to be tested qualitatively.	
18.	Glucosamine hydrochloride	Glucosamine	Glucosamine content	1,500-3,000 mg/day, Max
19.	Glucosamine sulphate	Glucosamine	Glucosamine content	2,500-5,000 mg/day, Max
20.	Glutathione / S-acetyl glutathione	-		50 - 600 mg / day, Max
21.	Gymnema sylvestre extract powder	Madhunashin i, Gudmar (extract)	Gymnemic acid content	500-1,500 mg / day, Max
22.	Lactase (β- galactosidase)*	-	Enzyme activity	3,000 – 9,000 IU (or FCC units) / day, Max
23.	L-carnosine	-	-	130 - 600 mg / day, Max
24.	L- theanine	Chai suksham satva		50- <u>200</u> mg/day, Max
25.	Melatonin	-	-	2 – 10 mg / day, Max
26.	Methyl sulfonyl methane	•	-	1000 - 3000 mg / day, Max (Not recommended for use by pregnant women and lactating mothers)
27.	Panax ginseng (Syn;Korean Ginseng)	Ginseng extract	Ginsenoside content ranging from 3 - 10 % and	90 - 400 mg /day, Max

		PA	RT A	
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range
(1)	(2)	(3)	(4)	(5)
	extract - (obtained from 0.6 to 2.0 g of Ginseng root, (<i>Panax</i> ginseng.C A. Meyer, Araliaceae)		adjusted to potency basis 3% total ginsenoside content	
28.	Phycocyanin from Spirulina plantesis (Aethrospira plantesis) Dried powder	Spirulina	Protein: 50-70 %; Carbohydrates: 20-40%; Minerals (Ash): 5.0 – 15%; Moisture: 3.0 – 6.0 %	50 – 250 mg /day, Max
29.	Piper nigrum / Piper longum extract	Pippali/ Pepper	Piperine content	15 mg/day of piperine, Max (Duration of use: maximum 30 days)
30.	Quercetin obtained from extracts of citrus fruits, vegetables and other plant sources.	-	Quercetin content	100 mg / day, Max
31.	Schizandra berry extract	Five-flavor berry	Schizandrin berries containing 2.5-3.0% schizandrin	1 – 3 g / day, Max
32.	Scutellaria bicalensis	Patwar topi, Skullcap	Aq. extract standardized to bicallin content 30 - 50 % and adjusted to potency basis 50 % bicallin content	250 – 1,000 mg/ day, Max
33.	Selenium Yeast	-	Selenium content and number of yeast counts (Cfu/g)	2 mg/day of selenium, Max
34.	Siberian ginseng- obtained from 0.6 to 2.0 g of Ginseng root (<i>Acanthopanax</i> senticosus, belonging to panax type, C A. Meyer, Araliaceae)	Ginseng extract	Eleutherosides content	100 – 450 mg / day, Max
35.	Silybum marianum extract (silymarin	Milk Thistle	Standardized extract – silimarin content	250 - 1,000 mg/ day, Max

	PART A				
S. No.	Nutraceutical Ingredients	Official / Common name	Purity Criteria	Permitted Range	
(1)	(2)	(3)	(4)	(5)	
	extract)				
36.	Spirulina (algae) from (Spirulina platensis, Arthrospira platensis)	Shaiwal/ Spirulina	(Protein (min.) - 55%, carbohydrates (max.)-30%, fats (lipid) – not more than 10%, minerals (ash)-5-10%, moisture- 3-6% (also fatty acid profile to be mentioned on the package)	500 - 3,000 mg / day, Max	
37.	Undenatured type II collagen	-	-	40 mg/day, Max	
38.	Vaccinium myrstillus extract	Bilberry extract	Anthocyanin content	50 - 600 mg / day, Max	
39.	Zeaxanthin	-	-	4 mg/day, Max	
40.	Camellia sinensis-Black /green tea extract, standardized powder	Chai & tea extract	-	0.5 g - 2 g/day, Max	
41.	Camellia sinensis-Tea catechins (epigallo catechin gallate, epicatechin, catechin gallates)	Chai satva	_	0.7 g/day, Max"	

	Part B	
S.No.	Nutraceuticals / Ingredients	Official and Common names.
(1)	(2)	(3)
1.	(+) Hydroxycitric acid	-
2.	Albizia lebbeck - extract	Shireesh
3.	<i>Allium sativum</i> – bulbs dried standardized powder / extract	Rason/ Lashun/Garlic
4.	Aloe vera – juice /concentrate /powder of sap /gel	Ghrit Kumari /Indian aloe
5.	Alpha amylase*	-
6.	Alpha mangostin	-
7.	Alpha-galactosidase*	-
8.	Alpha-lipoic acid	-

	Part B	
S.No. (1)	Nutraceuticals / Ingredients (2)	Official and Common names. (3)
9.	Amaranthus tricolor – leaf powder / extract	Marisha-Rakt Extract
10.	Amylase*	-
11.	Amyloglucosidase*	-
12.	Anethum graveolens L seeds and oil	Shatahva/ Sowa /Soa /Dill
13.	Anthocyanin	-
14.	Arabinogalactan	-
15.	Arachidonic acid	-
16.	Asparagus densiflorus - extract	Asparagus / Shatavari
17.	Bacopa monnieri - leaf extract	Brahmi
18.	Barley seed powder	Yava /Barley
19.	Bauhinia variegata - extract	Kachnar
20.	Berberis vulgaris/ B. aristata/B.asiatica – stem/root extract	Berberry / Daru haridra
21.	Beta carotene – standardized soft concentrate / emulsified concentrate / powder	-
22.	Beta ecdysterone	-
23.	β-glucans	-
24.	Beta vulgaris – root extract	Palanki/Beet
25.	β -sitosterol	-
26.	Betula platyphylla/B.utilis - bark extract	Bhojapatra/Birch
27.	Biota orientalis - seed powder	Biota
28.	Borago officinalis - oil	Borage
29.	Campestanol	-
30.	Campesterol	-
31.	Capsicum annum - extract / standardized to capsicin content	Lanka/Cayenne pepper / Lal mirchi
32.	Caricus papaya – leaf extract	Papaya / Papeeta, Erand- karkati
33.	Carotenoids (natural mixed, including from algal sources)	-
34.	Casein and caseinates	-
35.	Caulophyllum thalictroides - root extract	Blue cohosh
36.	Cellulase*	-
37.	Centella asiatica – leaf/aerial parts standardized extract	Mandukparni / Gotu Kola

	Part B	
S.No. (1)	Nutraceuticals / Ingredients (2)	Official and Common names. (3)
38.	Matricaria chamomilla (Matricaria recutita) – aerial parts extract	Chamomile
39.	Malpighia emarginata (Cherry acerola)	Acerola
40.	Chlorogenic acids	-
41.	Caffeic acid	
42.	Chondroitin sulphate	Chondroitin
43.	Cichorium intybus – roasted root powder	Kasani/ Chicory
44.	Cinnamomum verum – bark powder / extract	Tvak bhed/Cinnamon
45.	Citrulline/ L-citrulline DL-malate (2:1)	-
46.	Citrus aurantium – peel extract / bioflavonoids standardized	Bitter orange
47.	Citrus naringenin	-
48.	D-Mannose	-
49.	Syzygum aromaticum- Clove powder & oil	Lavang tail
50 .	Cnicus benedictus – aerial parts extract / root extract	Blessed thistle
51 .	Theobroma cacao-Cocoa (chocolate) bean - extract	-
52.	Coccinia grandis (L.) Voigt - extract	Bimbi/Kunduru/ Ivy gourd
53.	Collagen and its hydrolysed peptides and chelates	-
54.	Conjugated linoleic acid concentrate	-
55.	Crataeva nurvala - extract	Varun
56.	Crustacean shells	-
57.	Cuminum cyminum L – oil / extract	Jeerak/Safed Jeera/Cumin
58.	Curcuma longa – rhizome powder / extract standardized	Haridra/Haldi/Turmeric
59.	Curcuminoids – soft extract / powder and curcumin complex	-
60.	Cyperus rotundus - extract	Mustak/Nagar motha
61.	Diastase*	-
62.	D-Pinitol	-
63.	Dioscorea bulbifera - extract	Varahi kand
64.	Protein isolates/concentrates/hydrolysates	-
65.	Ellagic acid	-
66.	Emblica officinalis – dried fruit extract / spray dried pulp powder	Indian gooseberry/ amlaki

	Part B	
S.No.	Nutraceuticals / Ingredients	Official and Common names.
(1)	(2)	(3)
67.	Eriocitrin (from citrus fruit)	-
68.	Oenothera biennis- Evening primrose oil	-
69.	Fagopyrum esculentum - seed	Buckwheat
70.	Fish oil	-
71.	Foeniculum vulgare - fruit - oil / extract	Fennel / Saunf
72.	Freeze-dried banana powder	-
73.	Galactomannan	-
74.	Gallic acid	-
75.	Gamma-linoleic acid (GLA)	-
76.	Gamma-oryzanol	-
77.	Garcinia gummi-gutta and Garcinia cambogia/G.indica – fruit rind extract standardized to hydroxyl citric acid, powder)	Kokum / Vrikshamalak / Malabar tamarind
78.	Garcinia mangostana – seed extract standardized	Mangosteen
79.	Glucoamylase*	-
80.	Glucomannan	-
81.	Glycyrrhiza glabra - extract	Madhuyashti/Licorice / Mulethi
82.	Grape seed extract	-
83.	Coffea arabica, C. robusta- Green coffee seed extract standardized, including decaffeinated coffee bean powder/extract	Kaphi
84.	Grifola frondosa – standardized extract	Maitake mushroom
85.	Guar gum and gum arabic and its derivatives as a source of fibers; Maltodextrin/Resistant maltodextrin/ Limit Dextrin; chia seed fiber and fibers from other food sources	-
86.	Hemicellulase*	-
87.	Hesperidin	-
88.	High oleic sun flower oil and other vegetable oils with high oleic content	-
89.	Hippophae rhamnoides – leaf/fruit dried powder/extract / juice	Amalvetas /Sea buckthorn /
90.	Humulus lupulus L – powder / extract	Phaph/Hops
91.	Hyaluronic acid and its salts	-

	Part B	
S.No. (1)	Nutraceuticals / Ingredients (2)	Official and Common names. (3)
92.	Hydrolysed whey peptide	Whey
93.	<i>Hypericum perforatum</i> – aerial parts standardized extract	Basant/St. Johns Wort
94.	Inula racemosa - root extract	Pushkarmoola extract
95.	Invertase*	-
96.	Isoflavones (genistein, daidzein)	-
97.	Kelp (brown algae)	-
98.	Krill oil - standardized for DHA / EPA	-
99.	Lactalbumin	-
100.	Lactoferrin	-
101.	Lactoperoxidase*	-
102.	Lagerstroemia speciosa L (leaf extract)	Jarul/Banaba
103.	Lecithins	-
104.	Lignans	-
105.	Linum usitatissimum - seed powder and oil	Atasi/Alasi/Flaxseed
106.	Lipase*	-
107.	Lutein	-
108.	Lutein/zeaxanthin complex	-
109.	Lycopene	-
110.	Lycium barbarum/Lycium europaeum/Lycium ruthenicum fruit - dried powder/concentrate standardized	Goji berry (wolfberry)
111.	Maltase*	-
112.	Mangifera indica – mangiferine, leaf extract	-
113.	Medicago sativa extract	Ashar-bala/Alfalfa
114.	Medium chain triglycerides	-
115.	Menyanthes trifoliata - Leaf powder	Buckbean / bogbean
116.	Millets and their powder	-
117.	Momordica charantia - fruit / seed extract	Karvalli/Kodon,/bitter gourd/, Karela
118.	Monodora myristica (Gaertn.) Dunal – oil / extract	Nutmeg
119.	Morinda citrifolia extract	Akshiki/Noni
120.	Moringa oleifera leaf / pods / seed extract powder	Shigru/Moringa / drum stick
121.	Morus alba- Mulberry tea- leaf / fruit extract	Toot/Mulberry

	Part B	
S.No. (1)	Nutraceuticals / Ingredients (2)	Official and Common names. (3)
122.	Myrica cerifera/M. nagi – bark extract	Katphala/Bayberry
123.	Myristica fragrans Houtt.	Jatipatri/Mace/ Javitri
124.	N-Acetyl d-glucosamine	-
125.	Nardostachys jatamansi - extract	Jatamansi
126.	Nasturtium officinale - extract	Chhu nail/Watercress
127.	Nattokinase enzyme (as Soy bean Fibrinase)	-
128.	Ocimum tenuiflorum /Ocimum sanctum – aerial parts / seed extract	Surasa/ Basil /Tulasi
129.	Omega-3 fatty acids (docosahexaenoic acid - eicosapentaenoic acid - alpha - linolenic acid)	-
130.	Omega-6-fatty acids (linoleic acid, arachidonic acid and conjugated linoleic acid)	-
131.	Oyster shell powder	Shukti/Seep
132.	Pancreatin*	-
133.	Pancrelipase*	-
134.	Papain*	-
135.	Passiflora foetida - extract	Passion flower
136.	Arachis hypogaea - (roasted) powder	Mandapi/Pea nut/ Munghphali
137.	Pectin	-
138.	Pepsin*	-
139.	Perna canaliculus (Green lipped mussel / Mussel Oil)	-
140.	Phellodendron amurense leaf oil	Phellodendron
141.	Phosphatides /Phospholipids	-
142.	Phyllanthus amarus - extract	Tamalaki/ Bhuiamalaki
143.	Phytase*	-
144.	Picrorhiza kurroa-Picrorhiza - extract	Katuka/Kutaki
145.	Pimento officinalis L extract/powder	Allspice
146.	Pinus gerardiana - bark extract	Nikochak/Pine nut
147.	Piper longum - extract	Pippali/ Magha/Long pepper
148.	Piper nigram - green extract	Green pepper, Krishan Marich
149.	Piper nigrum- powder / standardized extract	Krishan Marich/ Marich/ Black pepper
150.	Policosanol	-
151.	Protease*	-

	Part B	
S.No.	Nutraceuticals / Ingredients	Official and Common names.
(1)	(2)	(3)
152.	Prunus serotina - extract	Black cherry
153.	Plantago ovata (major) -Psyllium (Isaphula)- seed husk	Isaphgul-Ashabgol
154.	Cucurbita pepo, C. maxima- Pumpkin seed oil /meal	Kaddu beej tail
155.	<pre>Punica granatum - fruit /seed /skin extract /leaf /powder</pre>	Dadima/Pomegranate
156.	Raphanus sativus var. niger - root powder/ extract	Mulika/ Muli /Black radish
157.	Red wine - extract /concentrate	-
158.	Red yeast rice	1
159.	Resveratrol	1
160.	Rhododendron arboreum/R. campanulata - juice/extract	Buras/Rhododendron
161.	Rice bran	1
162.	Rice bran arabinoxylan compound	
163.	Rose hips	
164.	Rosmarinus officinalis – leaves/ needles extract /oil	Rosemary
165.	Royal Jelly	-
166.	Rutin from fruit peels	-
167.	Salvia officinalis – leaf extract	Renuka Leaf Extract/Sage
168.	Sambucus nigra - extract	Khaman Kabir /Elderberry/ Black elderberry
169.	Shark cartilage /squalene oil	-
170.	Shiitake mushroom - extract	-
171.	Solanum lycopersicum/ S. esculentum – fruit powder/ extract	Tamatar/Tomato
172.	Soy sprouts – dried powder	-
173.	Soya protein isolate/ edible legume seed protein isolate	-
174.	Spearmint – leaf and distillate	1
175.	Sterols/Stanols including their esters	
176.	Tagetes sp. – petals oleo resin / extract	Marigold
177.	Terminalia arjuna - bark /leaf extract (standardized extract)	Arjuna extract
178.	Terminalia bellerica - fruit extract	Bibhitak/Baheda/Myrobalan
179.	Terminalia chebulia - fruit extract	Haritaki / Harad/Myrobalan
180.	Theaflavin	Chai sukshara satva
181.	Theobromine	-

	Part B	
S.No.	Nutraceuticals / Ingredients	Official and Common names.
(1)	(2)	(3)
182.	Tocopherols	-
183.	Trigonella-foenum-graecum – seeds extract	Methika/Methi/Fenugreek
184.	Triticum sativum - bran	Godhum/Wheat/Gehu
185.	Trypsin*	-
186.	Vaccinium corymbosum - fruit - dried powder / concentrate standardized	Blueberry
187.	Vaccinium oxycoccos/Vaccinium macrocarpon - fruit - dried powder / concentrate standardized	Cranberry
188.	Valeriana wallichii - extract	Tagar
189.	Vitis alba and Vitis vinifera - fruit - dried powder / concentrate standardized	Draksha/ Munakka/Blue grapes
190.	Wheat germ	-
191.	Zingiber officinale - rhizome standardized extracts	Shunti/Ginger
192.	Mucopolysaccharides	

Note 1.- *Enzymes- The enzymes listed in this schedule are primarily used as processing aids, but also may be used in nutraceutical products.

Note 2.-The sources for ingredients listed under Schedule-VI shall only be from those listed/specified under Food Safety and Standards Regulations. The chemically synthesized nutraceutical ingredients shall only be used with prior approval of the Food Authority.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

Schedule -VII

[See regulations 3.(13), 6.(2)(i), 7.(2)(i), 8.(2)(i), 9.(2)(i) and 10.(1)(i)]

List of strains as probiotics (live micro-organisms)

S. No.	Name of the Microorganism
1.	Lactobacillus acidophilus
2.	Lactobacillus plantarum
3.	Lactobacillus reuteri
4.	Lactobacillus rhamnosus
5.	Lactobacillus salivarius
6.	Lactobacillus casei
7.	Lactobasillus brevis
8.	Lactobacillus johnsonii
9.	Lactobacillus delbrueckii sub- sp. bulgaricus
10.	Bacillus coagulans
11.	Lactobacillus fermentum
12.	Lactobacillus caucasicus
13.	Lactobacillus helveticus
14.	Lactobacillus lactis
15.	Lactobacillus amylovorus
16.	Lactobacillus gallinarum
17.	Lactobacillus delbrueckii
18.	Bifidobacterium bifidum
19.	Bifidobacterium lactis
20.	Bifidobacterium breve
21.	Bifidobacterium longum
22.	Bifidbacterium animalis
23.	Bifidobacterium infantis
24.	Streptococcus thermophilus
25.	Saccharomyces boulardii
26.	Saccharomyces cerevisiae
27.	Lactobacillus paracasei
28.	Lactobacillus gasseri

- Note.- (1) These organisms may be used either singly or in combination but shall be declared on the label with full information and has to be Non-GMO.
 - (2) The Food Authority may add any new strain of microorganism, possessing probiotic properties, after proper scientific evaluation, and include in this Schedule.

Amendment for substitution of Schedule VII ¹[Schedule -VII

[See regulations 3.(13), 6.(2)(i), 7.(2)(i), 8.(2)(i), 9.(2)(i) and 10.(1)(i)]

List of probiotic (live) micro-organisms

S.No.	Name of the Microorganism	
(1)	(2)	
1.	Lactobacillus acidophilus	
2.	Lactiplantibacillus plantarum	
3.	Limosilactobacillus reuteri	
4.	Lacticaseibacillus rhamnosus	
5.	Ligilactobacillus salivarius	
6.	Lacticaseibacillus casei	
7.	Levilactobacillus brevis	
8.	Lactobacillus johnsonii	
9.	Lactobacillus delbrueckii sub- sp. bulgaricus	
10.	Bacillus coagulans	
11.	Limosilactobacillus fermentum	
12.	Lactobacillus caucasicus	
13.	Lactobacillus helveticus	
14.	Lactobacillus lactis	
15.	Lactobacillus amylovorus	
16.	Lactobacillus gallinarum	
17.	Lactobacillus delbrueckii (Lactobacillus delbrueckii subsp. delbrueckii)	
18.	Bifidobacterium bifidum	
19.	Bifidobacterium lactis (Bifidobacterium animalis subsp. lactis)	
20.	Bifidobacterium breve	
21.	Bifidobacterium longum (Bifidobacterium longum subsp. longum)	
22.	Bifidobacterium animalis (Bifidobacterium animalis subsp. animalis)	
23.	Bifidobacterium infantis (Bifidobacterium longum subsp. infantis)	
24.	Streptococcus thermophilus (Streptococcus salivarius subsp. thermophilus)	
25.	Saccharomyces boulardii (Saccharomyces cerevisiae subsp. boulardii)	
26.	Saccharomyces cerevisiae (Saccharomyces cerevisiae subsp. cerevisiae)	
27.	Lacticaseibacillus paracasei	
28.	Lactobacillus gasseri	
29.	Bacillus clausii	
30.	Established probiotic strains of Bacillus subtilis	

Note.- (1) These organisms may be used either singly or in combination but shall be declared on the label with full information and has to be Non-GMO.

(2) The Food Authority may add any new strain of microorganism, possessing probiotic properties, after proper scientific evaluation, and include in this Schedule.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

Schedule - VIII

[See regulations 3.(13), 6.(2)(i), 7.(2)(i), 8.(2)(i), 9.(2)(i) and 11.(1)(i)]

List of prebiotic compounds

S. No.	Prebiotic Compounds			
1.	Polydextrose			
2 .	Soybean oligosaccharides			
Amendment for substitution of highlighted provision				
¹[2.	Soya poly-saccharides and soya oligosaccharides]			
[Amendment in force from 6 th September, 2021; FBOs to comply with the provisions by 1st April, 2022]				
3.	Isomalto-oligosaccharides			
4.	Fructo-oligosaccharides			
5.	Gluco-oligosaccharides			
6.	Xylo-oligosaccharides			
7.	Inulin			
8.	Isomaltulose			
9.	Gentio-ologsaccharides			
10.	Lactulose			
11.	Lactoferrin			
12.	Sugar alcohols such as lactitol, sorbitol, maltitol, inositol, isomalt			
13.	Galacto-oligosaccharides			
Amendment for insertion of new provision				
¹[14.	Partially Hydrolyzed Guar Gum (Guar gum derivative)			
15.	Pectin			
16.	Resistant dextrin]			
[Amendment in force from 6 th September, 2021; FBOs to comply with the provisions by 1st April, 2022]				

Note.- The Food Authority may add any new specific prebiotic after proper scientific evaluation and include in this Schedule.

Amendment for insertion of new provision

¹[Schedule IX

Standards for ingredients

- (1) Psyllium (Isabgol) husk: (i) Psyllium (Isabgol) husk means product manufactured from dry seed coats of *Plantago ovate* Forsk. (Fam. *Plantaginaceae*) obtained by crushing the clean seeds and separating the husks by winnowing.
- (ii) The product shall be white or translucent, odourless, thin boat shaped structures, 2 to 3 mm long and 0.5 to 1 mm wide. The taste shall be bland and mucilaginous. It should not give any gritty feeling during sensorial (organoleptic) evaluation.
- (iii) It shall be free from insect infestation, fungal contamination and fermented, musty or other odours. It shall also be free from any added additives, colours, flavours and harmful foreign materials.
- (iv) The product shall conform to the following requirements:

S. No.	Characteristics	Requirements
(1)	(2)	(3)
(i)	Moisture, per cent by mass	Not more than 11.5
(ii)	Total ash (on dry basis), per cent by mass	Not more than 4.0
(iii)	Acid Insoluble Ash (on dry basis), per cent by	Not more than 0.45
	mass	
(iv)	Swell Volume, ml/gram	Not less than 40
(v)	Organic extraneous matter*, per cent by	Not more than 2
	mass	

^{*}Organic extraneous matter includes broken or entire embryo, fragments of endosperm or capsular wall of fruits belonging to isabgol crop.]

[Amendment in force from 6th September, 2021; FBOs to comply with the provisions by 1st April, 2022]

Note. - The principal regulations were published in the Gazette of India, Extraordinary vide notification number No. 1-4/ Nutraceutical/ FSSAI-2013, dated the $23^{\rm rd}$ December, 2016 and subsequently amended *vide* notification numbers:

 $1.\ Stds./03/Notification\ (Nutra)/FSSAI-2017,\ dated\ 6^{th}\ September,\ 2021.$