

Lang flow – Injection Pipe Line


The screenshot displays the Langflow web application interface. On the left, a sidebar lists various components: Input & Output, Data Sources, Models & Agents, LLM Operations, Files & Knowledge, Processing, Flow Control, Utilities, and a Discover more components button. The main workspace shows a workflow titled 'New Project (1) / Ingestion'. The workflow consists of two main components: 'Read File' and 'MistralAI Embeddings'. The 'Read File' component is configured with a file named 'Testcases_HealthC...' (302.51 KB) and is set to output 'Structured Content'. The 'MistralAI Embeddings' component is configured with the model 'mistral-embed' and a 'Mistral API Key'. A connection line links the output of the 'Read File' component to the input of the 'MistralAI Embeddings' component. Below the 'MistralAI Embeddings' component, there is a status bar indicating 'Running MongoDBAtlasVectorStore-ohux1' with a '6.5s' timer and a 'Stop' button. On the right side of the interface, a 'MongoDB Atlas' configuration panel is visible, showing fields for 'MongoDB Atlas Cluster URI', 'MongoDB Atlas Combined Client Certificate', 'Database Name' (set to 'db_testcases'), 'Collection Name' (set to 'test_cases'), 'Index Name' (set to 'vector_index_tc'), and 'Ingest Data' options. The bottom of the screen shows a Windows taskbar with various application icons and system status indicators.

Data Injected in Mongo DB –

The screenshot shows the MongoDB Atlas Data Explorer interface. The left sidebar contains navigation options: Project Overview, DATABASE (Clusters, Search & Vector Search, Data Explorer, Backup), STREAMING DATA (Stream Processing, Triggers), SERVICES (AI Models, Migration, Data Federation, Visualization), and SECURITY (Security Quickstart, Project Identity & Access, Database & Network Access, Activity Feed). The main area is titled 'Data Explorer' and shows the 'test_cases' collection. The 'Documents' tab is selected, displaying a list of documents. The first document is shown in detail, with fields including '_id', 'text', 'embedding', 'module', 'testcaseId', 'preRequisites', 'steps', 'expectedResults', 'automationManual', 'priority', 'createdBy', 'risk', 'version', and 'type'. The second document is also visible below it. The bottom of the screen shows a Windows taskbar with various application icons and system status indicators.

Rag Retrieval Pipe line –


Lang flow –



Search input – Fetch registration test cases

Configured number of results as – 4

Output –



Configured number of results as – 10

