




# House price based on Number of Bedrooms



# House price based on Number of Bedrooms




# House price based on Number of Bedrooms




Sum of Price1 for each Location1. Color shows details about Area1. The marks are labeled by Area1. The data is filtered on No. of Bedrooms as an attribute, which ranges from 1 to 4 and keeps Null values. The view is filtered on Area1, which keeps 1,359 of 1,359 members.


# House price based on Number of Bedrooms



# House price based on Number of Bedrooms




# House price based on Number of Bedrooms




Sum of Price1 for each Location1. Color shows details about Area1. The marks are labeled by Area1. The data is filtered on No. of Bedrooms as an attribute, which ranges from 1 to 4 and keeps Null values. The view is filtered on Area1, which keeps 1,359 of 1,359 members.

# House price based on Number of Bedrooms




# House price based on Number of Bedrooms






# House price based on Number of Bedrooms




Sum of Price1 for each Location1. Color shows details about Area1. The marks are labeled by Area1. The data is filtered on No. of Bedrooms as an attribute, which ranges from 1 to 4 and keeps Null values. The view is filtered on Area1, which keeps 1,359 of 1,359 members.


# House price based on Number of Bedrooms




# House price based on Number of Bedrooms



# House price based on Number of Bedrooms




# House price based on Number of Bedrooms



Sum of Price1 for each Location1. Color shows details about Area1. The marks are labeled by Area1. The data is filtered on No. of Bedrooms as an attribute, which ranges from 1 to 4 and keeps Null values. The view is filtered on Area1, which keeps 1,359 of 1,359 members.

# House price based on Number of Bedrooms



Sum of Price1 for each Location1. Color shows details about Area1. The marks are labeled by Area1. The data is filtered on No. of Bedrooms as an attribute, which ranges from 1 to 4 and keeps Null values. The view is filtered on Area1, which keeps 1,359 of 1,359 members.