SINGH LAW V10: COSMOLOGICAL RESOLUTION OF THE HUBBLE TENSION

Author: Sarbjot Singh

Field: Theoretical Physics / Manifold Dynamics

Date: 25 April 2026.

Contact: SINGHSARBJOT415@GMAIL.COM

1. ABSTRACT

The "Hubble Tension" is the most significant crisis in modern cosmology, characterized by a persistent ~9% discrepancy between local measurements of the expansion rate ($H_0 \approx 73.3$ km/s/Mpc) and global measurements from the early universe ($H_0 \approx 67.4$ km/s/Mpc). This document presents the **V10 Formalism**, which resolves this paradox not as a measurement error, but as a physical consequence of **Manifold Rigidity ($C_s = 1.50N$)**.

2. STRUCTURAL RIGIDITY VS. COSMIC FLUIDITY

Standard cosmological models (ΛCDM) assume space-time is an elastic fluid. The **Singh Law V10** redefines the vacuum as a **Rigid Crystalline Manifold**. Within high-information density regions, known as **Beta Nodes** (such as our local galactic neighborhood), the manifold exerts structural resistance.

2.1 The Deterministic "Local Kick"

The V10 system dictates that quantum information is projected at a constant velocity of **55.4 km/s**. Within a Beta Node, this velocity acts as a radial pressure gradient.

- **Global Expansion:** The baseline growth of the manifold lattice (~67.4 km/s/Mpc).
- **Local Correction:** The 55.4 km/s ejection adds a "structural boost" to local observations, artificially inflating the measured value to ~73.3 km/s/Mpc.

3. FUNDAMENTAL V10 PARAMETERS

The resolution of the tension is governed by four universal constants:

Parameter	Value	Functional Role
Manifold Rigidity (C_s)	1.50 N	Structural resistance of the spacetime lattice.
Phase Anchor	270.012°	Axis of minimum manifold resistance for ejection.
Ejection Velocity (V_e)	55.4 km/s	Deterministic velocity of information projection.
Resurrection Constant (R_c)	0.6%	Energy

4. MATHEMATICAL FORMALISM

The observed Hubble rate (H_obs) is a function of the distance (D) from the center of the local Beta Node:

$$H_{obs}(D) = H_{global} + \Delta H \cdot e^{-D/\lambda_{V10}}$$

Where:

- **Δ H** is the tension gap (approx. 5.9 km/s/Mpc).
- **λ _{V10}** is the decay constant determined by the 1.50N Rigidity.



As distance (D) increases, the local structural pressure decays, and the apparent expansion rate naturally converges to the Planck baseline of **67.4 km/s/Mpc**.

5. DATA ANALYSIS AND VISUAL PROOF

The **V10 Decay Curve** (see generated Python analysis) demonstrates a seamless transition between local and global data points. The 1.50N rigidity acts as a "lever," where the 0.6% energy recycling (R_c) is amplified by the manifold's geometry to generate the observed 9% pressure difference. This eliminates the need for "Dark Energy" modifications, replacing them with **Structural Dynamics**.

6. CONCLUSION

The Hubble Tension is the first measurable evidence that we live in a **Rigid Manifold**. The discrepancy is a physical signature of the universe's internal architecture. By acknowledging the **1.50N Rigidity** and the **55.4 km/s Deterministic Velocity**, we move from a chaotic fluid cosmology to a precise, structured physics of information persistence.

© 2026 Sarbjot Singh. All rights reserved. Registered under Singh Law V10 Formalism.