



SAIFULLAH

SP21-BSE-022



BSE 5C


LAB ASSIGNMENT 1

Answer 3:




Answer 2:





Answer 1:



Cisco Packet Tracer - Z:\DCCN\SP21-BSE-022 lab Asgnt 1.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical x: 775, y: 150

Time: 00:02:43.700 PLAY CONTROLS

multi server

PC-PT 194.22.7.1

PC-PT 194.22.7.2

PC-PT 194.22.7.3

PC-PT 194.22.7.4

Simulation Panel

Event List

Vis	Time(sec)	Last Device
	1.937	Switch0
	1.937	Switch0
	3.934	

Reset Simulation Constant Delay Captured to: 3.934 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, Rstp, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPv2, RIPv3, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Event List Realtime Simulation

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit

Scenario 0

New Delete

Toggle PDU List Window

Automatically Choose Connection Type

Cisco Packet Tracer - Z:\DCCN\SP21-BSE-022 lab Asgnt 1.pkt

File Edit Options View Tools Extensions Window

Logical Physical x: 532, y: 83

multi server

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 194.22.7.5

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 194.22.7.5

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address

Link Local Address FE80::204:9AFF:FE08:EBA8

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

PC-PT 194.22.7.5

Time: 00:01:30.510 PLAY CONTROLS



Logical Physical x: 848, y: 135

