1. Hotel Management System	2
1.1. Database Planning	2
1.1.1 Mission Statement	2
1.1.2 Mission Objective of Database	3
1.1.3 CONCEPTUAL DESIGN	4
1.1.3.1 Identify entity types	4
1.1.3.2 Identify relationship types	4
1.1.3.3 Identifying and associating attributes	4
1.1.3.4 Attribute domains	5
1.1.3.5 Candidate, primary, and alternate key attributes	5
1.1.3.6 Model redundancy	6
1.1.3.7 ER Digram	6
1.1.0.1 Sql Queries	6
1.1.4 Views	8
1.2. Task Assign to Members	8
1.2.1 Abdul Haseeb Khan And Khanzada Haider Ali:	8
1.2.2 Ashfaq Rahim And Hasssan Shah Nawaz	12
1.2.3 Fahad Afzal & Imad Ahmed	15
1.2.4 Hassan Ali Jadoon, Awais And Sardar Badar	19
1.2.4.1 Scope:	19
1.2.4.2 Development Time:	20
1.2.4.3 Complexity:	20
1.2.4.4 Mission Statement	20
1.2.4.5 Mission Objective of Database:	20
1.2.4.5.1 Badar Mission Objectives:	20
1.2.4.5.2 Awais Mission Objectives	20

1.2.4.5.3 Hasssan Mission Objectives:	21
1.2.4.6 Major Views:	21
1.2.4.7 Conclusion:	21
1.2.4.8 CONCEPTUAL DESIGN	21
1.2.4.8.1 Identify entity types	21
1.2.4.8.2 Identify relationship types	22
1.2.4.8.3 Identifying and associating attributes	22
1.2.4.8.4 Attribute domains	22
1.2.4.8.5 Candidate, primary, and alternate key attributes	23
1.2.4.8.6 Model redundancy	23
1.2.4.8.7 ER-Digram	24
1.2.4.9 Prototype	25
1.1.0.2 SQL QUERIES	26

# 1. Hotel Management System

## 1.1. Database Planning

We can Divide our Hotel Management System Into Following Sections.

#### 1.1.1 Mission Statement

"The purpose of Hotel Management System is to help out Stack-Holders in Manage them room bookings and optimize their profit. The system will keep track of the rooms and generate information related to finance, room booking, and Generate financial report."

## 1.1.2 Mission Objective of Database

Mission Objective of the database is

- To maintain (Enter, Update and Delete) data on rooms
- To maintain (Enter, Update and Delete) data on Customer
- To maintain (Enter, Update and Delete) data on Managers
- To maintain (Enter, Update and Delete) data on Customer Activities
- To maintain (Enter, Update and Delete) data on Bookings
- To maintain (Enter, Update and Delete) data on Finance
- To maintain (Enter, Update and Delete) data on Free Rooms
- To maintain (Enter, Update and Delete) data on Booked Rooms
- To maintain (Enter, Update and Delete) data on Room Cancellation
- To maintain (Enter, Update and Delete) data on Branch
- To maintain (Enter, Update and Delete) data on Employees
- To maintain (Enter, Update and Delete) data on Wages
- To maintain (Enter, Update and Delete) data on Viewing
- To Search on rooms
- To Search on Customer
- To Search on Finance
- To Search on Branch
- To Search on Employees
- To track on Rooms
- To track on Client
- To track on Free Rooms
- To track on Booked Rooms

- To report on rooms
- To report data on Customer
- To report on Bookings
- To report on Finance
- To report on Branch
- To report on Employees

#### 1.1.3 CONCEPTUAL DESIGN

### 1.1.3.1 Identify entity types

Orders, Clients, Rooms And Time Duration, Address

### 1.1.3.2 Identify relationship types

Orders are placed by Client

Rooms are Booked by Client

Clients place the orders

Orders has valid Duration

Client has Address

## **1.1.3.3** Identifying and associating attributes

Orders:orderId, clientId, roomId, durationId,price\_o, date

Clients: clientId, composite(name, fName), email, addressId

Rooms: roomId, type, status, prices\_r, floor

Time Duration: durationId, arrival, departure Address: addressId, country, zip, city, street

#### 1.1.3.4 Attribute domains

orderId, has domain of int with auto increment
clientId, has domain of int with auto increment
roomId, has domain of int with auto increment
durationId, has domain int with auto increment
addressId, has domain of int with auto increment
prices\_r, price\_o, has domain of float numbers
arrival, departure, date, has domain of all possible date
city, type,country, composite(name, fName), has domain of varchar(20)
street, email, has domain of varchar(30)
status has bit domain with possible values of 1 or 0
zip,floor, has domain of int

### 1.1.3.5 Candidate, primary, and alternate key attributes


### **Primary keys:**

orderId, is primary key for Orders table
clientId, is primary key for Clients table
roomId, is primary key for Rooms Table
durationId, is primary key for Duration table
addressId, is primary key for Address table

Rest of attributes are alternate keys.

## 1.1.3.6 Model redundancy

All the relations are either one to one or one to many. The is not additional redundancy has been observe.



### 1.1.1.1 Sql Queries

```
#SARDAR BADAR, MUHAMMAD AWIAS, AND HASSAN ALI JADOON
CREATE DATABASE hotma;
use hotma:
CREATE TABLE Clients (
clientId int IDENTITY(1,1) PRIMARY KEY,
name varchar(20) not Null,
fName varchar(20) Not Null,
email varchar(20) unique not NULL,
);
CREATE TABLE [Rooms] (
[roomId] int not null PRIMARY KEY,
[type] varchar(20) not null,
[status] bit not null,
[price_r] float not null,
[floor] int not null
);
CREATE TABLE [Address] (
[addressId] int not null IDENTITY(1,1) PRIMARY KEY,
[clientId] int unique NOT NULL FOREIGN KEY REFERENCES Clients(clientId),
[country] varchar(4) not null,
 [zip] int not null,
[city] varchar(20) not null,
 [street] varchar(30) not null
```

```
);
CREATE TABLE [Orders] (
[orderId] int not null IDENTITY(1,1) PRIMARY KEY,
[clientId] int NOT NULL FOREIGN KEY REFERENCES Clients(clientId),
[roomId] int NOT NULL FOREIGN KEY REFERENCES Rooms(roomId),
[price_o] float not null,
[date_o] date not null
);
CREATE TABLE [Duration] (
[durationId] int not null IDENTITY(1,1) PRIMARY KEY,
[arrival] date not null,
[departure] date not null,
[orderId] int unique NOT NULL FOREIGN KEY REFERENCES Duration(orderId)
);
--INSERTION QUERIES FOR
use hotma;
INSERT into Clients (
name,
fName,
 email
```

```
) values
('Adil','Nawaz', 'adilna@gmail.com'),
('Adl','Nawaz', 'adilw@gmail.com'),
('Ad','awaz', 'adil@gmail.com');
INSERT into[Address] (
 [clientId],
 [country],
 [zip],
 [city],
 [street]
) values (3, 'pk',22340,'london','london streets');
--INSERT DATA IN ROOMS
INSERT into[Rooms] (
[roomId],
 [type],
 [status],
 [price_r],
 [floor]
)Values(2,'First Class', 0, 100.4, 2),
(1,'First Class', 0, 100022.4, 2),
(3,'First Class', 0, 10030.4, 34);
--Insert Order
INSERT into [Orders] (
 [clientId],
 [roomId],
```

```
[price_o],
[date_o]
)SELECT clientId, roomId, price_r, '2009-11-11' FROM Clients c, Rooms r where clientId = 2 AND roomId=3
AND status = 0;
-- Change Status
UPDATE Rooms
SET status=1 where roomId =1;
--GET FINANCE QUERY WTITH AWAIS, BADAR, AND HASSAN
SELECT DISTINCT a.roomId as roomNO, b.maxPrice as highestPrice, r.price_r as currentPrice,
b.revenu as revenu,
b.countr as booking
FROM ((Orders a
   INNER JOIN
   (
     SELECT
     MAX(price_o) as maxPrice,
     sum(price_o) as revenu,
     COUNT(o2.roomId) as countr,
     o2.roomId
     FROM Orders o2
     GROUP BY o2.roomId
   ) b ON a.roomId = b.roomId AND
       a.price_o = b.maxPrice)
   INNER JOIN Rooms r on r.roomId = a.roomId) WHERE a.date_o = '2009-11-11';
```

#### 1.1.4 Views

There is only one view in our Systems

### 1.2. Task Assign to Members

#### 1.2.1 Abdul Haseeb Khan And Khanzada Haider Ali:

Abdul Haseeb Khan and Khanzada Hadier will design and develop the Login Functionalites in Our Hotel Managemnt System by interacting with database to validate the user. This task does not include any java program or moduling. It's purely SQL related. We will be able to finish our tasks in the project as soon as we learn the queries required to do our task. Our task includes the handling of making of new Ids by the users. This includes first time making of a new id which includes unique usernames as provided by the user and the password. After making of the new ids the users can log in through the data they provided. This will include cross checking of the usernames and passwords across the ids of the users. Our work will take almost a week if we know the certain queries which we will learn as the classes go by.


#### **Mission Objectives:**

- To maintain (Enter, Update and Delete) data on Customers
- To maintain (Enter, Update and Delete) data on Managers
- To maintain (Enter, Update and Delete) data on Employees


#### MAJOR USER VIEW (UI PROTOTYPES)

Hotel Management System
Username
Password
Sign In Sign Up Forgot Password?

Make an	account
Email	example: abc@gmail.cor
Username	Choose a username
Phone Number	example: +921234567
Password	
Confirm Password	
Designation	Customer
	Make an Account



### **ER DIAGRAM:**



### 1.2.2 Ashfaq Rahim And Hasssan Shah Nawaz

# Mission objective modules of our project:

Develop and design the dashboard functionalities after user will login the system.

#### **SCOPE:**

We want to choose the metrics that matter. We want to keep it visual. We want to make it interactive for collaboration. We want to pull data from all sources to get the full picture and keep the dashboards up to date or refreshed. And, finally, we want to make it simple to access and easy to use.

### TIME AND COMPLEXITY:

The time taken for developing and designing dashboard is 2 months. Building an effective dashboard according to best practices for dashboard design is the culmination of a comprehensive process that would usually include gathering requirements, defining, and creating a data model. However, the importance of proper dashboard design should not be understated. Poorly designed dashboards could fail to convey useful information and insights and even make the data less comprehensible than it was originally.

### **MISSION STATEMENT:**


The mission of our hotel is to provide outstanding lodging facilities and services to our guests. Our hotel focuses on individual business and leisure travel, as well as travel associated with groups meetings. we emphasize high quality standards in our rooms and food and beverage divisions. We provide a fair return on investment for our owners and recognize that this cannot be done without well trained, motivated and enthusiastic employees.


### **MISSION OBJECTIVE:**


- To maintain (Enter, Update and Delete) data on Rooms
- To maintain (Enter, Update and Delete) data on Bookings
- To maintain (Enter, Update and Delete) data on Payment

- To Search on rooms
- To Search on Bookings
- To Search on Payment
- To track on Rooms
- To track on Bookings
- To track on Payments
- To report on rooms
- To report on Bookings
- To report on Payments

# MAJOR USER VIEW (UI PROTOTYPE):








Reviewed by:

Fahad Afzal, Abdul Haseeb Khan

Comments:

All good.

### **DASHBOARD ER DIAMGRAM:**



### 1.2.3 Fahad Afzal & Imad Ahmed

### Task:

Imad and Fahad must design and develop the room status and selection that will include available rooms, new client's insertion part, available and booked rooms and the price of rooms and client information related part.

#### **Hotel Management System**

#### **Module:**

Clients Residential module.

### Scope:

We will create client's residential system. This module will help the client to make his/her choice of reservation easy. It will provide the client with the necessary information about suite and rooms which he/she needs to know.

#### **Development Time:**

This module will take about three (1) and a half month (1/2) to complete.

#### **Mission Statement:**

The purpose of Hotel Management System is to help stack holders in manage them room bookings and optimize their profit. The system will keep track of the rooms and generate information related to finance, room bookings and generate financial report.

### **Mission Objectives:**

- To maintain (Enter, Update and Delete) data on rooms.
- To maintain (Enter, Update and Delete) data on Customer activities.
- To maintain (Enter, Update and Delete) data on Bookings
- To maintain (Enter, Update and Delete) data on Free Rooms
- To maintain (Enter, Update and Delete) data on Booked Rooms


- To maintain (Enter, Update and Delete) data on Room Cancellation
- To Search on rooms
- To Search on Customer
- To track on Rooms
- To track on Client
- To track on Free Rooms
- To track on Booked Rooms
- To report on rooms
- To report on Bookings

## **Major User Views (UI Prototypes):**

### **SCREEN # 01**



### **SCREEN # 02**




### **SCREEN # 03**



 $\frac{https://drive.google.com/drive/folders/1cusMrL4aN9Ka1rHQJHrPJGaGrRKy1}{nZS?usp=sharing}$ 

### **ER-Diagram:**



# .....xxxxxxxxxTHE-ENDxxxxxxxxxxx.......

### 1.2.4 Hassan Ali Jadoon, Awais And Sardar Badar

### **1.2.4.1** Scope:

We will create financial module of the app. This module will generate weekly, monthly and annual Financial report of the hotel. It will also calculate the revenue generated by the rooms. In the end we will also integrate all modules of hotel management system.

# **1.2.4.2 Development Time:**

This module requires about 1 months to be completed

### 1.2.4.3 Complexity:

We will use Swing Framework of Java as assigned by the instructor. Beside that we have to learn Object Oriented concepts of Java. The main issue with the swing framework that it does not have wide community thus we will have to face many issues during the learning phase, also it does not have extensive tutorials.

#### 1.2.4.4 Mission Statement

".The system will keep track of the rooms and generate information related to finance, Generate financial report."

#### 1.2.4.5 Mission Objective of Database:

Mission Objective of the database is

### **1.2.4.5.1** Badar Mission Objectives:

- To maintain (Enter, Update and Delete) data on Free Rooms
- To maintain (Enter, Update and Delete) data on Booked Rooms
- To maintain (Enter, Update and Delete) data on Room Cancellation
- To report on Annual Finance

### 1.2.4.5.2 Awais Mission Objectives

- To maintain (Enter, Update and Delete) data on Customer
- To maintain (Enter, Update and Delete) data on Orders
- To maintain (Enter, Update and Delete) data on Wages
- To report on Annual Finance

### **1.2.4.5.3** Hassan Mission Objectives:

- To maintain (Enter, Update and Delete) data on rooms
- To track on Rooms
- To track on Free Rooms
- To report on Annual Finance

### 1.2.4.6 Major Views:

For the sake of simplicity, we are dealing with one major view.

#### **1.2.4.7 Conclusion:**

Although we deal with data financial module of app but it will take about 1 months due to wide range of complexity we will face learning framework like swing and OOP concepts as well

#### 1.2.4.8 CONCEPTUAL DESIGN

### 1.2.4.8.1 Identify entity types

Orders, Clients, Rooms And Time Duration, Address

### 1.2.4.8.2 Identify relationship types

Orders are placed by Client

Rooms are Booked by Client

Clients place the orders

Orders has valid Duration

#### Client has Address

### **1.2.4.8.3** Identifying and associating attributes

Orders:orderId, clientId, roomId, durationId,price\_o, date

Clients: clientId, composite(name, fName), email, addressId

Rooms: roomId, type, status, prices\_r, floor

Time Duration: durationId, arrival, departure Address: addressId, country, zip, city, street

#### 1.2.4.8.4 Attribute domains

orderId, has domain of int with auto increment
clientId, has domain of int with auto increment
roomId, has domain of int with auto increment
durationId, has domain of int with auto increment
addressId, has domain of int with auto increment
prices\_r, price\_o, has domain of float numbers
arrival, departure, date, has domain of all possible date
city, type,country, composite(name, fName), has domain of varchar(20)
street, email, has domain of varchar(30)
status has bit domain with possible values of 1 or 0
zip,floor, has domain of int

#### 1.2.4.8.5 Candidate, primary, and alternate key attributes

### Primary keys:


orderId, is primary key for Orders table
clientId, is primary key for Clients table
roomId, is primary key for Rooms Table
durationId, is primary key for Duration table
addressId, is primary key for Address table

Rest of attributes are alternate keys.


### 1.2.4.8.6 Model redundancy

We have change data type of the PK so it will be easy to work with less redundancy. So All the relations are either one to one or one to many. The is not additional redundancy has been observe.


#### **1.2.4.8.7 ER-Digram**



#### FIX ANOMALIES IN ER DIGRAM



### **1.2.4.9 Prototype**



### 1.1.1.2 SQL QUERIES

```
use master;
DROP Database hotma;
CREATE DATABASE hotma:
use hotma;
CREATE TABLE Clients (
clientId int IDENTITY(1,1) PRIMARY KEY,
name varchar(20) not Null,
fName varchar(20) Not Null,
email varchar(20) unique not NULL,
);
CREATE TABLE [Rooms] (
[roomId] int not null PRIMARY KEY,
[type] varchar(20) not null,
[status] bit not null,
[price_r] float not null,
[floor] int not null
);
CREATE TABLE [Address] (
[addressId] int not null IDENTITY(1,1) PRIMARY KEY,
[clientId] int unique NOT NULL FOREIGN KEY REFERENCES Clients(clientId),
 [country] varchar(4) not null,
[zip] int not null,
 [city] varchar(20) not null,
 [street] varchar(30) not null
```

```
);
CREATE TABLE [Orders] (
[orderId] int not null IDENTITY(1,1) PRIMARY KEY,
[clientId] int NOT NULL FOREIGN KEY REFERENCES Clients(clientId),
[roomId] int NOT NULL FOREIGN KEY REFERENCES Rooms(roomId),
[price_o] float not null,
[date_o] date not null
);
CREATE TABLE [Duration] (
[durationId] int not null IDENTITY(1,1) PRIMARY KEY,
[arrival] date not null,
[departure] date not null,
[orderId] int unique NOT NULL FOREIGN KEY REFERENCES Duration(orderId)
);
--INSERTION QUERIES FOR
use hotma;
INSERT into Clients (
name,
fName,
```

```
email
) values
('Adil','Nawaz', 'adilna@gmail.com'),
('Adl','Nawaz', 'adilw@gmail.com'),
('Ad','awaz', 'adil@gmail.com');
INSERT into[Address] (
 [clientId],
 [country],
 [zip],
 [city],
 [street]
) values (3, 'pk',22340,'london','london streets');
--INSERT DATA IN ROOMS
INSERT into[Rooms] (
[roomId],
 [type],
 [status],
 [price_r],
 [floor]
)Values(2,'First Class', 0, 100.4, 2),
(1,'First Class', 0, 100022.4, 2),
(3,'First Class', 0, 10030.4, 34);
--Insert Order
INSERT into [Orders] (
 [clientId],
```

```
[roomId],
[price_o],
[date_o]
)SELECT clientId, roomId, price_r, '2009-11-11' FROM Clients c, Rooms r where clientId = 2 AND roomId=3
AND status = 0;
--Change Status
UPDATE Rooms
SET status=1 where roomId =1;
--GET FINANCE QUERY WTITH AWAIS, BADAR, AND HASSAN
SELECT DISTINCT a.roomId as roomNO, b.maxPrice as highestPrice, r.price_r as currentPrice,
b.revenu as revenu,
b.countr as booking
FROM ((Orders a
   INNER JOIN
     SELECT
     MAX(price_o) as maxPrice,
     sum(price_o) as revenu,
     COUNT(o2.roomId) as countr,
     o2. room Id \\
     FROM Orders o2
     GROUP BY o2.roomId
   ) b ON a.roomId = b.roomId AND
       a.price_o = b.maxPrice)
   INNER JOIN Rooms r on r.roomId = a.roomId) WHERE a.date_o = '2009-11-11';
```