Contents

Table of Contents

1 Lab 6	5
1.1 Common Solution	5
1.2 Abdul Haseeb Khan (SP19-BCS-001)	9
1.3 Fahad Afzal (SP19-BCS-006)	
1.4 Ashfaq Rahim (SP19-BCS-003)	11
1.5 Fahad Afzal (SP19-BCS-006)	
1.6 Hassaan Shahnawaz (SP19-BCS-008)	
1.7 Hassan Ali Jadoon (SP19-BCS-009)	
1.8 Imad Ahmad (SP19-BCS-011)	
1.9 Khanzada Haider Ali (SP19-BCS-013)	
1.10 Sardar Badar Saghir (SP19-BCS-022)	
1.11 Muhammad Awais (SP19-BCS-033)	24
2 LAB 7	25
2.1 Common Solution	25
1.1 Abdul Haseeb Khan (SP19-BCS-001)	26
1.2 Ashfaq Rahim (SP19-BCS-003)	27
1.3 Fahad Afzal (SP19-BCS-006)	
1.4 Hassaan Shahnawaz (SP19-BCS-008)	
1.5 Hassan Ali Jadoon (SP19-BCS-009)	
1.6 Khanzada Haider Ali (SP19-BCS-013)	
1.7 Imad Ahmad (SP19-BCS-011)	
1.8 Sardar BadarError: Reference source not found	
1.9 Muhammad AwaisError: Reference source not found	35
2 LAB 8	36
2.1 Common Solution	36
2.2 Abdul Haseeb Khan (SP19-BCS-001)	
2.3 Ashfaq Rahim (SP19-BCS-003)	
2.4 Fahad Afzal (SP19-BCS-006)	
2.5 Hassaan Shahnawaz (SP19-BCS-008)	
2.6 Hassan Ali Jadoon (SP19-BCS-009)	
2.7 Khanzada Haider Ali (SP19-BCS-013)	
2.8 Imad Ahmad (SP19-BCS-011)	
2.9 Sardar BadarError: Reference source not found	
2.10 Muhammad Awais	
3 Lab 9+10	45
3.1 Common Solution	
3.2 Abdul Haseeb Khan (SP19-BCS-001)	
3.3 Ashfaq Rahim (SP19-BCS-003)	
3.4 Fahad Afzal (SP19-BCS-006)	
3.5 Hassaan Shahnawaz (SP19-BCS-008)	
3.6 Hassan Ali Jadoon (SP19-BCS-009)	
3.7 Khanzada Haider Ali (SP19-BCS-013)	
3.8 Imad Ahmad (SP19-BCS-011).	
2 O Sorder Dodor	15

3.10 Muhammad Awais	46
4 Lab 11	46
4.1 Common Solution	46
4.2 Abdul Haseeb Khan (SP19-BCS-001)	
4.3 Ashfaq Rahim (SP19-BCS-003)	
4.4 Fahad Afzal (SP19-BCS-006)	
4.5 Hassaan Shahnawaz (SP19-BCS-008)	
4.6 Hassan Ali Jadoon (SP19-BCS-009)	
4.7 Khanzada Haider Ali (SP19-BCS-013)	
4.8 Imad Ahmad (SP19-BCS-011)	
4.9 Sardar Badar	
4.10 Muhammad Awais	
5 Lab 12	48
5.1 Common Solution	18
5.2 Abdul Haseeb Khan (SP19-BCS-001)	
5.3 Ashfaq Rahim (SP19-BCS-003)	
5.4 Fahad Afzal (SP19-BCS-006)	
5.5 Hassaan Shahnawaz (SP19-BCS-008)	
5.6 Hassan Ali Jadoon (SP19-BCS-009)	
5.7 Khanzada Haider Ali (SP19-BCS-009)	
5.7 Khalizada Haidei Ali (SP19-BCS-013)	
5.9 Sardar Badar	
5.10 Muhammad Awais	
6 Lab 13	320
6.1 Common Solution	
6.2 Abdul Haseeb Khan (SP19-BCS-001)	
6.2 Abdul Haseeb Khali (SP19-BCS-001)	
6.4 Fahad Afzal (SP19-BCS-006)	
6.5 Hassaan Shahnawaz (SP19-BCS-008)	
6.6 Hassan Ali Jadoon (SP19-BCS-009)	
6.7 Khanzada Haider Ali (SP19-BCS-013)	
6.8 Imad Ahmad (SP19-BCS-011)	
6.9 SARDAR BADAR (SP19-BCS-011)	
6.9 SARDAR BADAR (SP19-BCS-022)	
7 Lab 14	
7.1 Common Solution 7.2 Abdul Haseeb Khan (SP19-BCS-001)	
7.3 Ashfaq Rahim (SP19-BCS-003)	
7.4 Fahad Afzal (SP19-BCS-006)	
7.5 Hassaan Shahnawaz (SP19-BCS-008)	
7.6 Hassan Ali Jadoon (SP19-BCS-009)	
7.7 Khanzada Haider Ali (SP19-BCS-013)	
7.8 Imad Ahmad (SP19-BCS-011)	
8 Lab 15	
8.1 Common Solution	
8.2 Abdul Haseeb Khan (SP19-BCS-001)	
8.3 Ashfaq Rahim (SP19-BCS-003)	
8.4 Fahad Afzal (SP19-BCS-006)	
8.5 Hassaan Shahnawaz (SP19-BCS-008)	321

8.6 Hassan Ali Jadoon (SP19-BCS-009)	
8.7 Khanzada Haider Ali (SP19-BCS-013)	
8.8 Imad Ahmad (SP19-BCS-011)	
8.9 Error: Reference source not found	
8.10 Error: Reference source not found	
9 Lab 16	
9.1 Common Solution	322
9.2 Abdul Haseeb Khan (SP19-BCS-001)	
9.3 Ashfaq Rahim (SP19-BCS-003)	
9.4 Fahad Afzal (SP19-BCS-006)	
9.5 Hassaan Shahnawaz (SP19-BCS-008)	
9.6 Hassan Ali Jadoon (SP19-BCS-009)	
9.7 Khanzada Haider Ali (SP19-BCS-013)	322
9.8 Imad Ahmad (SP19-BCS-011)	
9.9 Error: Reference source not found	
9.10 Error: Reference source not found	322
10 Lab 17	323
10.1 Common Solution	272
10.2 Abdul Haseeb Khan (SP19-BCS-001)	
10.2 Abdul Haseeb Khali (SF19-BCS-001)	
10.4 Fahad Afzal (SP19-BCS-006)	
10.5 Hassaan Shahnawaz (SP19-BCS-008)	
10.6 Hassan Ali Jadoon (SP19-BCS-009)	
10.7 Khanzada Haider Ali (SP19-BCS-013)	
10.8 Imad Ahmad (SP19-BCS-011)	
10.9 Error: Reference source not found	
10.10 Error: Reference source not found	
11 Lab 18	
11.1 Common Solution	324
11.2 Abdul Haseeb Khan (SP19-BCS-001)	
11.3 Ashfaq Rahim (SP19-BCS-003)	
11.4 Fahad Afzal (SP19-BCS-006)	
11.5 Hassaan Shahnawaz (SP19-BCS-008)	
11.6 Hassan Ali Jadoon (SP19-BCS-009)	
11.7 Khanzada Haider Ali (SP19-BCS-013)	
11.8 Imad Ahmad (SP19-BCS-011)	
11.9 Error: Reference source not found	
11.10 Error: Reference source not found	
40.7	
12 Lab 19	
12.1 Common Solution	
12.2 Abdul Haseeb Khan (SP19-BCS-001)	
12.3 Ashfaq Rahim (SP19-BCS-003)	
12.4 Fahad Afzal (SP19-BCS-006)	
12.5 Hassaan Shahnawaz (SP19-BCS-008)	
12.6 Hassan Ali Jadoon (SP19-BCS-009)	
12.7 Khanzada Haider Ali (SP19-BCS-013)	
12.8 Imad Ahmad (SP19-BCS-011)	325
12 Leb 20	205
13 Lab 20	
13.1 Common Solution	325

13.2 Abdul Haseeb Khan (SP19-BCS-001)	325
13.3 Ashfaq Rahim (SP19-BCS-003)	
13.4 Fahad Afzal (SP19-BCS-006)	
13.5 Hassaan Shahnawaz (SP19-BCS-008)	325
13.6 Hassan Ali Jadoon (SP19-BCS-009)	
13.7 Khanzada Haider Ali (SP19-BCS-013)	
13.8 Imad Ahmad (SP19-BCS-011)	

1 Lab 6

1.1 Common Solution

-- 1. Create Database

create database DreamHome

-- 2. Set My Working Database in Query Editor

use DreamHome

-- 3. Create Tables

-- Branch

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL.

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo), propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

-- Registration

-- 4.2 Multiple Rows Example

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo), branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

```
INSERT into Branch (branchNo, street, city, postcode)
VALUES
('B001', 'H#79 I-10/2', 'ISB', '52000').
('B002', 'H#78 Supply', 'ABT', '53000'),
('B003', 'H#79 I-10/2', 'ISB', '52000'),
('B004','H#78 Mandia', 'ABT', '53000'),
('B005','H#85 Supply', 'ABT', '53000'),
('B006', 'H#86 G-6', 'ISB', '52000'),
('B007', 'H#895 Cantt', 'ABT', '53000'),
('B008', 'H#55 Kalapul', 'ABT', '53000'),
('B009', 'H#986 Beer', 'HAR', '22620'),
('B010','H#12 Cantt', 'HAV', '22500'),
('B011','H#565 KTS', 'HAR', '22620'),
('B012','H#123 KTS', 'HAR', '22620'),
('B013','H#985 F-9', 'ISB', '52000'),
('B014','H#120 DHA', 'LHR', '54000'),
('B015','H#76 TIP', 'HAR', '22620'),
('B016', 'H#33 Baldher', 'HAR', '22620'),
('B017', 'H#22 SALHAD', 'ABT', '53000'),
('B018', 'H#11 HARNOI', 'ABT', '53000'),
('B019', 'H#13 H-9', 'ISB', '52000'),
('B020', 'H#99 FAIZABAD', 'RWP', '44000'),
('B021','H#164 PANIAN', 'HAR', '22620')
insert into Staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo)
VALUES
('SA9', 'Mary', 'Howe', 'Assistant', 'F', '9/11/1988', 20000, 'B002'),
('SG14', 'David', 'Ford', 'Supervisor', 'M', '11/9/1987', 100000, 'B003'),
('SG37', 'An', 'Beech', 'Assistant', 'F', '12/8/1986', 90000, 'B003'),
('SG5', 'Susa', 'Brand', 'Manager', 'F', '5/9/1989', 120000, 'B003'),
('SL21', 'Joh', 'White', 'Manager', 'M', '2/12/1992', 100000, 'B004'),
('SL41', 'Julie', 'Lee', 'Assistant', 'F', '8/3/1990', 50000, 'B002'),
('SP98', 'Akbar', 'Shah', 'Assistant Manager', 'M', '9/8/1996', 70000, 'B005'),
('SK32', 'Mahrukh', 'Bibi', 'Customer Service', 'F', '10/4/1994', 60000, 'B010'),
('SB83', 'Ahmad', 'Hassan', 'Clerk', 'M', '4/6/1991', 40000, 'B009'),
('SR68', 'Hamid', 'Ali', 'Security Guard', 'M', '9/12/1982', 10000, 'B007'),
('SI12', 'Akhtar', 'Rasheed', 'Security Officer', 'M', '8/9/1989', 50000, 'B012'),
('SV56', 'Hajra', 'Khan', 'Customer Service', 'F', '3/4/1992', 60000, 'B006'),
('ST91', 'Maria', 'Kareem', 'Customer Service Manager', 'M', '1/7/1991', 80000, 'B008').
('SO61', 'Kamran', 'Khan', 'Salesperson', 'M', '9/2/1987', 70000, 'B020'),
('SQ19', 'Khurshid', 'Akram', 'Finance Manager', 'M', '12/8/1982', 80000, 'B011'),
('SJ37', 'Sara', 'Majeed', 'HR Manager', 'F', '12/6/1981', 60000, 'B019'),
('SD52', 'Parvaiz', 'Khan', 'Security Guard', 'M', '11/12/1985', 15000, 'B013'),
('ST26', 'Bushra', 'Khan', 'Salesperson', 'F', '5/10/1990', 60000, 'B017'),
('SN99', 'Khalid', 'Kamal', 'Security Guard', 'M', '12/12/1992', 16000, 'B014'),
```

```
('SF7', 'Mubashir', 'Naveed', 'Receptionist', 'M', '1/12/1996', 30000, 'B016'),
('SG76', 'Awais', 'Oamar', 'Operations Manager', 'M', '9/4/1988', 80000, 'B015').
('SW84', 'Muneer', 'Zaman', 'Marketing Manager', 'M', '7/1/1992', 70000, 'B021'),
('SZ34', 'Sana', 'Khan', 'Receptionist', 'F', '5/12/1996', 50000, 'B018')
insert into Client (clientNo, fName, lName, telNo, prefType, maxRent)
VALUES
('A001', 'Imad', 'Ahmad', '03004463173', '1 bed Apartment', '5000'),
('A002', 'Akbar', 'Majeed', '03125648789', 'Shared Apartment', '6000'),
('A003', 'Farukh', 'Javed', '03468965741', 'Townhome', '70000').
('A004', 'Imran', 'Hashmi', '03034321986', 'Bungalow', '100000'),
('A005', 'Farhat', 'Javed', '03218954219', 'Small Vacation Cottage', '80000'),
('A006', 'Sajjad', 'Babar', '03364512789', 'Multi Family home', '180000').
('A007', 'Sidhu', 'Moosewala', '03111111111', '3 room apartment', '60000'),
('A008', 'Arshid', 'Khan', '03211236957', 'Double story house', '130000'),
('A009', 'Javed', 'Shiekh', '03489137982', 'Single Family home', '80000'),
('A010', 'Saira', 'Muneer', '03007319654', 'Villa', '500000'),
('A011', 'Poorab', 'Kumar', '03184967852', 'Shared Apartment', '9000'),
('A012', 'Faisal', 'Khan', '03467845123', 'Townhome', '75000'),
('A013', 'Abdus', 'Salam', '03096598753', 'Villa', '500000'),
('A014', 'Rab', 'Nawaz', '03416385951', 'Bungalow', '110000'),
('A015', 'Obaid', 'Sheikh', '03426284759', 'Multi Family Home', '160000'),
('A016', 'Oamar', 'Javed', '03134679169', 'Villa', '600000'),
('A017', 'Jannat', 'Mirza', '03166969969', 'Codominium', '90000'),
('A018', 'Babu', 'Rao', '03104916872', 'Shared Apartment', '15000'),
('A019', 'Sania', 'Mirza', '03451535985', 'Bungalow', '90000'),
('A020', 'Sham', 'Idrees', '03108020500', '1 bed Apartment', '5000'),
('A021', 'Javed', 'Kazmi', '03165288572', 'Single Family Home', '90000')
insert into PrivateOwner (ownerNo, fName, lName, address, telNo)
values
('K01','Javed','Aziz','H# 85 Mandia, ATD ','03001245985'),
('K02', 'Sana', 'Bucha', 'H# 21 I-10, ISB', '03368754953'),
('K03', 'Ali', 'Khan', 'H#45 KTS, HAR', '03314915375'),
('K04','Ahmed','Akhtar','H#20 Supply, ATD','03457296348'),
('K05', 'Kabir', 'Singh', 'H#99 Salhad, ATD', '03348719652'),
('K06', 'Parvaiz', 'Musharraf', 'H#86 G-6, ISB', '03321596548'),
('K07', 'Benazir', 'Shah', 'H#286 DHA, KAR', '03216598174'),
('K08', 'Jaan', 'Raheem', 'H#100 Cantt, LHR', '03012000563'),
('K09', 'Umar', 'Gul', 'H#91 Cantt, HAV', '03485265154'),
('K10', 'Raheem', 'Pardesi', 'H#20 H-6, ISB', '03259826547'),
('K11','Hubaib','Naeem','H#65 G-9, ISB','03185400163'),
('K12', 'Qaiser', 'Khattak', 'H#156 Saddar, PEW', '03420096050'),
('K13','Abdullah','Shah','H#48 Topi, SWB','03083032021'),
('K14', 'Babar', 'Khan', 'H#25 TIP, HAR', '03058574321'),
('K15', 'Rehm', 'Nawaz', 'H#87 I-4, ISB', '03065491032').
('K16', 'Hamza', 'Akbar', 'H#152 Panian, HAR', '03024595687'),
('K17', 'Nasir', 'Khan', 'H#756 Uni road, PEW', '03461289567'),
('K18','Alex','Bhatti','H#301 Bahria Town, KAR','03487006320').
('K19', 'Hareem', 'Shah', 'H#186 Cantt, MAN', '03215906903'),
('K20', 'Waqar', 'Zaka', 'H#564 North Nazimabad, KAR', '03237506501'),
('K21','Aamir','Liagat','H#487 Gulshan Igbal, KAR','03196585021')
```

insert into PropertyForRent (propertyNo, street, city, postcode, [type], rooms, rent, ownerNo, staffNo, branchNo) values

```
('P01','S# 10','ISB','52000','Apartment','2','15000','K01','SA9','B010'),
('P02', 'S# 2', 'KAR', '72400', 'Apartment', '3', '20000', 'K19', 'SG14', 'B012'),
('P03','S# 5','PEW','25000','Single Fam','4','50000','K09','SG37','B001'),
('P04','S# 1','HAV','22500','Villa','10','170000','K14','SG5','B002'),
('P05', 'S# 1', 'HAR', '22620', 'Bungalow', '4', '70000', 'K10', 'SL21', 'B009').
('P06', 'S# 2', 'LHR', '54000', 'Townhome', '3', '40000', 'K03', 'SL41', 'B015'),
('P07','S# 9','SWB','23430','Single Fam','3','45000','K12','SP98','B013'),
('P08','S# 6','ATD','53000','Apartment','2','12000','K20','SK32','B003'),
('P09', 'S# 7', 'MAN', '21300', 'Bungalow', '4', '60000', 'K07', 'SG76', 'B004'),
('P10', 'S# 8', 'ISB', '52000', 'Condo', '5', '50000', 'K21', 'SG76', 'B018'),
('P11','S# 5','ISB','52000','2 Story','6','100000','K18','ST26','B016'),
('P12','S# 4','ATD','53000','Single Fam','4','45000','K04','SV56','B005'),
('P13', 'S# 5', 'ISB', '52000', 'Apartment', '2', '18000', 'K13', 'ST91', 'B021'),
('P14','S# 6','KAR','72400','Townhome','3','35000','K11','S061','B008'),
('P15','S# 9','LHR','54000','Apartment','2','16000','K15','SQ19','B014'),
('P16','S# 5','HAR','22620','Multi Fam','8','95000','K05','SJ37','B020'),
('P17', 'S# 3', 'ATD', '53000', 'Apartment', '2', '10000', 'K17', 'SW84', 'B006'),
('P18', 'S#7', 'ATD', '53000', 'Townhome', '4', '50000', 'K08', 'ST26', 'B019'),
('P19','S# 4','ATD','53000','Single Fam','4','35000','K06','ST26','B011'),
('P20', 'S# 10', 'PEW', '25000', '2 Story', '7', '70000', 'K16', 'SF7', 'B017'),
('P21','S# 3','ISB','53000','Single Fam','3','30000','K02','SG76','B007')
insert into Viewing (clientNo, propertyNo, viewDate, comment)
values
('A013','P04','10/10/2020','Status Pending'),
('A001','P17','12/25/2018','Rented'),
('A014','P09','5/19/2019','Rented'),
('A011','P01','7/1/2019','Rented'),
('A006', 'P16', '8/8/2020', 'Rented'),
('A019','P05','2/18/2018','Rented'),
('A010','P04','10/10/2020','Status Pending'),
('A020', 'P01', '5/25/2018', 'Rented'),
('A007','P02','3/8/2019','Rented'),
('A017','P10','5/6/2019','Rented'),
('A002','P13','2/20/2020','Rented'),
('A021','P07','9/9/2019','Rented'),
('A009','P03','1/5/2020','Rented'),
('A015','P16','10/10/2020','Status Pending'),
('A004','P09','10/10/2020','Status Pending'),
('A008', 'P11', '8/26/2019', 'Rented'),
('A018', 'P15', '9/22/2018', 'Rented'),
('A003','P06','10/8/2019','Rented'),
('A016','P04','11/11/2018','Rented'),
('A012','P14','12/25/2019','Rented'),
('A005','P09','10/10/2020','Status Pending')
insert into Registration (clientNo, branchNo, staffNo, dateJoined)
values
('A001','B010','SG5','10/5/2018'),
('A002','B011','S061','9/6/2018').
('A003','B005','SW84','7/5/2018'),
('A004','B008','SP98','12/9/2018'),
('A005','B016','ST26','11/25/2018'),
('A006','B019','SG5','10/29/2018'),
('A007','B001','SW84','5/30/2018'),
('A008', 'B018', 'SG76', '6/12/2018'),
```

```
('A009','B009','ST26','12/12/2018'),
('A010','B012','SW84','6/29/2018'),
('A011','B017','SP98','8/16/2018'),
('A012','B004','SO61','12/18/2018'),
('A013','B021','SG5','11/11/2018'),
('A014','B013','ST26','11/15/2018'),
('A015','B020','SW84','9/11/2018'),
('A016','B003','SG76','1/5/2019'),
('A017','B014','SO61','1/25/2019'),
('A018','B006','SG76','2/3/2019'),
('A019','B015','SO61','1/20/2019'),
('A020','B002','ST26','11/8/2018'),
('A021','B007','SW84','12/30/2018')
```

Select distinct(city) from Branch order by city desc;

1.2 Abdul Haseeb Khan (SP19-BCS-001)

-- 1. Create Databasecreate database DreamHome-- 2. Set My Working Database in Query Editoruse DreamHome

-- 3. Create Tables

-- Branch

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName var-

char(50) NOT NULL, lName varchar(50) NOT NULL, [address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo), propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

-- Registration

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo), branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

insert into PropertyForRent (propertyNo, street, city, postcode, [type], rooms, rent, ownerNo, staffNo, branchNo)

values

('P01','S# 10','ISB','52000','Apartment','2','15000','K01','SA9','B010'), ('P02','S# 2','KAR','72400','Apartment','3','20000','K19','SG14','B012'), ('P03','S# 5','PEW','25000','Single Fam','4','50000','K09','SG37','B001'), ('P04','S# 1','HAV','22500','Villa','10','170000','K14','SG5','B002'), ('P05','S# 1','HAR','22620','Bungalow','4','70000','K10','SL21','B009'), ('P06','S# 2','LHR','54000','Townhome','3','40000','K03','SL41','B015'), ('P07','S# 9','SWB','23430','Single Fam','3','45000','K12','SP98','B013'), ('P08','S# 6','ATD','53000','Apartment','2','12000','K20','SK32','B003'), ('P09','S# 7','MAN','21300','Bungalow','4','60000','K07','SG76','B004'), ('P10','S# 8','ISB','52000','Condo','5','50000','K21','SG76','B018'), ('P11','S# 5','ISB','52000','2 Story','6','100000','K18','ST26','B016')

Select distinct(city) from Branch order by city desc;

Reviewed by:

Fahad Afzal (SP19-BCS-006)

Comments:

Code Working. Abdul Haseeb provided data for the PropertyForRent table.

Problems:

No problem at all

Rating: 1 - 10

10

1.3 Ashfaq Rahim (SP19-BCS-003)

1 -- create database;

create database DreamHome

-- 2. Set My Working Database in Query Editor use DreamHome;

-- 3. Create Tables

-- Branch

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo), propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

-- Registration

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo), branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

4.2 Multiple Rows Example

INSERT into Branch (branchNo, street, city, postcode)

VALUES

('B001', 'H#79 I-10/2', 'ISB', '52000'),

('B002', 'H#78 Supply', 'ABT', '53000'),

('B003', 'H#79 I-10/2', 'ISB', '52000'),

('B004','H#78 Mandia', 'ABT', '53000'),

('B005','H#85 Supply', 'ABT', '53000'),

('B006', 'H#86 G-6', 'ISB', '52000'),

('B007', 'H#895 Cantt', 'ABT', '53000'),

('B008','H#55 Kalapul', 'ABT', '53000'),

('B009', 'H#986 Beer', 'HAR', '22620'),

('B010', 'H#12 Cantt', 'HAV', '22500'),

('B011','H#565 KTS', 'HAR', '22620'),

('B012','H#123 KTS', 'HAR', '22620'),

('B013','H#985 F-9', 'ISB', '52000'),

('B014','H#120 DHA', 'LHR', '54000'),

('B015','H#76 TIP', 'HAR', '22620'),

('B016', 'H#33 Baldher', 'HAR', '22620'),

('B017', 'H#22 SALHAD', 'ABT', '53000'),

('B018', 'H#11 HARNOI', 'ABT', '53000'),

('B019','H#13 H-9', 'ISB', '52000'),

('B020','H#99 FAIZABAD', 'RWP', '44000'),

('B021','H#164 PANIAN', 'HAR', '22620')

Reviewed by:.

Problems:
Rating: 1 – 10
1.4 Fahad Afzal (SP19-BCS-006)
1. Create Database
create database DreamHome
2. Set My Working Database in Query Editor
use DreamHome
3. Create Tables
Branch
create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL,
postcode varchar(20) NOT NULL);
Staff
create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,
position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

Comments:

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

--this table is for me

-- Registration

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),

branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

--work for me in group

-- I have make and fill registration table.

insert into Registration (clientNo, branchNo, staffNo, dateJoined)

values

('A001','B010','SG5','10/5/2018'),

('A002','B011','S061','9/6/2018'),

('A003','B005','SW84','7/5/2018'),

('A004','B008','SP98','12/9/2018'),

('A005', 'B016', 'ST26', '11/25/2018'),

('A006','B019','SG5','10/29/2018'),

('A007','B001','SW84','5/30/2018'),

('A008', 'B018', 'SG76', '6/12/2018'),

('A009','B009','ST26','12/12/2018'),


('A010','B012','SW84','6/29/2018'),

('A011','B017','SP98','8/16/2018'),

('A012','B004','SO61','12/18/2018'),

('A013','B021','SG5','11/11/2018'),

('A014','B013','ST26','11/15/2018'),



char(50) NOT NULL,

postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL.

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL,

comment varchar(200) NOT NULL)

-- Registration

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),

branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

-- 4.2 Multiple Rows Example

insert into PropertyForRent (propertyNo, street, city, postcode, [type], rooms, rent, ownerNo, staffNo, branchNo) values

('P12','S# 4','ATD','53000','Single Fam','4','45000','K04','SV56','B005'),

('P13','S# 5','ISB','52000','Apartment','2','18000','K13','ST91','B021'),

('P14','S# 6','KAR','72400','Townhome','3','35000','K11','S061','B008'),

('P15','S# 9','LHR','54000','Apartment','2','16000','K15','SQ19','B014'),

('P16', 'S# 5', 'HAR', '22620', 'Multi Fam', '8', '95000', 'K05', 'SJ37', 'B020'),

('P17','S# 3','ATD','53000','Apartment','2','10000','K17','SW84','B006'),

('P18', 'S#7', 'ATD', '53000', 'Townhome', '4', '50000', 'K08', 'ST26', 'B019'),

('P19', 'S# 4', 'ATD', '53000', 'Single Fam', '4', '35000', 'K06', 'ST26', 'B011'),

('P20','S# 10','PEW','25000','2 Story','7','70000','K16','SF7','B017'),

('P21','S# 3','ISB','53000','Single Fam','3','30000','K02','SG76','B007')

Select distinct(city) from Branch order by city desc;

Reviewed by:

Fahad Afzal (SP19-BCS-006)

Comments:

Code Working. Abdul Haseeb provided data for the PropertyForRent table.

Problems:

No problem at all

Rating: 1 - 10

10

1.6 Hassan Ali Jadoon (SP19-BCS-009)

('K19','Hareem','Shah','H#186 Cantt, MAN','03215906903'),

```
-- Lab 6 Work
create database DreamHome;
use Dreamhome:
-- 3. Create Tables
-- PrivateOwner
create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName
varchar(50) NOT NULL,
[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)
insert into PrivateOwner (ownerNo, fName, lName, address, telNo)
('K01','Javed','Aziz','H# 85 Mandia, ATD ','03001245985'),
('K02', 'Sana', 'Bucha', 'H# 21 I-10, ISB', '03368754953'),
('K03', 'Ali', 'Khan', 'H#45 KTS, HAR', '03314915375'),
('K04','Ahmed','Akhtar','H#20 Supply, ATD','03457296348'),
('K05', 'Kabir', 'Singh', 'H#99 Salhad, ATD', '03348719652'),
('K06', 'Parvaiz', 'Musharraf', 'H#86 G-6, ISB', '03321596548'),
('K07','Benazir','Shah','H#286 DHA, KAR','03216598174'),
('K08', 'Jaan', 'Raheem', 'H#100 Cantt, LHR', '03012000563'),
('K09','Umar','Gul','H#91 Cantt, HAV','03485265154'),
('K10','Raheem','Pardesi','H#20 H-6, ISB','03259826547'),
('K11','Hubaib','Naeem','H#65 G-9, ISB','03185400163'),
('K12','Qaiser','Khattak','H#156 Saddar, PEW','03420096050'),
('K13','Abdullah','Shah','H#48 Topi, SWB','03083032021'),
('K14', 'Babar', 'Khan', 'H#25 TIP, HAR', '03058574321'),
('K15','Rehm','Nawaz','H#87 I-4, ISB','03065491032'),
('K16','Hamza','Akbar','H#152 Panian, HAR','03024595687'),
('K17','Nasir','Khan','H#756 Uni road, PEW','03461289567'),
('K18', 'Alex', 'Bhatti', 'H#301 Bahria Town, KAR', '03487006320'),
```

```
('K20','Waqar','Zaka','H#564 North Nazimabad,KAR','03237506501'), ('K21','Aamir','Liagat','H#487 Gulshan Iqbal, KAR','03196585021')
```

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

1.7 Imad Ahmad (SP19-BCS-011)

-- Client

```
create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,
```

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

insert into Client (clientNo, fName, lName, telNo, prefType, maxRent)

VALUES

```
('A001', 'Imad', 'Ahmad', '03004463173', '1 bed Apartment', '5000'),
```

('A002', 'Akbar', 'Majeed', '03125648789', 'Shared Apartment', '6000'),

('A003', 'Farukh', 'Javed', '03468965741', 'Townhome', '70000'),

('A004', 'Imran', 'Hashmi', '03034321986', 'Bungalow', '100000'),

 $('A005', Farhat', 'Javed', '03218954219', 'Small \ Vacation\ Cottage', '80000'),$

('A006', 'Sajjad', 'Babar', '03364512789', 'Multi Family home', '180000'),

('A007', 'Sidhu', 'Moosewala', '03111111111', '3 room apartment', '60000'),

('A008','Arshid','Khan','03211236957','Double story house','130000'),

('A009','Javed','Shiekh','03489137982','Single Family home','80000'),

('A010', 'Saira', 'Muneer', '03007319654', 'Villa', '500000'),

('A011', 'Poorab', 'Kumar', '03184967852', 'Shared Apartment', '9000'),

('A012', 'Faisal', 'Khan', '03467845123', 'Townhome', '75000'),

('A013','Abdus','Salam','03096598753','Villa','500000'),

('A014', 'Rab', 'Nawaz', '03416385951', 'Bungalow', '110000'),

('A015','Obaid', 'Sheikh', '03426284759', 'Multi Family Home', '160000'),

```
('A016','Qamar','Javed','03134679169','Villa','600000'),

('A017','Jannat','Mirza','03166969969','Codominium','90000'),

('A018','Babu','Rao','03104916872','Shared Apartment','15000'),

('A019','Sania','Mirza','03451535985','Bungalow','90000'),

('A020','Sham','Idrees','03108020500','1 bed Apartment','5000'),

('A021','Javed','Kazmi','03165288572','Single Family Home','90000')

Reviewed by:

Fahad afzal.

Comments:
```

1.8 Khanzada Haider Ali (SP19-BCS-013)

('SG14', 'David', 'Ford', 'Supervisor', 'M','11/9/1987', 100000, 'B003'),

Great jot

Problems:

Rating: 1 - 10

no

10

```
-- 1. Create Database
create database DreamHome
-- 2. Set My Working Database in Query Editor
use DreamHome
-- 3. Create Tables
-- Staff
create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50)
NOT NULL,
position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT
NULL,
branchNo varchar(20) NOT NULL References Branch(branchNo));
-- 4.2 Multiple Rows Example

insert into Staff (staffNo, fName, IName, position, sex, DOB, salary, branchNo)
VALUES
('SA9', 'Mary', 'Howe', 'Assistant', 'F', '9/11/1988', 20000, 'B002'),
```

```
('SG37', 'An', 'Beech', 'Assistant', 'F', '12/8/1986', 90000, 'B003'),
('SG5', 'Susa', 'Brand', 'Manager', 'F', '5/9/1989', 120000, 'B003'),
('SL21', 'Joh', 'White', 'Manager', 'M', '2/12/1992', 100000, 'B004'),
('SL41', 'Julie', 'Lee', 'Assistant', 'F', '8/3/1990', 50000, 'B002'),
('SP98', 'Akbar', 'Shah', 'Assistant Manager', 'M', '9/8/1996', 70000, 'B005'),
('SK32', 'Mahrukh', 'Bibi', 'Customer Service', 'F', '10/4/1994', 60000, 'B010'),
('SB83', 'Ahmad', 'Hassan', 'Clerk', 'M', '4/6/1991', 40000, 'B009'),
('SR68', 'Hamid', 'Ali', 'Security Guard', 'M', '9/12/1982', 10000, 'B007'),
('SI12', 'Akhtar', 'Rasheed', 'Security Officer', 'M', '8/9/1989', 50000, 'B012'),
('SV56', 'Hajra', 'Khan', 'Customer Service', 'F', '3/4/1992', 60000, 'B006'),
('ST91', 'Maria', 'Kareem', 'Customer Service Manager', 'M', '1/7/1991', 80000, 'B008'),
('SO61', 'Kamran', 'Khan', 'Salesperson', 'M', '9/2/1987', 70000, 'B020'),
('SQ19', 'Khurshid', 'Akram', 'Finance Manager', 'M', '12/8/1982', 80000, 'B011'),
('SJ37', 'Sara', 'Majeed', 'HR Manager', 'F', '12/6/1981', 60000, 'B019'),
('SD52', 'Parvaiz', 'Khan', 'Security Guard', 'M', '11/12/1985', 15000, 'B013'),
('ST26', 'Bushra', 'Khan', 'Salesperson', 'F', '5/10/1990', 60000, 'B017'),
('SN99', 'Khalid', 'Kamal', 'Security Guard', 'M', '12/12/1992', 16000, 'B014'),
('SF7', 'Mubashir', 'Naveed', 'Receptionist', 'M', '1/12/1996', 30000, 'B016'),
('SG76', 'Awais', 'Qamar', 'Operations Manager', 'M', '9/4/1988', 80000, 'B015'),
('SW84', 'Muneer', 'Zaman', 'Marketing Manager', 'M', '7/1/1992', 70000, 'B021'),
('SZ34', 'Sana', 'Khan', 'Receptionist', 'F', '5/12/1996', 50000, 'B018')
Reviewed by:
Badar
Comments:
Nice work
Problems:
No
Rating: 1 - 10
10
```

1.9 Sardar Badar Saghir (SP19-BCS-022)

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo), propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL);

insert into viewing(clientNo, propertyNo, viewDate, comment)

values

('A013','P04','10/10/2020','Status Pending'),

```
('A001','P17','12/25/2018','Rented'),
```

('A005','P09','10/10/2020','Status Pending');

```
Reviewed by:
```

Muhammad Awais(SP19-BCS-033)

Comments:

Code Working: Badar Provided The Data for the for Viewing.

Problems:

No problem at all

Rating: 1 - 10

10

1.10 Muhammad Awais (SP19-BCS-033)

```
create database DreamHome;
use Dreamhome:
-- 3. Create Tables
-- PrivateOwner
create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName
varchar(50) NOT NULL,
[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)
insert into PrivateOwner (ownerNo, fName, lName
, address, telNo)
values
('K01','Javed','Aziz','H# 85 Mandia, ATD ','03001245985'),
('K02', 'Sana', 'Bucha', 'H# 21 I-10, ISB', '03368754953'),
('K03','Ali','Khan','H#45 KTS, HAR','03314915375'),
('K04','Ahmed','Akhtar','H#20 Supply, ATD','03457296348'),
('K05', 'Kabir', 'Singh', 'H#99 Salhad, ATD', '03348719652'),
('K06', 'Parvaiz', 'Musharraf', 'H#86 G-6, ISB', '03321596548'),
('K07', 'Benazir', 'Shah', 'H#286 DHA, KAR', '03216598174'),
('K08', 'Jaan', 'Raheem', 'H#100 Cantt, LHR', '03012000563'),
('K09','Umar','Gul','H#91 Cantt, HAV','03485265154'),
('K10', 'Raheem', 'Pardesi', 'H#20 H-6, ISB', '03259826547'),
('K11','Hubaib','Naeem','H#65 G-9, ISB','03185400163'),
('K12','Qaiser','Khattak','H#156 Saddar, PEW','03420096050'),
('K13','Abdullah','Shah','H#48 Topi, SWB','03083032021'),
('K14', 'Babar', 'Khan', 'H#25 TIP, HAR', '03058574321'),
('K15','Rehm','Nawaz','H#87 I-4, ISB','03065491032'),
('K16', 'Hamza', 'Akbar', 'H#152 Panian, HAR', '03024595687'),
('K17', 'Nasir', 'Khan', 'H#756 Uni road, PEW', '03461289567'),
('K18', 'Alex', 'Bhatti', 'H#301 Bahria Town, KAR', '03487006320'),
('K19', 'Hareem', 'Shah', 'H#186 Cantt, MAN', '03215906903'),
('K20', 'Waqar', 'Zaka', 'H#564 North Nazimabad, KAR', '03237506501'),
('K21','Aamir','Liagat','H#487 Gulshan Igbal, KAR','03196585021')
```

Reviewed by:

Badar
Comments:
He completed His part
Problems:
No
Rating: 1 – 10
10

2 LAB 7

2.1 Common Solution

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

<u>ANS</u> Select staffNo as ID, fName as FirstNAme, lName as LastName, [position] as Allocation, sex as Gender, DOB as Birth, salary as Wages, branchNo as Branch from Staff;

Q#4 List all clients with re-naming all its columns to synonyms.

<u>ANS</u> SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

Q#5 List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

ANS SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

1.1 Abdul Haseeb Khan (SP19-BCS-001)

SOLUTION

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

<u>ANS</u> Select staffNo as ID, fName as FirstName, lName as LastName, [position] as Allocation, sex as Gender, DOB as DateOfBirth, salary as Wages, branchNo as Branch from Staff:

Q#4 List all clients with re-naming all its columns to synonyms.

<u>ANS</u> SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

<u>Q#5</u> List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

<u>ANS</u> SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

Reviewed by:

Fahad afzal (sp19-bcs-006)

Comments:

Working

Problems:

No problem at all

Rating: 1 - 10

10

1.2 Ashfaq Rahim (SP19-BCS-003)

use DreamHome;

- -- 1. Print the list of postcode without any repetition Select distinct(postcode) from Branch;
- --2. Print all fName from Staff without repetition Select distinct(fame) from Staff;
- --3. List all staff with renaming all its columns in results

Select staffNo as Id, fName as Father, lName as Employee, [position] as Allocation, sex as Gender,

DOB as Birth, salary as Wage, branchNo as Branch from Staff;

--4. List all clients with re-naming all its columns to synonyms.

<u>SELECT clientNo as StockHolderID, fName as FatherName, lName as Name, telNo as phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;</u>

--5. List all staff with a salary greater than 10,000. SELECT salary FROM Staff where salary >10000; --6. List all managers and supervisors.

Comments:

Complete the task according to the requirements.

<u>SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';</u>

Reviewed by:.	
Comments:	
Problems:	
Rating: 1 – 10	
1.3 Fahad Afzal (SP19-BCS-006)	
Select distinct(postcode) from Branch;	
Print all fName from Staff without repetition COMMAND:	
SELECT distinct(fName) FROM Staff;	
List all staff with renaming all its columns in results COMMAND:	
Select staffNo As MyStaffNo, fName As MyFirstName, lName As MyLastName, position As MyPosition, DOB As MYDOB, salary As MySalary, branchNo As MyBranchNO from Staff;	
List all clients with re-naming all its columns to synonyms COMMAND:	
Select clientNo As clientId, fName As firstName, lName As lastName, telNo As contactNo, prefType As priorityTypmaxRent As totalRent from Client;	e,
List all staff with a salary greater than 10,000 COMMAND:	
SELECT * FROM Staff WHERE salary > 10000;	
List all managers and supervisorsCOMMAND:	
SELECT * FROM Staff WHERE position = 'manager' OR position = 'supervisor';	
Reviewed by:.	
Badar	

28

Problems:

no

Rating: 1 - 10

10

1.4 Hassaan Shahnawaz (SP19-BCS-008)

-- lab-7

use DreamHome;

- -- 1. Print the list of postcode without any repetition Select distinct(postcode) from Branch;
- --2. Print all fName from Staff without repetition Select distinct(fName) from Staff;
- --3. List all staff with renaming all its columns in results

Select staffNo as Id, fName as Father, lName as Employee, [position] as Allocation, sex as Gender, DOB as Birth, salary as Wage, branchNo as Branch from Staff;

--4. List all clients with re-naming all its columns to synonyms.

SELECT clientNo as StockHolderID, fName as FatherName, lName as Name, telNo as phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

- --5. List all staff with a salary greater than 10,000. SELECT salary FROM Staff where salary >10000;
- --6. List all managers and supervisors.


SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';

Reviewed by:
Fahad afzal (sp19-bcs-006)
Comments:
Working
Problems:
No problem at all
Rating: 1 – 10

1.5 Hassan Ali Jadoon (SP19-BCS-009)

Lab 7 use DreamHome;1. Print the list of postcode without any repetition. select distinct (postcode) from branch;2. Print all fName from staff without any repetit. select distinct (fname) from Staff;3. List all staff with re-naming all its columns in resultsselect city as mycity from branch;select * from staff; select staffNo as RegNo,fName as FatherName,Iname as lastName, position as postName, sex as gender, DOB as BirthDate, salary as income, branchNo as officeNo from Staff;4. List all clients with re-naming all its columns to synonymsselect * from Client; select clientNo as CustomerNo, fname as FatherNo, Iname as lastName, telNo as PhoneNumber, prefType as preference, maxRent as maximumRent from Client;5. List all staff with a salary greater than 10,000select * from Branch; select salary from staff where salary>10000;6. List all the managers and supervisors. SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';
Reviewed by:.
Comments:
Problems:
Rating: 1 – 10
1.6 Khanzada Haider Ali (SP19-BCS-013)
lab-7
use DreamHome;
1. Print the list of postcode without any repetition
Select distinct(postcode) from Branch;

2. Print all fName from Staff without repetition
Select distinct(fName) from Staff;
3. List all staff with renaming all its columns in results
Select staffNo as Id, fName as Father, lName as Employee, [position] as Allocation, sex as Gender,
DOB as Birth, salary as Wage, branchNo as Branch
from Staff;
4. List all clients with re-naming all its columns to synonyms.
SELECT clientNo as StockHolderID, fName as FatherName, lName as Name, telNo as phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;
5. List all staff with a salary greater than 10,000.
SELECT salary FROM Staff where salary >10000;
6. List all managers and supervisors.
SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';



Select staffNo as Id, fName as Father, lName as Employee, [position] as Allocation, sex as Gender,
DOB as Birth, salary as Wage, branchNo as Branch
from Staff;
4. List all clients with re-naming all its columns to synonyms.
SELECT clientNo as StockHolderID, fName as FatherName, lName as Name, telNo as phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;
5. List all staff with a salary greater than 10,000.
SELECT salary FROM Staff where salary >10000;
6. List all managers and supervisors.
SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';
Reviewed by:.
Badar
Comments:
Great job
Problems
No:

```
Rating: 1 – 10
```

10

1.8 Sardar Badar

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

<u>ANS</u> Select staffNo as ID, fName as FirstNAme, lName as LastName, [position] as Allocation, sex as Gender, DOB as Birth, salary as Wages, branchNo as Branch from Staff;

<u>Q#4</u> List all clients with re-naming all its columns to synonyms.

<u>ANS</u> SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

Q#5 List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

ANS SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

Reviewed by:

Khanzada Haider (sp19-bcs-013)

Comments:

Working

Problems:

No problem at all

Rating: 1 - 10

10

1.9 Muhammad AwaisError! Bookmark not defined.Error! Bookmark not defined.

use DreamHome;
1. Print the list of postcode without any repetition Select distinct(postcode) from Branch;
2. Print all fName from Staff without repetition Select distinct(fName) from Staff;
3. List all staff with renaming all its columns in results
Select staffNo as IdNumber , fName as FirstName, lName as LastName, [position] as Occupation, sex as Gender, DOB as Birth, salary as Payment, branchNo as BranchId from Staff;
4. List all clients with re-naming all its columns to synonyms.
SELECT clientNo as StockHolderID, fName as FirstName, lName as Name, telNo as phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;
5. List all staff with a salary greater than 10,000. SELECT salary FROM Staff where salary >10000;
6. List all managers and supervisors.
SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] = 'Manager';
Reviewed by:
Badar
Comments:
He did really good job in implementing where clasuse
Problems:
No
Rating: 1 – 10
10

2 LAB 8

2.1 Common Solution

```
use DreamHome;
SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;
SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04'
AND '31-May-04';
SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';
SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;
--SELECT staffNo, COUNT(salary) FROM Staff;
--shwoing error that no aggregate or group clause
SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff
WHERE branchNo = 'B003');
SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff
WHERE branchNo = 'B003'):
-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.
SELECT branchNo FROM Branch ORDER BY postcode ASC;
SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;
SELECT fName, salary FROM Staff ORDER BY salary DESC;
SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT
fName, IName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;
SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';
--aggregate clauses
SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;
SELECT avg(salary) AS totalsalary FROM Staff;
SELECT max(salary) AS totalsalary FROM Staff;
```

2.2 Abdul Haseeb Khan (SP19-BCS-001)

```
use DreamHome;
SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;
SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';
SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';
SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;
--SELECT staffNo, COUNT(salary) FROM Staff;
--shwoing error that no aggregate or group clause
SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM
```

Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

--sorting clauses

SELECT fName, IName, position FROM Staff ORDER BY IName ASC;

SELECT staffNo, fName, salary FROM Staff ORDER BY staffNo DESC;

SELECT fName FROM Staff ORDER BY fName DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;

SELECT avg(salary) AS totalsalary FROM Staff;

SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

2.3 Ashfaq Rahim (SP19-BCS-003)

use DreamHome;

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

- --SELECT staffNo, COUNT(salary) FROM Staff;
- --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.

--sorting

SELECT branchNo FROM Branch ORDER BY postcode ASC;

SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;

SELECT fName, salary FROM Staff ORDER BY salary DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;

SELECT avg(salary) AS totalsalary FROM Staff;

SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

2.4 Fahad Afzal (SP19-BCS-006)

use DreamHome:

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

- --SELECT staffNo, COUNT(salary) FROM Staff;
- --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003'):

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

- -- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.
- --sortıng

SELECT branchNo FROM Branch ORDER BY postcode ASC;

SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;

SELECT fName, salary FROM Staff ORDER BY salary DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, IName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary:

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing; SELECT avg(salary) AS totalsalary FROM Staff; SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:.

imad

Comments:

Nice. Beautiful. Great

Problems:

no

Rating: 1 - 10

10

2.5 Hassaan Shahnawaz (SP19-BCS-008)

--Examples

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

 $SELECT\ MIN(salary)\ AS\ myMin,\ MAX(salary)\ AS\ myMax,\ AVG(salary)\ AS\ myAvg\ FROM\ Staff;$

SELECT staffNo, COUNT(salary) FROM Staff; --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

--sorting clauses

SELECT fName, IName, position FROM Staff ORDER BY IName ASC;

SELECT staffNo, fName, salary FROM Staff ORDER BY staffNo DESC;

SELECT fName FROM Staff ORDER BY fName DESC;

--grouping clauses

SELECT staffNo, fName, salary FROM Staff WHERE position = 'Assistant' AND salary < 10000;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

--aggregate clauses

SELECT COUNT(DISTINCT(propertyNo)) AS TotalProperty FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT propertyNo AS ClientID FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04'; SELECT clientNo, propertyNo FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-09';

Reviewed by:

10

Fahad afzal (sp19-bcs-006)

Comments:
Working
Problems:
No problem at all
Rating: 1 – 10

2.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab 8

QUESTION NO 1:

Answer:

select staffNumber,firstName,lastName,salary from staff order by salary desc

QUESTION NO 2:

Answer:

select propertyNumber,type,rooms,rent from PropertyForRent ,order by type select propertyNumber,type,rooms,rent from PropertyForRent order by type,rent desc

QUESTION NO 3:

Answer:

select count(*) as myCount from PropertyForRent where rent<=500

QUESTION NO 4:

Answer:

select count(Distinct propertyNumber) As myCount from Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

QUESTION NO 5:

Answer:

select count(staffNumber) as myCount,sum(salary) as mySalary from staff where position='Manager'

QUESTION NO 6:

Answer:

select MIN(salary) as myMin, MAX(salary) as myMax, AVG(salary) as myAVG from Staff

QUESTION NO 7:

Answer:

SELECT staffNumber, firstName, lastName, position, salary ,FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

QUESTION NO 8:

Answer:

select *from Staff where salary> any(select salary from Staff where branchNumber='B003')

QUESTION NO 9:

Answer:

select *from Staff where salary> all(select salary from Staff where branchNumber='B003')

3

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

3.1 Khanzada Haider Ali (SP19-BCS-013)

use DreamHome:

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

- --SELECT staffNo, COUNT(salary) FROM Staff;
- --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.

--sorting

SELECT branchNo FROM Branch ORDER BY postcode ASC;

SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;

SELECT fName, salary FROM Staff ORDER BY salary DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;

SELECT avg(salary) AS totalsalary FROM Staff;

SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:.

Comments:

So good, I like it.

Problems:

Rating: 1 - 10

3.2 Imad Ahmad (SP19-BCS-011)

use DreamHome;

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

- --SELECT staffNo, COUNT(salary) FROM Staff;
- --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.

--sorting

SELECT branchNo FROM Branch ORDER BY postcode ASC;

SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;

SELECT fName, salary FROM Staff ORDER BY salary DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;

SELECT avg(salary) AS totalsalary FROM Staff;

SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:.

Comments:

Nice Code dear. Mind Blowing.

Problems:

Rating: 1 - 10

3.3 Sardar Badar Error! Bookmark not defined. Error! Bookmark not defined.

use DreamHome;

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

--SELECT staffNo, COUNT(salary) FROM Staff;

--shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003'):

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.

--sorting

SELECT branchNo FROM Branch ORDER BY postcode ASC;

SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;

SELECT fName, salary FROM Staff ORDER BY salary DESC;

--grouping

SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';

--aggregate clauses

SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;

SELECT avg(salary) AS total salary FROM Staff;

SELECT max(salary) AS totalsalary FROM Staff;

Reviewed by:

Khaznada Haider (sp19-bcs-013)

Comments:

This class is pending by sir

Problems:

Pending

Rating: 1 - 10

Pending

3.4 Muhammad Awais

use DreamHome:

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

- --SELECT staffNo, COUNT(salary) FROM Staff;
- --shwoing error that no aggregate or group clause

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

```
-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations.
--sorting
SELECT branchNo FROM Branch ORDER BY postcode ASC;
SELECT fName, IName, maxRent FROM Client ORDER BY maxRent DESC;
SELECT fName, salary FROM Staff ORDER BY salary DESC;
--grouping
SELECT clientNo, fName, maxRent FROM Client WHERE maxRent < 180000 AND maxRent > 10000; SELECT fName, IName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;
SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Clerk';
--aggregate clauses
SELECT COUNT(propertyNo) AS TotalProperty FROM Viewing;
SELECT avg(salary) AS totalsalary FROM Staff;
SELECT max(salary) AS totalsalary FROM Staff;
```

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

4 Lab 9+10

- 4.1 Common Solution
- 4.2 Abdul Haseeb Khan (SP19-BCS-001)
- 4.3 Ashfaq Rahim (SP19-BCS-003)
- **4.4 Fahad Afzal (SP19-BCS-006)**

<u>Lab 9</u>

```
use DreamHome;
SELECT fName,lName FROM Staff;
select fName, lName, salary from staff where salary > (select salary from staff where
lName = 'Ford');
select fname, lname from Staff where position = 'Manager';
```

<u>LAB 10</u>

```
Select fname, lname from Staff where position = 'manager';
Select fname, lname, salary from Staff where salary > (select AVG(salary) from Staff);
SELECT fname, lname, salary from Staff where position = 'Manager' AND salary > (select AVG(salary) from Staff);
select position from Staff
select fname, lname, salary from Staff where salary > (select salary from Staff where lname = 'Lee');
Select * from Staff where salary = (select min(salary) from Staff);
Select fname, lname, salary from Staff where salary > (select avg(salary) from Staff);
select fname, lname, salary from Staff where salary > (select salary where sex = 'M')
order by salary;
Select fname, lname from Staff where position = 'Assistant';
Select position, fName, lName, sex,DOB from Staff;
select fName, lName, sex,DOB from Staff where salary > (select avg(salary) from Staff);
```

4.5 Hassaan Shahnawaz (SP19-BCS-008)

4.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 9

Qno1:

list all tables in the employees database

Answer:

USE EMPLOYEE;

show TABLES;

Qno2:

Write a query to find the names (first_name, last_name) and the salaries of the employees who have a higher salary than the employee whose last_name='Bull'.

Answer:-

Select FIRST_NAME, LAST_NAME, SALARY

FROM employees

WHERE SALARY>(SELECT salary FROM employees WHERE last name='Bull');

Qno3:

Answer:-

Select first_name , last_name

FROM employees

WHERE department id

IN(SELECT department_id FROM departments WHERE department name='IT');

Lab: 10

Qno1:-

Write a query to find the names (first_name, last_name) of the employees who have a manager and work for a department based in the United States.

Answer:-

SELECT first name, last name FROM employees

WHERE manager id in(select employee id FROM employees WHERE department id

IN(SELECT department_id FROM departments WHERE location_id IN(select location_id from locations Where country id='US')));

Qno2:-

Write a query to find the names (first_name, last_name) of the employees who are managers.

Answer:-

SELECT first name, last name

FROM employees

WHERE (employee_id IN(SELECT manager_id FROM employees));

Ono3:-

Write a query to find the names (first_name, last_name), the salary of the employees whose salary is greater than the average salary

Answer:-

SELECT first name, last name, salary FROM employees

WHERE salary > (SELECT AVG(salary) FROM employees);

Qno4:-

Write a query to find the names (first_name, last_name), the salary of the employees whose salary is equal to the minimum salary for their job grade.

Answer:-

SELECT first_name,last_name,salary FROM employees WHERE employees.salary=(SELECT min_salary FROM jobs WHERE employees.job_id=jobs.job_id);

Ono5:-

Write a query to find the names (first_name, last_name), the salary of the employees who earn more than the average salary and who works in any of the IT departments.

Answer:-

SELECT first_name,last_name,salary

FROM employees WHERE department_id IN (SELECT department_id FROM departments WHERE department name LIKE 'IT%')AND salary>(SELECT avg(salary) From employees);

Qno6:-

Write a query to find the names (first_name, last_name), the salary of the employees who earn more than Mr. Bell Answer:-

SELECT * FROM employees WHERE salary > ALL(SELECT AVG(salary) FROM employees GROUP BY Department id);

Ono7:-

Write a query to find the names (first_name, last_name), the salary of the employees who earn the same salary as the minimum salary for all departments

Answer:-

SELECT * FROM employees

WHERE salary=(SELECT MIN(salary) FROM employees);

Ono8:-

Write a query to find the names (first_name, last_name), the salary of the employees whose salary greater than the average salary of all departments

Answer:-

SELECT first_name,last_name from employees whose(SELECT AVG(salary) from departments)

Qno9:-

Write a query to find the names (first_name, last_name) and salary of the employees who earn a salary that is higher than the salary of all the Shipping Clerk (JOB_ID = 'SH_CLERK'). Sort the results of the salary of the lowest to highest

Answer:-

SELECT first_name, last_name, job_id, salary

FROM employees

WHERE salary >

ALL (SELECT salary FROM employees WHERE job_id = 'SH_CLERK') ORDER BY salary;

Ono10:-

.Write a query to find the names (first_name, last_name) of the employees who are not supervisors.

Answer:

SELECT b.first_name,b.last_name

FROM employees b

WHERE NOT EXISTS (SELECT 'X' FROM employees a WHERE a.manager_id = b.employee_id);

Ono11:-

Write a query to display the employee ID, first name, last names, and department names of all employees. Answer:-

SELECT employee_id, first_name, last_name,

(SELECT department name FROM departments d

WHERE e.department_id = d.department_id) department

FROM employees e ORDER BY department;

Qno12:-

Write a query to display the employee ID, first name, last names, salary of all employees whose salary is above average for their departments

Answer:-

SELECT employee_id, first_name

FROM employees AS A

WHERE salary >

(SELECT AVG(salary) FROM employees WHERE department_id = A.department_id);

Qno13:-

Write a query to fetch even numbered records from employees table

Answer:-

SET @i = 0;

SELECT i, employee_id

FROM (SELECT @i := @i + 1 AS i, employee_id FROM employees)

a WHERE MOD(a.i, 2) = 0;

Ono14:-

Write a query to find the 5th maximum salary in the employees table.

Answer:-

SELECT DISTINCT salary

FROM employees e1

WHERE 5 = (SELECT COUNT(DISTINCT salary)

FROM employees e2

WHERE e2.salary >= e1.salary);

Ono15:-

Write a query to find the 4th minimum salary in the employees table

Answer:-

SELECT DISTINCT salary

FROM employees e1

WHERE 4 = (SELECT COUNT(DISTINCT salary)

FROM employees e2

WHERE e2.salary <= e1.salary);

Ono16:-

Write a query to select last 10 records from a table.

Answer:-

SELECT * FROM (

SELECT * FROM employees ORDER BY employee id DESC LIMIT 10) sub

ORDER BY employee_id ASC;

Qno17:-

Write a query to list department number, name for all the departments in which there are no employees in the department

Answer:-

SELECT * FROM departments

WHERE department id

NOT IN (select department_id FROM employees);

Qno18:-

Write a query to get 3 maximum salaries.

Answer:-

SELECT DISTINCT salary

FROM employees a

WHERE 3 >= (SELECT COUNT(DISTINCT salary)

FROM employees b

WHERE b.salary >= a.salary)

ORDER BY a.salary DESC;

Qno19:-

Write a query to get 3 minimum salaries

Answer:-

SELECT DISTINCT salary

FROM employees a

WHERE 3 >= (SELECT COUNT(DISTINCT salary)

FROM employees b

WHERE b.salary <= a.salary)

ORDER BY a.salary DESC;

Qno20:-

Write a query to get nth max salaries of employees. Further practice with nested queries Answer:-

SELECT *

FROM employees emp1

WHERE (1) = (

SELECT COUNT(DISTINCT(emp2.salary))

FROM employees emp2

WHERE emp2.salary > emp1.salary);

4.7 Imad Ahmad (SP19-BCS-011)

Lab-9:

- show tables;
- select fName, lName, salary from staff where salary > (select salary from staff where lName = 'Bleech');
- select first name, last name from employees where department = 'IT';

Lab-10

- Select first name, last name from employees where position = 'manager';
- Select first_name, last_name, salary from employees where salary > (select AVG(salary) from employees);
- SELECT first_name, last_name, salary from employees where department_name
 'IT' AND salary > (select AVG(salary) from employees);
- select first_name, last_name, salary from employees where salary > (select salary from employees where last_name = 'Bell');
- Select * from employees where salary = (select min(salary) from employees);

- Select first_name, last_name, salary from employees where salary > (select avg(salary) from employees);
- select first_name,last_name, salary from employees where salary > (select salary from employees where job_id = 'SH_CLERK') order by salary;
- Select first_name, last_name from employees where position <> supervisors;
- Select employee_ID, first_name, last_name, department from employees;
- select employee_id, first_name from employees where salary > (select avg(salary) from employees);

4.8 Khanzada Haider Ali (SP19-BCS-013)

4.9 Sardar Badar

--LAB 9

FROM jobs

WHERE employees.job_id = jobs.job_id);

```
select fName, lName, salary from staff where salary > (select salary from staff where lName =
'Bleech');
select first name, last name from employees where department = 'IT';
--LAB 10
SELECT first_name, last_name FROM employees
WHERE manager id in (select employee id
FROM employees WHERE department_id
IN (SELECT department id FROM departments WHERE location id
IN (select location id from locations where country id='US')));
SELECT first_name, last_name
FROM employees
WHERE (employee_id IN (SELECT manager_id FROM employees));
SELECT first name, last name, salary FROM employees
WHERE salary > (SELECT AVG(salary) FROM employees);
SELECT first_name, last_name, salary
FROM employees
WHERE employees.salary = (SELECT min salary
```

SELECT first_name, last_name, salary

FROM employees

WHERE department id IN

(SELECT department_id FROM departments WHERE department_name LIKE 'IT%')

AND salary > (SELECT avg(salary) FROM employees);

SELECT first_name, last_name, salary

FROM employees

WHERE salary >

(SELECT salary FROM employees WHERE last name = 'Bell') ORDER BY first name;

SELECT * FROM employees

WHERE salary = (SELECT MIN(salary) FROM employees);

SELECT * FROM employees

WHERE salary >

ALL(SELECT avg(salary)FROM employees GROUP BY department_id);

SELECT first_name, last_name, job_id, salary

FROM employees

WHERE salary >

ALL (SELECT salary FROM employees WHERE job_id = 'SH_CLERK') ORDER BY salary;

SELECT b.first_name,b.last_name

FROM employees b

WHERE NOT EXISTS (SELECT 'X' FROM employees a WHERE a.manager_id = b.employee_id);

SELECT employee_id, first_name, last_name,

(SELECT department name FROM departments d

WHERE e.department_id = d.department_id) department

FROM employees e ORDER BY department;

SELECT employee_id, first_name

FROM employees AS A

WHERE salary >

(SELECT AVG(salary) FROM employees WHERE department_id = A.department_id);

SELECT DISTINCT salary

FROM employees e1

WHERE 5 = (SELECT COUNT(DISTINCT salary)

FROM employees e2

WHERE e2.salary >= e1.salary);

SELECT DISTINCT salary FROM employees e1 WHERE 4 = (SELECT COUNT(DISTINCT salary) FROM employees e2 WHERE e2.salary <= e1.salary); SELECT * FROM (SELECT * FROM employees ORDER BY employee id DESC LIMIT 10) sub ORDER BY employee_id ASC; Q17: Write a query to list department number, name for all the departments in which there are no employees in the department. SELECT * FROM departments WHERE department_id NOT IN (select department_id FROM employees); Q18: Write a query to get 3 maximum salaries. **SELECT DISTINCT salary** FROM employees a WHERE 3 >= (SELECT COUNT(DISTINCT salary) FROM employees b WHERE b.salary >= a.salary) ORDER BY a.salary DESC; Q19: Write a query to get 3 minimum salaries. **SELECT DISTINCT salary** FROM employees a WHERE 3 >= (SELECT COUNT(DISTINCT salary) FROM employees b WHERE b.salary <= a.salary) ORDER BY a.salary DESC; SELECT * FROM employees emp1 WHERE (1) = (

4.10 Muhammad Awais

WHERE emp2.salary > emp1.salary);

FROM employees emp2

SELECT COUNT(DISTINCT(emp2.salary))

5 Lab 11

5.1 Common Solution

- 5.2 Abdul Haseeb Khan (SP19-BCS-001)
- 5.3 Ashfaq Rahim (SP19-BCS-003)
- **5.4 Fahad Afzal (SP19-BCS-006)**

```
use DreamHome
create table stringOperations(FName varchar(50) NOT NULL, familyName varchar (50)
insert into stringOperations(FName, familyName) values ('Fahad', 'Ja-
doon'),('Osama', 'Khan'),('Ali', 'Ahmed');
select FName, familyName from stringOperations;
SELECT CONCAT(Fname, familyName) AS ZO FROM stringOperations;
--lower letter
SELECT lower(FName) FROM stringOperations;
SELECT upper(familyName) FROM stringOperations;
--replace
SELECT REPLACE('Fahad', 'd', '6');
SELECT REPLACE('Fahad', '6', 'd');
SELECT RIGHT (familyName, 6),familyName FROM stringOperations;
SELECT left (familyName, 6),familyName FROM stringOperations;
--making values into ASCII
SELECT ASCII(FName) FROM stringOperations;
--Altering Table
ALTER TABLE stringOperations ADD Amount float;
UPDATE stringOperations set Amount = (10);
select Amount from stringOperations;
SELECT COS(Amount) FROM stringOperations;
--average
SELECT AVG(maxRent) AS 'avg' FROM client;
--maximun rent
SELECT MAX(maxRent) AS 'Largest' FROM client;
--minimum rent
```

```
SELECT MIN(maxRent) AS 'Smallest' FROM client;
--ceiling and floor amount
SELECT FLOOR(Amount) FROM stringOperations;
SELECT CEILING(Amount) FROM stringOperations;
```

5.5 Hassaan Shahnawaz (SP19-BCS-008)

5.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 11

Ono1:-

Create a table tow columns for name and family_name respectively. Insert the names your three friends in lower case case caracters. Write a query to create columns aliased fullname by using the INITCAT() and CONCAT() functions

Answer:-

SELECT customer_id, CONCAT(first_name,second_name,last_name)AS All_names from customer

5.7 Imad Ahmad (SP19-BCS-011)

```
19 SELECT upper("Hamza");
20 SELECT lower("Hamza");
21 SELECT REPEAT(familyName, 3) from Abc;
22 SELECT STRCMP("hamza1", "hamza");
23 SELECT SUBSTR("Hamza", 4) AS ExtractString;
24 SELECT LEFT("Hamza", 5) AS ExtractString;
25 SELECT ASCII(FName) FROM Abc;
26
27 -- Maths function
28 SELECT COT(6);
29 SELECT COS(2);
30 SELECT LOG(2);
31 SELECT SQUARE(64);
32 SELECT COUNT(Fname) AS NumberOfNames FROM Abc;
33 SELECT AVG(maxRent) AS AveragePrice FROM client;
34 SELECT MAX(maxRent) AS LargestPrice FROM client;
```

37 SELECT CEILING(25.75) AS CeilValue;

36 SELECT FLOOR(25.75) AS FloorValue;

35 SELECT MIN(maxRent) AS SmallestPrice FROM client;

37.1 Khanzada Haider Ali (SP19-BCS-013)

37.2 Sardar Badar

create table stringOperations(FName varchar(50) NOT NULL,familyName varchar (50) NOT NULL); insert into stringOperations(FName, familyName) values ('Badar', 'Saghir'),('Fadd', 'Haider'),('Hassan', 'Imad'); --CONCATINATION

```
SELECT CONCAT(Fname, familyName) AS NCString FROM stringOperations;
--extra string funtions
SELECT upper(familyName) FROM stringOperations;
SELECT lower(FName) FROM stringOperations;
SELECT REPLACE('Badar', 'B', '3'):
SELECT SPACE(10);
SELECT RIGHT (familyName, 5),familyName FROM stringOperations;
SELECT LEFT(familyName, 5),familyName FROM stringOperations;
SELECT ASCII(FName) FROM stringOperations;
-- Maths functionSELECT COT(6);
ALTER TABLE stringOperations
ADD Amount float;
UPDATE stringOperations set Amount = (30.5);
SELECT * FROM stringOperations;
SELECT COS(Amount) FROM stringOperations;
SELECT LOG(Amount) FROM stringOperations;
SELECT SQUARE(Amount) FROM stringOperations;
SELECT COUNT(Fname) AS NumberOfNames FROM Staff s;
SELECT AVG(maxRent) AS 'avg' FROM client;
SELECT MAX(maxRent) AS 'Largest' FROM client;
SELECT MIN(maxRent) AS 'Smallest' FROM client;
SELECT FLOOR(Amount) FROM stringOperations;
SELECT CEILING(Amount) FROM stringOperations;
```

37.3 Muhammad Awais

```
create table StringF(Name varchar(30), name varchar (30));
insert into StringF(Name, Lname) values ('Ahmed', 'Ali'), ('Amir', 'Haider'), ('Faiz', 'Hashir');
-- Concatination:
SELECT CONCAT(name, Lname) AS CString FROM StringF;
--extra string funtions
SELECT upper(LName) FROM StringF;
SELECT lower(Name) FROM StringF;
SELECT REPLACE('Badar', 'B', '3');
SELECT SPACE(10);
-- Maths function SELECT COT(6);
ALTER TABLE StringF
ADD Amount float;
UPDATE StringF set Amount = (30.5);
SELECT * FROM StringF;
SELECT COS(Amount) FROM StringF;
SELECT LOG(Amount) FROM StringF;
SELECT SOUARE(Amount) FROM StringF:
SELECT COUNT(name) AS NumberOfNames FROM Staff s;
SELECT AVG(maxRent) AS 'avg' FROM client;
SELECT MAX(maxRent) AS 'Largest' FROM client;
SELECT MIN(maxRent) AS 'Smallest' FROM client;
```

38Lab 12

- 38.1 Common Solution
- 38.2 Abdul Haseeb Khan (SP19-BCS-001)
- 38.3 Ashfaq Rahim (SP19-BCS-003)
- **38.4 Fahad Afzal (SP19-BCS-006)**

```
use DreamHome
select sum(salary) from Staff;
select COUNT(position) from Staff;
select COUNT(DISTINCT position)from Staff;
```

38.5 Hassaan Shahnawaz (SP19-BCS-008)

38.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 12

Ono1:-

Print countrycode and sum of percentage from countrylangauge, apply groupby on countrycode.

SELECT countrycode ,SUM(PER(countrylanguage) from country language Group By(countrycode)

Ono2:-

Find sum of any integer column from country table.

Answer:-

Select SUM(population) from country table;

Ono3:-

Count number of records in country table

Answer:-

SELECT COUNT(records) from countrytable;

Ono4:-

Count Distinct (languages) from countrylanguage

Answer:-

SELECT DISTINCT(languages) from countrylanguage;

38.7 Imad Ahmad (SP19-BCS-011)

Lab-12

- select sum(salary) from staff;
- select COUNT(position) from staff;
- select COUNT(DISTINCT position)from staff;

38.8 Khanzada Haider Ali (SP19-BCS-013)

38.9 Sardar Badar

```
-- IF NOT EXISTS(SELECT * FROM sys.databases WHERE name = 'Hotema')
-- BEGIN
-- CREATE DATABASE [Hotema]
-- USE [Hotema]
-- END
----You need to check if the table exists
--IF NOT EXISTS (SELECT * FROM sysobjects WHERE name="TableName' and xtype="U")
--BEGIN
-- CREATE TABLE TableName (
     Id INT PRIMARY KEY IDENTITY (1, 1),
     Name VARCHAR(100)
-- )
--END
USE DreamHome
--Count the number of Employees in each company.
SELECT COUNT(*)
  FROM employees:--
-- Count the number of cities in US.
CREATE TABLE Cities (
 city varchar(50) NOT NULL,
 state code char(2) NOT NULL,
INSERT INTO cities VALUES ('Aaronsburg', 'PA');
INSERT INTO cities VALUES ('Abbeville', 'AL');
INSERT INTO cities VALUES ('Abbeville', 'GA');
INSERT INTO cities VALUES ('Abbeville', 'LA');
INSERT INTO cities VALUES ('Abbeville', 'MS');
```

```
INSERT INTO cities VALUES ('Abbeville', 'SC');
INSERT INTO cities VALUES ('Abbot', 'ME'):
INSERT INTO cities VALUES ('Abbotsford', 'WI');
INSERT INTO cities VALUES ('Abbott', 'TX');
INSERT INTO cities VALUES ('Abbottstown', 'PA'):
INSERT INTO cities VALUES ('Abbyville', 'KS');
INSERT INTO cities VALUES ('Abell', 'MD');
INSERT INTO cities VALUES ('Abercrombie', 'ND');
INSERT INTO cities VALUES ('Aberdeen', 'ID');
INSERT INTO cities VALUES ('Aberdeen', 'KY');
INSERT INTO cities VALUES ('Aberdeen', 'MD');
INSERT INTO cities VALUES ('Aberdeen', 'MS');
INSERT INTO cities VALUES ('Aberdeen', 'NC'):
INSERT INTO cities VALUES ('Aberdeen', 'OH');
INSERT INTO cities VALUES ('Aberdeen', 'SD'):
INSERT INTO cities VALUES ('Aberdeen', 'WA');
INSERT INTO cities VALUES ('Aberdeen Proving Ground', 'MD');
INSERT INTO cities VALUES ('Abernant', 'AL');
INSERT INTO cities VALUES ('Abernathy', 'TX');
INSERT INTO cities VALUES ('Abie', 'NE');
INSERT INTO cities VALUES ('Abilene', 'KS');
INSERT INTO cities VALUES ('Abilene', 'TX');
INSERT INTO cities VALUES ('Abingdon', 'IL');
INSERT INTO cities VALUES ('Abingdon', 'MD');
INSERT INTO cities VALUES ('Abingdon', 'VA');
INSERT INTO cities VALUES ('Abington', 'CT');
INSERT INTO cities VALUES ('Abington', 'MA'):
INSERT INTO cities VALUES ('Abington', 'PA');
INSERT INTO cities VALUES ('Abiquiu', 'NM');
INSERT INTO cities VALUES ('Abita Springs', 'LA');
INSERT INTO cities VALUES ('Abrams', 'WI');
INSERT INTO cities VALUES ('Absaraka', 'ND');
INSERT INTO cities VALUES ('Absarokee', 'MT');
INSERT INTO cities VALUES ('Absecon', 'NJ'):
INSERT INTO cities VALUES ('Acampo', 'CA');
INSERT INTO cities VALUES ('Accident', 'MD'):
INSERT INTO cities VALUES ('Accokeek', 'MD');
INSERT INTO cities VALUES ('Accomac', 'VA');
INSERT INTO cities VALUES ('Accord', 'MA'):
INSERT INTO cities VALUES ('Accord', 'NY');
INSERT INTO cities VALUES ('Accoville', 'WV');
INSERT INTO cities VALUES ('Ace', 'TX');
INSERT INTO cities VALUES ('Achille', 'OK');
INSERT INTO cities VALUES ('Achilles', 'VA');
INSERT INTO cities VALUES ('Ackerly', 'TX'):
INSERT INTO cities VALUES ('Ackerman', 'MS');
INSERT INTO cities VALUES ('Ackermanville', 'PA');
INSERT INTO cities VALUES ('Ackley', 'IA');
INSERT INTO cities VALUES ('Ackworth', 'IA');
INSERT INTO cities VALUES ('Acme', 'LA');
INSERT INTO cities VALUES ('Acme', 'MI');
INSERT INTO cities VALUES ('Acme', 'PA');
INSERT INTO cities VALUES ('Acme', 'WA');
INSERT INTO cities VALUES ('Acosta', 'PA');
INSERT INTO cities VALUES ('Acra', 'NY');
INSERT INTO cities VALUES ('Acton', 'CA');
```

```
INSERT INTO cities VALUES ('Acton', 'MA');
INSERT INTO cities VALUES ('Acton', 'ME'):
INSERT INTO cities VALUES ('Acton', 'MT');
INSERT INTO cities VALUES ('Acushnet', 'MA'):
INSERT INTO cities VALUES ('Acworth', 'GA'):
INSERT INTO cities VALUES ('Acworth', 'NH');
INSERT INTO cities VALUES ('Ada', 'MI');
INSERT INTO cities VALUES ('Ada', 'MN');
INSERT INTO cities VALUES ('Ada', 'OH');
INSERT INTO cities VALUES ('Ada', 'OK');
INSERT INTO cities VALUES ('Adah', 'PA');
INSERT INTO cities VALUES ('Adair', 'IA');
INSERT INTO cities VALUES ('Adair', 'IL');
INSERT INTO cities VALUES ('Adair', 'OK');
INSERT INTO cities VALUES ('Adairsville', 'GA'):
INSERT INTO cities VALUES ('Adairville', 'KY'):
INSERT INTO cities VALUES ('Adak', 'AK');
INSERT INTO cities VALUES ('Adamant', 'VT');
INSERT INTO cities VALUES ('Adams', 'KY'):
INSERT INTO cities VALUES ('Adams', 'MA');
INSERT INTO cities VALUES ('Adams', 'MN');
INSERT INTO cities VALUES ('Adams', 'ND');
INSERT INTO cities VALUES ('Adams', 'NE');
INSERT INTO cities VALUES ('Adams', 'NY'):
INSERT INTO cities VALUES ('Adams', 'OK');
INSERT INTO cities VALUES ('Adams', 'OR');
INSERT INTO cities VALUES ('Adams', 'TN'):
INSERT INTO cities VALUES ('Adams', 'WI');
INSERT INTO cities VALUES ('Adams Basin', 'NY');
INSERT INTO cities VALUES ('Adams Center', 'NY');
INSERT INTO cities VALUES ('Adams Run', 'SC');
INSERT INTO cities VALUES ('Adamsburg', 'PA');
INSERT INTO cities VALUES ('Adamstown', 'MD');
INSERT INTO cities VALUES ('Adamstown', 'PA');
INSERT INTO cities VALUES ('Adamsville', 'AL');
INSERT INTO cities VALUES ('Adamsville', 'OH'):
INSERT INTO cities VALUES ('Adamsville', 'PA');
INSERT INTO cities VALUES ('Adamsville', 'RI');
INSERT INTO cities VALUES ('Adamsville', 'TN');
INSERT INTO cities VALUES ('Addieville', 'IL');
INSERT INTO cities VALUES ('Addington', 'OK');
INSERT INTO cities VALUES ('Addis', 'LA');
INSERT INTO cities VALUES ('Addison', 'AL');
INSERT INTO cities VALUES ('Addison', 'IL');
INSERT INTO cities VALUES ('Addison', 'ME');
INSERT INTO cities VALUES ('Addison', 'MI');
INSERT INTO cities VALUES ('Addison', 'NY');
INSERT INTO cities VALUES ('Addison', 'PA');
INSERT INTO cities VALUES ('Addison', 'TX');
INSERT INTO cities VALUES ('Addy', 'WA');
INSERT INTO cities VALUES ('Addyston', 'OH');
INSERT INTO cities VALUES ('Adel', 'GA');
INSERT INTO cities VALUES ('Adel', 'IA');
INSERT INTO cities VALUES ('Adel', 'OR');
INSERT INTO cities VALUES ('Adelanto', 'CA');
INSERT INTO cities VALUES ('Adell', 'WI');
```

```
INSERT INTO cities VALUES ('Adelphi', 'OH');
INSERT INTO cities VALUES ('Adelphia', 'NJ'):
INSERT INTO cities VALUES ('Adena', 'OH');
INSERT INTO cities VALUES ('Adger', 'AL'):
INSERT INTO cities VALUES ('Adin', 'CA'):
INSERT INTO cities VALUES ('Adirondack', 'NY');
INSERT INTO cities VALUES ('Adjuntas', 'PR');
INSERT INTO cities VALUES ('Adkins', 'TX');
INSERT INTO cities VALUES ('Admire', 'KS');
INSERT INTO cities VALUES ('Adna', 'WA');
INSERT INTO cities VALUES ('Adolph', 'MN');
INSERT INTO cities VALUES ('Adolphus', 'KY');
INSERT INTO cities VALUES ('Adona', 'AR');
INSERT INTO cities VALUES ('Adrian', 'GA');
INSERT INTO cities VALUES ('Adrian', 'MI'):
INSERT INTO cities VALUES ('Adrian', 'MN');
INSERT INTO cities VALUES ('Adrian', 'MO');
INSERT INTO cities VALUES ('Adrian', 'OR');
INSERT INTO cities VALUES ('Adrian', 'PA'):
INSERT INTO cities VALUES ('Adrian', 'TX');
INSERT INTO cities VALUES ('Adrian', 'WV');
INSERT INTO cities VALUES ('Advance', 'IN');
INSERT INTO cities VALUES ('Advance', 'MO');
INSERT INTO cities VALUES ('Advance', 'NC'):
INSERT INTO cities VALUES ('Advent', 'WV');
INSERT INTO cities VALUES ('Afton', 'IA');
INSERT INTO cities VALUES ('Afton', 'MI'):
INSERT INTO cities VALUES ('Afton', 'MN');
INSERT INTO cities VALUES ('Afton', 'NY');
INSERT INTO cities VALUES ('Afton', 'OK');
INSERT INTO cities VALUES ('Afton', 'TN');
INSERT INTO cities VALUES ('Afton', 'TX');
INSERT INTO cities VALUES ('Afton', 'VA');
INSERT INTO cities VALUES ('Afton', 'WI');
INSERT INTO cities VALUES ('Afton', 'WY');
INSERT INTO cities VALUES ('Agar', 'SD');
INSERT INTO cities VALUES ('Agate', 'CO');
INSERT INTO cities VALUES ('Agate', 'ND');
INSERT INTO cities VALUES ('Agawam', 'MA');
INSERT INTO cities VALUES ('Agency', 'IA');
INSERT INTO cities VALUES ('Agency', 'MO');
INSERT INTO cities VALUES ('Agenda', 'KS');
INSERT INTO cities VALUES ('Ages Brookside', 'KY');
INSERT INTO cities VALUES ('Agness', 'OR');
INSERT INTO cities VALUES ('Agoura Hills', 'CA'):
INSERT INTO cities VALUES ('Agra', 'KS');
INSERT INTO cities VALUES ('Agra', 'OK');
INSERT INTO cities VALUES ('Agua Dulce', 'TX');
INSERT INTO cities VALUES ('Aguada', 'PR');
INSERT INTO cities VALUES ('Aguadilla', 'PR');
INSERT INTO cities VALUES ('Aguanga', 'CA');
INSERT INTO cities VALUES ('Aguas Buenas', 'PR');
INSERT INTO cities VALUES ('Aguila', 'AZ');
INSERT INTO cities VALUES ('Aguilar', 'CO');
INSERT INTO cities VALUES ('Aguirre', 'PR');
INSERT INTO cities VALUES ('Ah Gwah Ching', 'MN');
```

```
INSERT INTO cities VALUES ('Ahmeek', 'MI');
INSERT INTO cities VALUES ('Ahoskie', 'NC'):
INSERT INTO cities VALUES ('Ahsahka', 'ID');
INSERT INTO cities VALUES ('Ahwahnee', 'CA');
INSERT INTO cities VALUES ('Aibonito', 'PR'):
INSERT INTO cities VALUES ('Aiea', 'HI');
INSERT INTO cities VALUES ('Aiken', 'SC');
INSERT INTO cities VALUES ('Aiken', 'TX');
INSERT INTO cities VALUES ('Ailey', 'GA');
INSERT INTO cities VALUES ('Aimwell', 'LA');
INSERT INTO cities VALUES ('Ainsworth', 'IA');
INSERT INTO cities VALUES ('Ainsworth', 'NE');
INSERT INTO cities VALUES ('Airville', 'PA');
INSERT INTO cities VALUES ('Airway Heights', 'WA');
INSERT INTO cities VALUES ('Aitkin', 'MN'):
INSERT INTO cities VALUES ('Ajo', 'AZ'):
INSERT INTO cities VALUES ('Akaska', 'SD');
INSERT INTO cities VALUES ('Akeley', 'MN');
INSERT INTO cities VALUES ('Akers', 'LA');
INSERT INTO cities VALUES ('Akiachak', 'AK');
INSERT INTO cities VALUES ('Akiak', 'AK');
INSERT INTO cities VALUES ('Akin', 'IL');
INSERT INTO cities VALUES ('Akron', 'AL');
INSERT INTO cities VALUES ('Akron', 'CO'):
INSERT INTO cities VALUES ('Akron', 'IA');
INSERT INTO cities VALUES ('Akron', 'IN');
INSERT INTO cities VALUES ('Akron', 'MI'):
INSERT INTO cities VALUES ('Akron', 'NY'):
INSERT INTO cities VALUES ('Akron', 'OH');
INSERT INTO cities VALUES ('Akron', 'PA');
INSERT INTO cities VALUES ('Akutan', 'AK');
INSERT INTO cities VALUES ('Alabaster', 'AL');
INSERT INTO cities VALUES ('Alachua', 'FL');
INSERT INTO cities VALUES ('Aladdin', 'WY');
INSERT INTO cities VALUES ('Alakanuk', 'AK');
INSERT INTO cities VALUES ('Alamance', 'NC'):
INSERT INTO cities VALUES ('Alameda', 'CA');
INSERT INTO cities VALUES ('Alamo', 'CA');
INSERT INTO cities VALUES ('Alamo', 'GA'):
INSERT INTO cities VALUES ('Alamo', 'IN');
INSERT INTO cities VALUES ('Alamo', 'ND');
INSERT INTO cities VALUES ('Alamo', 'NV');
INSERT INTO cities VALUES ('Alamo', 'TN');
INSERT INTO cities VALUES ('Alamo', 'TX');
INSERT INTO cities VALUES ('Alamogordo', 'NM'):
INSERT INTO cities VALUES ('Alamosa', 'CO');
INSERT INTO cities VALUES ('Alanreed', 'TX');
INSERT INTO cities VALUES ('Alanson', 'MI');
INSERT INTO cities VALUES ('Alapaha', 'GA');
INSERT INTO cities VALUES ('Alba', 'MI');
INSERT INTO cities VALUES ('Alba', 'MO');
INSERT INTO cities VALUES ('Alba', 'PA');
INSERT INTO cities VALUES ('Alba', 'TX');
INSERT INTO cities VALUES ('Albany', 'CA');
INSERT INTO cities VALUES ('Albany', 'GA');
INSERT INTO cities VALUES ('Albany', 'IL');
```

```
INSERT INTO cities VALUES ('Albany', 'IN');
INSERT INTO cities VALUES ('Albany', 'KY'):
INSERT INTO cities VALUES ('Albany', 'LA');
INSERT INTO cities VALUES ('Albany', 'MN');
INSERT INTO cities VALUES ('Albany', 'MO'):
INSERT INTO cities VALUES ('Albany', 'NY');
INSERT INTO cities VALUES ('Albany', 'OH');
INSERT INTO cities VALUES ('Albany', 'OK');
INSERT INTO cities VALUES ('Albany', 'OR');
INSERT INTO cities VALUES ('Albany', 'TX');
INSERT INTO cities VALUES ('Albany', 'VT');
INSERT INTO cities VALUES ('Albany', 'WI');
INSERT INTO cities VALUES ('Albemarle', 'NC'):
INSERT INTO cities VALUES ('Albers', 'IL');
INSERT INTO cities VALUES ('Albert', 'KS'):
INSERT INTO cities VALUES ('Albert', 'OK'):
INSERT INTO cities VALUES ('Albert City', 'IA');
INSERT INTO cities VALUES ('Albert Lea', 'MN');
INSERT INTO cities VALUES ('Alberta', 'AL'):
INSERT INTO cities VALUES ('Alberta', 'MN');
INSERT INTO cities VALUES ('Alberta', 'VA');
INSERT INTO cities VALUES ('Alberton', 'MT'):
INSERT INTO cities VALUES ('Albertson', 'NC');
INSERT INTO cities VALUES ('Albertson', 'NY');
INSERT INTO cities VALUES ('Albertville', 'AL');
INSERT INTO cities VALUES ('Albertville', 'MN');
INSERT INTO cities VALUES ('Albia', 'IA');
INSERT INTO cities VALUES ('Albin', 'WY');
INSERT INTO cities VALUES ('Albion', 'CA');
INSERT INTO cities VALUES ('Albion', 'IA');
INSERT INTO cities VALUES ('Albion', 'ID');
INSERT INTO cities VALUES ('Albion', 'IL');
INSERT INTO cities VALUES ('Albion', 'IN');
INSERT INTO cities VALUES ('Albion', 'ME'):
INSERT INTO cities VALUES ('Albion', 'MI');
INSERT INTO cities VALUES ('Albion', 'NE');
INSERT INTO cities VALUES ('Albion', 'NY');
INSERT INTO cities VALUES ('Albion', 'OK');
INSERT INTO cities VALUES ('Albion', 'PA'):
INSERT INTO cities VALUES ('Albion', 'RI');
INSERT INTO cities VALUES ('Albion', 'WA');
INSERT INTO cities VALUES ('Alborn', 'MN');
INSERT INTO cities VALUES ('Albright', 'WV');
INSERT INTO cities VALUES ('Albrightsville', 'PA');
INSERT INTO cities VALUES ('Albuquerque', 'NM'):
INSERT INTO cities VALUES ('Alburgh', 'VT');
INSERT INTO cities VALUES ('Alburnett', 'IA');
INSERT INTO cities VALUES ('Alburtis', 'PA');
INSERT INTO cities VALUES ('Alcalde', 'NM');
INSERT INTO cities VALUES ('Alcester', 'SD');
INSERT INTO cities VALUES ('Alcoa', 'TN');
INSERT INTO cities VALUES ('Alcolu', 'SC');
INSERT INTO cities VALUES ('Alcova', 'WY');
INSERT INTO cities VALUES ('Alcove', 'NY');
INSERT INTO cities VALUES ('Alda', 'NE');
INSERT INTO cities VALUES ('Alden', 'IA');
```

```
INSERT INTO cities VALUES ('Alden', 'IL');
INSERT INTO cities VALUES ('Alden', 'KS'):
INSERT INTO cities VALUES ('Alden', 'MI');
INSERT INTO cities VALUES ('Alden', 'MN');
INSERT INTO cities VALUES ('Alden', 'NY'):
INSERT INTO cities VALUES ('Alder', 'MT');
INSERT INTO cities VALUES ('Alder Creek', 'NY');
INSERT INTO cities VALUES ('Alderpoint', 'CA');
INSERT INTO cities VALUES ('Alderson', 'OK');
INSERT INTO cities VALUES ('Alderson', 'WV');
INSERT INTO cities VALUES ('Aldie', 'VA');
INSERT INTO cities VALUES ('Aldrich', 'MN');
INSERT INTO cities VALUES ('Aldrich', 'MO'):
INSERT INTO cities VALUES ('Aledo', 'IL');
INSERT INTO cities VALUES ('Aledo', 'TX'):
INSERT INTO cities VALUES ('Aleknagik', 'AK'):
INSERT INTO cities VALUES ('Aleppo', 'PA');
INSERT INTO cities VALUES ('Alex', 'OK');
INSERT INTO cities VALUES ('Alexander', 'AR');
INSERT INTO cities VALUES ('Alexander', 'IA');
INSERT INTO cities VALUES ('Alexander', 'IL');
INSERT INTO cities VALUES ('Alexander', 'KS');
INSERT INTO cities VALUES ('Alexander', 'NC');
INSERT INTO cities VALUES ('Alexander', 'ND'):
INSERT INTO cities VALUES ('Alexander', 'NY');
INSERT INTO cities VALUES ('Alexander City', 'AL');
INSERT INTO cities VALUES ('Alexandria', 'AL'):
INSERT INTO cities VALUES ('Alexandria', 'IN');
INSERT INTO cities VALUES ('Alexandria', 'KY');
INSERT INTO cities VALUES ('Alexandria', 'LA');
INSERT INTO cities VALUES ('Alexandria', 'MN');
INSERT INTO cities VALUES ('Alexandria', 'MO');
INSERT INTO cities VALUES ('Alexandria', 'NE');
INSERT INTO cities VALUES ('Alexandria', 'OH');
INSERT INTO cities VALUES ('Alexandria', 'PA');
INSERT INTO cities VALUES ('Alexandria', 'SD');
INSERT INTO cities VALUES ('Alexandria', 'TN');
INSERT INTO cities VALUES ('Alexandria', 'VA');
INSERT INTO cities VALUES ('Alexandria Bay', 'NY');
INSERT INTO cities VALUES ('Alexis', 'IL');
INSERT INTO cities VALUES ('Alexis', 'NC');
INSERT INTO cities VALUES ('Alford', 'FL');
INSERT INTO cities VALUES ('Alfred', 'ME');
INSERT INTO cities VALUES ('Alfred', 'NY');
INSERT INTO cities VALUES ('Alfred Station', 'NY');
INSERT INTO cities VALUES ('Alger', 'MI');
INSERT INTO cities VALUES ('Alger', 'OH');
INSERT INTO cities VALUES ('Algodones', 'NM');
INSERT INTO cities VALUES ('Algoma', 'MS');
INSERT INTO cities VALUES ('Algoma', 'WI');
INSERT INTO cities VALUES ('Algona', 'IA');
INSERT INTO cities VALUES ('Algonac', 'MI');
INSERT INTO cities VALUES ('Algonquin', 'IL');
INSERT INTO cities VALUES ('Alhambra', 'CA');
INSERT INTO cities VALUES ('Alhambra', 'IL');
INSERT INTO cities VALUES ('Alice', 'TX');
```

```
INSERT INTO cities VALUES ('Aliceville', 'AL');
INSERT INTO cities VALUES ('Alicia', 'AR'):
INSERT INTO cities VALUES ('Alief', 'TX');
INSERT INTO cities VALUES ('Aline', 'OK');
INSERT INTO cities VALUES ('Aliquippa', 'PA'):
INSERT INTO cities VALUES ('Aliso Viejo', 'CA');
INSERT INTO cities VALUES ('Alix', 'AR');
INSERT INTO cities VALUES ('Alkol', 'WV');
INSERT INTO cities VALUES ('Allakaket', 'AK');
INSERT INTO cities VALUES ('Allamuchy', 'NJ');
INSERT INTO cities VALUES ('Allardt', 'TN');
INSERT INTO cities VALUES ('Alledonia', 'OH');
INSERT INTO cities VALUES ('Alleene', 'AR');
INSERT INTO cities VALUES ('Allegan', 'MI');
INSERT INTO cities VALUES ('Allegany', 'NY');
INSERT INTO cities VALUES ('Allegany', 'OR');
INSERT INTO cities VALUES ('Alleghany', 'CA');
INSERT INTO cities VALUES ('Alleman', 'IA');
INSERT INTO cities VALUES ('Allen', 'KS');
INSERT INTO cities VALUES ('Allen', 'KY');
INSERT INTO cities VALUES ('Allen', 'MD');
INSERT INTO cities VALUES ('Allen', 'MI');
INSERT INTO cities VALUES ('Allen', 'NE');
INSERT INTO cities VALUES ('Allen', 'OK'):
INSERT INTO cities VALUES ('Allen', 'SD');
INSERT INTO cities VALUES ('Allen', 'TX');
INSERT INTO cities VALUES ('Allen Junction', 'WV');
INSERT INTO cities VALUES ('Allen Park', 'MI');
INSERT INTO cities VALUES ('Allendale', 'IL');
INSERT INTO cities VALUES ('Allendale', 'MI');
INSERT INTO cities VALUES ('Allendale', 'MO');
INSERT INTO cities VALUES ('Allendale', 'NJ');
INSERT INTO cities VALUES ('Allendale', 'SC');
INSERT INTO cities VALUES ('Allenhurst', 'GA'):
INSERT INTO cities VALUES ('Allenhurst', 'NJ');
INSERT INTO cities VALUES ('Allenport', 'PA');
INSERT INTO cities VALUES ('Allenspark', 'CO');
INSERT INTO cities VALUES ('Allensville', 'KY');
INSERT INTO cities VALUES ('Allensville', 'PA'):
INSERT INTO cities VALUES ('Allenton', 'MI');
INSERT INTO cities VALUES ('Allenton', 'MO');
INSERT INTO cities VALUES ('Allenton', 'WI');
INSERT INTO cities VALUES ('Allentown', 'GA');
INSERT INTO cities VALUES ('Allentown', 'NJ');
INSERT INTO cities VALUES ('Allentown', 'NY');
INSERT INTO cities VALUES ('Allentown', 'PA');
INSERT INTO cities VALUES ('Allenwood', 'NJ');
INSERT INTO cities VALUES ('Allenwood', 'PA');
INSERT INTO cities VALUES ('Allerton', 'IA');
INSERT INTO cities VALUES ('Allerton', 'IL');
INSERT INTO cities VALUES ('Alleyton', 'TX');
INSERT INTO cities VALUES ('Allgood', 'AL');
INSERT INTO cities VALUES ('Alliance', 'NC');
INSERT INTO cities VALUES ('Alliance', 'NE');
INSERT INTO cities VALUES ('Alliance', 'OH');
INSERT INTO cities VALUES ('Alligator', 'MS');
```

```
INSERT INTO cities VALUES ('Allison', 'IA');
INSERT INTO cities VALUES ('Allison', 'PA'):
INSERT INTO cities VALUES ('Allison', 'TX');
INSERT INTO cities VALUES ('Allison Park', 'PA'):
INSERT INTO cities VALUES ('Allons', 'TN'):
INSERT INTO cities VALUES ('Allouez', 'MI');
INSERT INTO cities VALUES ('Alloway', 'NJ');
INSERT INTO cities VALUES ('Alloy', 'WV');
INSERT INTO cities VALUES ('Allport', 'PA');
INSERT INTO cities VALUES ('Allred', 'TN');
INSERT INTO cities VALUES ('Allston', 'MA');
INSERT INTO cities VALUES ('Allyn', 'WA');
INSERT INTO cities VALUES ('Alma', 'AL'):
INSERT INTO cities VALUES ('Alma', 'AR');
INSERT INTO cities VALUES ('Alma', 'CO'):
INSERT INTO cities VALUES ('Alma', 'GA'):
INSERT INTO cities VALUES ('Alma', 'IL');
INSERT INTO cities VALUES ('Alma', 'KS');
INSERT INTO cities VALUES ('Alma', 'MI');
INSERT INTO cities VALUES ('Alma', 'MO');
INSERT INTO cities VALUES ('Alma', 'NE');
INSERT INTO cities VALUES ('Alma', 'NY');
INSERT INTO cities VALUES ('Alma', 'WI');
INSERT INTO cities VALUES ('Alma', 'WV');
INSERT INTO cities VALUES ('Alma Center', 'WI');
INSERT INTO cities VALUES ('Almelund', 'MN');
INSERT INTO cities VALUES ('Almena', 'KS'):
INSERT INTO cities VALUES ('Almena', 'WI'):
INSERT INTO cities VALUES ('Almira', 'WA');
INSERT INTO cities VALUES ('Almo', 'ID');
INSERT INTO cities VALUES ('Almo', 'KY');
INSERT INTO cities VALUES ('Almond', 'NC');
INSERT INTO cities VALUES ('Almond', 'NY');
INSERT INTO cities VALUES ('Almond', 'WI'):
INSERT INTO cities VALUES ('Almont', 'CO');
INSERT INTO cities VALUES ('Almont', 'MI'):
INSERT INTO cities VALUES ('Almont', 'ND');
INSERT INTO cities VALUES ('Almyra', 'AR');
INSERT INTO cities VALUES ('Alna', 'ME'):
INSERT INTO cities VALUES ('Alpaugh', 'CA');
INSERT INTO cities VALUES ('Alpena', 'AR');
INSERT INTO cities VALUES ('Alpena', 'MI');
INSERT INTO cities VALUES ('Alpena', 'SD');
INSERT INTO cities VALUES ('Alpha', 'IL');
INSERT INTO cities VALUES ('Alpha', 'KY'):
INSERT INTO cities VALUES ('Alpha', 'MI');
INSERT INTO cities VALUES ('Alpha', 'MN');
INSERT INTO cities VALUES ('Alpha', 'OH');
INSERT INTO cities VALUES ('Alpharetta', 'GA');
INSERT INTO cities VALUES ('Alpine', 'AL');
INSERT INTO cities VALUES ('Alpine', 'AR');
INSERT INTO cities VALUES ('Alpine', 'AZ');
INSERT INTO cities VALUES ('Alpine', 'CA');
INSERT INTO cities VALUES ('Alpine', 'NJ');
INSERT INTO cities VALUES ('Alpine', 'NY');
INSERT INTO cities VALUES ('Alpine', 'TN');
```

```
INSERT INTO cities VALUES ('Alpine', 'TX');
INSERT INTO cities VALUES ('Alpine', 'UT'):
INSERT INTO cities VALUES ('Alpine', 'WY');
INSERT INTO cities VALUES ('Alplaus', 'NY'):
INSERT INTO cities VALUES ('Alsea', 'OR'):
INSERT INTO cities VALUES ('Alsen', 'ND');
INSERT INTO cities VALUES ('Alsey', 'IL');
INSERT INTO cities VALUES ('Alsip', 'IL');
INSERT INTO cities VALUES ('Alstead', 'NH');
INSERT INTO cities VALUES ('Alston', 'GA');
INSERT INTO cities VALUES ('Alta', 'CA');
INSERT INTO cities VALUES ('Alta', 'IA');
INSERT INTO cities VALUES ('Alta', 'WY');
INSERT INTO cities VALUES ('Alta Vista', 'IA');
INSERT INTO cities VALUES ('Alta Vista', 'KS'):
INSERT INTO cities VALUES ('Altadena', 'CA'):
INSERT INTO cities VALUES ('Altair', 'TX');
INSERT INTO cities VALUES ('Altamahaw', 'NC');
INSERT INTO cities VALUES ('Altamont', 'IL'):
INSERT INTO cities VALUES ('Altamont', 'KS');
INSERT INTO cities VALUES ('Altamont', 'MO');
INSERT INTO cities VALUES ('Altamont', 'NY');
INSERT INTO cities VALUES ('Altamont', 'TN');
INSERT INTO cities VALUES ('Altamont', 'UT');
INSERT INTO cities VALUES ('Altamonte Springs', 'FL');
INSERT INTO cities VALUES ('Altaville', 'CA');
INSERT INTO cities VALUES ('Altavista', 'VA');
INSERT INTO cities VALUES ('Altenburg', 'MO');
INSERT INTO cities VALUES ('Altha', 'FL');
INSERT INTO cities VALUES ('Altheimer', 'AR');
INSERT INTO cities VALUES ('Altmar', 'NY');
INSERT INTO cities VALUES ('Alto', 'GA');
INSERT INTO cities VALUES ('Alto', 'MI');
INSERT INTO cities VALUES ('Alto', 'NM');
INSERT INTO cities VALUES ('Alto', 'TX');
INSERT INTO cities VALUES ('Alto Pass', 'IL'):
INSERT INTO cities VALUES ('Alton', 'AL');
INSERT INTO cities VALUES ('Alton', 'IA');
INSERT INTO cities VALUES ('Alton', 'IL');
INSERT INTO cities VALUES ('Alton', 'KS');
INSERT INTO cities VALUES ('Alton', 'MO');
INSERT INTO cities VALUES ('Alton', 'NH');
INSERT INTO cities VALUES ('Alton', 'NY');
INSERT INTO cities VALUES ('Alton', 'UT');
INSERT INTO cities VALUES ('Alton', 'VA');
INSERT INTO cities VALUES ('Alton Bay', 'NH');
INSERT INTO cities VALUES ('Altona', 'IL');
INSERT INTO cities VALUES ('Altona', 'NY');
INSERT INTO cities VALUES ('Altonah', 'UT');
INSERT INTO cities VALUES ('Altoona', 'AL');
INSERT INTO cities VALUES ('Altoona', 'FL');
INSERT INTO cities VALUES ('Altoona', 'IA');
INSERT INTO cities VALUES ('Altoona', 'KS');
INSERT INTO cities VALUES ('Altoona', 'PA');
INSERT INTO cities VALUES ('Altoona', 'WI');
INSERT INTO cities VALUES ('Altura', 'MN');
```

```
INSERT INTO cities VALUES ('Alturas', 'CA');
INSERT INTO cities VALUES ('Alturas', 'FL'):
INSERT INTO cities VALUES ('Altus', 'AR');
INSERT INTO cities VALUES ('Altus', 'OK'):
INSERT INTO cities VALUES ('Altus Afb', 'OK'):
INSERT INTO cities VALUES ('Alum Bank', 'PA');
INSERT INTO cities VALUES ('Alum Bridge', 'WV');
INSERT INTO cities VALUES ('Alum Creek', 'WV');
INSERT INTO cities VALUES ('Alva', 'FL');
INSERT INTO cities VALUES ('Alva', 'OK');
INSERT INTO cities VALUES ('Alva', 'WY');
INSERT INTO cities VALUES ('Alvada', 'OH');
INSERT INTO cities VALUES ('Alvadore', 'OR'):
INSERT INTO cities VALUES ('Alvarado', 'MN');
INSERT INTO cities VALUES ('Alvarado', 'TX'):
INSERT INTO cities VALUES ('Alvaton', 'KY');
INSERT INTO cities VALUES ('Alverda', 'PA');
INSERT INTO cities VALUES ('Alverton', 'PA');
INSERT INTO cities VALUES ('Alvin', 'IL'):
INSERT INTO cities VALUES ('Alvin', 'TX');
INSERT INTO cities VALUES ('Alviso', 'CA');
INSERT INTO cities VALUES ('Alvo', 'NE');
INSERT INTO cities VALUES ('Alvord', 'IA');
INSERT INTO cities VALUES ('Alvord', 'TX');
INSERT INTO cities VALUES ('Alvordton', 'OH');
INSERT INTO cities VALUES ('Alzada', 'MT');
INSERT INTO cities VALUES ('Ama', 'LA'):
INSERT INTO cities VALUES ('Amado', 'AZ');
INSERT INTO cities VALUES ('Amador City', 'CA');
INSERT INTO cities VALUES ('Amagansett', 'NY');
INSERT INTO cities VALUES ('Amagon', 'AR');
INSERT INTO cities VALUES ('Amalia', 'NM');
INSERT INTO cities VALUES ('Amana', 'IA');
INSERT INTO cities VALUES ('Amanda', 'OH');
INSERT INTO cities VALUES ('Amanda Park', 'WA');
INSERT INTO cities VALUES ('Amargosa Valley', 'NV');
INSERT INTO cities VALUES ('Amarillo', 'TX');
INSERT INTO cities VALUES ('Amasa', 'MI');
INSERT INTO cities VALUES ('Amawalk', 'NY');
INSERT INTO cities VALUES ('Amazonia', 'MO');
INSERT INTO cities VALUES ('Amber', 'OK');
INSERT INTO cities VALUES ('Amberg', 'WI');
INSERT INTO cities VALUES ('Amberson', 'PA');
INSERT INTO cities VALUES ('Ambia', 'IN');
INSERT INTO cities VALUES ('Ambler', 'AK'):
INSERT INTO cities VALUES ('Ambler', 'PA');
INSERT INTO cities VALUES ('Amboy', 'CA');
INSERT INTO cities VALUES ('Amboy', 'IL');
INSERT INTO cities VALUES ('Amboy', 'IN');
INSERT INTO cities VALUES ('Amboy', 'MN');
INSERT INTO cities VALUES ('Amboy', 'WA');
INSERT INTO cities VALUES ('Ambridge', 'PA');
INSERT INTO cities VALUES ('Ambrose', 'GA');
INSERT INTO cities VALUES ('Ambrose', 'ND');
INSERT INTO cities VALUES ('Amelia', 'LA');
INSERT INTO cities VALUES ('Amelia', 'NE');
```

```
INSERT INTO cities VALUES ('Amelia', 'OH');
INSERT INTO cities VALUES ('Amelia Court House', 'VA'):
INSERT INTO cities VALUES ('Amenia', 'ND');
INSERT INTO cities VALUES ('Amenia', 'NY'):
INSERT INTO cities VALUES ('American Canyon', 'CA'):
INSERT INTO cities VALUES ('American Falls', 'ID');
INSERT INTO cities VALUES ('American Fork', 'UT');
INSERT INTO cities VALUES ('Americus', 'GA');
INSERT INTO cities VALUES ('Americus', 'KS');
INSERT INTO cities VALUES ('Amery', 'WI');
INSERT INTO cities VALUES ('Ames', 'IA');
INSERT INTO cities VALUES ('Ames', 'NE');
INSERT INTO cities VALUES ('Ames', 'OK');
INSERT INTO cities VALUES ('Amesbury', 'MA');
INSERT INTO cities VALUES ('Amesville', 'OH'):
INSERT INTO cities VALUES ('Amherst', 'CO'):
INSERT INTO cities VALUES ('Amherst', 'MA');
INSERT INTO cities VALUES ('Amherst', 'NE');
INSERT INTO cities VALUES ('Amherst', 'NH'):
INSERT INTO cities VALUES ('Amherst', 'OH');
INSERT INTO cities VALUES ('Amherst', 'SD');
INSERT INTO cities VALUES ('Amherst', 'TX');
INSERT INTO cities VALUES ('Amherst', 'VA');
INSERT INTO cities VALUES ('Amherst', 'WI'):
INSERT INTO cities VALUES ('Amherst Junction', 'WI');
INSERT INTO cities VALUES ('Amherstdale', 'WV');
INSERT INTO cities VALUES ('Amidon', 'ND'):
INSERT INTO cities VALUES ('Amigo', 'WV');
INSERT INTO cities VALUES ('Amissville', 'VA');
INSERT INTO cities VALUES ('Amistad', 'NM');
INSERT INTO cities VALUES ('Amite', 'LA');
INSERT INTO cities VALUES ('Amity', 'AR');
INSERT INTO cities VALUES ('Amity', 'MO');
INSERT INTO cities VALUES ('Amity', 'OR'):
INSERT INTO cities VALUES ('Amity', 'PA');
INSERT INTO cities VALUES ('Amityville', 'NY'):
INSERT INTO cities VALUES ('Amlin', 'OH');
INSERT INTO cities VALUES ('Amma', 'WV');
INSERT INTO cities VALUES ('Ammon', 'VA'):
INSERT INTO cities VALUES ('Amo', 'IN');
INSERT INTO cities VALUES ('Amonate', 'VA');
INSERT INTO cities VALUES ('Amoret', 'MO');
INSERT INTO cities VALUES ('Amorita', 'OK');
INSERT INTO cities VALUES ('Amory', 'MS');
INSERT INTO cities VALUES ('Amsterdam', 'MO'):
INSERT INTO cities VALUES ('Amsterdam', 'NY');
INSERT INTO cities VALUES ('Amsterdam', 'OH');
INSERT INTO cities VALUES ('Amston', 'CT');
INSERT INTO cities VALUES ('Anabel', 'MO');
INSERT INTO cities VALUES ('Anacoco', 'LA');
INSERT INTO cities VALUES ('Anaconda', 'MT');
INSERT INTO cities VALUES ('Anacortes', 'WA');
INSERT INTO cities VALUES ('Anadarko', 'OK');
INSERT INTO cities VALUES ('Anaheim', 'CA');
INSERT INTO cities VALUES ('Anahola', 'HI');
INSERT INTO cities VALUES ('Anahuac', 'TX');
```

```
INSERT INTO cities VALUES ('Anaktuvuk Pass', 'AK');
INSERT INTO cities VALUES ('Analomink', 'PA'):
INSERT INTO cities VALUES ('Anamoose', 'ND');
INSERT INTO cities VALUES ('Anamosa', 'IA'):
INSERT INTO cities VALUES ('Anasco', 'PR'):
INSERT INTO cities VALUES ('Anatone', 'WA');
INSERT INTO cities VALUES ('Anawalt', 'WV');
INSERT INTO cities VALUES ('Anchor', 'IL');
INSERT INTO cities VALUES ('Anchor Point', 'AK');
INSERT INTO cities VALUES ('Anchorage', 'AK');
INSERT INTO cities VALUES ('Anchorville', 'MI');
INSERT INTO cities VALUES ('Ancona', 'IL');
INSERT INTO cities VALUES ('Ancram', 'NY');
INSERT INTO cities VALUES ('Ancramdale', 'NY');
INSERT INTO cities VALUES ('Andale', 'KS'):
INSERT INTO cities VALUES ('Andalusia', 'AL'):
INSERT INTO cities VALUES ('Andalusia', 'IL');
INSERT INTO cities VALUES ('Anderson', 'AK');
INSERT INTO cities VALUES ('Anderson', 'AL');
INSERT INTO cities VALUES ('Anderson', 'CA');
INSERT INTO cities VALUES ('Anderson', 'IN');
INSERT INTO cities VALUES ('Anderson', 'MO');
INSERT INTO cities VALUES ('Anderson', 'SC');
INSERT INTO cities VALUES ('Anderson', 'TX');
INSERT INTO cities VALUES ('Anderson Island', 'WA');
INSERT INTO cities VALUES ('Andersonville', 'GA');
INSERT INTO cities VALUES ('Andersonville', 'TN');
INSERT INTO cities VALUES ('Andes', 'NY');
INSERT INTO cities VALUES ('Andover', 'CT');
INSERT INTO cities VALUES ('Andover', 'IA');
INSERT INTO cities VALUES ('Andover', 'IL');
INSERT INTO cities VALUES ('Andover', 'KS');
INSERT INTO cities VALUES ('Andover', 'MA');
INSERT INTO cities VALUES ('Andover', 'ME');
INSERT INTO cities VALUES ('Andover', 'MN');
INSERT INTO cities VALUES ('Andover', 'NH'):
INSERT INTO cities VALUES ('Andover', 'NJ');
INSERT INTO cities VALUES ('Andover', 'NY');
INSERT INTO cities VALUES ('Andover', 'OH'):
INSERT INTO cities VALUES ('Andover', 'SD');
INSERT INTO cities VALUES ('Andover', 'VA');
INSERT INTO cities VALUES ('Andreas', 'PA');
INSERT INTO cities VALUES ('Andrew', 'IA');
INSERT INTO cities VALUES ('Andrews', 'IN');
INSERT INTO cities VALUES ('Andrews', 'NC'):
INSERT INTO cities VALUES ('Andrews', 'SC');
INSERT INTO cities VALUES ('Andrews', 'TX');
INSERT INTO cities VALUES ('Andrews Air Force Base', 'MD');
INSERT INTO cities VALUES ('Aneta', 'ND');
INSERT INTO cities VALUES ('Aneth', 'UT');
INSERT INTO cities VALUES ('Angel Fire', 'NM');
INSERT INTO cities VALUES ('Angela', 'MT');
INSERT INTO cities VALUES ('Angeles', 'PR');
INSERT INTO cities VALUES ('Angelica', 'NY');
INSERT INTO cities VALUES ('Angels Camp', 'CA');
INSERT INTO cities VALUES ('Angelus Oaks', 'CA');
```

```
INSERT INTO cities VALUES ('Angie', 'LA');
INSERT INTO cities VALUES ('Angier', 'NC'):
INSERT INTO cities VALUES ('Angle Inlet', 'MN');
INSERT INTO cities VALUES ('Angleton', 'TX');
INSERT INTO cities VALUES ('Angola', 'IN'):
INSERT INTO cities VALUES ('Angola', 'LA');
INSERT INTO cities VALUES ('Angola', 'NY');
INSERT INTO cities VALUES ('Angoon', 'AK');
INSERT INTO cities VALUES ('Angora', 'MN');
INSERT INTO cities VALUES ('Angora', 'NE');
INSERT INTO cities VALUES ('Anguilla', 'MS');
INSERT INTO cities VALUES ('Angwin', 'CA');
INSERT INTO cities VALUES ('Aniak', 'AK');
INSERT INTO cities VALUES ('Animas', 'NM');
INSERT INTO cities VALUES ('Anita', 'IA');
INSERT INTO cities VALUES ('Anita', 'PA');
INSERT INTO cities VALUES ('Aniwa', 'WI');
INSERT INTO cities VALUES ('Ankeny', 'IA');
INSERT INTO cities VALUES ('Anmoore', 'WV');
INSERT INTO cities VALUES ('Ann Arbor', 'MI');
INSERT INTO cities VALUES ('Anna', 'IL');
INSERT INTO cities VALUES ('Anna', 'OH'):
INSERT INTO cities VALUES ('Anna', 'TX');
INSERT INTO cities VALUES ('Anna Maria', 'FL'):
INSERT INTO cities VALUES ('Annabella', 'UT');
INSERT INTO cities VALUES ('Annada', 'MO');
INSERT INTO cities VALUES ('Annandale', 'MN');
INSERT INTO cities VALUES ('Annandale', 'NJ'):
INSERT INTO cities VALUES ('Annandale', 'VA');
INSERT INTO cities VALUES ('Annandale On Hudson', 'NY');
INSERT INTO cities VALUES ('Annapolis', 'CA');
INSERT INTO cities VALUES ('Annapolis', 'IL');
INSERT INTO cities VALUES ('Annapolis', 'MD');
INSERT INTO cities VALUES ('Annapolis', 'MO');
INSERT INTO cities VALUES ('Annapolis Junction', 'MD');
INSERT INTO cities VALUES ('Annawan', 'IL');
INSERT INTO cities VALUES ('Annemanie', 'AL');
INSERT INTO cities VALUES ('Anniston', 'AL');
INSERT INTO cities VALUES ('Anniston', 'MO');
INSERT INTO cities VALUES ('Annona', 'TX');
INSERT INTO cities VALUES ('Annville', 'KY');
INSERT INTO cities VALUES ('Annville', 'PA');
INSERT INTO cities VALUES ('Anoka', 'MN');
INSERT INTO cities VALUES ('Anselmo', 'NE');
INSERT INTO cities VALUES ('Ansley', 'NE'):
INSERT INTO cities VALUES ('Anson', 'ME');
INSERT INTO cities VALUES ('Anson', 'TX');
INSERT INTO cities VALUES ('Ansonia', 'CT');
INSERT INTO cities VALUES ('Ansonia', 'OH');
INSERT INTO cities VALUES ('Ansonville', 'NC');
INSERT INTO cities VALUES ('Ansted', 'WV');
INSERT INTO cities VALUES ('Antelope', 'CA');
INSERT INTO cities VALUES ('Antelope', 'MT');
INSERT INTO cities VALUES ('Antelope', 'OR');
INSERT INTO cities VALUES ('Antes Fort', 'PA');
INSERT INTO cities VALUES ('Anthon', 'IA');
```

```
INSERT INTO cities VALUES ('Anthony', 'FL');
INSERT INTO cities VALUES ('Anthony', 'KS'):
INSERT INTO cities VALUES ('Anthony', 'NM');
INSERT INTO cities VALUES ('Anthony', 'TX');
INSERT INTO cities VALUES ('Antigo', 'WI'):
INSERT INTO cities VALUES ('Antimony', 'UT');
INSERT INTO cities VALUES ('Antioch', 'CA');
INSERT INTO cities VALUES ('Antioch', 'IL');
INSERT INTO cities VALUES ('Antioch', 'TN');
INSERT INTO cities VALUES ('Antler', 'ND');
INSERT INTO cities VALUES ('Antlers', 'OK');
INSERT INTO cities VALUES ('Antoine', 'AR');
INSERT INTO cities VALUES ('Anton', 'CO'):
INSERT INTO cities VALUES ('Anton', 'TX');
INSERT INTO cities VALUES ('Anton Chico', 'NM');
INSERT INTO cities VALUES ('Antonito', 'CO'):
INSERT INTO cities VALUES ('Antrim', 'NH');
INSERT INTO cities VALUES ('Antwerp', 'NY');
INSERT INTO cities VALUES ('Antwerp', 'OH');
INSERT INTO cities VALUES ('Anvik', 'AK');
INSERT INTO cities VALUES ('Anza', 'CA');
INSERT INTO cities VALUES ('Apache', 'OK');
INSERT INTO cities VALUES ('Apache Junction', 'AZ');
INSERT INTO cities VALUES ('Apalachicola', 'FL'):
INSERT INTO cities VALUES ('Apalachin', 'NY');
INSERT INTO cities VALUES ('Apex', 'NC');
INSERT INTO cities VALUES ('Apison', 'TN');
INSERT INTO cities VALUES ('Aplington', 'IA');
INSERT INTO cities VALUES ('Apollo', 'PA');
INSERT INTO cities VALUES ('Apollo Beach', 'FL');
INSERT INTO cities VALUES ('Apopka', 'FL');
INSERT INTO cities VALUES ('Appalachia', 'VA');
INSERT INTO cities VALUES ('Apple Creek', 'OH');
INSERT INTO cities VALUES ('Apple Grove', 'WV');
INSERT INTO cities VALUES ('Apple River', 'IL');
INSERT INTO cities VALUES ('Apple Springs', 'TX');
INSERT INTO cities VALUES ('Apple Valley', 'CA');
INSERT INTO cities VALUES ('Applegate', 'CA');
INSERT INTO cities VALUES ('Applegate', 'MI');
INSERT INTO cities VALUES ('Appleton', 'MN');
INSERT INTO cities VALUES ('Appleton', 'NY');
INSERT INTO cities VALUES ('Appleton', 'WA');
INSERT INTO cities VALUES ('Appleton', 'WI');
INSERT INTO cities VALUES ('Appleton City', 'MO');
INSERT INTO cities VALUES ('Appling', 'GA');
INSERT INTO cities VALUES ('Appomattox', 'VA');
INSERT INTO cities VALUES ('Aptos', 'CA');
INSERT INTO cities VALUES ('Apulia Station', 'NY');
INSERT INTO cities VALUES ('Aquasco', 'MD');
INSERT INTO cities VALUES ('Aquashicola', 'PA');
INSERT INTO cities VALUES ('Aquebogue', 'NY');
INSERT INTO cities VALUES ('Aquilla', 'TX');
INSERT INTO cities VALUES ('Arab', 'AL');
INSERT INTO cities VALUES ('Arabi', 'GA');
INSERT INTO cities VALUES ('Arabi', 'LA');
INSERT INTO cities VALUES ('Aragon', 'GA');
```

```
INSERT INTO cities VALUES ('Aragon', 'NM');
INSERT INTO cities VALUES ('Aransas Pass', 'TX'):
INSERT INTO cities VALUES ('Arapaho', 'OK');
INSERT INTO cities VALUES ('Arapahoe', 'CO');
INSERT INTO cities VALUES ('Arapahoe', 'NC'):
INSERT INTO cities VALUES ('Arapahoe', 'NE');
INSERT INTO cities VALUES ('Arapahoe', 'WY');
INSERT INTO cities VALUES ('Ararat', 'NC');
INSERT INTO cities VALUES ('Ararat', 'VA');
INSERT INTO cities VALUES ('Arbela', 'MO');
INSERT INTO cities VALUES ('Arboles', 'CO');
INSERT INTO cities VALUES ('Arbon', 'ID');
INSERT INTO cities VALUES ('Arbovale', 'WV'):
INSERT INTO cities VALUES ('Arbuckle', 'CA');
INSERT INTO cities VALUES ('Arbyrd', 'MO'):
INSERT INTO cities VALUES ('Arcade', 'NY'):
INSERT INTO cities VALUES ('Arcadia', 'CA');
INSERT INTO cities VALUES ('Arcadia', 'FL');
INSERT INTO cities VALUES ('Arcadia', 'IA'):
INSERT INTO cities VALUES ('Arcadia', 'IN');
INSERT INTO cities VALUES ('Arcadia', 'KS');
INSERT INTO cities VALUES ('Arcadia', 'LA'):
INSERT INTO cities VALUES ('Arcadia', 'MI');
INSERT INTO cities VALUES ('Arcadia', 'MO');
INSERT INTO cities VALUES ('Arcadia', 'NE');
INSERT INTO cities VALUES ('Arcadia', 'OH');
INSERT INTO cities VALUES ('Arcadia', 'OK');
INSERT INTO cities VALUES ('Arcadia', 'PA');
INSERT INTO cities VALUES ('Arcadia', 'SC');
INSERT INTO cities VALUES ('Arcadia', 'WI');
INSERT INTO cities VALUES ('Arcanum', 'OH');
INSERT INTO cities VALUES ('Arcata', 'CA');
INSERT INTO cities VALUES ('Arch Cape', 'OR');
INSERT INTO cities VALUES ('Archbald', 'PA');
INSERT INTO cities VALUES ('Archbold', 'OH');
INSERT INTO cities VALUES ('Archer', 'FL'):
INSERT INTO cities VALUES ('Archer', 'IA');
INSERT INTO cities VALUES ('Archer', 'NE');
INSERT INTO cities VALUES ('Archer City', 'TX');
INSERT INTO cities VALUES ('Archibald', 'LA');
INSERT INTO cities VALUES ('Archie', 'MO');
INSERT INTO cities VALUES ('Arco', 'ID');
INSERT INTO cities VALUES ('Arco', 'MN');
INSERT INTO cities VALUES ('Arcola', 'IL');
INSERT INTO cities VALUES ('Arcola', 'IN'):
INSERT INTO cities VALUES ('Arcola', 'MO');
INSERT INTO cities VALUES ('Arcola', 'MS');
INSERT INTO cities VALUES ('Arcola', 'PA');
INSERT INTO cities VALUES ('Arcola', 'VA');
INSERT INTO cities VALUES ('Arctic Village', 'AK');
INSERT INTO cities VALUES ('Ardara', 'PA');
INSERT INTO cities VALUES ('Arden', 'NC');
INSERT INTO cities VALUES ('Arden', 'NY');
INSERT INTO cities VALUES ('Ardenvoir', 'WA');
INSERT INTO cities VALUES ('Ardmore', 'AL');
INSERT INTO cities VALUES ('Ardmore', 'OK');
```

```
INSERT INTO cities VALUES ('Ardmore', 'PA');
INSERT INTO cities VALUES ('Ardmore', 'TN'):
INSERT INTO cities VALUES ('Ardsley', 'NY');
INSERT INTO cities VALUES ('Ardsley On Hudson', 'NY'):
INSERT INTO cities VALUES ('Arecibo', 'PR'):
INSERT INTO cities VALUES ('Aredale', 'IA');
INSERT INTO cities VALUES ('Arena', 'WI');
INSERT INTO cities VALUES ('Arenas Valley', 'NM');
INSERT INTO cities VALUES ('Arendtsville', 'PA');
INSERT INTO cities VALUES ('Arenzville', 'IL');
INSERT INTO cities VALUES ('Argenta', 'IL');
INSERT INTO cities VALUES ('Argillite', 'KY');
INSERT INTO cities VALUES ('Argonia', 'KS'):
INSERT INTO cities VALUES ('Argonne', 'WI');
INSERT INTO cities VALUES ('Argos', 'IN');
INSERT INTO cities VALUES ('Argusville', 'ND');
INSERT INTO cities VALUES ('Argyle', 'FL');
INSERT INTO cities VALUES ('Argyle', 'GA');
INSERT INTO cities VALUES ('Argyle', 'IA');
INSERT INTO cities VALUES ('Argyle', 'MI');
INSERT INTO cities VALUES ('Argyle', 'MN');
INSERT INTO cities VALUES ('Argyle', 'MO');
INSERT INTO cities VALUES ('Argyle', 'NY');
INSERT INTO cities VALUES ('Argyle', 'TX'):
INSERT INTO cities VALUES ('Argyle', 'WI');
INSERT INTO cities VALUES ('Ariel', 'WA');
INSERT INTO cities VALUES ('Arimo', 'ID'):
INSERT INTO cities VALUES ('Arion', 'IA');
INSERT INTO cities VALUES ('Aripeka', 'FL');
INSERT INTO cities VALUES ('Arispe', 'IA');
INSERT INTO cities VALUES ('Aristes', 'PA');
INSERT INTO cities VALUES ('Ariton', 'AL');
INSERT INTO cities VALUES ('Arivaca', 'AZ');
INSERT INTO cities VALUES ('Arizona City', 'AZ');
INSERT INTO cities VALUES ('Arjay', 'KY');
INSERT INTO cities VALUES ('Ark', 'VA'):
INSERT INTO cities VALUES ('Arkabutla', 'MS');
INSERT INTO cities VALUES ('Arkadelphia', 'AR');
INSERT INTO cities VALUES ('Arkansas City', 'AR');
INSERT INTO cities VALUES ('Arkansas City', 'KS');
INSERT INTO cities VALUES ('Arkansaw', 'WI');
INSERT INTO cities VALUES ('Arkdale', 'WI');
INSERT INTO cities VALUES ('Arkoma', 'OK');
INSERT INTO cities VALUES ('Arkport', 'NY');
INSERT INTO cities VALUES ('Arkville', 'NY'):
INSERT INTO cities VALUES ('Arlee', 'MT');
INSERT INTO cities VALUES ('Arley', 'AL');
INSERT INTO cities VALUES ('Arlington', 'AL');
INSERT INTO cities VALUES ('Arlington', 'AZ');
INSERT INTO cities VALUES ('Arlington', 'CO');
INSERT INTO cities VALUES ('Arlington', 'GA');
INSERT INTO cities VALUES ('Arlington', 'IA');
INSERT INTO cities VALUES ('Arlington', 'IL');
INSERT INTO cities VALUES ('Arlington', 'IN');
INSERT INTO cities VALUES ('Arlington', 'KS');
INSERT INTO cities VALUES ('Arlington', 'KY');
```

```
INSERT INTO cities VALUES ('Arlington', 'MA');
INSERT INTO cities VALUES ('Arlington', 'MN'):
INSERT INTO cities VALUES ('Arlington', 'NE');
INSERT INTO cities VALUES ('Arlington', 'OH');
INSERT INTO cities VALUES ('Arlington', 'OR'):
INSERT INTO cities VALUES ('Arlington', 'SD');
INSERT INTO cities VALUES ('Arlington', 'TN');
INSERT INTO cities VALUES ('Arlington', 'TX');
INSERT INTO cities VALUES ('Arlington', 'VA');
INSERT INTO cities VALUES ('Arlington', 'VT');
INSERT INTO cities VALUES ('Arlington', 'WA');
INSERT INTO cities VALUES ('Arlington', 'WI');
INSERT INTO cities VALUES ('Arlington Heights', 'IL'):
INSERT INTO cities VALUES ('Arlington Heights', 'MA');
INSERT INTO cities VALUES ('Arma', 'KS'):
INSERT INTO cities VALUES ('Armada', 'MI');
INSERT INTO cities VALUES ('Armagh', 'PA');
INSERT INTO cities VALUES ('Armbrust', 'PA');
INSERT INTO cities VALUES ('Armington', 'IL');
INSERT INTO cities VALUES ('Arminto', 'WY');
INSERT INTO cities VALUES ('Armona', 'CA');
INSERT INTO cities VALUES ('Armonk', 'NY');
INSERT INTO cities VALUES ('Armorel', 'AR');
INSERT INTO cities VALUES ('Armour', 'SD');
INSERT INTO cities VALUES ('Armstrong', 'IA');
INSERT INTO cities VALUES ('Armstrong', 'IL');
INSERT INTO cities VALUES ('Armstrong', 'MO');
INSERT INTO cities VALUES ('Armstrong', 'TX');
INSERT INTO cities VALUES ('Armstrong Creek', 'WI');
INSERT INTO cities VALUES ('Armuchee', 'GA');
INSERT INTO cities VALUES ('Arnaudville', 'LA');
INSERT INTO cities VALUES ('Arnegard', 'ND');
INSERT INTO cities VALUES ('Arnett', 'OK');
INSERT INTO cities VALUES ('Arnett', 'WV');
INSERT INTO cities VALUES ('Arnold', 'CA');
INSERT INTO cities VALUES ('Arnold', 'KS'):
INSERT INTO cities VALUES ('Arnold', 'MD');
INSERT INTO cities VALUES ('Arnold', 'MI');
INSERT INTO cities VALUES ('Arnold', 'MO'):
INSERT INTO cities VALUES ('Arnold', 'NE');
INSERT INTO cities VALUES ('Arnold A F B', 'TN');
INSERT INTO cities VALUES ('Arnolds Park', 'IA');
INSERT INTO cities VALUES ('Arnoldsburg', 'WV');
INSERT INTO cities VALUES ('Arnoldsville', 'GA');
INSERT INTO cities VALUES ('Arnot', 'PA'):
INSERT INTO cities VALUES ('Arock', 'OR');
INSERT INTO cities VALUES ('Aroda', 'VA');
INSERT INTO cities VALUES ('Aroma Park', 'IL');
INSERT INTO cities VALUES ('Aromas', 'CA');
INSERT INTO cities VALUES ('Arona', 'PA');
INSERT INTO cities VALUES ('Arp', 'TX');
INSERT INTO cities VALUES ('Arpin', 'WI');
INSERT INTO cities VALUES ('Arrey', 'NM');
INSERT INTO cities VALUES ('Arriba', 'CO');
INSERT INTO cities VALUES ('Arrington', 'TN');
INSERT INTO cities VALUES ('Arrington', 'VA');
```

```
INSERT INTO cities VALUES ('Arrow Rock', 'MO');
INSERT INTO cities VALUES ('Arrowsmith', 'IL'):
INSERT INTO cities VALUES ('Arroyo', 'PR');
INSERT INTO cities VALUES ('Arroyo Grande', 'CA'):
INSERT INTO cities VALUES ('Arrovo Hondo', 'NM'):
INSERT INTO cities VALUES ('Arroyo Seco', 'NM');
INSERT INTO cities VALUES ('Art', 'TX');
INSERT INTO cities VALUES ('Artemas', 'PA');
INSERT INTO cities VALUES ('Artemus', 'KY');
INSERT INTO cities VALUES ('Artesia', 'CA');
INSERT INTO cities VALUES ('Artesia', 'MS');
INSERT INTO cities VALUES ('Artesia', 'NM');
INSERT INTO cities VALUES ('Artesia Wells', 'TX'):
INSERT INTO cities VALUES ('Artesian', 'SD');
INSERT INTO cities VALUES ('Arthur', 'IA');
INSERT INTO cities VALUES ('Arthur', 'IL'):
INSERT INTO cities VALUES ('Arthur', 'ND');
INSERT INTO cities VALUES ('Arthur', 'NE');
INSERT INTO cities VALUES ('Arthur', 'TN');
INSERT INTO cities VALUES ('Arthur City', 'TX');
INSERT INTO cities VALUES ('Arthurdale', 'WV');
INSERT INTO cities VALUES ('Artie', 'WV');
INSERT INTO cities VALUES ('Artois', 'CA');
INSERT INTO cities VALUES ('Arvada', 'CO'):
INSERT INTO cities VALUES ('Arvada', 'WY');
INSERT INTO cities VALUES ('Arverne', 'NY');
INSERT INTO cities VALUES ('Arvilla', 'ND'):
INSERT INTO cities VALUES ('Arvin', 'CA');
INSERT INTO cities VALUES ('Arvonia', 'VA');
INSERT INTO cities VALUES ('Ary', 'KY');
INSERT INTO cities VALUES ('Asbury', 'MO');
INSERT INTO cities VALUES ('Asbury', 'NJ');
INSERT INTO cities VALUES ('Asbury', 'WV');
INSERT INTO cities VALUES ('Asbury Park', 'NJ');
INSERT INTO cities VALUES ('Ascutney', 'VT');
INSERT INTO cities VALUES ('Ash', 'NC'):
INSERT INTO cities VALUES ('Ash Flat', 'AR');
INSERT INTO cities VALUES ('Ash Fork', 'AZ');
INSERT INTO cities VALUES ('Ash Grove', 'MO'):
INSERT INTO cities VALUES ('Ashaway', 'RI');
INSERT INTO cities VALUES ('Ashburn', 'GA');
INSERT INTO cities VALUES ('Ashburn', 'MO');
INSERT INTO cities VALUES ('Ashburn', 'VA');
INSERT INTO cities VALUES ('Ashburnham', 'MA');
INSERT INTO cities VALUES ('Ashby', 'MA'):
INSERT INTO cities VALUES ('Ashby', 'MN');
INSERT INTO cities VALUES ('Ashby', 'NE');
INSERT INTO cities VALUES ('Ashcamp', 'KY');
INSERT INTO cities VALUES ('Ashdown', 'AR');
INSERT INTO cities VALUES ('Asheboro', 'NC');
INSERT INTO cities VALUES ('Asher', 'KY');
INSERT INTO cities VALUES ('Asher', 'OK');
INSERT INTO cities VALUES ('Asherton', 'TX');
INSERT INTO cities VALUES ('Asheville', 'NC');
INSERT INTO cities VALUES ('Ashfield', 'MA');
INSERT INTO cities VALUES ('Ashfield', 'PA');
```

```
INSERT INTO cities VALUES ('Ashford', 'AL');
INSERT INTO cities VALUES ('Ashford', 'CT'):
INSERT INTO cities VALUES ('Ashford', 'WA');
INSERT INTO cities VALUES ('Ashford', 'WV'):
INSERT INTO cities VALUES ('Ashippun', 'WI'):
INSERT INTO cities VALUES ('Ashkum', 'IL');
INSERT INTO cities VALUES ('Ashland', 'AL');
INSERT INTO cities VALUES ('Ashland', 'IL');
INSERT INTO cities VALUES ('Ashland', 'KS');
INSERT INTO cities VALUES ('Ashland', 'KY');
INSERT INTO cities VALUES ('Ashland', 'LA');
INSERT INTO cities VALUES ('Ashland', 'MA');
INSERT INTO cities VALUES ('Ashland', 'ME'):
INSERT INTO cities VALUES ('Ashland', 'MO');
INSERT INTO cities VALUES ('Ashland', 'MS'):
INSERT INTO cities VALUES ('Ashland', 'MT'):
INSERT INTO cities VALUES ('Ashland', 'NE');
INSERT INTO cities VALUES ('Ashland', 'NH');
INSERT INTO cities VALUES ('Ashland', 'NY'):
INSERT INTO cities VALUES ('Ashland', 'OH');
INSERT INTO cities VALUES ('Ashland', 'OR');
INSERT INTO cities VALUES ('Ashland', 'PA'):
INSERT INTO cities VALUES ('Ashland', 'VA');
INSERT INTO cities VALUES ('Ashland', 'WI'):
INSERT INTO cities VALUES ('Ashland City', 'TN');
INSERT INTO cities VALUES ('Ashley', 'IL');
INSERT INTO cities VALUES ('Ashley', 'IN'):
INSERT INTO cities VALUES ('Ashley', 'MI');
INSERT INTO cities VALUES ('Ashley', 'ND');
INSERT INTO cities VALUES ('Ashley', 'OH');
INSERT INTO cities VALUES ('Ashley Falls', 'MA');
INSERT INTO cities VALUES ('Ashmore', 'IL');
INSERT INTO cities VALUES ('Ashtabula', 'OH');
INSERT INTO cities VALUES ('Ashton', 'IA');
INSERT INTO cities VALUES ('Ashton', 'ID');
INSERT INTO cities VALUES ('Ashton', 'IL'):
INSERT INTO cities VALUES ('Ashton', 'MD');
INSERT INTO cities VALUES ('Ashton', 'NE');
INSERT INTO cities VALUES ('Ashton', 'SD'):
INSERT INTO cities VALUES ('Ashton', 'WV');
INSERT INTO cities VALUES ('Ashuelot', 'NH');
INSERT INTO cities VALUES ('Ashville', 'AL');
INSERT INTO cities VALUES ('Ashville', 'NY');
INSERT INTO cities VALUES ('Ashville', 'OH');
INSERT INTO cities VALUES ('Ashville', 'PA'):
INSERT INTO cities VALUES ('Ashwood', 'OR');
INSERT INTO cities VALUES ('Askov', 'MN');
INSERT INTO cities VALUES ('Asotin', 'WA');
INSERT INTO cities VALUES ('Aspen', 'CO');
INSERT INTO cities VALUES ('Aspermont', 'TX');
INSERT INTO cities VALUES ('Aspers', 'PA');
INSERT INTO cities VALUES ('Aspinwall', 'IA');
INSERT INTO cities VALUES ('Assaria', 'KS');
INSERT INTO cities VALUES ('Assawoman', 'VA');
INSERT INTO cities VALUES ('Assonet', 'MA');
INSERT INTO cities VALUES ('Assumption', 'IL');
```

```
INSERT INTO cities VALUES ('Astatula', 'FL');
INSERT INTO cities VALUES ('Aston', 'PA'):
INSERT INTO cities VALUES ('Astor', 'FL');
INSERT INTO cities VALUES ('Astoria', 'IL'):
INSERT INTO cities VALUES ('Astoria', 'NY'):
INSERT INTO cities VALUES ('Astoria', 'OR');
INSERT INTO cities VALUES ('Astoria', 'SD');
INSERT INTO cities VALUES ('Atalissa', 'IA');
INSERT INTO cities VALUES ('Atascadero', 'CA');
INSERT INTO cities VALUES ('Atascosa', 'TX');
INSERT INTO cities VALUES ('Atchison', 'KS');
INSERT INTO cities VALUES ('Atco', 'NJ');
INSERT INTO cities VALUES ('Atglen', 'PA');
INSERT INTO cities VALUES ('Athelstane', 'WI');
INSERT INTO cities VALUES ('Athena', 'OR'):
INSERT INTO cities VALUES ('Athens', 'AL'):
INSERT INTO cities VALUES ('Athens', 'GA');
INSERT INTO cities VALUES ('Athens', 'IL');
INSERT INTO cities VALUES ('Athens', 'IN'):
INSERT INTO cities VALUES ('Athens', 'LA');
INSERT INTO cities VALUES ('Athens', 'ME');
INSERT INTO cities VALUES ('Athens', 'MI'):
INSERT INTO cities VALUES ('Athens', 'NY');
INSERT INTO cities VALUES ('Athens', 'OH'):
INSERT INTO cities VALUES ('Athens', 'PA');
INSERT INTO cities VALUES ('Athens', 'TN');
INSERT INTO cities VALUES ('Athens', 'TX'):
INSERT INTO cities VALUES ('Athens', 'WI'):
INSERT INTO cities VALUES ('Athens', 'WV');
INSERT INTO cities VALUES ('Atherton', 'CA');
INSERT INTO cities VALUES ('Athol', 'ID');
INSERT INTO cities VALUES ('Athol', 'KS');
INSERT INTO cities VALUES ('Athol', 'KY');
INSERT INTO cities VALUES ('Athol', 'MA'):
INSERT INTO cities VALUES ('Athol', 'NY');
INSERT INTO cities VALUES ('Athol Springs', 'NY'):
INSERT INTO cities VALUES ('Atka', 'AK');
INSERT INTO cities VALUES ('Atkins', 'AR');
INSERT INTO cities VALUES ('Atkins', 'IA');
INSERT INTO cities VALUES ('Atkins', 'VA');
INSERT INTO cities VALUES ('Atkinson', 'IL');
INSERT INTO cities VALUES ('Atkinson', 'NC');
INSERT INTO cities VALUES ('Atkinson', 'NE');
INSERT INTO cities VALUES ('Atkinson', 'NH');
INSERT INTO cities VALUES ('Atlanta', 'GA'):
INSERT INTO cities VALUES ('Atlanta', 'ID');
INSERT INTO cities VALUES ('Atlanta', 'IL');
INSERT INTO cities VALUES ('Atlanta', 'IN');
INSERT INTO cities VALUES ('Atlanta', 'KS');
INSERT INTO cities VALUES ('Atlanta', 'LA');
INSERT INTO cities VALUES ('Atlanta', 'MI');
INSERT INTO cities VALUES ('Atlanta', 'MO');
INSERT INTO cities VALUES ('Atlanta', 'NE');
INSERT INTO cities VALUES ('Atlanta', 'NY');
INSERT INTO cities VALUES ('Atlanta', 'TX');
INSERT INTO cities VALUES ('Atlantic', 'IA');
```

```
INSERT INTO cities VALUES ('Atlantic', 'NC');
INSERT INTO cities VALUES ('Atlantic', 'PA'):
INSERT INTO cities VALUES ('Atlantic', 'VA');
INSERT INTO cities VALUES ('Atlantic Beach', 'FL'):
INSERT INTO cities VALUES ('Atlantic Beach', 'NC'):
INSERT INTO cities VALUES ('Atlantic Beach', 'NY');
INSERT INTO cities VALUES ('Atlantic City', 'NJ');
INSERT INTO cities VALUES ('Atlantic Highlands', 'NJ');
INSERT INTO cities VALUES ('Atlantic Mine', 'MI');
INSERT INTO cities VALUES ('Atlas', 'MI');
INSERT INTO cities VALUES ('Atlasburg', 'PA');
INSERT INTO cities VALUES ('Atmore', 'AL');
INSERT INTO cities VALUES ('Atoka', 'OK'):
INSERT INTO cities VALUES ('Atoka', 'TN');
INSERT INTO cities VALUES ('Atomic City', 'ID'):
INSERT INTO cities VALUES ('Atgasuk', 'AK'):
INSERT INTO cities VALUES ('Attalla', 'AL');
INSERT INTO cities VALUES ('Attapulgus', 'GA');
INSERT INTO cities VALUES ('Attica', 'IN');
INSERT INTO cities VALUES ('Attica', 'KS');
INSERT INTO cities VALUES ('Attica', 'MI');
INSERT INTO cities VALUES ('Attica', 'NY');
INSERT INTO cities VALUES ('Attica', 'OH');
INSERT INTO cities VALUES ('Attleboro', 'MA'):
INSERT INTO cities VALUES ('Attleboro Falls', 'MA');
INSERT INTO cities VALUES ('Atwater', 'CA');
INSERT INTO cities VALUES ('Atwater', 'MN');
INSERT INTO cities VALUES ('Atwater', 'OH');
INSERT INTO cities VALUES ('Atwood', 'CA');
INSERT INTO cities VALUES ('Atwood', 'CO');
INSERT INTO cities VALUES ('Atwood', 'IL');
INSERT INTO cities VALUES ('Atwood', 'IN');
INSERT INTO cities VALUES ('Atwood', 'KS');
INSERT INTO cities VALUES ('Atwood', 'OK'):
INSERT INTO cities VALUES ('Atwood', 'TN');
INSERT INTO cities VALUES ('Au Gres', 'MI');
INSERT INTO cities VALUES ('Au Sable Forks', 'NY');
INSERT INTO cities VALUES ('Au Train', 'MI');
INSERT INTO cities VALUES ('Auberry', 'CA');
INSERT INTO cities VALUES ('Aubrey', 'AR');
INSERT INTO cities VALUES ('Aubrey', 'TX');
INSERT INTO cities VALUES ('Auburn', 'AL');
INSERT INTO cities VALUES ('Auburn', 'CA');
INSERT INTO cities VALUES ('Auburn', 'GA');
INSERT INTO cities VALUES ('Auburn', 'IA'):
INSERT INTO cities VALUES ('Auburn', 'IL');
INSERT INTO cities VALUES ('Auburn', 'IN');
INSERT INTO cities VALUES ('Auburn', 'KS');
INSERT INTO cities VALUES ('Auburn', 'KY');
INSERT INTO cities VALUES ('Auburn', 'MA');
INSERT INTO cities VALUES ('Auburn', 'ME');
INSERT INTO cities VALUES ('Auburn', 'MI');
INSERT INTO cities VALUES ('Auburn', 'NE');
INSERT INTO cities VALUES ('Auburn', 'NH');
INSERT INTO cities VALUES ('Auburn', 'NY');
INSERT INTO cities VALUES ('Auburn', 'PA');
```

```
INSERT INTO cities VALUES ('Auburn', 'WA');
INSERT INTO cities VALUES ('Auburn', 'WV'):
INSERT INTO cities VALUES ('Auburn', 'WY');
INSERT INTO cities VALUES ('Auburn Hills', 'MI'):
INSERT INTO cities VALUES ('Auburn University', 'AL'):
INSERT INTO cities VALUES ('Auburndale', 'FL');
INSERT INTO cities VALUES ('Auburndale', 'MA');
INSERT INTO cities VALUES ('Auburndale', 'WI');
INSERT INTO cities VALUES ('Auburntown', 'TN');
INSERT INTO cities VALUES ('Audubon', 'IA');
INSERT INTO cities VALUES ('Audubon', 'MN');
INSERT INTO cities VALUES ('Audubon', 'NJ');
INSERT INTO cities VALUES ('Audubon', 'PA');
INSERT INTO cities VALUES ('Augusta', 'AR');
INSERT INTO cities VALUES ('Augusta', 'GA'):
INSERT INTO cities VALUES ('Augusta', 'IL');
INSERT INTO cities VALUES ('Augusta', 'KS');
INSERT INTO cities VALUES ('Augusta', 'KY');
INSERT INTO cities VALUES ('Augusta', 'ME');
INSERT INTO cities VALUES ('Augusta', 'MI');
INSERT INTO cities VALUES ('Augusta', 'MO');
INSERT INTO cities VALUES ('Augusta', 'MT');
INSERT INTO cities VALUES ('Augusta', 'NJ');
INSERT INTO cities VALUES ('Augusta', 'OH'):
INSERT INTO cities VALUES ('Augusta', 'WI');
INSERT INTO cities VALUES ('Augusta', 'WV');
INSERT INTO cities VALUES ('Augusta Springs', 'VA'):
INSERT INTO cities VALUES ('Auke Bay', 'AK');
INSERT INTO cities VALUES ('Aulander', 'NC');
INSERT INTO cities VALUES ('Ault', 'CO');
INSERT INTO cities VALUES ('Aultman', 'PA');
INSERT INTO cities VALUES ('Aumsville', 'OR');
INSERT INTO cities VALUES ('Aurelia', 'IA');
INSERT INTO cities VALUES ('Auriesville', 'NY'):
INSERT INTO cities VALUES ('Aurora', 'CO');
INSERT INTO cities VALUES ('Aurora', 'IA'):
INSERT INTO cities VALUES ('Aurora', 'IL');
INSERT INTO cities VALUES ('Aurora', 'IN');
INSERT INTO cities VALUES ('Aurora', 'KS');
INSERT INTO cities VALUES ('Aurora', 'ME');
INSERT INTO cities VALUES ('Aurora', 'MN');
INSERT INTO cities VALUES ('Aurora', 'MO');
INSERT INTO cities VALUES ('Aurora', 'NC');
INSERT INTO cities VALUES ('Aurora', 'NE');
INSERT INTO cities VALUES ('Aurora', 'NY'):
INSERT INTO cities VALUES ('Aurora', 'OH');
INSERT INTO cities VALUES ('Aurora', 'OR');
INSERT INTO cities VALUES ('Aurora', 'SD');
INSERT INTO cities VALUES ('Aurora', 'UT');
INSERT INTO cities VALUES ('Aurora', 'WV');
INSERT INTO cities VALUES ('Austell', 'GA');
INSERT INTO cities VALUES ('Austerlitz', 'NY');
INSERT INTO cities VALUES ('Austin', 'AR');
INSERT INTO cities VALUES ('Austin', 'CO');
INSERT INTO cities VALUES ('Austin', 'IN');
INSERT INTO cities VALUES ('Austin', 'KY');
```

```
INSERT INTO cities VALUES ('Austin', 'MN');
INSERT INTO cities VALUES ('Austin', 'NV'):
INSERT INTO cities VALUES ('Austin', 'PA');
INSERT INTO cities VALUES ('Austin', 'TX'):
INSERT INTO cities VALUES ('Austinburg', 'OH'):
INSERT INTO cities VALUES ('Austinville', 'IA');
INSERT INTO cities VALUES ('Austinville', 'VA');
INSERT INTO cities VALUES ('Austwell', 'TX');
INSERT INTO cities VALUES ('Autaugaville', 'AL');
INSERT INTO cities VALUES ('Autryville', 'NC');
INSERT INTO cities VALUES ('Auxier', 'KY');
INSERT INTO cities VALUES ('Auxvasse', 'MO');
INSERT INTO cities VALUES ('Ava', 'IL'):
INSERT INTO cities VALUES ('Ava', 'MO');
INSERT INTO cities VALUES ('Ava', 'NY');
INSERT INTO cities VALUES ('Ava', 'OH');
INSERT INTO cities VALUES ('Avalon', 'CA');
INSERT INTO cities VALUES ('Avalon', 'NJ');
INSERT INTO cities VALUES ('Avalon', 'TX'):
INSERT INTO cities VALUES ('Avalon', 'WI');
INSERT INTO cities VALUES ('Avant', 'OK');
INSERT INTO cities VALUES ('Avawam', 'KY'):
INSERT INTO cities VALUES ('Avella', 'PA');
INSERT INTO cities VALUES ('Avenal', 'CA'):
INSERT INTO cities VALUES ('Avenel', 'NJ'):
INSERT INTO cities VALUES ('Avenue', 'MD');
INSERT INTO cities VALUES ('Avera', 'GA'):
INSERT INTO cities VALUES ('Averill', 'VT'):
INSERT INTO cities VALUES ('Averill Park', 'NY');
INSERT INTO cities VALUES ('Avery', 'CA');
INSERT INTO cities VALUES ('Avery', 'ID');
INSERT INTO cities VALUES ('Avery', 'TX');
INSERT INTO cities VALUES ('Avery Island', 'LA');
INSERT INTO cities VALUES ('Avila Beach', 'CA');
INSERT INTO cities VALUES ('Avilla', 'IN');
INSERT INTO cities VALUES ('Avilla', 'MO');
INSERT INTO cities VALUES ('Avinger', 'TX');
INSERT INTO cities VALUES ('Avis', 'PA');
INSERT INTO cities VALUES ('Aviston', 'IL');
INSERT INTO cities VALUES ('Avoca', 'AR');
INSERT INTO cities VALUES ('Avoca', 'IA');
INSERT INTO cities VALUES ('Avoca', 'IN');
INSERT INTO cities VALUES ('Avoca', 'MI');
INSERT INTO cities VALUES ('Avoca', 'MN');
INSERT INTO cities VALUES ('Avoca', 'NE'):
INSERT INTO cities VALUES ('Avoca', 'NY');
INSERT INTO cities VALUES ('Avoca', 'TX');
INSERT INTO cities VALUES ('Avoca', 'WI');
INSERT INTO cities VALUES ('Avon', 'CO');
INSERT INTO cities VALUES ('Avon', 'CT');
INSERT INTO cities VALUES ('Avon', 'IL');
INSERT INTO cities VALUES ('Avon', 'IN');
INSERT INTO cities VALUES ('Avon', 'MA');
INSERT INTO cities VALUES ('Avon', 'MN');
INSERT INTO cities VALUES ('Avon', 'MS');
INSERT INTO cities VALUES ('Avon', 'MT');
```

```
INSERT INTO cities VALUES ('Avon', 'NC');
INSERT INTO cities VALUES ('Avon', 'NY'):
INSERT INTO cities VALUES ('Avon', 'OH');
INSERT INTO cities VALUES ('Avon', 'SD');
INSERT INTO cities VALUES ('Avon By The Sea', 'NJ'):
INSERT INTO cities VALUES ('Avon Lake', 'OH');
INSERT INTO cities VALUES ('Avon Park', 'FL');
INSERT INTO cities VALUES ('Avondale', 'AZ');
INSERT INTO cities VALUES ('Avondale', 'CO');
INSERT INTO cities VALUES ('Avondale', 'PA');
INSERT INTO cities VALUES ('Avondale', 'WV');
INSERT INTO cities VALUES ('Avondale Estates', 'GA');
INSERT INTO cities VALUES ('Avonmore', 'PA');
INSERT INTO cities VALUES ('Awendaw', 'SC');
INSERT INTO cities VALUES ('Axis', 'AL'):
INSERT INTO cities VALUES ('Axson', 'GA');
INSERT INTO cities VALUES ('Axtell', 'KS');
INSERT INTO cities VALUES ('Axtell', 'NE');
INSERT INTO cities VALUES ('Axtell', 'TX'):
INSERT INTO cities VALUES ('Axtell', 'UT');
INSERT INTO cities VALUES ('Axton', 'VA');
INSERT INTO cities VALUES ('Ayden', 'NC');
INSERT INTO cities VALUES ('Aydlett', 'NC');
INSERT INTO cities VALUES ('Ayer', 'MA'):
INSERT INTO cities VALUES ('Aylett', 'VA');
INSERT INTO cities VALUES ('Aynor', 'SC');
INSERT INTO cities VALUES ('Ayr', 'ND'):
INSERT INTO cities VALUES ('Ayr', 'NE');
INSERT INTO cities VALUES ('Ayrshire', 'IA');
INSERT INTO cities VALUES ('Azalea', 'OR');
INSERT INTO cities VALUES ('Azalia', 'MI');
INSERT INTO cities VALUES ('Azle', 'TX');
INSERT INTO cities VALUES ('Aztec', 'NM');
INSERT INTO cities VALUES ('Azusa', 'CA'):
INSERT INTO cities VALUES ('Babb', 'MT');
INSERT INTO cities VALUES ('Babbitt', 'MN'):
INSERT INTO cities VALUES ('Babcock', 'WI');
INSERT INTO cities VALUES ('Babson Park', 'FL');
INSERT INTO cities VALUES ('Babson Park', 'MA'):
INSERT INTO cities VALUES ('Babylon', 'NY');
INSERT INTO cities VALUES ('Backus', 'MN');
INSERT INTO cities VALUES ('Bacliff', 'TX');
INSERT INTO cities VALUES ('Baconton', 'GA');
INSERT INTO cities VALUES ('Bacova', 'VA');
INSERT INTO cities VALUES ('Bad Axe', 'MI'):
INSERT INTO cities VALUES ('Baden', 'PA');
INSERT INTO cities VALUES ('Badger', 'CA');
INSERT INTO cities VALUES ('Badger', 'IA');
INSERT INTO cities VALUES ('Badger', 'MN');
INSERT INTO cities VALUES ('Badger', 'SD');
INSERT INTO cities VALUES ('Badin', 'NC');
INSERT INTO cities VALUES ('Bagdad', 'AZ');
INSERT INTO cities VALUES ('Bagdad', 'FL');
INSERT INTO cities VALUES ('Bagdad', 'KY');
INSERT INTO cities VALUES ('Baggs', 'WY');
INSERT INTO cities VALUES ('Bagley', 'IA');
```

```
INSERT INTO cities VALUES ('Bagley', 'MN');
INSERT INTO cities VALUES ('Bagley', 'WI'):
INSERT INTO cities VALUES ('Bagwell', 'TX');
INSERT INTO cities VALUES ('Bahama', 'NC'):
INSERT INTO cities VALUES ('Bailey', 'CO'):
INSERT INTO cities VALUES ('Bailey', 'MI');
INSERT INTO cities VALUES ('Bailey', 'MS');
INSERT INTO cities VALUES ('Bailey', 'NC');
INSERT INTO cities VALUES ('Bailey', 'TX');
INSERT INTO cities VALUES ('Bailey Island', 'ME');
INSERT INTO cities VALUES ('Baileys Harbor', 'WI');
INSERT INTO cities VALUES ('Baileyton', 'AL');
INSERT INTO cities VALUES ('Baileyville', 'IL');
INSERT INTO cities VALUES ('Baileyville', 'KS');
INSERT INTO cities VALUES ('Baileyville', 'ME'):
INSERT INTO cities VALUES ('Bainbridge', 'GA');
INSERT INTO cities VALUES ('Bainbridge', 'IN');
INSERT INTO cities VALUES ('Bainbridge', 'NY');
INSERT INTO cities VALUES ('Bainbridge', 'OH');
INSERT INTO cities VALUES ('Bainbridge', 'PA');
INSERT INTO cities VALUES ('Bainbridge Island', 'WA');
INSERT INTO cities VALUES ('Bainville', 'MT');
INSERT INTO cities VALUES ('Baird', 'TX');
INSERT INTO cities VALUES ('Bairdford', 'PA'):
INSERT INTO cities VALUES ('Bairoil', 'WY');
INSERT INTO cities VALUES ('Baisden', 'WV');
INSERT INTO cities VALUES ('Bajadero', 'PR');
INSERT INTO cities VALUES ('Baker', 'CA'):
INSERT INTO cities VALUES ('Baker', 'FL');
INSERT INTO cities VALUES ('Baker', 'LA');
INSERT INTO cities VALUES ('Baker', 'MT');
INSERT INTO cities VALUES ('Baker', 'NV');
INSERT INTO cities VALUES ('Baker', 'WV');
INSERT INTO cities VALUES ('Baker City', 'OR');
INSERT INTO cities VALUES ('Bakers Mills', 'NY');
INSERT INTO cities VALUES ('Bakersfield', 'CA'):
INSERT INTO cities VALUES ('Bakersfield', 'MO');
INSERT INTO cities VALUES ('Bakersfield', 'VT');
INSERT INTO cities VALUES ('Bakerstown', 'PA'):
INSERT INTO cities VALUES ('Bakersville', 'NC');
INSERT INTO cities VALUES ('Bakersville', 'OH');
INSERT INTO cities VALUES ('Bakerton', 'WV');
INSERT INTO cities VALUES ('Bakewell', 'TN');
INSERT INTO cities VALUES ('Bala Cynwyd', 'PA');
INSERT INTO cities VALUES ('Balaton', 'MN');
INSERT INTO cities VALUES ('Bald Knob', 'AR');
INSERT INTO cities VALUES ('Baldwin', 'GA');
INSERT INTO cities VALUES ('Baldwin', 'IA');
INSERT INTO cities VALUES ('Baldwin', 'IL');
INSERT INTO cities VALUES ('Baldwin', 'LA'):
INSERT INTO cities VALUES ('Baldwin', 'MD');
INSERT INTO cities VALUES ('Baldwin', 'MI');
INSERT INTO cities VALUES ('Baldwin', 'ND');
INSERT INTO cities VALUES ('Baldwin', 'NY');
INSERT INTO cities VALUES ('Baldwin', 'WI');
INSERT INTO cities VALUES ('Baldwin City', 'KS');
```

```
INSERT INTO cities VALUES ('Baldwin Park', 'CA');
INSERT INTO cities VALUES ('Baldwin Place', 'NY'):
INSERT INTO cities VALUES ('Baldwinsville', 'NY');
INSERT INTO cities VALUES ('Baldwinville', 'MA'):
INSERT INTO cities VALUES ('Baldwyn', 'MS'):
INSERT INTO cities VALUES ('Balfour', 'ND');
INSERT INTO cities VALUES ('Balko', 'OK');
INSERT INTO cities VALUES ('Ball', 'LA');
INSERT INTO cities VALUES ('Ball Ground', 'GA');
INSERT INTO cities VALUES ('Ballantine', 'MT');
INSERT INTO cities VALUES ('Ballard', 'WV');
INSERT INTO cities VALUES ('Ballentine', 'SC');
INSERT INTO cities VALUES ('Ballico', 'CA');
INSERT INTO cities VALUES ('Ballinger', 'TX');
INSERT INTO cities VALUES ('Ballouville', 'CT');
INSERT INTO cities VALUES ('Ballston Lake', 'NY');
INSERT INTO cities VALUES ('Ballston Spa', 'NY');
INSERT INTO cities VALUES ('Ballwin', 'MO');
INSERT INTO cities VALUES ('Bally', 'PA');
INSERT INTO cities VALUES ('Balm', 'FL');
INSERT INTO cities VALUES ('Balmorhea', 'TX');
INSERT INTO cities VALUES ('Balsam', 'NC'):
INSERT INTO cities VALUES ('Balsam Grove', 'NC');
INSERT INTO cities VALUES ('Balsam Lake', 'WI');
INSERT INTO cities VALUES ('Balta', 'ND');
INSERT INTO cities VALUES ('Baltic', 'CT');
INSERT INTO cities VALUES ('Baltic', 'OH'):
INSERT INTO cities VALUES ('Baltic', 'SD'):
INSERT INTO cities VALUES ('Baltimore', 'MD');
INSERT INTO cities VALUES ('Baltimore', 'OH');
INSERT INTO cities VALUES ('Bamberg', 'SC');
INSERT INTO cities VALUES ('Banco', 'VA');
INSERT INTO cities VALUES ('Bancroft', 'IA');
INSERT INTO cities VALUES ('Bancroft', 'ID'):
INSERT INTO cities VALUES ('Bancroft', 'MI');
INSERT INTO cities VALUES ('Bancroft', 'NE'):
INSERT INTO cities VALUES ('Bancroft', 'WI');
INSERT INTO cities VALUES ('Bancroft', 'WV');
INSERT INTO cities VALUES ('Bandana', 'KY'):
INSERT INTO cities VALUES ('Bandera', 'TX');
INSERT INTO cities VALUES ('Bandon', 'OR');
INSERT INTO cities VALUES ('Bandy', 'VA');
INSERT INTO cities VALUES ('Bangall', 'NY');
INSERT INTO cities VALUES ('Bangor', 'CA');
INSERT INTO cities VALUES ('Bangor', 'ME'):
INSERT INTO cities VALUES ('Bangor', 'MI');
INSERT INTO cities VALUES ('Bangor', 'PA');
INSERT INTO cities VALUES ('Bangor', 'WI');
INSERT INTO cities VALUES ('Bangs', 'TX');
INSERT INTO cities VALUES ('Banks', 'AL');
INSERT INTO cities VALUES ('Banks', 'AR');
INSERT INTO cities VALUES ('Banks', 'ID');
INSERT INTO cities VALUES ('Banks', 'OR');
INSERT INTO cities VALUES ('Bankston', 'AL');
INSERT INTO cities VALUES ('Banner', 'KY');
INSERT INTO cities VALUES ('Banner', 'MS');
```

```
INSERT INTO cities VALUES ('Banner', 'WY');
INSERT INTO cities VALUES ('Banner Elk', 'NC'):
INSERT INTO cities VALUES ('Banning', 'CA');
INSERT INTO cities VALUES ('Bannister', 'MI');
INSERT INTO cities VALUES ('Bannock', 'OH'):
INSERT INTO cities VALUES ('Banquete', 'TX');
INSERT INTO cities VALUES ('Bantam', 'CT');
INSERT INTO cities VALUES ('Bantry', 'ND');
INSERT INTO cities VALUES ('Bapchule', 'AZ');
INSERT INTO cities VALUES ('Baptistown', 'NJ');
INSERT INTO cities VALUES ('Bar Harbor', 'ME');
INSERT INTO cities VALUES ('Bar Mills', 'ME');
INSERT INTO cities VALUES ('Baraboo', 'WI'):
INSERT INTO cities VALUES ('Baraga', 'MI');
INSERT INTO cities VALUES ('Barataria', 'LA'):
INSERT INTO cities VALUES ('Barbeau', 'MI'):
INSERT INTO cities VALUES ('Barberton', 'OH');
INSERT INTO cities VALUES ('Barberville', 'FL');
INSERT INTO cities VALUES ('Barboursville', 'VA'):
INSERT INTO cities VALUES ('Barboursville', 'WV');
INSERT INTO cities VALUES ('Barbourville', 'KY');
INSERT INTO cities VALUES ('Barceloneta', 'PR');
INSERT INTO cities VALUES ('Barclay', 'MD');
INSERT INTO cities VALUES ('Barco', 'NC');
INSERT INTO cities VALUES ('Bard', 'CA');
INSERT INTO cities VALUES ('Bard', 'NM');
INSERT INTO cities VALUES ('Bardolph', 'IL');
INSERT INTO cities VALUES ('Bardstown', 'KY');
INSERT INTO cities VALUES ('Bardwell', 'KY');
INSERT INTO cities VALUES ('Bardwell', 'TX');
INSERT INTO cities VALUES ('Bargersville', 'IN');
INSERT INTO cities VALUES ('Barhamsville', 'VA');
INSERT INTO cities VALUES ('Baring', 'MO');
INSERT INTO cities VALUES ('Baring', 'WA');
INSERT INTO cities VALUES ('Barium Springs', 'NC');
INSERT INTO cities VALUES ('Bark River', 'MI'):
INSERT INTO cities VALUES ('Barker', 'NY');
INSERT INTO cities VALUES ('Barker', 'TX');
INSERT INTO cities VALUES ('Barkhamsted', 'CT'):
INSERT INTO cities VALUES ('Barksdale', 'TX');
INSERT INTO cities VALUES ('Barksdale Afb', 'LA');
INSERT INTO cities VALUES ('Barling', 'AR');
INSERT INTO cities VALUES ('Barlow', 'KY');
INSERT INTO cities VALUES ('Barlow', 'OH');
INSERT INTO cities VALUES ('Barnard', 'KS'):
INSERT INTO cities VALUES ('Barnard', 'MO');
INSERT INTO cities VALUES ('Barnard', 'SD');
INSERT INTO cities VALUES ('Barnard', 'VT');
INSERT INTO cities VALUES ('Barnardsville', 'NC');
INSERT INTO cities VALUES ('Barnegat', 'NJ');
INSERT INTO cities VALUES ('Barnegat Light', 'NJ');
INSERT INTO cities VALUES ('Barnes', 'KS');
INSERT INTO cities VALUES ('Barnes City', 'IA');
INSERT INTO cities VALUES ('Barneston', 'NE');
INSERT INTO cities VALUES ('Barnesville', 'GA');
INSERT INTO cities VALUES ('Barnesville', 'MD');
```

```
INSERT INTO cities VALUES ('Barnesville', 'MN');
INSERT INTO cities VALUES ('Barnesville', 'NC'):
INSERT INTO cities VALUES ('Barnesville', 'OH');
INSERT INTO cities VALUES ('Barnesville', 'PA'):
INSERT INTO cities VALUES ('Barnet', 'VT'):
INSERT INTO cities VALUES ('Barnett', 'MO');
INSERT INTO cities VALUES ('Barneveld', 'NY');
INSERT INTO cities VALUES ('Barneveld', 'WI');
INSERT INTO cities VALUES ('Barney', 'GA');
INSERT INTO cities VALUES ('Barney', 'ND');
INSERT INTO cities VALUES ('Barnhart', 'MO');
INSERT INTO cities VALUES ('Barnhart', 'TX');
INSERT INTO cities VALUES ('Barnhill', 'IL');
INSERT INTO cities VALUES ('Barnsdall', 'OK');
INSERT INTO cities VALUES ('Barnstable', 'MA'):
INSERT INTO cities VALUES ('Barnstead', 'NH'):
INSERT INTO cities VALUES ('Barnum', 'IA');
INSERT INTO cities VALUES ('Barnum', 'MN');
INSERT INTO cities VALUES ('Barnwell', 'SC'):
INSERT INTO cities VALUES ('Baroda', 'MI');
INSERT INTO cities VALUES ('Barrackville', 'WV');
INSERT INTO cities VALUES ('Barranquitas', 'PR');
INSERT INTO cities VALUES ('Barre', 'MA');
INSERT INTO cities VALUES ('Barre', 'VT');
INSERT INTO cities VALUES ('Barren Springs', 'VA');
INSERT INTO cities VALUES ('Barrett', 'MN');
INSERT INTO cities VALUES ('Barrington', 'IL');
INSERT INTO cities VALUES ('Barrington', 'NH'):
INSERT INTO cities VALUES ('Barrington', 'NJ');
INSERT INTO cities VALUES ('Barrington', 'RI');
INSERT INTO cities VALUES ('Barron', 'WI');
INSERT INTO cities VALUES ('Barronett', 'WI');
INSERT INTO cities VALUES ('Barrow', 'AK');
INSERT INTO cities VALUES ('Barry', 'IL');
INSERT INTO cities VALUES ('Barry', 'MN');
INSERT INTO cities VALUES ('Barry', 'TX');
INSERT INTO cities VALUES ('Barryton', 'MI');
INSERT INTO cities VALUES ('Barrytown', 'NY');
INSERT INTO cities VALUES ('Barryville', 'NY'):
INSERT INTO cities VALUES ('Barstow', 'CA');
INSERT INTO cities VALUES ('Barstow', 'IL');
INSERT INTO cities VALUES ('Barstow', 'MD');
INSERT INTO cities VALUES ('Barstow', 'TX');
INSERT INTO cities VALUES ('Bart', 'PA');
INSERT INTO cities VALUES ('Bartelso', 'IL');
INSERT INTO cities VALUES ('Bartlesville', 'OK');
INSERT INTO cities VALUES ('Bartlett', 'IL');
INSERT INTO cities VALUES ('Bartlett', 'KS');
INSERT INTO cities VALUES ('Bartlett', 'NE');
INSERT INTO cities VALUES ('Bartlett', 'NH'):
INSERT INTO cities VALUES ('Bartlett', 'OH');
INSERT INTO cities VALUES ('Bartlett', 'TX');
INSERT INTO cities VALUES ('Bartley', 'NE');
INSERT INTO cities VALUES ('Bartley', 'WV');
INSERT INTO cities VALUES ('Barto', 'PA');
INSERT INTO cities VALUES ('Barton', 'AR');
```

```
INSERT INTO cities VALUES ('Barton', 'MD');
INSERT INTO cities VALUES ('Barton', 'NY'):
INSERT INTO cities VALUES ('Barton', 'OH');
INSERT INTO cities VALUES ('Barton', 'VT');
INSERT INTO cities VALUES ('Barton City', 'MI'):
INSERT INTO cities VALUES ('Bartonsville', 'PA');
INSERT INTO cities VALUES ('Bartow', 'FL');
INSERT INTO cities VALUES ('Bartow', 'GA');
INSERT INTO cities VALUES ('Bartow', 'WV');
INSERT INTO cities VALUES ('Barwick', 'GA');
INSERT INTO cities VALUES ('Basalt', 'CO');
INSERT INTO cities VALUES ('Basalt', 'ID');
INSERT INTO cities VALUES ('Basco', 'IL');
INSERT INTO cities VALUES ('Bascom', 'FL');
INSERT INTO cities VALUES ('Bascom', 'OH');
INSERT INTO cities VALUES ('Basehor', 'KS');
INSERT INTO cities VALUES ('Basile', 'LA');
INSERT INTO cities VALUES ('Basin', 'MT');
INSERT INTO cities VALUES ('Basin', 'WY'):
INSERT INTO cities VALUES ('Baskerville', 'VA');
INSERT INTO cities VALUES ('Baskett', 'KY');
INSERT INTO cities VALUES ('Baskin', 'LA');
INSERT INTO cities VALUES ('Basking Ridge', 'NJ');
INSERT INTO cities VALUES ('Basom', 'NY');
INSERT INTO cities VALUES ('Bass Harbor', 'ME');
INSERT INTO cities VALUES ('Bass Lake', 'CA');
INSERT INTO cities VALUES ('Bassett', 'AR'):
INSERT INTO cities VALUES ('Bassett', 'NE'):
INSERT INTO cities VALUES ('Bassett', 'VA');
INSERT INTO cities VALUES ('Bassett', 'WI');
INSERT INTO cities VALUES ('Bassfield', 'MS');
INSERT INTO cities VALUES ('Bastian', 'VA');
INSERT INTO cities VALUES ('Bastrop', 'LA');
INSERT INTO cities VALUES ('Bastrop', 'TX');
INSERT INTO cities VALUES ('Basye', 'VA');
INSERT INTO cities VALUES ('Bat Cave', 'NC'):
INSERT INTO cities VALUES ('Batavia', 'IA');
INSERT INTO cities VALUES ('Batavia', 'IL');
INSERT INTO cities VALUES ('Batavia', 'NY');
INSERT INTO cities VALUES ('Batavia', 'OH');
INSERT INTO cities VALUES ('Batchelor', 'LA');
INSERT INTO cities VALUES ('Batchtown', 'IL');
INSERT INTO cities VALUES ('Bates', 'OR');
INSERT INTO cities VALUES ('Bates City', 'MO');
INSERT INTO cities VALUES ('Batesburg', 'SC'):
INSERT INTO cities VALUES ('Batesland', 'SD');
INSERT INTO cities VALUES ('Batesville', 'AR');
INSERT INTO cities VALUES ('Batesville', 'IN');
INSERT INTO cities VALUES ('Batesville', 'MS');
INSERT INTO cities VALUES ('Batesville', 'TX');
INSERT INTO cities VALUES ('Batesville', 'VA');
INSERT INTO cities VALUES ('Bath', 'IL');
INSERT INTO cities VALUES ('Bath', 'IN');
INSERT INTO cities VALUES ('Bath', 'ME');
INSERT INTO cities VALUES ('Bath', 'MI');
INSERT INTO cities VALUES ('Bath', 'NC');
```

```
INSERT INTO cities VALUES ('Bath', 'NH');
INSERT INTO cities VALUES ('Bath', 'NY'):
INSERT INTO cities VALUES ('Bath', 'OH');
INSERT INTO cities VALUES ('Bath', 'PA'):
INSERT INTO cities VALUES ('Bath', 'SC'):
INSERT INTO cities VALUES ('Bath', 'SD');
INSERT INTO cities VALUES ('Bath Springs', 'TN');
INSERT INTO cities VALUES ('Bathgate', 'ND');
INSERT INTO cities VALUES ('Baton Rouge', 'LA');
INSERT INTO cities VALUES ('Batson', 'TX');
INSERT INTO cities VALUES ('Battery Park', 'VA');
INSERT INTO cities VALUES ('Battiest', 'OK');
INSERT INTO cities VALUES ('Battle Creek', 'IA');
INSERT INTO cities VALUES ('Battle Creek', 'MI');
INSERT INTO cities VALUES ('Battle Creek', 'NE'):
INSERT INTO cities VALUES ('Battle Ground', 'IN');
INSERT INTO cities VALUES ('Battle Ground', 'WA');
INSERT INTO cities VALUES ('Battle Lake', 'MN');
INSERT INTO cities VALUES ('Battle Mountain', 'NV');
INSERT INTO cities VALUES ('Battleboro', 'NC');
INSERT INTO cities VALUES ('Battlement Mesa', 'CO');
INSERT INTO cities VALUES ('Battletown', 'KY'):
INSERT INTO cities VALUES ('Baudette', 'MN');
INSERT INTO cities VALUES ('Bausman', 'PA'):
INSERT INTO cities VALUES ('Bauxite', 'AR');
INSERT INTO cities VALUES ('Baxley', 'GA');
INSERT INTO cities VALUES ('Baxter', 'IA');
INSERT INTO cities VALUES ('Baxter', 'KY');
INSERT INTO cities VALUES ('Baxter', 'MN');
INSERT INTO cities VALUES ('Baxter', 'TN');
INSERT INTO cities VALUES ('Baxter', 'WV');
INSERT INTO cities VALUES ('Baxter Springs', 'KS');
INSERT INTO cities VALUES ('Bay', 'AR');
INSERT INTO cities VALUES ('Bay Center', 'WA');
INSERT INTO cities VALUES ('Bay City', 'MI');
INSERT INTO cities VALUES ('Bay City', 'OR');
INSERT INTO cities VALUES ('Bay City', 'TX');
INSERT INTO cities VALUES ('Bay City', 'WI');
INSERT INTO cities VALUES ('Bay Minette', 'AL'):
INSERT INTO cities VALUES ('Bay Pines', 'FL');
INSERT INTO cities VALUES ('Bay Port', 'MI');
INSERT INTO cities VALUES ('Bay Saint Louis', 'MS');
INSERT INTO cities VALUES ('Bay Shore', 'MI');
INSERT INTO cities VALUES ('Bay Shore', 'NY');
INSERT INTO cities VALUES ('Bay Springs', 'MS'):
INSERT INTO cities VALUES ('Bay Village', 'OH');
INSERT INTO cities VALUES ('Bayamon', 'PR');
INSERT INTO cities VALUES ('Bayard', 'IA');
INSERT INTO cities VALUES ('Bayard', 'NE');
INSERT INTO cities VALUES ('Bayard', 'NM');
INSERT INTO cities VALUES ('Bayard', 'WV');
INSERT INTO cities VALUES ('Bayboro', 'NC');
INSERT INTO cities VALUES ('Bayfield', 'CO');
INSERT INTO cities VALUES ('Bayfield', 'WI');
INSERT INTO cities VALUES ('Baylis', 'IL');
INSERT INTO cities VALUES ('Bayonne', 'NJ');
```

```
INSERT INTO cities VALUES ('Bayou La Batre', 'AL');
INSERT INTO cities VALUES ('Bayport', 'MN'):
INSERT INTO cities VALUES ('Bayport', 'NY');
INSERT INTO cities VALUES ('Bays', 'KY');
INSERT INTO cities VALUES ('Bayside', 'CA'):
INSERT INTO cities VALUES ('Bayside', 'NY');
INSERT INTO cities VALUES ('Bayside', 'TX');
INSERT INTO cities VALUES ('Baytown', 'TX');
INSERT INTO cities VALUES ('Bayview', 'ID');
INSERT INTO cities VALUES ('Bayville', 'NJ');
INSERT INTO cities VALUES ('Bayville', 'NY');
INSERT INTO cities VALUES ('Bazine', 'KS');
INSERT INTO cities VALUES ('Beach', 'ND'):
INSERT INTO cities VALUES ('Beach City', 'OH');
INSERT INTO cities VALUES ('Beach Haven', 'NJ');
INSERT INTO cities VALUES ('Beach Haven', 'PA'):
INSERT INTO cities VALUES ('Beach Lake', 'PA');
INSERT INTO cities VALUES ('Beachwood', 'NJ');
INSERT INTO cities VALUES ('Beachwood', 'OH');
INSERT INTO cities VALUES ('Beacon', 'IA');
INSERT INTO cities VALUES ('Beacon', 'NY');
INSERT INTO cities VALUES ('Beacon Falls', 'CT');
INSERT INTO cities VALUES ('Beale Afb', 'CA');
INSERT INTO cities VALUES ('Bealeton', 'VA');
INSERT INTO cities VALUES ('Beallsville', 'MD');
INSERT INTO cities VALUES ('Beallsville', 'OH');
INSERT INTO cities VALUES ('Beallsville', 'PA'):
INSERT INTO cities VALUES ('Beals', 'ME'):
INSERT INTO cities VALUES ('Beaman', 'IA');
INSERT INTO cities VALUES ('Bean Station', 'TN');
INSERT INTO cities VALUES ('Bear', 'DE');
INSERT INTO cities VALUES ('Bear Branch', 'KY');
INSERT INTO cities VALUES ('Bear Creek', 'AL');
INSERT INTO cities VALUES ('Bear Creek', 'NC'):
INSERT INTO cities VALUES ('Bear Creek', 'PA');
INSERT INTO cities VALUES ('Bear Creek', 'WI'):
INSERT INTO cities VALUES ('Bear Lake', 'MI');
INSERT INTO cities VALUES ('Bear Lake', 'PA');
INSERT INTO cities VALUES ('Bear Mountain', 'NY'):
INSERT INTO cities VALUES ('Bear River City', 'UT');
INSERT INTO cities VALUES ('Bearcreek', 'MT');
INSERT INTO cities VALUES ('Bearden', 'AR');
INSERT INTO cities VALUES ('Beardsley', 'MN');
INSERT INTO cities VALUES ('Beardstown', 'IL');
INSERT INTO cities VALUES ('Bearsville', 'NY'):
INSERT INTO cities VALUES ('Beasley', 'TX');
INSERT INTO cities VALUES ('Beason', 'IL');
INSERT INTO cities VALUES ('Beatrice', 'AL');
INSERT INTO cities VALUES ('Beatrice', 'NE');
INSERT INTO cities VALUES ('Beattie', 'KS');
INSERT INTO cities VALUES ('Beatty', 'NV');
INSERT INTO cities VALUES ('Beatty', 'OR');
INSERT INTO cities VALUES ('Beattyville', 'KY');
INSERT INTO cities VALUES ('Beaufort', 'MO');
INSERT INTO cities VALUES ('Beaufort', 'NC');
INSERT INTO cities VALUES ('Beaufort', 'SC');
```

```
INSERT INTO cities VALUES ('Beaumont', 'CA');
INSERT INTO cities VALUES ('Beaumont', 'KS'):
INSERT INTO cities VALUES ('Beaumont', 'KY');
INSERT INTO cities VALUES ('Beaumont', 'MS'):
INSERT INTO cities VALUES ('Beaumont', 'TX'):
INSERT INTO cities VALUES ('Beaumont', 'VA');
INSERT INTO cities VALUES ('Beauty', 'KY');
INSERT INTO cities VALUES ('Beaver', 'AK');
INSERT INTO cities VALUES ('Beaver', 'AR');
INSERT INTO cities VALUES ('Beaver', 'IA');
INSERT INTO cities VALUES ('Beaver', 'KY');
INSERT INTO cities VALUES ('Beaver', 'OH');
INSERT INTO cities VALUES ('Beaver', 'OK'):
INSERT INTO cities VALUES ('Beaver', 'OR');
INSERT INTO cities VALUES ('Beaver', 'PA'):
INSERT INTO cities VALUES ('Beaver', 'UT'):
INSERT INTO cities VALUES ('Beaver', 'WA');
INSERT INTO cities VALUES ('Beaver', 'WV');
INSERT INTO cities VALUES ('Beaver Bay', 'MN');
INSERT INTO cities VALUES ('Beaver City', 'NE');
INSERT INTO cities VALUES ('Beaver Creek', 'MN');
INSERT INTO cities VALUES ('Beaver Crossing', 'NE');
INSERT INTO cities VALUES ('Beaver Dam', 'KY');
INSERT INTO cities VALUES ('Beaver Dam', 'WI');
INSERT INTO cities VALUES ('Beaver Dams', 'NY');
INSERT INTO cities VALUES ('Beaver Falls', 'NY');
INSERT INTO cities VALUES ('Beaver Falls', 'PA'):
INSERT INTO cities VALUES ('Beaver Island', 'MI');
INSERT INTO cities VALUES ('Beaver Meadows', 'PA');
INSERT INTO cities VALUES ('Beaver Springs', 'PA');
INSERT INTO cities VALUES ('Beavercreek', 'OR');
INSERT INTO cities VALUES ('Beaverdale', 'PA');
INSERT INTO cities VALUES ('Beaverdam', 'OH');
INSERT INTO cities VALUES ('Beaverdam', 'VA');
INSERT INTO cities VALUES ('Beaverton', 'AL'):
INSERT INTO cities VALUES ('Beaverton', 'MI');
INSERT INTO cities VALUES ('Beaverton', 'OR');
INSERT INTO cities VALUES ('Beavertown', 'PA');
INSERT INTO cities VALUES ('Beaverville', 'IL'):
INSERT INTO cities VALUES ('Beccaria', 'PA');
INSERT INTO cities VALUES ('Bechtelsville', 'PA');
INSERT INTO cities VALUES ('Beckemeyer', 'IL');
INSERT INTO cities VALUES ('Becker', 'MN');
INSERT INTO cities VALUES ('Becker', 'MS');
INSERT INTO cities VALUES ('Becket', 'MA'):
INSERT INTO cities VALUES ('Beckley', 'WV');
INSERT INTO cities VALUES ('Beckville', 'TX');
INSERT INTO cities VALUES ('Beckwourth', 'CA');
INSERT INTO cities VALUES ('Bedford', 'IA');
INSERT INTO cities VALUES ('Bedford', 'IN');
INSERT INTO cities VALUES ('Bedford', 'KY');
INSERT INTO cities VALUES ('Bedford', 'MA');
INSERT INTO cities VALUES ('Bedford', 'MI');
INSERT INTO cities VALUES ('Bedford', 'NH');
INSERT INTO cities VALUES ('Bedford', 'NY');
INSERT INTO cities VALUES ('Bedford', 'OH');
```

```
INSERT INTO cities VALUES ('Bedford', 'PA');
INSERT INTO cities VALUES ('Bedford', 'TX'):
INSERT INTO cities VALUES ('Bedford', 'VA');
INSERT INTO cities VALUES ('Bedford', 'WY');
INSERT INTO cities VALUES ('Bedford Hills', 'NY'):
INSERT INTO cities VALUES ('Bedford Park', 'IL');
INSERT INTO cities VALUES ('Bedias', 'TX');
INSERT INTO cities VALUES ('Bedminster', 'NJ');
INSERT INTO cities VALUES ('Bedminster', 'PA');
INSERT INTO cities VALUES ('Bedrock', 'CO');
INSERT INTO cities VALUES ('Bee', 'NE');
INSERT INTO cities VALUES ('Bee', 'VA');
INSERT INTO cities VALUES ('Bee Branch', 'AR');
INSERT INTO cities VALUES ('Bee Spring', 'KY');
INSERT INTO cities VALUES ('Beebe', 'AR'):
INSERT INTO cities VALUES ('Beebe Plain', 'VT');
INSERT INTO cities VALUES ('Beech Bluff', 'TN'):
INSERT INTO cities VALUES ('Beech Bottom', 'WV');
INSERT INTO cities VALUES ('Beech Creek', 'KY'):
INSERT INTO cities VALUES ('Beech Creek', 'PA');
INSERT INTO cities VALUES ('Beech Grove', 'AR');
INSERT INTO cities VALUES ('Beech Grove', 'IN'):
INSERT INTO cities VALUES ('Beech Grove', 'KY');
INSERT INTO cities VALUES ('Beech Island', 'SC'):
INSERT INTO cities VALUES ('Beecher', 'IL');
INSERT INTO cities VALUES ('Beecher City', 'IL');
INSERT INTO cities VALUES ('Beecher Falls', 'VT'):
INSERT INTO cities VALUES ('Beechgrove', 'TN'):
INSERT INTO cities VALUES ('Beechmont', 'KY');
INSERT INTO cities VALUES ('Beedeville', 'AR');
INSERT INTO cities VALUES ('Beeler', 'KS');
INSERT INTO cities VALUES ('Beemer', 'NE');
INSERT INTO cities VALUES ('Beersheba Springs', 'TN');
INSERT INTO cities VALUES ('Beeson', 'WV');
INSERT INTO cities VALUES ('Beetown', 'WI');
INSERT INTO cities VALUES ('Beeville', 'TX'):
INSERT INTO cities VALUES ('Beggs', 'OK');
INSERT INTO cities VALUES ('Beirne', 'AR');
INSERT INTO cities VALUES ('Bejou', 'MN'):
INSERT INTO cities VALUES ('Bel Air', 'MD');
INSERT INTO cities VALUES ('Bel Alton', 'MD');
INSERT INTO cities VALUES ('Belcamp', 'MD');
INSERT INTO cities VALUES ('Belcher', 'KY');
INSERT INTO cities VALUES ('Belcher', 'LA');
INSERT INTO cities VALUES ('Belchertown', 'MA');
INSERT INTO cities VALUES ('Belcourt', 'ND');
INSERT INTO cities VALUES ('Belden', 'CA'):
INSERT INTO cities VALUES ('Belden', 'MS');
INSERT INTO cities VALUES ('Belden', 'NE');
INSERT INTO cities VALUES ('Beldenville', 'WI'):
INSERT INTO cities VALUES ('Belding', 'MI');
INSERT INTO cities VALUES ('Belen', 'MS');
INSERT INTO cities VALUES ('Belen', 'NM');
INSERT INTO cities VALUES ('Belews Creek', 'NC');
INSERT INTO cities VALUES ('Belfair', 'WA');
INSERT INTO cities VALUES ('Belfast', 'ME');
```

```
INSERT INTO cities VALUES ('Belfast', 'NY');
INSERT INTO cities VALUES ('Belfast', 'TN'):
INSERT INTO cities VALUES ('Belfield', 'ND');
INSERT INTO cities VALUES ('Belford', 'NJ'):
INSERT INTO cities VALUES ('Belfry', 'KY'):
INSERT INTO cities VALUES ('Belfry', 'MT');
INSERT INTO cities VALUES ('Belgium', 'WI');
INSERT INTO cities VALUES ('Belgrade', 'ME');
INSERT INTO cities VALUES ('Belgrade', 'MN');
INSERT INTO cities VALUES ('Belgrade', 'MO');
INSERT INTO cities VALUES ('Belgrade', 'MT');
INSERT INTO cities VALUES ('Belgrade', 'NE');
INSERT INTO cities VALUES ('Belgrade Lakes', 'ME');
INSERT INTO cities VALUES ('Belhaven', 'NC');
INSERT INTO cities VALUES ('Belington', 'WV');
INSERT INTO cities VALUES ('Belk', 'AL'):
INSERT INTO cities VALUES ('Belknap', 'IL');
INSERT INTO cities VALUES ('Bell', 'CA');
INSERT INTO cities VALUES ('Bell', 'FL'):
INSERT INTO cities VALUES ('Bell Buckle', 'TN');
INSERT INTO cities VALUES ('Bell City', 'LA');
INSERT INTO cities VALUES ('Bell City', 'MO');
INSERT INTO cities VALUES ('Bell Gardens', 'CA');
INSERT INTO cities VALUES ('Bella Vista', 'AR');
INSERT INTO cities VALUES ('Bella Vista', 'CA');
INSERT INTO cities VALUES ('Bellaire', 'MI');
INSERT INTO cities VALUES ('Bellaire', 'OH');
INSERT INTO cities VALUES ('Bellaire', 'TX');
INSERT INTO cities VALUES ('Bellamy', 'AL');
INSERT INTO cities VALUES ('Bellarthur', 'NC');
INSERT INTO cities VALUES ('Bellbrook', 'OH');
INSERT INTO cities VALUES ('Belle', 'MO');
INSERT INTO cities VALUES ('Belle', 'WV');
INSERT INTO cities VALUES ('Belle Center', 'OH'):
INSERT INTO cities VALUES ('Belle Chasse', 'LA');
INSERT INTO cities VALUES ('Belle Fourche', 'SD');
INSERT INTO cities VALUES ('Belle Glade', 'FL');
INSERT INTO cities VALUES ('Belle Haven', 'VA');
INSERT INTO cities VALUES ('Belle Mead', 'NJ'):
INSERT INTO cities VALUES ('Belle Mina', 'AL');
INSERT INTO cities VALUES ('Belle Plaine', 'IA');
INSERT INTO cities VALUES ('Belle Plaine', 'KS');
INSERT INTO cities VALUES ('Belle Plaine', 'MN');
INSERT INTO cities VALUES ('Belle Rive', 'IL');
INSERT INTO cities VALUES ('Belle Rose', 'LA');
INSERT INTO cities VALUES ('Belle Valley', 'OH');
INSERT INTO cities VALUES ('Belle Vernon', 'PA'):
INSERT INTO cities VALUES ('Belleair Beach', 'FL');
INSERT INTO cities VALUES ('Bellefontaine', 'MS');
INSERT INTO cities VALUES ('Bellefontaine', 'OH'):
INSERT INTO cities VALUES ('Bellefonte', 'PA');
INSERT INTO cities VALUES ('Bellemont', 'AZ');
INSERT INTO cities VALUES ('Bellerose', 'NY');
INSERT INTO cities VALUES ('Belleview', 'FL');
INSERT INTO cities VALUES ('Belleview', 'MO');
INSERT INTO cities VALUES ('Belleville', 'AR');
```

```
INSERT INTO cities VALUES ('Belleville', 'IL');
INSERT INTO cities VALUES ('Belleville', 'KS'):
INSERT INTO cities VALUES ('Belleville', 'MI');
INSERT INTO cities VALUES ('Belleville', 'NJ'):
INSERT INTO cities VALUES ('Belleville', 'NY'):
INSERT INTO cities VALUES ('Belleville', 'PA');
INSERT INTO cities VALUES ('Belleville', 'WI');
INSERT INTO cities VALUES ('Belleville', 'WV');
INSERT INTO cities VALUES ('Bellevue', 'IA');
INSERT INTO cities VALUES ('Bellevue', 'ID');
INSERT INTO cities VALUES ('Bellevue', 'KY');
INSERT INTO cities VALUES ('Bellevue', 'MI');
INSERT INTO cities VALUES ('Bellevue', 'NE'):
INSERT INTO cities VALUES ('Bellevue', 'OH');
INSERT INTO cities VALUES ('Bellevue', 'TX'):
INSERT INTO cities VALUES ('Bellevue', 'WA'):
INSERT INTO cities VALUES ('Bellflower', 'CA');
INSERT INTO cities VALUES ('Bellflower', 'IL');
INSERT INTO cities VALUES ('Bellflower', 'MO');
INSERT INTO cities VALUES ('Bellingham', 'MA');
INSERT INTO cities VALUES ('Bellingham', 'MN');
INSERT INTO cities VALUES ('Bellingham', 'WA');
INSERT INTO cities VALUES ('Bellmawr', 'NJ');
INSERT INTO cities VALUES ('Bellmont', 'IL'):
INSERT INTO cities VALUES ('Bellmore', 'IN');
INSERT INTO cities VALUES ('Bellmore', 'NY');
INSERT INTO cities VALUES ('Bellona', 'NY'):
INSERT INTO cities VALUES ('Bellows Falls', 'VT'):
INSERT INTO cities VALUES ('Bellport', 'NY');
INSERT INTO cities VALUES ('Bells', 'TN');
INSERT INTO cities VALUES ('Bells', 'TX');
INSERT INTO cities VALUES ('Bellvale', 'NY');
INSERT INTO cities VALUES ('Bellville', 'GA');
INSERT INTO cities VALUES ('Bellville', 'OH');
INSERT INTO cities VALUES ('Bellville', 'TX');
INSERT INTO cities VALUES ('Bellvue', 'CO'):
INSERT INTO cities VALUES ('Bellwood', 'AL');
INSERT INTO cities VALUES ('Bellwood', 'IL');
INSERT INTO cities VALUES ('Bellwood', 'NE'):
INSERT INTO cities VALUES ('Bellwood', 'PA');
INSERT INTO cities VALUES ('Belmar', 'NJ');
INSERT INTO cities VALUES ('Belmond', 'IA');
INSERT INTO cities VALUES ('Belmont', 'CA');
INSERT INTO cities VALUES ('Belmont', 'LA');
INSERT INTO cities VALUES ('Belmont', 'MA');
INSERT INTO cities VALUES ('Belmont', 'MI');
INSERT INTO cities VALUES ('Belmont', 'MS');
INSERT INTO cities VALUES ('Belmont', 'NC');
INSERT INTO cities VALUES ('Belmont', 'NH');
INSERT INTO cities VALUES ('Belmont', 'NY'):
INSERT INTO cities VALUES ('Belmont', 'OH');
INSERT INTO cities VALUES ('Belmont', 'TX');
INSERT INTO cities VALUES ('Belmont', 'VT');
INSERT INTO cities VALUES ('Belmont', 'WA');
INSERT INTO cities VALUES ('Belmont', 'WI');
INSERT INTO cities VALUES ('Belmont', 'WV');
```

```
INSERT INTO cities VALUES ('Belmore', 'OH');
INSERT INTO cities VALUES ('Beloit', 'KS'):
INSERT INTO cities VALUES ('Beloit', 'OH');
INSERT INTO cities VALUES ('Beloit', 'WI'):
INSERT INTO cities VALUES ('Belpre', 'KS'):
INSERT INTO cities VALUES ('Belpre', 'OH');
INSERT INTO cities VALUES ('Belsano', 'PA');
INSERT INTO cities VALUES ('Belspring', 'VA');
INSERT INTO cities VALUES ('Belt', 'MT');
INSERT INTO cities VALUES ('Belton', 'KY');
INSERT INTO cities VALUES ('Belton', 'MO');
INSERT INTO cities VALUES ('Belton', 'SC');
INSERT INTO cities VALUES ('Belton', 'TX'):
INSERT INTO cities VALUES ('Beltrami', 'MN');
INSERT INTO cities VALUES ('Beltsville', 'MD'):
INSERT INTO cities VALUES ('Belva', 'WV');
INSERT INTO cities VALUES ('Belvedere Tiburon', 'CA');
INSERT INTO cities VALUES ('Belvidere', 'IL');
INSERT INTO cities VALUES ('Belvidere', 'NC');
INSERT INTO cities VALUES ('Belvidere', 'NE');
INSERT INTO cities VALUES ('Belvidere', 'NJ');
INSERT INTO cities VALUES ('Belvidere', 'SD'):
INSERT INTO cities VALUES ('Belvidere', 'TN');
INSERT INTO cities VALUES ('Belvidere Center', 'VT');
INSERT INTO cities VALUES ('Belview', 'MN'):
INSERT INTO cities VALUES ('Belvue', 'KS');
INSERT INTO cities VALUES ('Belzoni', 'MS');
INSERT INTO cities VALUES ('Bement', 'IL');
INSERT INTO cities VALUES ('Bemidji', 'MN');
INSERT INTO cities VALUES ('Bemus Point', 'NY');
INSERT INTO cities VALUES ('Ben Bolt', 'TX');
INSERT INTO cities VALUES ('Ben Franklin', 'TX');
INSERT INTO cities VALUES ('Ben Hur', 'VA');
INSERT INTO cities VALUES ('Ben Lomond', 'AR');
INSERT INTO cities VALUES ('Ben Lomond', 'CA');
INSERT INTO cities VALUES ('Ben Wheeler', 'TX'):
INSERT INTO cities VALUES ('Bena', 'MN');
INSERT INTO cities VALUES ('Bena', 'VA');
INSERT INTO cities VALUES ('Benavides', 'TX'):
INSERT INTO cities VALUES ('Bend', 'OR');
INSERT INTO cities VALUES ('Bend', 'TX');
INSERT INTO cities VALUES ('Bendena', 'KS');
INSERT INTO cities VALUES ('Bendersville', 'PA');
INSERT INTO cities VALUES ('Benedict', 'KS');
INSERT INTO cities VALUES ('Benedict', 'MD');
INSERT INTO cities VALUES ('Benedict', 'MN');
INSERT INTO cities VALUES ('Benedict', 'ND');
INSERT INTO cities VALUES ('Benedict', 'NE');
INSERT INTO cities VALUES ('Benedicta', 'ME');
INSERT INTO cities VALUES ('Benet Lake', 'WI'):
INSERT INTO cities VALUES ('Benezett', 'PA');
INSERT INTO cities VALUES ('Benge', 'WA');
INSERT INTO cities VALUES ('Benham', 'KY');
INSERT INTO cities VALUES ('Benicia', 'CA');
INSERT INTO cities VALUES ('Benjamin', 'TX');
INSERT INTO cities VALUES ('Benkelman', 'NE');
```

```
INSERT INTO cities VALUES ('Benld', 'IL');
INSERT INTO cities VALUES ('Bennet', 'NE'):
INSERT INTO cities VALUES ('Bennett', 'CO');
INSERT INTO cities VALUES ('Bennett', 'IA'):
INSERT INTO cities VALUES ('Bennett', 'NC'):
INSERT INTO cities VALUES ('Bennettsville', 'SC');
INSERT INTO cities VALUES ('Bennington', 'IN');
INSERT INTO cities VALUES ('Bennington', 'KS');
INSERT INTO cities VALUES ('Bennington', 'NE');
INSERT INTO cities VALUES ('Bennington', 'NH');
INSERT INTO cities VALUES ('Bennington', 'OK');
INSERT INTO cities VALUES ('Bennington', 'VT');
INSERT INTO cities VALUES ('Benoit', 'MS'):
INSERT INTO cities VALUES ('Benoit', 'WI');
INSERT INTO cities VALUES ('Bensalem', 'PA'):
INSERT INTO cities VALUES ('Bensenville', 'IL');
INSERT INTO cities VALUES ('Benson', 'AZ');
INSERT INTO cities VALUES ('Benson', 'IL');
INSERT INTO cities VALUES ('Benson', 'MD');
INSERT INTO cities VALUES ('Benson', 'MN');
INSERT INTO cities VALUES ('Benson', 'NC');
INSERT INTO cities VALUES ('Benson', 'VT'):
INSERT INTO cities VALUES ('Bent', 'NM');
INSERT INTO cities VALUES ('Bent Mountain', 'VA'):
INSERT INTO cities VALUES ('Bentley', 'KS');
INSERT INTO cities VALUES ('Bentley', 'LA');
INSERT INTO cities VALUES ('Bentley', 'MI'):
INSERT INTO cities VALUES ('Bentleyville', 'PA');
INSERT INTO cities VALUES ('Benton', 'AR');
INSERT INTO cities VALUES ('Benton', 'CA');
INSERT INTO cities VALUES ('Benton', 'IA');
INSERT INTO cities VALUES ('Benton', 'IL');
INSERT INTO cities VALUES ('Benton', 'KS');
INSERT INTO cities VALUES ('Benton', 'KY');
INSERT INTO cities VALUES ('Benton', 'LA'):
INSERT INTO cities VALUES ('Benton', 'MO');
INSERT INTO cities VALUES ('Benton', 'MS');
INSERT INTO cities VALUES ('Benton', 'PA');
INSERT INTO cities VALUES ('Benton', 'TN');
INSERT INTO cities VALUES ('Benton', 'WI');
INSERT INTO cities VALUES ('Benton City', 'MO');
INSERT INTO cities VALUES ('Benton City', 'WA');
INSERT INTO cities VALUES ('Benton Harbor', 'MI');
INSERT INTO cities VALUES ('Benton Ridge', 'OH');
INSERT INTO cities VALUES ('Bentonia', 'MS');
INSERT INTO cities VALUES ('Bentonville', 'AR');
INSERT INTO cities VALUES ('Bentonville', 'IN');
INSERT INTO cities VALUES ('Bentonville', 'OH');
INSERT INTO cities VALUES ('Bentonville', 'VA');
INSERT INTO cities VALUES ('Benwood', 'WV');
INSERT INTO cities VALUES ('Benzonia', 'MI');
INSERT INTO cities VALUES ('Berclair', 'TX');
INSERT INTO cities VALUES ('Berea', 'KY');
INSERT INTO cities VALUES ('Berea', 'OH');
INSERT INTO cities VALUES ('Berea', 'WV');
INSERT INTO cities VALUES ('Beresford', 'SD');
```

```
INSERT INTO cities VALUES ('Bergen', 'NY');
INSERT INTO cities VALUES ('Bergenfield', 'NJ'):
INSERT INTO cities VALUES ('Berger', 'MO');
INSERT INTO cities VALUES ('Bergheim', 'TX');
INSERT INTO cities VALUES ('Bergholz', 'OH'):
INSERT INTO cities VALUES ('Bergland', 'MI');
INSERT INTO cities VALUES ('Bergman', 'AR');
INSERT INTO cities VALUES ('Bergoo', 'WV');
INSERT INTO cities VALUES ('Bergton', 'VA');
INSERT INTO cities VALUES ('Berino', 'NM');
INSERT INTO cities VALUES ('Berkeley', 'CA');
INSERT INTO cities VALUES ('Berkeley', 'IL');
INSERT INTO cities VALUES ('Berkeley Heights', 'NJ'):
INSERT INTO cities VALUES ('Berkeley Springs', 'WV');
INSERT INTO cities VALUES ('Berkey', 'OH'):
INSERT INTO cities VALUES ('Berkley', 'MA');
INSERT INTO cities VALUES ('Berkley', 'MI');
INSERT INTO cities VALUES ('Berkshire', 'MA');
INSERT INTO cities VALUES ('Berkshire', 'NY');
INSERT INTO cities VALUES ('Berlin', 'CT');
INSERT INTO cities VALUES ('Berlin', 'GA');
INSERT INTO cities VALUES ('Berlin', 'MA');
INSERT INTO cities VALUES ('Berlin', 'MD');
INSERT INTO cities VALUES ('Berlin', 'ND');
INSERT INTO cities VALUES ('Berlin', 'NH');
INSERT INTO cities VALUES ('Berlin', 'NJ');
INSERT INTO cities VALUES ('Berlin', 'NY');
INSERT INTO cities VALUES ('Berlin', 'OH'):
INSERT INTO cities VALUES ('Berlin', 'PA');
INSERT INTO cities VALUES ('Berlin', 'WI');
INSERT INTO cities VALUES ('Berlin Center', 'OH');
INSERT INTO cities VALUES ('Berlin Heights', 'OH');
INSERT INTO cities VALUES ('Bern', 'ID');
INSERT INTO cities VALUES ('Bern', 'KS'):
INSERT INTO cities VALUES ('Bernalillo', 'NM'):
INSERT INTO cities VALUES ('Bernard', 'IA'):
INSERT INTO cities VALUES ('Bernard', 'ME');
INSERT INTO cities VALUES ('Bernardston', 'MA');
INSERT INTO cities VALUES ('Bernardsville', 'NJ'):
INSERT INTO cities VALUES ('Berne', 'IN');
INSERT INTO cities VALUES ('Berne', 'NY');
INSERT INTO cities VALUES ('Bernhards Bay', 'NY');
INSERT INTO cities VALUES ('Bernice', 'LA');
INSERT INTO cities VALUES ('Bernie', 'MO');
INSERT INTO cities VALUES ('Bernville', 'PA'):
INSERT INTO cities VALUES ('Berrien Center', 'MI');
INSERT INTO cities VALUES ('Berrien Springs', 'MI');
INSERT INTO cities VALUES ('Berry', 'AL');
INSERT INTO cities VALUES ('Berry', 'KY');
INSERT INTO cities VALUES ('Berry Creek', 'CA');
INSERT INTO cities VALUES ('Berrysburg', 'PA');
INSERT INTO cities VALUES ('Berryton', 'KS');
INSERT INTO cities VALUES ('Berryville', 'AR');
INSERT INTO cities VALUES ('Berryville', 'VA');
INSERT INTO cities VALUES ('Bertha', 'MN');
INSERT INTO cities VALUES ('Berthold', 'ND');
```

```
INSERT INTO cities VALUES ('Berthoud', 'CO');
INSERT INTO cities VALUES ('Bertram', 'TX'):
INSERT INTO cities VALUES ('Bertrand', 'MO');
INSERT INTO cities VALUES ('Bertrand', 'NE'):
INSERT INTO cities VALUES ('Berwick', 'IA'):
INSERT INTO cities VALUES ('Berwick', 'IL');
INSERT INTO cities VALUES ('Berwick', 'LA');
INSERT INTO cities VALUES ('Berwick', 'ME');
INSERT INTO cities VALUES ('Berwick', 'PA');
INSERT INTO cities VALUES ('Berwind', 'WV');
INSERT INTO cities VALUES ('Berwyn', 'IL');
INSERT INTO cities VALUES ('Berwyn', 'PA');
INSERT INTO cities VALUES ('Beryl', 'UT');
INSERT INTO cities VALUES ('Bessemer', 'AL');
INSERT INTO cities VALUES ('Bessemer', 'MI'):
INSERT INTO cities VALUES ('Bessemer', 'PA'):
INSERT INTO cities VALUES ('Bessemer City', 'NC');
INSERT INTO cities VALUES ('Bessie', 'OK');
INSERT INTO cities VALUES ('Bethalto', 'IL'):
INSERT INTO cities VALUES ('Bethania', 'NC');
INSERT INTO cities VALUES ('Bethany', 'CT');
INSERT INTO cities VALUES ('Bethany', 'IL');
INSERT INTO cities VALUES ('Bethany', 'KY');
INSERT INTO cities VALUES ('Bethany', 'LA'):
INSERT INTO cities VALUES ('Bethany', 'MO');
INSERT INTO cities VALUES ('Bethany', 'OK');
INSERT INTO cities VALUES ('Bethany', 'WV');
INSERT INTO cities VALUES ('Bethany Beach', 'DE');
INSERT INTO cities VALUES ('Bethel', 'AK');
INSERT INTO cities VALUES ('Bethel', 'CT');
INSERT INTO cities VALUES ('Bethel', 'DE');
INSERT INTO cities VALUES ('Bethel', 'ME');
INSERT INTO cities VALUES ('Bethel', 'MN');
INSERT INTO cities VALUES ('Bethel', 'MO'):
INSERT INTO cities VALUES ('Bethel', 'NC');
INSERT INTO cities VALUES ('Bethel', 'NY'):
INSERT INTO cities VALUES ('Bethel', 'OH');
INSERT INTO cities VALUES ('Bethel', 'OK');
INSERT INTO cities VALUES ('Bethel', 'PA'):
INSERT INTO cities VALUES ('Bethel', 'VT');
INSERT INTO cities VALUES ('Bethel Island', 'CA');
INSERT INTO cities VALUES ('Bethel Park', 'PA');
INSERT INTO cities VALUES ('Bethel Springs', 'TN');
INSERT INTO cities VALUES ('Bethelridge', 'KY');
INSERT INTO cities VALUES ('Bethera', 'SC'):
INSERT INTO cities VALUES ('Bethesda', 'MD');
INSERT INTO cities VALUES ('Bethesda', 'OH'):
INSERT INTO cities VALUES ('Bethlehem', 'CT');
INSERT INTO cities VALUES ('Bethlehem', 'GA');
INSERT INTO cities VALUES ('Bethlehem', 'IN'):
INSERT INTO cities VALUES ('Bethlehem', 'KY');
INSERT INTO cities VALUES ('Bethlehem', 'MD');
INSERT INTO cities VALUES ('Bethlehem', 'NH');
INSERT INTO cities VALUES ('Bethlehem', 'PA');
INSERT INTO cities VALUES ('Bethpage', 'NY');
INSERT INTO cities VALUES ('Bethpage', 'TN');
```

```
INSERT INTO cities VALUES ('Bethune', 'CO');
INSERT INTO cities VALUES ('Bethune', 'SC'):
INSERT INTO cities VALUES ('Betsy Layne', 'KY');
INSERT INTO cities VALUES ('Bettendorf', 'IA');
INSERT INTO cities VALUES ('Betterton', 'MD'):
INSERT INTO cities VALUES ('Bettles Field', 'AK');
INSERT INTO cities VALUES ('Bettsville', 'OH');
INSERT INTO cities VALUES ('Beulah', 'CO');
INSERT INTO cities VALUES ('Beulah', 'MI');
INSERT INTO cities VALUES ('Beulah', 'MO');
INSERT INTO cities VALUES ('Beulah', 'MS');
INSERT INTO cities VALUES ('Beulah', 'ND');
INSERT INTO cities VALUES ('Beulah', 'WY');
INSERT INTO cities VALUES ('Beulaville', 'NC');
INSERT INTO cities VALUES ('Beverly', 'KS'):
INSERT INTO cities VALUES ('Beverly', 'KY');
INSERT INTO cities VALUES ('Beverly', 'MA');
INSERT INTO cities VALUES ('Beverly', 'NJ');
INSERT INTO cities VALUES ('Beverly', 'OH');
INSERT INTO cities VALUES ('Beverly', 'WA');
INSERT INTO cities VALUES ('Beverly', 'WV');
INSERT INTO cities VALUES ('Beverly Hills', 'CA');
INSERT INTO cities VALUES ('Beverly Hills', 'FL');
INSERT INTO cities VALUES ('Beverly Shores', 'IN');
INSERT INTO cities VALUES ('Bevier', 'MO');
INSERT INTO cities VALUES ('Bevington', 'IA');
INSERT INTO cities VALUES ('Bevinsville', 'KY'):
INSERT INTO cities VALUES ('Bexar', 'AR');
INSERT INTO cities VALUES ('Beyer', 'PA');
INSERT INTO cities VALUES ('Bible School Park', 'NY');
INSERT INTO cities VALUES ('Bickleton', 'WA');
INSERT INTO cities VALUES ('Bickmore', 'WV');
INSERT INTO cities VALUES ('Bicknell', 'IN');
INSERT INTO cities VALUES ('Bicknell', 'UT');
INSERT INTO cities VALUES ('Biddeford', 'ME');
INSERT INTO cities VALUES ('Biddeford Pool', 'ME'):
INSERT INTO cities VALUES ('Biddle', 'MT');
INSERT INTO cities VALUES ('Bidwell', 'OH');
INSERT INTO cities VALUES ('Bieber', 'CA'):
INSERT INTO cities VALUES ('Bienville', 'LA');
INSERT INTO cities VALUES ('Big Arm', 'MT');
INSERT INTO cities VALUES ('Big Bar', 'CA');
INSERT INTO cities VALUES ('Big Bay', 'MI');
INSERT INTO cities VALUES ('Big Bear City', 'CA');
INSERT INTO cities VALUES ('Big Bear Lake', 'CA'):
INSERT INTO cities VALUES ('Big Bend', 'CA');
INSERT INTO cities VALUES ('Big Bend', 'WI');
INSERT INTO cities VALUES ('Big Bend', 'WV');
INSERT INTO cities VALUES ('Big Bend National Park', 'TX');
INSERT INTO cities VALUES ('Big Cabin', 'OK');
INSERT INTO cities VALUES ('Big Clifty', 'KY');
INSERT INTO cities VALUES ('Big Cove Tannery', 'PA');
INSERT INTO cities VALUES ('Big Creek', 'CA');
INSERT INTO cities VALUES ('Big Creek', 'KY');
INSERT INTO cities VALUES ('Big Creek', 'MS');
INSERT INTO cities VALUES ('Big Creek', 'WV');
```

```
INSERT INTO cities VALUES ('Big Falls', 'MN');
INSERT INTO cities VALUES ('Big Falls', 'WI');
INSERT INTO cities VALUES ('Big Flat', 'AR');
INSERT INTO cities VALUES ('Big Flats', 'NY');
INSERT INTO cities VALUES ('Big Horn', 'WY');
INSERT INTO cities VALUES ('Big Indian', 'NY');
INSERT INTO cities VALUES ('Big Island', 'VA');
INSERT INTO cities VALUES ('Big Lake', 'AK');
INSERT INTO cities VALUES ('Big Lake', 'MN');
INSERT INTO cities VALUES ('Big Lake', 'TX');
INSERT INTO cities VALUES ('Big Laurel', 'KY');
INSERT INTO cities VALUES ('Big Oak Flat', 'CA');
INSERT INTO cities VALUES ('Big Pine', 'CA');
INSERT INTO cities VALUES ('Big Pine Key', 'FL');
INSERT INTO cities VALUES ('Big Piney', 'WY');
INSERT INTO cities VALUES ('Big Pool', 'MD');
INSERT INTO cities VALUES ('Big Prairie', 'OH');
INSERT INTO cities VALUES ('Big Rapids', 'MI');
INSERT INTO cities VALUES ('Big Rock', 'IL');
INSERT INTO cities VALUES ('Big Rock', 'TN');
INSERT INTO cities VALUES ('Big Rock', 'VA');
INSERT INTO cities VALUES ('Big Run', 'PA');
INSERT INTO cities VALUES ('Big Run', 'WV');
INSERT INTO cities VALUES ('Big Sandy', 'MT');
INSERT INTO cities VALUES ('Big Sandy', 'TN');
INSERT INTO cities VALUES ('Big Sandy', 'TX');
INSERT INTO cities VALUES ('Big Sandy', 'WV');
INSERT INTO cities VALUES ('Big Sky', 'MT');
INSERT INTO cities VALUES ('Big Spring', 'TX');
INSERT INTO cities VALUES ('Big Springs', 'NE');
INSERT INTO cities VALUES ('Big Springs', 'WV');
INSERT INTO cities VALUES ('Big Stone City', 'SD');
INSERT INTO cities VALUES ('Big Stone Gap', 'VA');
INSERT INTO cities VALUES ('Big Sur', 'CA');
INSERT INTO cities VALUES ('Big Timber', 'MT');
INSERT INTO cities VALUES ('Big Wells', 'TX');
INSERT INTO cities VALUES ('Bigelow', 'AR');
INSERT INTO cities VALUES ('Bigelow', 'MN');
INSERT INTO cities VALUES ('Bigfoot', 'TX');
INSERT INTO cities VALUES ('Bigfork', 'MN');
INSERT INTO cities VALUES ('Bigfork', 'MT');
INSERT INTO cities VALUES ('Biggers', 'AR');
INSERT INTO cities VALUES ('Biggs', 'CA');
INSERT INTO cities VALUES ('Biggsville', 'IL');
INSERT INTO cities VALUES ('Bighill', 'KY');
INSERT INTO cities VALUES ('Bighorn', 'MT');
INSERT INTO cities VALUES ('Bigler', 'PA');
INSERT INTO cities VALUES ('Biglerville', 'PA');
INSERT INTO cities VALUES ('Billerica', 'MA');
INSERT INTO cities VALUES ('Billings', 'MO');
INSERT INTO cities VALUES ('Billings', 'MT');
INSERT INTO cities VALUES ('Billings', 'NY');
INSERT INTO cities VALUES ('Billings', 'OK');
INSERT INTO cities VALUES ('Billingsley', 'AL');
INSERT INTO cities VALUES ('Biloxi', 'MS');
INSERT INTO cities VALUES ('Bim', 'WV');
```

```
INSERT INTO cities VALUES ('Bimble', 'KY');
INSERT INTO cities VALUES ('Binford', 'ND'):
INSERT INTO cities VALUES ('Bingen', 'WA');
INSERT INTO cities VALUES ('Binger', 'OK'):
INSERT INTO cities VALUES ('Bingham', 'IL'):
INSERT INTO cities VALUES ('Bingham', 'ME');
INSERT INTO cities VALUES ('Bingham', 'NE');
INSERT INTO cities VALUES ('Bingham Canyon', 'UT');
INSERT INTO cities VALUES ('Bingham Lake', 'MN');
INSERT INTO cities VALUES ('Binghamton', 'NY');
INSERT INTO cities VALUES ('Biola', 'CA');
INSERT INTO cities VALUES ('Bippus', 'IN');
INSERT INTO cities VALUES ('Birch Harbor', 'ME');
INSERT INTO cities VALUES ('Birch River', 'WV');
INSERT INTO cities VALUES ('Birch Run', 'MI'):
INSERT INTO cities VALUES ('Birch Tree', 'MO'):
INSERT INTO cities VALUES ('Birchdale', 'MN');
INSERT INTO cities VALUES ('Birchleaf', 'VA');
INSERT INTO cities VALUES ('Birchrunville', 'PA');
INSERT INTO cities VALUES ('Birchwood', 'TN');
INSERT INTO cities VALUES ('Birchwood', 'WI');
INSERT INTO cities VALUES ('Bird City', 'KS');
INSERT INTO cities VALUES ('Bird In Hand', 'PA');
INSERT INTO cities VALUES ('Bird Island', 'MN'):
INSERT INTO cities VALUES ('Birds Landing', 'CA');
INSERT INTO cities VALUES ('Birdsboro', 'PA');
INSERT INTO cities VALUES ('Birdseye', 'IN'):
INSERT INTO cities VALUES ('Birdsnest', 'VA');
INSERT INTO cities VALUES ('Birmingham', 'AL');
INSERT INTO cities VALUES ('Birmingham', 'IA');
INSERT INTO cities VALUES ('Birmingham', 'MI');
INSERT INTO cities VALUES ('Birmingham', 'NJ');
INSERT INTO cities VALUES ('Birmingham', 'OH');
INSERT INTO cities VALUES ('Birnamwood', 'WI');
INSERT INTO cities VALUES ('Birney', 'MT');
INSERT INTO cities VALUES ('Bisbee', 'AZ'):
INSERT INTO cities VALUES ('Bisbee', 'ND');
INSERT INTO cities VALUES ('Biscoe', 'AR');
INSERT INTO cities VALUES ('Biscoe', 'NC');
INSERT INTO cities VALUES ('Bishop', 'CA');
INSERT INTO cities VALUES ('Bishop', 'GA');
INSERT INTO cities VALUES ('Bishop', 'TX');
INSERT INTO cities VALUES ('Bishop', 'VA');
INSERT INTO cities VALUES ('Bishop Hill', 'IL');
INSERT INTO cities VALUES ('Bishopville', 'MD'):
INSERT INTO cities VALUES ('Bishopville', 'SC');
INSERT INTO cities VALUES ('Bismarck', 'AR');
INSERT INTO cities VALUES ('Bismarck', 'IL');
INSERT INTO cities VALUES ('Bismarck', 'MO');
INSERT INTO cities VALUES ('Bismarck', 'ND');
INSERT INTO cities VALUES ('Bison', 'KS');
INSERT INTO cities VALUES ('Bison', 'OK');
INSERT INTO cities VALUES ('Bison', 'SD');
INSERT INTO cities VALUES ('Bitely', 'MI');
INSERT INTO cities VALUES ('Bittinger', 'MD');
INSERT INTO cities VALUES ('Bivalve', 'MD');
```

```
INSERT INTO cities VALUES ('Bivins', 'TX');
INSERT INTO cities VALUES ('Biwabik', 'MN'):
INSERT INTO cities VALUES ('Bixby', 'MO');
INSERT INTO cities VALUES ('Bixby', 'OK');
INSERT INTO cities VALUES ('Blachly', 'OR'):
INSERT INTO cities VALUES ('Black', 'AL');
INSERT INTO cities VALUES ('Black', 'MO');
INSERT INTO cities VALUES ('Black Canyon City', 'AZ');
INSERT INTO cities VALUES ('Black Creek', 'NC');
INSERT INTO cities VALUES ('Black Creek', 'NY');
INSERT INTO cities VALUES ('Black Creek', 'WI');
INSERT INTO cities VALUES ('Black Diamond', 'WA');
INSERT INTO cities VALUES ('Black Eagle', 'MT'):
INSERT INTO cities VALUES ('Black Earth', 'WI');
INSERT INTO cities VALUES ('Black Hawk', 'CO'):
INSERT INTO cities VALUES ('Black Hawk', 'SD'):
INSERT INTO cities VALUES ('Black Lick', 'PA');
INSERT INTO cities VALUES ('Black Mountain', 'NC');
INSERT INTO cities VALUES ('Black Oak', 'AR'):
INSERT INTO cities VALUES ('Black River', 'MI');
INSERT INTO cities VALUES ('Black River', 'NY');
INSERT INTO cities VALUES ('Black River Falls', 'WI');
INSERT INTO cities VALUES ('Black Rock', 'AR');
INSERT INTO cities VALUES ('Blackburn', 'MO'):
INSERT INTO cities VALUES ('Blackduck', 'MN');
INSERT INTO cities VALUES ('Blackey', 'KY');
INSERT INTO cities VALUES ('Blackfoot', 'ID');
INSERT INTO cities VALUES ('Blackford', 'KY'):
INSERT INTO cities VALUES ('Blacklick', 'OH');
INSERT INTO cities VALUES ('Blacksburg', 'SC');
INSERT INTO cities VALUES ('Blacksburg', 'VA');
INSERT INTO cities VALUES ('Blackshear', 'GA');
INSERT INTO cities VALUES ('Blackstock', 'SC');
INSERT INTO cities VALUES ('Blackstone', 'IL'):
INSERT INTO cities VALUES ('Blackstone', 'MA'):
INSERT INTO cities VALUES ('Blackstone', 'VA'):
INSERT INTO cities VALUES ('Blacksville', 'WV');
INSERT INTO cities VALUES ('Blackville', 'SC');
INSERT INTO cities VALUES ('Blackwater', 'MO');
INSERT INTO cities VALUES ('Blackwater', 'VA');
INSERT INTO cities VALUES ('Blackwell', 'MO');
INSERT INTO cities VALUES ('Blackwell', 'OK');
INSERT INTO cities VALUES ('Blackwell', 'TX');
INSERT INTO cities VALUES ('Blackwood', 'NJ');
INSERT INTO cities VALUES ('Bladen', 'NE'):
INSERT INTO cities VALUES ('Bladenboro', 'NC');
INSERT INTO cities VALUES ('Bladensburg', 'MD');
INSERT INTO cities VALUES ('Bladensburg', 'OH');
INSERT INTO cities VALUES ('Blain', 'PA');
INSERT INTO cities VALUES ('Blaine', 'KY'):
INSERT INTO cities VALUES ('Blaine', 'ME');
INSERT INTO cities VALUES ('Blaine', 'OH');
INSERT INTO cities VALUES ('Blaine', 'TN');
INSERT INTO cities VALUES ('Blaine', 'WA');
INSERT INTO cities VALUES ('Blair', 'NE');
INSERT INTO cities VALUES ('Blair', 'OK');
```

```
INSERT INTO cities VALUES ('Blair', 'SC');
INSERT INTO cities VALUES ('Blair', 'WI'):
INSERT INTO cities VALUES ('Blair', 'WV');
INSERT INTO cities VALUES ('Blairs', 'VA'):
INSERT INTO cities VALUES ('Blairs Mills', 'PA'):
INSERT INTO cities VALUES ('Blairsburg', 'IA');
INSERT INTO cities VALUES ('Blairsden-graeagle', 'CA');
INSERT INTO cities VALUES ('Blairstown', 'IA');
INSERT INTO cities VALUES ('Blairstown', 'MO');
INSERT INTO cities VALUES ('Blairstown', 'NJ');
INSERT INTO cities VALUES ('Blairsville', 'GA');
INSERT INTO cities VALUES ('Blairsville', 'PA');
INSERT INTO cities VALUES ('Blakely', 'GA');
INSERT INTO cities VALUES ('Blakely Island', 'WA');
INSERT INTO cities VALUES ('Blakesburg', 'IA');
INSERT INTO cities VALUES ('Blakeslee', 'OH');
INSERT INTO cities VALUES ('Blakeslee', 'PA');
INSERT INTO cities VALUES ('Blanca', 'CO');
INSERT INTO cities VALUES ('Blanch', 'NC'):
INSERT INTO cities VALUES ('Blanchard', 'IA');
INSERT INTO cities VALUES ('Blanchard', 'ID');
INSERT INTO cities VALUES ('Blanchard', 'LA'):
INSERT INTO cities VALUES ('Blanchard', 'MI');
INSERT INTO cities VALUES ('Blanchard', 'ND');
INSERT INTO cities VALUES ('Blanchard', 'OK');
INSERT INTO cities VALUES ('Blanchard', 'PA');
INSERT INTO cities VALUES ('Blanchardville', 'WI');
INSERT INTO cities VALUES ('Blanchester', 'OH');
INSERT INTO cities VALUES ('Blanco', 'NM');
INSERT INTO cities VALUES ('Blanco', 'OK');
INSERT INTO cities VALUES ('Blanco', 'TX');
INSERT INTO cities VALUES ('Bland', 'MO');
INSERT INTO cities VALUES ('Bland', 'VA');
INSERT INTO cities VALUES ('Blandburg', 'PA');
INSERT INTO cities VALUES ('Blandford', 'MA');
INSERT INTO cities VALUES ('Blanding', 'UT');
INSERT INTO cities VALUES ('Blandinsville', 'IL');
INSERT INTO cities VALUES ('Blandon', 'PA');
INSERT INTO cities VALUES ('Blanford', 'IN'):
INSERT INTO cities VALUES ('Blanket', 'TX');
INSERT INTO cities VALUES ('Blauvelt', 'NY');
INSERT INTO cities VALUES ('Blawenburg', 'NJ');
INSERT INTO cities VALUES ('Bledsoe', 'KY');
INSERT INTO cities VALUES ('Bledsoe', 'TX');
INSERT INTO cities VALUES ('Bleiblerville', 'TX'):
INSERT INTO cities VALUES ('Blencoe', 'IA');
INSERT INTO cities VALUES ('Blenheim', 'SC');
INSERT INTO cities VALUES ('Blenker', 'WI');
INSERT INTO cities VALUES ('Blessing', 'TX');
INSERT INTO cities VALUES ('Blevins', 'AR');
INSERT INTO cities VALUES ('Bliss', 'ID');
INSERT INTO cities VALUES ('Bliss', 'NY');
INSERT INTO cities VALUES ('Blissfield', 'MI');
INSERT INTO cities VALUES ('Blissfield', 'OH');
INSERT INTO cities VALUES ('Block Island', 'RI');
INSERT INTO cities VALUES ('Blocker', 'OK');
```

```
INSERT INTO cities VALUES ('Blocksburg', 'CA');
INSERT INTO cities VALUES ('Blockton', 'IA');
INSERT INTO cities VALUES ('Blodgett', 'MO');
INSERT INTO cities VALUES ('Blodgett', 'OR');
INSERT INTO cities VALUES ('Blodgett Mills', 'NY');
INSERT INTO cities VALUES ('Blomkest', 'MN');
INSERT INTO cities VALUES ('Bloomburg', 'TX');
INSERT INTO cities VALUES ('Bloomdale', 'OH');
INSERT INTO cities VALUES ('Bloomer', 'WI');
INSERT INTO cities VALUES ('Bloomery', 'WV');
INSERT INTO cities VALUES ('Bloomfield', 'CT');
INSERT INTO cities VALUES ('Bloomfield', 'IA');
INSERT INTO cities VALUES ('Bloomfield', 'IN'):
INSERT INTO cities VALUES ('Bloomfield', 'KY');
INSERT INTO cities VALUES ('Bloomfield', 'MO'):
INSERT INTO cities VALUES ('Bloomfield', 'MT');
INSERT INTO cities VALUES ('Bloomfield', 'NE');
INSERT INTO cities VALUES ('Bloomfield', 'NJ');
INSERT INTO cities VALUES ('Bloomfield', 'NM');
INSERT INTO cities VALUES ('Bloomfield', 'NY');
INSERT INTO cities VALUES ('Bloomfield Hills', 'MI');
INSERT INTO cities VALUES ('Blooming Glen', 'PA');
INSERT INTO cities VALUES ('Blooming Grove', 'NY');
INSERT INTO cities VALUES ('Blooming Grove', 'TX');
INSERT INTO cities VALUES ('Blooming Prairie', 'MN');
INSERT INTO cities VALUES ('Bloomingburg', 'NY');
INSERT INTO cities VALUES ('Bloomingburg', 'OH');
INSERT INTO cities VALUES ('Bloomingdale', 'GA');
INSERT INTO cities VALUES ('Bloomingdale', 'IL');
INSERT INTO cities VALUES ('Bloomingdale', 'IN');
INSERT INTO cities VALUES ('Bloomingdale', 'MI');
INSERT INTO cities VALUES ('Bloomingdale', 'NJ');
INSERT INTO cities VALUES ('Bloomingdale', 'NY');
INSERT INTO cities VALUES ('Bloomingdale', 'OH');
INSERT INTO cities VALUES ('Bloomingrose', 'WV');
INSERT INTO cities VALUES ('Bloomington', 'CA');
INSERT INTO cities VALUES ('Bloomington', 'ID');
INSERT INTO cities VALUES ('Bloomington', 'IL');
INSERT INTO cities VALUES ('Bloomington', 'IN');
INSERT INTO cities VALUES ('Bloomington', 'MD');
INSERT INTO cities VALUES ('Bloomington', 'NE');
INSERT INTO cities VALUES ('Bloomington', 'NY');
INSERT INTO cities VALUES ('Bloomington', 'TX');
INSERT INTO cities VALUES ('Bloomington', 'WI');
INSERT INTO cities VALUES ('Bloomington Springs', 'TN');
INSERT INTO cities VALUES ('Bloomsburg', 'PA');
INSERT INTO cities VALUES ('Bloomsbury', 'NJ');
INSERT INTO cities VALUES ('Bloomsdale', 'MO');
INSERT INTO cities VALUES ('Bloomville', 'NY');
INSERT INTO cities VALUES ('Bloomville', 'OH');
INSERT INTO cities VALUES ('Blossburg', 'PA');
INSERT INTO cities VALUES ('Blossom', 'TX');
INSERT INTO cities VALUES ('Blossvale', 'NY');
INSERT INTO cities VALUES ('Blount', 'WV');
INSERT INTO cities VALUES ('Blounts Creek', 'NC');
INSERT INTO cities VALUES ('Blountstown', 'FL');
```

```
INSERT INTO cities VALUES ('Blountsville', 'AL');
INSERT INTO cities VALUES ('Blountville', 'TN'):
INSERT INTO cities VALUES ('Blowing Rock', 'NC');
INSERT INTO cities VALUES ('Bloxom', 'VA');
INSERT INTO cities VALUES ('Blue', 'AZ'):
INSERT INTO cities VALUES ('Blue Ball', 'PA');
INSERT INTO cities VALUES ('Blue Bell', 'PA');
INSERT INTO cities VALUES ('Blue Creek', 'OH');
INSERT INTO cities VALUES ('Blue Creek', 'WV');
INSERT INTO cities VALUES ('Blue Diamond', 'NV');
INSERT INTO cities VALUES ('Blue Earth', 'MN');
INSERT INTO cities VALUES ('Blue Eye', 'MO');
INSERT INTO cities VALUES ('Blue Gap', 'AZ');
INSERT INTO cities VALUES ('Blue Grass', 'IA');
INSERT INTO cities VALUES ('Blue Grass', 'VA');
INSERT INTO cities VALUES ('Blue Hill', 'ME');
INSERT INTO cities VALUES ('Blue Hill', 'NE');
INSERT INTO cities VALUES ('Blue Island', 'IL');
INSERT INTO cities VALUES ('Blue Jay', 'CA');
INSERT INTO cities VALUES ('Blue Jay', 'WV');
INSERT INTO cities VALUES ('Blue Lake', 'CA');
INSERT INTO cities VALUES ('Blue Mound', 'IL');
INSERT INTO cities VALUES ('Blue Mound', 'KS');
INSERT INTO cities VALUES ('Blue Mounds', 'WI');
INSERT INTO cities VALUES ('Blue Mountain', 'AR');
INSERT INTO cities VALUES ('Blue Mountain', 'MS');
INSERT INTO cities VALUES ('Blue Mountain Lake', 'NY');
INSERT INTO cities VALUES ('Blue Point', 'NY');
INSERT INTO cities VALUES ('Blue Rapids', 'KS');
INSERT INTO cities VALUES ('Blue Ridge', 'GA');
INSERT INTO cities VALUES ('Blue Ridge', 'TX');
INSERT INTO cities VALUES ('Blue Ridge', 'VA');
INSERT INTO cities VALUES ('Blue Ridge Summit', 'PA');
INSERT INTO cities VALUES ('Blue River', 'KY');
INSERT INTO cities VALUES ('Blue River', 'OR');
INSERT INTO cities VALUES ('Blue River', 'WI');
INSERT INTO cities VALUES ('Blue Rock', 'OH');
INSERT INTO cities VALUES ('Blue Springs', 'MO');
INSERT INTO cities VALUES ('Blue Springs', 'MS');
INSERT INTO cities VALUES ('Blue Springs', 'NE');
INSERT INTO cities VALUES ('Bluebell', 'UT');
INSERT INTO cities VALUES ('Bluefield', 'VA');
INSERT INTO cities VALUES ('Bluefield', 'WV');
INSERT INTO cities VALUES ('Bluegrove', 'TX');
INSERT INTO cities VALUES ('Bluejacket', 'OK');
INSERT INTO cities VALUES ('Bluemont', 'VA');
INSERT INTO cities VALUES ('Bluewater', 'NM');
INSERT INTO cities VALUES ('Bluff', 'UT');
INSERT INTO cities VALUES ('Bluff City', 'AR');
INSERT INTO cities VALUES ('Bluff City', 'KS');
INSERT INTO cities VALUES ('Bluff City', 'TN');
INSERT INTO cities VALUES ('Bluff Dale', 'TX');
INSERT INTO cities VALUES ('Bluff Springs', 'IL');
INSERT INTO cities VALUES ('Bluffs', 'IL');
INSERT INTO cities VALUES ('Bluffton', 'AR');
INSERT INTO cities VALUES ('Bluffton', 'GA');
```

```
INSERT INTO cities VALUES ('Bluffton', 'IN');
INSERT INTO cities VALUES ('Bluffton', 'MN'):
INSERT INTO cities VALUES ('Bluffton', 'OH');
INSERT INTO cities VALUES ('Bluffton', 'SC'):
INSERT INTO cities VALUES ('Bluffton', 'TX'):
INSERT INTO cities VALUES ('Bluford', 'IL');
INSERT INTO cities VALUES ('Blum', 'TX');
INSERT INTO cities VALUES ('Blunt', 'SD');
INSERT INTO cities VALUES ('Bly', 'OR');
INSERT INTO cities VALUES ('Blythe', 'CA');
INSERT INTO cities VALUES ('Blythe', 'GA');
INSERT INTO cities VALUES ('Blythedale', 'MO');
INSERT INTO cities VALUES ('Blytheville', 'AR'):
INSERT INTO cities VALUES ('Blythewood', 'SC');
INSERT INTO cities VALUES ('Boalsburg', 'PA'):
INSERT INTO cities VALUES ('Board Camp', 'AR');
INSERT INTO cities VALUES ('Boardman', 'OR');
INSERT INTO cities VALUES ('Boaz', 'AL');
INSERT INTO cities VALUES ('Boaz', 'KY');
INSERT INTO cities VALUES ('Bob White', 'WV');
INSERT INTO cities VALUES ('Bobtown', 'PA');
INSERT INTO cities VALUES ('Boca Grande', 'FL'):
INSERT INTO cities VALUES ('Boca Raton', 'FL');
INSERT INTO cities VALUES ('Bock', 'MN');
INSERT INTO cities VALUES ('Bode', 'IA');
INSERT INTO cities VALUES ('Bodega', 'CA');
INSERT INTO cities VALUES ('Bodega Bay', 'CA');
INSERT INTO cities VALUES ('Bodfish', 'CA');
INSERT INTO cities VALUES ('Boelus', 'NE');
INSERT INTO cities VALUES ('Boerne', 'TX');
INSERT INTO cities VALUES ('Bogalusa', 'LA');
INSERT INTO cities VALUES ('Bogard', 'MO');
INSERT INTO cities VALUES ('Bogart', 'GA');
INSERT INTO cities VALUES ('Bogata', 'TX');
INSERT INTO cities VALUES ('Boggstown', 'IN');
INSERT INTO cities VALUES ('Bogota', 'NJ'):
INSERT INTO cities VALUES ('Bogota', 'TN');
INSERT INTO cities VALUES ('Bogue', 'KS');
INSERT INTO cities VALUES ('Bogue Chitto', 'MS'):
INSERT INTO cities VALUES ('Bohannon', 'VA');
INSERT INTO cities VALUES ('Bohemia', 'NY');
INSERT INTO cities VALUES ('Boiceville', 'NY');
INSERT INTO cities VALUES ('Boiling Springs', 'NC');
INSERT INTO cities VALUES ('Boiling Springs', 'PA');
INSERT INTO cities VALUES ('Boiling Springs', 'SC');
INSERT INTO cities VALUES ('Bois D Arc', 'MO');
INSERT INTO cities VALUES ('Boise', 'ID');
INSERT INTO cities VALUES ('Boise City', 'OK');
INSERT INTO cities VALUES ('Boissevain', 'VA');
INSERT INTO cities VALUES ('Bokchito', 'OK');
INSERT INTO cities VALUES ('Bokeelia', 'FL');
INSERT INTO cities VALUES ('Bokoshe', 'OK');
INSERT INTO cities VALUES ('Bolckow', 'MO');
INSERT INTO cities VALUES ('Boles', 'AR');
INSERT INTO cities VALUES ('Boles', 'IL');
INSERT INTO cities VALUES ('Boley', 'OK');
```

```
INSERT INTO cities VALUES ('Boligee', 'AL');
INSERT INTO cities VALUES ('Bolinas', 'CA'):
INSERT INTO cities VALUES ('Boling', 'TX');
INSERT INTO cities VALUES ('Bolingbroke', 'GA');
INSERT INTO cities VALUES ('Bolingbrook', 'IL'):
INSERT INTO cities VALUES ('Bolivar', 'MO');
INSERT INTO cities VALUES ('Bolivar', 'NY');
INSERT INTO cities VALUES ('Bolivar', 'OH');
INSERT INTO cities VALUES ('Bolivar', 'PA');
INSERT INTO cities VALUES ('Bolivar', 'TN');
INSERT INTO cities VALUES ('Bolivia', 'NC');
INSERT INTO cities VALUES ('Bolt', 'WV');
INSERT INTO cities VALUES ('Bolton', 'CT');
INSERT INTO cities VALUES ('Bolton', 'MA');
INSERT INTO cities VALUES ('Bolton', 'MS'):
INSERT INTO cities VALUES ('Bolton', 'NC');
INSERT INTO cities VALUES ('Bolton Landing', 'NY');
INSERT INTO cities VALUES ('Bombay', 'NY');
INSERT INTO cities VALUES ('Bomont', 'WV');
INSERT INTO cities VALUES ('Bomoseen', 'VT');
INSERT INTO cities VALUES ('Bon Air', 'AL');
INSERT INTO cities VALUES ('Bon Aqua', 'TN');
INSERT INTO cities VALUES ('Bon Secour', 'AL');
INSERT INTO cities VALUES ('Bon Wier', 'TX');
INSERT INTO cities VALUES ('Bonaire', 'GA');
INSERT INTO cities VALUES ('Bonanza', 'OR');
INSERT INTO cities VALUES ('Bonanza', 'UT'):
INSERT INTO cities VALUES ('Bonaparte', 'IA');
INSERT INTO cities VALUES ('Boncarbo', 'CO');
INSERT INTO cities VALUES ('Bond', 'CO');
INSERT INTO cities VALUES ('Bondsville', 'MA');
INSERT INTO cities VALUES ('Bonduel', 'WI');
INSERT INTO cities VALUES ('Bondurant', 'IA');
INSERT INTO cities VALUES ('Bondurant', 'WY');
INSERT INTO cities VALUES ('Bondville', 'IL');
INSERT INTO cities VALUES ('Bondville', 'VT');
INSERT INTO cities VALUES ('Bone Gap', 'IL');
INSERT INTO cities VALUES ('Bonesteel', 'SD');
INSERT INTO cities VALUES ('Boneville', 'GA');
INSERT INTO cities VALUES ('Bonfield', 'IL');
INSERT INTO cities VALUES ('Bonham', 'TX');
INSERT INTO cities VALUES ('Bonifay', 'FL');
INSERT INTO cities VALUES ('Bonita', 'CA');
INSERT INTO cities VALUES ('Bonita', 'LA');
INSERT INTO cities VALUES ('Bonita Springs', 'FL'):
INSERT INTO cities VALUES ('Bonlee', 'NC');
INSERT INTO cities VALUES ('Bonne Terre', 'MO');
INSERT INTO cities VALUES ('Bonneau', 'SC');
INSERT INTO cities VALUES ('Bonner', 'MT');
INSERT INTO cities VALUES ('Bonner Springs', 'KS');
INSERT INTO cities VALUES ('Bonnerdale', 'AR');
INSERT INTO cities VALUES ('Bonners Ferry', 'ID');
INSERT INTO cities VALUES ('Bonney Lake', 'WA');
INSERT INTO cities VALUES ('Bonnie', 'IL');
INSERT INTO cities VALUES ('Bonnieville', 'KY');
INSERT INTO cities VALUES ('Bonnots Mill', 'MO');
```

```
INSERT INTO cities VALUES ('Bonnyman', 'KY');
INSERT INTO cities VALUES ('Bono', 'AR'):
INSERT INTO cities VALUES ('Bonsall', 'CA');
INSERT INTO cities VALUES ('Boody', 'IL'):
INSERT INTO cities VALUES ('Booker', 'TX'):
INSERT INTO cities VALUES ('Boomer', 'NC');
INSERT INTO cities VALUES ('Boomer', 'WV');
INSERT INTO cities VALUES ('Boon', 'MI');
INSERT INTO cities VALUES ('Boone', 'CO');
INSERT INTO cities VALUES ('Boone', 'IA');
INSERT INTO cities VALUES ('Boone', 'NC');
INSERT INTO cities VALUES ('Boone Grove', 'IN');
INSERT INTO cities VALUES ('Boones Mill', 'VA'):
INSERT INTO cities VALUES ('Booneville', 'AR');
INSERT INTO cities VALUES ('Booneville', 'IA'):
INSERT INTO cities VALUES ('Booneville', 'KY');
INSERT INTO cities VALUES ('Booneville', 'MS');
INSERT INTO cities VALUES ('Boons Camp', 'KY');
INSERT INTO cities VALUES ('Boonsboro', 'MD');
INSERT INTO cities VALUES ('Boonton', 'NJ');
INSERT INTO cities VALUES ('Boonville', 'CA');
INSERT INTO cities VALUES ('Boonville', 'IN');
INSERT INTO cities VALUES ('Boonville', 'MO');
INSERT INTO cities VALUES ('Boonville', 'NC');
INSERT INTO cities VALUES ('Boonville', 'NY');
INSERT INTO cities VALUES ('Booth', 'AL');
INSERT INTO cities VALUES ('Boothbay', 'ME'):
INSERT INTO cities VALUES ('Boothbay Harbor', 'ME');
INSERT INTO cities VALUES ('Boothville', 'LA');
INSERT INTO cities VALUES ('Boqueron', 'PR');
INSERT INTO cities VALUES ('Bordelonville', 'LA');
INSERT INTO cities VALUES ('Borden', 'IN');
INSERT INTO cities VALUES ('Bordentown', 'NJ');
INSERT INTO cities VALUES ('Borderland', 'WV');
INSERT INTO cities VALUES ('Borger', 'TX');
INSERT INTO cities VALUES ('Boring', 'MD');
INSERT INTO cities VALUES ('Boring', 'OR');
INSERT INTO cities VALUES ('Boron', 'CA');
INSERT INTO cities VALUES ('Borrego Springs', 'CA'):
INSERT INTO cities VALUES ('Borup', 'MN');
INSERT INTO cities VALUES ('Boscobel', 'WI');
INSERT INTO cities VALUES ('Bosler', 'WY');
INSERT INTO cities VALUES ('Bosque', 'NM');
INSERT INTO cities VALUES ('Bosque Farms', 'NM');
INSERT INTO cities VALUES ('Boss', 'MO'):
INSERT INTO cities VALUES ('Bossier City', 'LA');
INSERT INTO cities VALUES ('Bostic', 'NC');
INSERT INTO cities VALUES ('Boston', 'GA');
INSERT INTO cities VALUES ('Boston', 'IN');
INSERT INTO cities VALUES ('Boston', 'KY');
INSERT INTO cities VALUES ('Boston', 'MA');
INSERT INTO cities VALUES ('Boston', 'NY');
INSERT INTO cities VALUES ('Boston', 'VA');
INSERT INTO cities VALUES ('Bostwick', 'FL');
INSERT INTO cities VALUES ('Bostwick', 'GA');
INSERT INTO cities VALUES ('Boswell', 'IN');
```

```
INSERT INTO cities VALUES ('Boswell', 'OK');
INSERT INTO cities VALUES ('Boswell', 'PA'):
INSERT INTO cities VALUES ('Bosworth', 'MO');
INSERT INTO cities VALUES ('Bothell', 'WA');
INSERT INTO cities VALUES ('Botkins', 'OH'):
INSERT INTO cities VALUES ('Botsford', 'CT');
INSERT INTO cities VALUES ('Bottineau', 'ND');
INSERT INTO cities VALUES ('Bouckville', 'NY');
INSERT INTO cities VALUES ('Boulder', 'CO');
INSERT INTO cities VALUES ('Boulder', 'MT');
INSERT INTO cities VALUES ('Boulder', 'UT');
INSERT INTO cities VALUES ('Boulder', 'WY');
INSERT INTO cities VALUES ('Boulder City', 'NV');
INSERT INTO cities VALUES ('Boulder Creek', 'CA');
INSERT INTO cities VALUES ('Boulder Junction', 'WI');
INSERT INTO cities VALUES ('Boulevard', 'CA'):
INSERT INTO cities VALUES ('Bound Brook', 'NJ');
INSERT INTO cities VALUES ('Bountiful', 'UT');
INSERT INTO cities VALUES ('Bourbon', 'IN');
INSERT INTO cities VALUES ('Bourbon', 'MO');
INSERT INTO cities VALUES ('Bourbonnais', 'IL');
INSERT INTO cities VALUES ('Bourg', 'LA');
INSERT INTO cities VALUES ('Bourneville', 'OH');
INSERT INTO cities VALUES ('Bouse', 'AZ');
INSERT INTO cities VALUES ('Bouton', 'IA');
INSERT INTO cities VALUES ('Boutte', 'LA');
INSERT INTO cities VALUES ('Bovard', 'PA');
INSERT INTO cities VALUES ('Bovey', 'MN');
INSERT INTO cities VALUES ('Bovill', 'ID');
INSERT INTO cities VALUES ('Bovina', 'TX');
INSERT INTO cities VALUES ('Bovina Center', 'NY');
INSERT INTO cities VALUES ('Bow', 'NH');
INSERT INTO cities VALUES ('Bow', 'WA');
INSERT INTO cities VALUES ('Bowbells', 'ND');
INSERT INTO cities VALUES ('Bowden', 'WV');
INSERT INTO cities VALUES ('Bowdle', 'SD'):
INSERT INTO cities VALUES ('Bowdoin', 'ME');
INSERT INTO cities VALUES ('Bowdoinham', 'ME');
INSERT INTO cities VALUES ('Bowdon', 'GA'):
INSERT INTO cities VALUES ('Bowdon', 'ND');
INSERT INTO cities VALUES ('Bowdon Junction', 'GA');
INSERT INTO cities VALUES ('Bowen', 'IL');
INSERT INTO cities VALUES ('Bowers', 'PA');
INSERT INTO cities VALUES ('Bowerston', 'OH');
INSERT INTO cities VALUES ('Bowersville', 'GA'):
INSERT INTO cities VALUES ('Bowersville', 'OH');
INSERT INTO cities VALUES ('Bowie', 'AZ');
INSERT INTO cities VALUES ('Bowie', 'MD');
INSERT INTO cities VALUES ('Bowie', 'TX');
INSERT INTO cities VALUES ('Bowlegs', 'OK');
INSERT INTO cities VALUES ('Bowler', 'WI');
INSERT INTO cities VALUES ('Bowling Green', 'FL');
INSERT INTO cities VALUES ('Bowling Green', 'IN');
INSERT INTO cities VALUES ('Bowling Green', 'KY');
INSERT INTO cities VALUES ('Bowling Green', 'MO');
INSERT INTO cities VALUES ('Bowling Green', 'OH');
```

```
INSERT INTO cities VALUES ('Bowling Green', 'SC');
INSERT INTO cities VALUES ('Bowling Green', 'VA'):
INSERT INTO cities VALUES ('Bowlus', 'MN');
INSERT INTO cities VALUES ('Bowman', 'GA');
INSERT INTO cities VALUES ('Bowman', 'ND'):
INSERT INTO cities VALUES ('Bowman', 'SC');
INSERT INTO cities VALUES ('Bowmansdale', 'PA');
INSERT INTO cities VALUES ('Bowmanstown', 'PA');
INSERT INTO cities VALUES ('Bowmansville', 'NY');
INSERT INTO cities VALUES ('Bowmansville', 'PA');
INSERT INTO cities VALUES ('Bowstring', 'MN');
INSERT INTO cities VALUES ('Box Elder', 'MT');
INSERT INTO cities VALUES ('Box Elder', 'SD');
INSERT INTO cities VALUES ('Box Springs', 'GA');
INSERT INTO cities VALUES ('Boxborough', 'MA');
INSERT INTO cities VALUES ('Boxford', 'MA'):
INSERT INTO cities VALUES ('Boxholm', 'IA');
INSERT INTO cities VALUES ('Boyce', 'LA');
INSERT INTO cities VALUES ('Boyce', 'VA');
INSERT INTO cities VALUES ('Boyceville', 'WI');
INSERT INTO cities VALUES ('Boyd', 'MN');
INSERT INTO cities VALUES ('Boyd', 'MT');
INSERT INTO cities VALUES ('Boyd', 'TX');
INSERT INTO cities VALUES ('Boyd', 'WI');
INSERT INTO cities VALUES ('Boyden', 'IA');
INSERT INTO cities VALUES ('Boyds', 'MD');
INSERT INTO cities VALUES ('Boyds', 'WA');
INSERT INTO cities VALUES ('Boydton', 'VA');
INSERT INTO cities VALUES ('Boyers', 'PA');
INSERT INTO cities VALUES ('Boyertown', 'PA');
INSERT INTO cities VALUES ('Boyes', 'MT');
INSERT INTO cities VALUES ('Boyes Hot Springs', 'CA');
INSERT INTO cities VALUES ('Boykin', 'AL');
INSERT INTO cities VALUES ('Boykins', 'VA');
INSERT INTO cities VALUES ('Boyle', 'MS');
INSERT INTO cities VALUES ('Boylston', 'MA'):
INSERT INTO cities VALUES ('Boyne City', 'MI');
INSERT INTO cities VALUES ('Boyne Falls', 'MI');
INSERT INTO cities VALUES ('Boynton', 'OK'):
INSERT INTO cities VALUES ('Boynton', 'PA');
INSERT INTO cities VALUES ('Boynton Beach', 'FL');
INSERT INTO cities VALUES ('Boys Ranch', 'TX');
INSERT INTO cities VALUES ('Boys Town', 'NE');
INSERT INTO cities VALUES ('Bozeman', 'MT');
INSERT INTO cities VALUES ('Bozman', 'MD'):
INSERT INTO cities VALUES ('Bozrah', 'CT');
INSERT INTO cities VALUES ('Braceville', 'IL');
INSERT INTO cities VALUES ('Bracey', 'VA');
INSERT INTO cities VALUES ('Brackenridge', 'PA');
INSERT INTO cities VALUES ('Brackettville', 'TX');
INSERT INTO cities VALUES ('Brackney', 'PA');
INSERT INTO cities VALUES ('Braddock', 'ND');
INSERT INTO cities VALUES ('Braddock', 'PA');
INSERT INTO cities VALUES ('Braddock Heights', 'MD');
INSERT INTO cities VALUES ('Braddyville', 'IA');
INSERT INTO cities VALUES ('Braden', 'TN');
```

```
INSERT INTO cities VALUES ('Bradenton', 'FL');
INSERT INTO cities VALUES ('Bradenton Beach', 'FL'):
INSERT INTO cities VALUES ('Bradenville', 'PA');
INSERT INTO cities VALUES ('Bradford', 'AR'):
INSERT INTO cities VALUES ('Bradford', 'IA'):
INSERT INTO cities VALUES ('Bradford', 'IL');
INSERT INTO cities VALUES ('Bradford', 'IN');
INSERT INTO cities VALUES ('Bradford', 'ME');
INSERT INTO cities VALUES ('Bradford', 'NH');
INSERT INTO cities VALUES ('Bradford', 'NY');
INSERT INTO cities VALUES ('Bradford', 'OH');
INSERT INTO cities VALUES ('Bradford', 'PA');
INSERT INTO cities VALUES ('Bradford', 'RI'):
INSERT INTO cities VALUES ('Bradford', 'TN');
INSERT INTO cities VALUES ('Bradford', 'VT'):
INSERT INTO cities VALUES ('Bradfordsville', 'KY');
INSERT INTO cities VALUES ('Bradfordwoods', 'PA');
INSERT INTO cities VALUES ('Bradgate', 'IA');
INSERT INTO cities VALUES ('Bradley', 'AR');
INSERT INTO cities VALUES ('Bradley', 'CA');
INSERT INTO cities VALUES ('Bradley', 'FL');
INSERT INTO cities VALUES ('Bradley', 'IL');
INSERT INTO cities VALUES ('Bradley', 'ME');
INSERT INTO cities VALUES ('Bradley', 'MI'):
INSERT INTO cities VALUES ('Bradley', 'OK');
INSERT INTO cities VALUES ('Bradley', 'SC');
INSERT INTO cities VALUES ('Bradley', 'SD'):
INSERT INTO cities VALUES ('Bradley', 'WV');
INSERT INTO cities VALUES ('Bradley Beach', 'NJ');
INSERT INTO cities VALUES ('Bradleyville', 'MO');
INSERT INTO cities VALUES ('Bradner', 'OH');
INSERT INTO cities VALUES ('Bradshaw', 'NE');
INSERT INTO cities VALUES ('Bradshaw', 'WV');
INSERT INTO cities VALUES ('Brady', 'MT');
INSERT INTO cities VALUES ('Brady', 'NE');
INSERT INTO cities VALUES ('Brady', 'TX');
INSERT INTO cities VALUES ('Brady Lake', 'OH');
INSERT INTO cities VALUES ('Bradyville', 'TN');
INSERT INTO cities VALUES ('Bragg City', 'MO');
INSERT INTO cities VALUES ('Braggadocio', 'MO');
INSERT INTO cities VALUES ('Braggs', 'OK');
INSERT INTO cities VALUES ('Braham', 'MN');
INSERT INTO cities VALUES ('Braidwood', 'IL');
INSERT INTO cities VALUES ('Brainard', 'NE');
INSERT INTO cities VALUES ('Brainard', 'NY'):
INSERT INTO cities VALUES ('Brainardsville', 'NY');
INSERT INTO cities VALUES ('Brainerd', 'MN');
INSERT INTO cities VALUES ('Braintree', 'MA');
INSERT INTO cities VALUES ('Braithwaite', 'LA');
INSERT INTO cities VALUES ('Braman', 'OK');
INSERT INTO cities VALUES ('Bramwell', 'WV');
INSERT INTO cities VALUES ('Branch', 'AR');
INSERT INTO cities VALUES ('Branch', 'LA');
INSERT INTO cities VALUES ('Branch', 'MI');
INSERT INTO cities VALUES ('Branchdale', 'PA');
INSERT INTO cities VALUES ('Branchland', 'WV');
```

```
INSERT INTO cities VALUES ('Branchport', 'NY');
INSERT INTO cities VALUES ('Branchton', 'PA'):
INSERT INTO cities VALUES ('Branchville', 'IN');
INSERT INTO cities VALUES ('Branchville', 'NJ'):
INSERT INTO cities VALUES ('Branchville', 'SC'):
INSERT INTO cities VALUES ('Branchville', 'VA');
INSERT INTO cities VALUES ('Brandamore', 'PA');
INSERT INTO cities VALUES ('Brandeis', 'CA');
INSERT INTO cities VALUES ('Brandenburg', 'KY');
INSERT INTO cities VALUES ('Brandon', 'FL');
INSERT INTO cities VALUES ('Brandon', 'IA');
INSERT INTO cities VALUES ('Brandon', 'MN');
INSERT INTO cities VALUES ('Brandon', 'MS'):
INSERT INTO cities VALUES ('Brandon', 'SD');
INSERT INTO cities VALUES ('Brandon', 'TX'):
INSERT INTO cities VALUES ('Brandon', 'VT');
INSERT INTO cities VALUES ('Brandon', 'WI');
INSERT INTO cities VALUES ('Brandsville', 'MO');
INSERT INTO cities VALUES ('Brandt', 'SD');
INSERT INTO cities VALUES ('Brandy Camp', 'PA');
INSERT INTO cities VALUES ('Brandy Station', 'VA');
INSERT INTO cities VALUES ('Brandywine', 'MD');
INSERT INTO cities VALUES ('Brandywine', 'WV');
INSERT INTO cities VALUES ('Branford', 'CT'):
INSERT INTO cities VALUES ('Branford', 'FL');
INSERT INTO cities VALUES ('Branscomb', 'CA');
INSERT INTO cities VALUES ('Branson', 'CO'):
INSERT INTO cities VALUES ('Branson', 'MO');
INSERT INTO cities VALUES ('Brant', 'MI');
INSERT INTO cities VALUES ('Brant', 'NY');
INSERT INTO cities VALUES ('Brant Lake', 'NY');
INSERT INTO cities VALUES ('Brant Rock', 'MA');
INSERT INTO cities VALUES ('Brantingham', 'NY');
INSERT INTO cities VALUES ('Brantley', 'AL');
INSERT INTO cities VALUES ('Brantwood', 'WI');
INSERT INTO cities VALUES ('Braselton', 'GA'):
INSERT INTO cities VALUES ('Brashear', 'MO');
INSERT INTO cities VALUES ('Brashear', 'TX');
INSERT INTO cities VALUES ('Brasher Falls', 'NY'):
INSERT INTO cities VALUES ('Brasstown', 'NC');
INSERT INTO cities VALUES ('Brattleboro', 'VT');
INSERT INTO cities VALUES ('Brave', 'PA');
INSERT INTO cities VALUES ('Brawley', 'CA');
INSERT INTO cities VALUES ('Braxton', 'MS');
INSERT INTO cities VALUES ('Braymer', 'MO'):
INSERT INTO cities VALUES ('Brayton', 'IA');
INSERT INTO cities VALUES ('Brazeau', 'MO');
INSERT INTO cities VALUES ('Brazil', 'IN');
INSERT INTO cities VALUES ('Brazoria', 'TX');
INSERT INTO cities VALUES ('Brea', 'CA');
INSERT INTO cities VALUES ('Breaks', 'VA');
INSERT INTO cities VALUES ('Breaux Bridge', 'LA');
INSERT INTO cities VALUES ('Breckenridge', 'CO');
INSERT INTO cities VALUES ('Breckenridge', 'MI');
INSERT INTO cities VALUES ('Breckenridge', 'MN');
INSERT INTO cities VALUES ('Breckenridge', 'MO');
```

```
INSERT INTO cities VALUES ('Breckenridge', 'TX');
INSERT INTO cities VALUES ('Brecksville', 'OH'):
INSERT INTO cities VALUES ('Breda', 'IA');
INSERT INTO cities VALUES ('Breeden', 'WV');
INSERT INTO cities VALUES ('Breeding', 'KY'):
INSERT INTO cities VALUES ('Breedsville', 'MI');
INSERT INTO cities VALUES ('Breese', 'IL');
INSERT INTO cities VALUES ('Breesport', 'NY');
INSERT INTO cities VALUES ('Breezewood', 'PA');
INSERT INTO cities VALUES ('Breezy Point', 'NY');
INSERT INTO cities VALUES ('Breinigsville', 'PA');
INSERT INTO cities VALUES ('Bremen', 'AL');
INSERT INTO cities VALUES ('Bremen', 'GA'):
INSERT INTO cities VALUES ('Bremen', 'IN');
INSERT INTO cities VALUES ('Bremen', 'KS'):
INSERT INTO cities VALUES ('Bremen', 'KY');
INSERT INTO cities VALUES ('Bremen', 'ME');
INSERT INTO cities VALUES ('Bremen', 'ND');
INSERT INTO cities VALUES ('Bremerton', 'WA');
INSERT INTO cities VALUES ('Bremo Bluff', 'VA');
INSERT INTO cities VALUES ('Bremond', 'TX');
INSERT INTO cities VALUES ('Brenham', 'TX');
INSERT INTO cities VALUES ('Brent', 'AL');
INSERT INTO cities VALUES ('Brentford', 'SD'):
INSERT INTO cities VALUES ('Brenton', 'WV');
INSERT INTO cities VALUES ('Brentwood', 'CA');
INSERT INTO cities VALUES ('Brentwood', 'MD'):
INSERT INTO cities VALUES ('Brentwood', 'NY'):
INSERT INTO cities VALUES ('Brentwood', 'TN');
INSERT INTO cities VALUES ('Brethren', 'MI');
INSERT INTO cities VALUES ('Bretton Woods', 'NH');
INSERT INTO cities VALUES ('Bretz', 'WV');
INSERT INTO cities VALUES ('Brevard', 'NC');
INSERT INTO cities VALUES ('Brevig Mission', 'AK');
INSERT INTO cities VALUES ('Brewer', 'ME'):
INSERT INTO cities VALUES ('Brewerton', 'NY'):
INSERT INTO cities VALUES ('Brewster', 'KS');
INSERT INTO cities VALUES ('Brewster', 'MA');
INSERT INTO cities VALUES ('Brewster', 'MN'):
INSERT INTO cities VALUES ('Brewster', 'NE');
INSERT INTO cities VALUES ('Brewster', 'NY');
INSERT INTO cities VALUES ('Brewster', 'OH');
INSERT INTO cities VALUES ('Brewster', 'WA');
INSERT INTO cities VALUES ('Brewton', 'AL');
INSERT INTO cities VALUES ('Brian Head', 'UT');
INSERT INTO cities VALUES ('Briar', 'MO');
INSERT INTO cities VALUES ('Briarcliff Manor', 'NY');
INSERT INTO cities VALUES ('Brice', 'OH');
INSERT INTO cities VALUES ('Bricelyn', 'MN');
INSERT INTO cities VALUES ('Briceville', 'TN');
INSERT INTO cities VALUES ('Brick', 'NJ');
INSERT INTO cities VALUES ('Brickeys', 'AR');
INSERT INTO cities VALUES ('Bridal Veil', 'OR');
INSERT INTO cities VALUES ('Bridge City', 'TX');
INSERT INTO cities VALUES ('Bridgehampton', 'NY');
INSERT INTO cities VALUES ('Bridgeport', 'AL');
```

```
INSERT INTO cities VALUES ('Bridgeport', 'CA');
INSERT INTO cities VALUES ('Bridgeport', 'CT'):
INSERT INTO cities VALUES ('Bridgeport', 'IL');
INSERT INTO cities VALUES ('Bridgeport', 'MI');
INSERT INTO cities VALUES ('Bridgeport', 'NE'):
INSERT INTO cities VALUES ('Bridgeport', 'NJ');
INSERT INTO cities VALUES ('Bridgeport', 'NY');
INSERT INTO cities VALUES ('Bridgeport', 'OH');
INSERT INTO cities VALUES ('Bridgeport', 'OR');
INSERT INTO cities VALUES ('Bridgeport', 'PA');
INSERT INTO cities VALUES ('Bridgeport', 'TX');
INSERT INTO cities VALUES ('Bridgeport', 'WA');
INSERT INTO cities VALUES ('Bridgeport', 'WV'):
INSERT INTO cities VALUES ('Bridger', 'MT');
INSERT INTO cities VALUES ('Bridgeton', 'IN');
INSERT INTO cities VALUES ('Bridgeton', 'MO');
INSERT INTO cities VALUES ('Bridgeton', 'NC');
INSERT INTO cities VALUES ('Bridgeton', 'NJ');
INSERT INTO cities VALUES ('Bridgeview', 'IL');
INSERT INTO cities VALUES ('Bridgeville', 'CA');
INSERT INTO cities VALUES ('Bridgeville', 'DE');
INSERT INTO cities VALUES ('Bridgeville', 'PA');
INSERT INTO cities VALUES ('Bridgewater', 'CT');
INSERT INTO cities VALUES ('Bridgewater', 'IA'):
INSERT INTO cities VALUES ('Bridgewater', 'MA');
INSERT INTO cities VALUES ('Bridgewater', 'ME');
INSERT INTO cities VALUES ('Bridgewater', 'MI'):
INSERT INTO cities VALUES ('Bridgewater', 'NJ');
INSERT INTO cities VALUES ('Bridgewater', 'NY');
INSERT INTO cities VALUES ('Bridgewater', 'SD');
INSERT INTO cities VALUES ('Bridgewater', 'VA');
INSERT INTO cities VALUES ('Bridgewater', 'VT');
INSERT INTO cities VALUES ('Bridgewater Corners', 'VT');
INSERT INTO cities VALUES ('Bridgman', 'MI');
INSERT INTO cities VALUES ('Bridgton', 'ME');
INSERT INTO cities VALUES ('Bridport', 'VT');
INSERT INTO cities VALUES ('Brielle', 'NJ');
INSERT INTO cities VALUES ('Brier Hill', 'NY');
INSERT INTO cities VALUES ('Brier Hill', 'PA'):
INSERT INTO cities VALUES ('Brierfield', 'AL');
INSERT INTO cities VALUES ('Brigantine', 'NJ');
INSERT INTO cities VALUES ('Briggs', 'TX');
INSERT INTO cities VALUES ('Briggsdale', 'CO');
INSERT INTO cities VALUES ('Briggsville', 'AR');
INSERT INTO cities VALUES ('Briggsville', 'WI');
INSERT INTO cities VALUES ('Brigham City', 'UT');
INSERT INTO cities VALUES ('Brighton', 'CO');
INSERT INTO cities VALUES ('Brighton', 'IA');
INSERT INTO cities VALUES ('Brighton', 'IL');
INSERT INTO cities VALUES ('Brighton', 'MA');
INSERT INTO cities VALUES ('Brighton', 'MI');
INSERT INTO cities VALUES ('Brighton', 'MO');
INSERT INTO cities VALUES ('Brighton', 'TN');
INSERT INTO cities VALUES ('Brightwaters', 'NY');
INSERT INTO cities VALUES ('Brightwood', 'OR');
INSERT INTO cities VALUES ('Brightwood', 'VA');
```

```
INSERT INTO cities VALUES ('Brill', 'WI');
INSERT INTO cities VALUES ('Brilliant', 'AL'):
INSERT INTO cities VALUES ('Brilliant', 'OH');
INSERT INTO cities VALUES ('Brillion', 'WI');
INSERT INTO cities VALUES ('Brimfield', 'IL'):
INSERT INTO cities VALUES ('Brimfield', 'MA');
INSERT INTO cities VALUES ('Brimhall', 'NM');
INSERT INTO cities VALUES ('Brimley', 'MI');
INSERT INTO cities VALUES ('Brimson', 'MN');
INSERT INTO cities VALUES ('Bringhurst', 'IN');
INSERT INTO cities VALUES ('Brinkhaven', 'OH');
INSERT INTO cities VALUES ('Brinkley', 'AR');
INSERT INTO cities VALUES ('Brinklow', 'MD');
INSERT INTO cities VALUES ('Brinktown', 'MO');
INSERT INTO cities VALUES ('Brinnon', 'WA');
INSERT INTO cities VALUES ('Brinson', 'GA');
INSERT INTO cities VALUES ('Brisbane', 'CA');
INSERT INTO cities VALUES ('Brisbin', 'PA');
INSERT INTO cities VALUES ('Briscoe', 'TX');
INSERT INTO cities VALUES ('Bristol', 'CT');
INSERT INTO cities VALUES ('Bristol', 'FL');
INSERT INTO cities VALUES ('Bristol', 'GA'):
INSERT INTO cities VALUES ('Bristol', 'IL');
INSERT INTO cities VALUES ('Bristol', 'IN');
INSERT INTO cities VALUES ('Bristol', 'ME');
INSERT INTO cities VALUES ('Bristol', 'NH');
INSERT INTO cities VALUES ('Bristol', 'PA'):
INSERT INTO cities VALUES ('Bristol', 'RI');
INSERT INTO cities VALUES ('Bristol', 'SD');
INSERT INTO cities VALUES ('Bristol', 'TN');
INSERT INTO cities VALUES ('Bristol', 'VA');
INSERT INTO cities VALUES ('Bristol', 'VT');
INSERT INTO cities VALUES ('Bristol', 'WI');
INSERT INTO cities VALUES ('Bristolville', 'OH');
INSERT INTO cities VALUES ('Bristow', 'IA'):
INSERT INTO cities VALUES ('Bristow', 'IN');
INSERT INTO cities VALUES ('Bristow', 'NE');
INSERT INTO cities VALUES ('Bristow', 'OK');
INSERT INTO cities VALUES ('Bristow', 'VA'):
INSERT INTO cities VALUES ('Britt', 'IA');
INSERT INTO cities VALUES ('Britt', 'MN');
INSERT INTO cities VALUES ('Brittany', 'LA');
INSERT INTO cities VALUES ('Britton', 'MI');
INSERT INTO cities VALUES ('Britton', 'SD');
INSERT INTO cities VALUES ('Brixey', 'MO'):
INSERT INTO cities VALUES ('Broad Brook', 'CT');
INSERT INTO cities VALUES ('Broad Run', 'VA');
INSERT INTO cities VALUES ('Broad Top', 'PA');
INSERT INTO cities VALUES ('Broadalbin', 'NY');
INSERT INTO cities VALUES ('Broadbent', 'OR'):
INSERT INTO cities VALUES ('Broaddus', 'TX');
INSERT INTO cities VALUES ('Broadford', 'VA');
INSERT INTO cities VALUES ('Broadlands', 'IL');
INSERT INTO cities VALUES ('Broadus', 'MT');
INSERT INTO cities VALUES ('Broadview', 'IL');
INSERT INTO cities VALUES ('Broadview', 'MT');
```

```
INSERT INTO cities VALUES ('Broadview', 'NM');
INSERT INTO cities VALUES ('Broadview Heights', 'OH'):
INSERT INTO cities VALUES ('Broadwater', 'NE');
INSERT INTO cities VALUES ('Broadway', 'NC'):
INSERT INTO cities VALUES ('Broadway', 'NJ'):
INSERT INTO cities VALUES ('Broadway', 'OH');
INSERT INTO cities VALUES ('Broadway', 'VA');
INSERT INTO cities VALUES ('Brock', 'NE');
INSERT INTO cities VALUES ('Brocket', 'ND');
INSERT INTO cities VALUES ('Brockport', 'NY');
INSERT INTO cities VALUES ('Brockport', 'PA');
INSERT INTO cities VALUES ('Brockton', 'MA');
INSERT INTO cities VALUES ('Brockton', 'MT'):
INSERT INTO cities VALUES ('Brockton', 'PA');
INSERT INTO cities VALUES ('Brockway', 'MT'):
INSERT INTO cities VALUES ('Brockway', 'PA'):
INSERT INTO cities VALUES ('Brockwell', 'AR');
INSERT INTO cities VALUES ('Brocton', 'IL');
INSERT INTO cities VALUES ('Brocton', 'NY');
INSERT INTO cities VALUES ('Brodhead', 'KY');
INSERT INTO cities VALUES ('Brodhead', 'WI');
INSERT INTO cities VALUES ('Brodheadsville', 'PA');
INSERT INTO cities VALUES ('Brodnax', 'VA');
INSERT INTO cities VALUES ('Brogan', 'OR'):
INSERT INTO cities VALUES ('Brogue', 'PA');
INSERT INTO cities VALUES ('Brohard', 'WV');
INSERT INTO cities VALUES ('Brohman', 'MI'):
INSERT INTO cities VALUES ('Brokaw', 'WI'):
INSERT INTO cities VALUES ('Broken Arrow', 'OK');
INSERT INTO cities VALUES ('Broken Bow', 'NE');
INSERT INTO cities VALUES ('Broken Bow', 'OK');
INSERT INTO cities VALUES ('Bromide', 'OK');
INSERT INTO cities VALUES ('Bronaugh', 'MO');
INSERT INTO cities VALUES ('Bronson', 'FL');
INSERT INTO cities VALUES ('Bronson', 'IA');
INSERT INTO cities VALUES ('Bronson', 'KS');
INSERT INTO cities VALUES ('Bronson', 'MI');
INSERT INTO cities VALUES ('Bronson', 'TX');
INSERT INTO cities VALUES ('Bronston', 'KY');
INSERT INTO cities VALUES ('Bronte', 'TX');
INSERT INTO cities VALUES ('Bronwood', 'GA');
INSERT INTO cities VALUES ('Bronx', 'NY');
INSERT INTO cities VALUES ('Bronxville', 'NY');
INSERT INTO cities VALUES ('Brook', 'IN');
INSERT INTO cities VALUES ('Brook Park', 'MN'):
INSERT INTO cities VALUES ('Brook Park', 'OH');
INSERT INTO cities VALUES ('Brookdale', 'CA');
INSERT INTO cities VALUES ('Brooke', 'VA');
INSERT INTO cities VALUES ('Brookeland', 'TX');
INSERT INTO cities VALUES ('Brooker', 'FL');
INSERT INTO cities VALUES ('Brookesmith', 'TX');
INSERT INTO cities VALUES ('Brookeville', 'MD');
INSERT INTO cities VALUES ('Brookfield', 'CT');
INSERT INTO cities VALUES ('Brookfield', 'GA');
INSERT INTO cities VALUES ('Brookfield', 'IL');
INSERT INTO cities VALUES ('Brookfield', 'MA');
```

```
INSERT INTO cities VALUES ('Brookfield', 'MO');
INSERT INTO cities VALUES ('Brookfield', 'NY'):
INSERT INTO cities VALUES ('Brookfield', 'OH');
INSERT INTO cities VALUES ('Brookfield', 'VT');
INSERT INTO cities VALUES ('Brookfield', 'WI'):
INSERT INTO cities VALUES ('Brookhaven', 'MS');
INSERT INTO cities VALUES ('Brookhaven', 'NY');
INSERT INTO cities VALUES ('Brookhaven', 'PA');
INSERT INTO cities VALUES ('Brookings', 'OR');
INSERT INTO cities VALUES ('Brookings', 'SD');
INSERT INTO cities VALUES ('Brookland', 'AR');
INSERT INTO cities VALUES ('Brooklandville', 'MD');
INSERT INTO cities VALUES ('Brooklet', 'GA');
INSERT INTO cities VALUES ('Brooklin', 'ME');
INSERT INTO cities VALUES ('Brookline', 'MA'):
INSERT INTO cities VALUES ('Brookline', 'MO');
INSERT INTO cities VALUES ('Brookline', 'NH');
INSERT INTO cities VALUES ('Brookline Village', 'MA');
INSERT INTO cities VALUES ('Brooklyn', 'AL');
INSERT INTO cities VALUES ('Brooklyn', 'CT');
INSERT INTO cities VALUES ('Brooklyn', 'IA');
INSERT INTO cities VALUES ('Brooklyn', 'IN');
INSERT INTO cities VALUES ('Brooklyn', 'MD');
INSERT INTO cities VALUES ('Brooklyn', 'MI'):
INSERT INTO cities VALUES ('Brooklyn', 'MS');
INSERT INTO cities VALUES ('Brooklyn', 'NY');
INSERT INTO cities VALUES ('Brooklyn', 'PA');
INSERT INTO cities VALUES ('Brooklyn', 'WI');
INSERT INTO cities VALUES ('Brookneal', 'VA');
INSERT INTO cities VALUES ('Brookport', 'IL');
INSERT INTO cities VALUES ('Brooks', 'CA');
INSERT INTO cities VALUES ('Brooks', 'GA');
INSERT INTO cities VALUES ('Brooks', 'KY');
INSERT INTO cities VALUES ('Brooks', 'ME'):
INSERT INTO cities VALUES ('Brooks', 'MN'):
INSERT INTO cities VALUES ('Brookshire', 'TX');
INSERT INTO cities VALUES ('Brookside', 'AL');
INSERT INTO cities VALUES ('Brookside', 'NJ');
INSERT INTO cities VALUES ('Brookston', 'IN'):
INSERT INTO cities VALUES ('Brookston', 'MN');
INSERT INTO cities VALUES ('Brookston', 'TX');
INSERT INTO cities VALUES ('Brooksville', 'FL');
INSERT INTO cities VALUES ('Brooksville', 'KY');
INSERT INTO cities VALUES ('Brooksville', 'ME');
INSERT INTO cities VALUES ('Brooksville', 'MS');
INSERT INTO cities VALUES ('Brookton', 'ME');
INSERT INTO cities VALUES ('Brooktondale', 'NY');
INSERT INTO cities VALUES ('Brookville', 'IN');
INSERT INTO cities VALUES ('Brookville', 'KS');
INSERT INTO cities VALUES ('Brookville', 'OH');
INSERT INTO cities VALUES ('Brookville', 'PA');
INSERT INTO cities VALUES ('Brookwood', 'AL');
INSERT INTO cities VALUES ('Broomall', 'PA');
INSERT INTO cities VALUES ('Broomes Island', 'MD');
INSERT INTO cities VALUES ('Broomfield', 'CO');
INSERT INTO cities VALUES ('Brooten', 'MN');
```

```
INSERT INTO cities VALUES ('Broseley', 'MO');
INSERT INTO cities VALUES ('Brothers', 'OR'):
INSERT INTO cities VALUES ('Broughton', 'IL');
INSERT INTO cities VALUES ('Broussard', 'LA');
INSERT INTO cities VALUES ('Browder', 'KY'):
INSERT INTO cities VALUES ('Browerville', 'MN');
INSERT INTO cities VALUES ('Brown City', 'MI');
INSERT INTO cities VALUES ('Brownell', 'KS');
INSERT INTO cities VALUES ('Brownfield', 'ME');
INSERT INTO cities VALUES ('Brownfield', 'PA');
INSERT INTO cities VALUES ('Brownfield', 'TX');
INSERT INTO cities VALUES ('Browning', 'IL');
INSERT INTO cities VALUES ('Browning', 'MO'):
INSERT INTO cities VALUES ('Browning', 'MT');
INSERT INTO cities VALUES ('Browns', 'IL');
INSERT INTO cities VALUES ('Browns Mills', 'NJ');
INSERT INTO cities VALUES ('Browns Summit', 'NC');
INSERT INTO cities VALUES ('Browns Valley', 'CA');
INSERT INTO cities VALUES ('Browns Valley', 'MN');
INSERT INTO cities VALUES ('Brownsboro', 'AL');
INSERT INTO cities VALUES ('Brownsboro', 'TX');
INSERT INTO cities VALUES ('Brownsburg', 'IN');
INSERT INTO cities VALUES ('Brownsburg', 'VA');
INSERT INTO cities VALUES ('Brownsdale', 'MN'):
INSERT INTO cities VALUES ('Brownstown', 'IL');
INSERT INTO cities VALUES ('Brownstown', 'IN');
INSERT INTO cities VALUES ('Brownstown', 'PA');
INSERT INTO cities VALUES ('Brownstown', 'WA');
INSERT INTO cities VALUES ('Brownsville', 'CA');
INSERT INTO cities VALUES ('Brownsville', 'IN');
INSERT INTO cities VALUES ('Brownsville', 'KY');
INSERT INTO cities VALUES ('Brownsville', 'MD');
INSERT INTO cities VALUES ('Brownsville', 'MN');
INSERT INTO cities VALUES ('Brownsville', 'OH');
INSERT INTO cities VALUES ('Brownsville', 'OR');
INSERT INTO cities VALUES ('Brownsville', 'PA');
INSERT INTO cities VALUES ('Brownsville', 'TN');
INSERT INTO cities VALUES ('Brownsville', 'TX');
INSERT INTO cities VALUES ('Brownsville', 'VT');
INSERT INTO cities VALUES ('Brownsville', 'WI');
INSERT INTO cities VALUES ('Brownton', 'MN');
INSERT INTO cities VALUES ('Browntown', 'WI');
INSERT INTO cities VALUES ('Brownville', 'ME');
INSERT INTO cities VALUES ('Brownville', 'NE');
INSERT INTO cities VALUES ('Brownville', 'NY');
INSERT INTO cities VALUES ('Brownville Junction', 'ME');
INSERT INTO cities VALUES ('Brownwood', 'MO');
INSERT INTO cities VALUES ('Brownwood', 'TX');
INSERT INTO cities VALUES ('Broxton', 'GA');
INSERT INTO cities VALUES ('Bruce', 'MS');
INSERT INTO cities VALUES ('Bruce', 'SD');
INSERT INTO cities VALUES ('Bruce', 'WI');
INSERT INTO cities VALUES ('Bruce Crossing', 'MI');
INSERT INTO cities VALUES ('Bruceton', 'TN');
INSERT INTO cities VALUES ('Bruceton Mills', 'WV');
INSERT INTO cities VALUES ('Brucetown', 'VA');
```

```
INSERT INTO cities VALUES ('Bruceville', 'IN');
INSERT INTO cities VALUES ('Bruceville', 'TX'):
INSERT INTO cities VALUES ('Bruin', 'PA');
INSERT INTO cities VALUES ('Bruington', 'VA'):
INSERT INTO cities VALUES ('Brule', 'NE'):
INSERT INTO cities VALUES ('Brule', 'WI');
INSERT INTO cities VALUES ('Brumley', 'MO');
INSERT INTO cities VALUES ('Brundidge', 'AL');
INSERT INTO cities VALUES ('Bruneau', 'ID');
INSERT INTO cities VALUES ('Bruner', 'MO');
INSERT INTO cities VALUES ('Bruni', 'TX');
INSERT INTO cities VALUES ('Bruning', 'NE');
INSERT INTO cities VALUES ('Bruno', 'MN'):
INSERT INTO cities VALUES ('Bruno', 'NE');
INSERT INTO cities VALUES ('Bruno', 'WV'):
INSERT INTO cities VALUES ('Brunson', 'SC'):
INSERT INTO cities VALUES ('Brunsville', 'IA');
INSERT INTO cities VALUES ('Brunswick', 'GA');
INSERT INTO cities VALUES ('Brunswick', 'MD');
INSERT INTO cities VALUES ('Brunswick', 'ME');
INSERT INTO cities VALUES ('Brunswick', 'MO');
INSERT INTO cities VALUES ('Brunswick', 'NC');
INSERT INTO cities VALUES ('Brunswick', 'NE');
INSERT INTO cities VALUES ('Brunswick', 'OH');
INSERT INTO cities VALUES ('Brunswick', 'TN');
INSERT INTO cities VALUES ('Brusett', 'MT');
INSERT INTO cities VALUES ('Brush', 'CO'):
INSERT INTO cities VALUES ('Brush Creek', 'TN'):
INSERT INTO cities VALUES ('Brush Prairie', 'WA');
INSERT INTO cities VALUES ('Brush Valley', 'PA');
INSERT INTO cities VALUES ('Brushton', 'NY');
INSERT INTO cities VALUES ('Brusly', 'LA');
INSERT INTO cities VALUES ('Brussels', 'IL');
INSERT INTO cities VALUES ('Brussels', 'WI');
INSERT INTO cities VALUES ('Brutus', 'MI');
INSERT INTO cities VALUES ('Bryan', 'OH'):
INSERT INTO cities VALUES ('Bryan', 'TX');
INSERT INTO cities VALUES ('Bryans Road', 'MD');
INSERT INTO cities VALUES ('Bryant', 'AL'):
INSERT INTO cities VALUES ('Bryant', 'AR');
INSERT INTO cities VALUES ('Bryant', 'FL');
INSERT INTO cities VALUES ('Bryant', 'IA');
INSERT INTO cities VALUES ('Bryant', 'IL');
INSERT INTO cities VALUES ('Bryant', 'IN');
INSERT INTO cities VALUES ('Bryant', 'SD'):
INSERT INTO cities VALUES ('Bryant', 'WI');
INSERT INTO cities VALUES ('Bryant Pond', 'ME');
INSERT INTO cities VALUES ('Bryantown', 'MD');
INSERT INTO cities VALUES ('Bryants Store', 'KY');
INSERT INTO cities VALUES ('Bryantsville', 'KY');
INSERT INTO cities VALUES ('Bryantville', 'MA');
INSERT INTO cities VALUES ('Bryce', 'UT');
INSERT INTO cities VALUES ('Bryceville', 'FL');
INSERT INTO cities VALUES ('Bryn Athyn', 'PA');
INSERT INTO cities VALUES ('Bryn Mawr', 'CA');
INSERT INTO cities VALUES ('Bryn Mawr', 'PA');
```

```
INSERT INTO cities VALUES ('Bryson', 'TX');
INSERT INTO cities VALUES ('Bryson City', 'NC'):
INSERT INTO cities VALUES ('Buchanan', 'GA');
INSERT INTO cities VALUES ('Buchanan', 'MI');
INSERT INTO cities VALUES ('Buchanan', 'ND'):
INSERT INTO cities VALUES ('Buchanan', 'NY');
INSERT INTO cities VALUES ('Buchanan', 'TN');
INSERT INTO cities VALUES ('Buchanan', 'VA');
INSERT INTO cities VALUES ('Buchanan Dam', 'TX');
INSERT INTO cities VALUES ('Buchtel', 'OH');
INSERT INTO cities VALUES ('Buck Creek', 'IN');
INSERT INTO cities VALUES ('Buck Hill Falls', 'PA');
INSERT INTO cities VALUES ('Buckatunna', 'MS');
INSERT INTO cities VALUES ('Buckeye', 'AZ');
INSERT INTO cities VALUES ('Buckeye', 'IA');
INSERT INTO cities VALUES ('Buckeye', 'WV'):
INSERT INTO cities VALUES ('Buckeye Lake', 'OH');
INSERT INTO cities VALUES ('Buckeystown', 'MD');
INSERT INTO cities VALUES ('Buckfield', 'ME');
INSERT INTO cities VALUES ('Buckhannon', 'WV');
INSERT INTO cities VALUES ('Buckhead', 'GA');
INSERT INTO cities VALUES ('Buckholts', 'TX');
INSERT INTO cities VALUES ('Buckhorn', 'KY');
INSERT INTO cities VALUES ('Buckhorn', 'NM');
INSERT INTO cities VALUES ('Buckingham', 'IA');
INSERT INTO cities VALUES ('Buckingham', 'IL');
INSERT INTO cities VALUES ('Buckingham', 'PA');
INSERT INTO cities VALUES ('Buckingham', 'VA');
INSERT INTO cities VALUES ('Buckland', 'AK');
INSERT INTO cities VALUES ('Buckland', 'MA');
INSERT INTO cities VALUES ('Buckland', 'OH');
INSERT INTO cities VALUES ('Buckley', 'IL');
INSERT INTO cities VALUES ('Buckley', 'MI');
INSERT INTO cities VALUES ('Buckley', 'WA'):
INSERT INTO cities VALUES ('Bucklin', 'KS');
INSERT INTO cities VALUES ('Bucklin', 'MO');
INSERT INTO cities VALUES ('Buckman', 'MN');
INSERT INTO cities VALUES ('Buckner', 'AR');
INSERT INTO cities VALUES ('Buckner', 'IL'):
INSERT INTO cities VALUES ('Buckner', 'KY');
INSERT INTO cities VALUES ('Buckner', 'MO');
INSERT INTO cities VALUES ('Bucks', 'AL');
INSERT INTO cities VALUES ('Buckskin', 'IN');
INSERT INTO cities VALUES ('Bucksport', 'ME');
INSERT INTO cities VALUES ('Bucoda', 'WA'):
INSERT INTO cities VALUES ('Bucyrus', 'KS');
INSERT INTO cities VALUES ('Bucyrus', 'MO');
INSERT INTO cities VALUES ('Bucyrus', 'OH');
INSERT INTO cities VALUES ('Bud', 'WV');
INSERT INTO cities VALUES ('Buda', 'IL');
INSERT INTO cities VALUES ('Buda', 'TX');
INSERT INTO cities VALUES ('Budd Lake', 'NJ');
INSERT INTO cities VALUES ('Bude', 'MS');
INSERT INTO cities VALUES ('Buellton', 'CA');
INSERT INTO cities VALUES ('Buena', 'NJ');
INSERT INTO cities VALUES ('Buena', 'WA');
```

```
INSERT INTO cities VALUES ('Buena Park', 'CA');
INSERT INTO cities VALUES ('Buena Vista', 'CO'):
INSERT INTO cities VALUES ('Buena Vista', 'GA');
INSERT INTO cities VALUES ('Buena Vista', 'NM');
INSERT INTO cities VALUES ('Buena Vista', 'PA'):
INSERT INTO cities VALUES ('Buena Vista', 'TN');
INSERT INTO cities VALUES ('Buena Vista', 'VA');
INSERT INTO cities VALUES ('Buffalo', 'IA');
INSERT INTO cities VALUES ('Buffalo', 'IL');
INSERT INTO cities VALUES ('Buffalo', 'IN');
INSERT INTO cities VALUES ('Buffalo', 'KS');
INSERT INTO cities VALUES ('Buffalo', 'KY');
INSERT INTO cities VALUES ('Buffalo', 'MN');
INSERT INTO cities VALUES ('Buffalo', 'MO');
INSERT INTO cities VALUES ('Buffalo', 'MT'):
INSERT INTO cities VALUES ('Buffalo', 'ND'):
INSERT INTO cities VALUES ('Buffalo', 'NY');
INSERT INTO cities VALUES ('Buffalo', 'OH');
INSERT INTO cities VALUES ('Buffalo', 'OK'):
INSERT INTO cities VALUES ('Buffalo', 'SC');
INSERT INTO cities VALUES ('Buffalo', 'SD');
INSERT INTO cities VALUES ('Buffalo', 'TX');
INSERT INTO cities VALUES ('Buffalo', 'WV');
INSERT INTO cities VALUES ('Buffalo', 'WY');
INSERT INTO cities VALUES ('Buffalo Center', 'IA');
INSERT INTO cities VALUES ('Buffalo Creek', 'CO');
INSERT INTO cities VALUES ('Buffalo Gap', 'SD');
INSERT INTO cities VALUES ('Buffalo Gap', 'TX');
INSERT INTO cities VALUES ('Buffalo Grove', 'IL');
INSERT INTO cities VALUES ('Buffalo Junction', 'VA');
INSERT INTO cities VALUES ('Buffalo Lake', 'MN');
INSERT INTO cities VALUES ('Buffalo Mills', 'PA');
INSERT INTO cities VALUES ('Buffalo Prairie', 'IL');
INSERT INTO cities VALUES ('Buffalo Valley', 'TN');
INSERT INTO cities VALUES ('Buford', 'GA'):
INSERT INTO cities VALUES ('Buford', 'OH'):
INSERT INTO cities VALUES ('Buford', 'WY');
INSERT INTO cities VALUES ('Buhl', 'AL');
INSERT INTO cities VALUES ('Buhl', 'ID');
INSERT INTO cities VALUES ('Buhl', 'MN');
INSERT INTO cities VALUES ('Buhler', 'KS');
INSERT INTO cities VALUES ('Buies Creek', 'NC');
INSERT INTO cities VALUES ('Bula', 'TX');
INSERT INTO cities VALUES ('Bulan', 'KY');
INSERT INTO cities VALUES ('Bulger', 'PA'):
INSERT INTO cities VALUES ('Bull Shoals', 'AR');
INSERT INTO cities VALUES ('Bullard', 'TX');
INSERT INTO cities VALUES ('Bullhead', 'SD');
INSERT INTO cities VALUES ('Bullhead City', 'AZ');
INSERT INTO cities VALUES ('Bullock', 'NC');
INSERT INTO cities VALUES ('Bulls Gap', 'TN');
INSERT INTO cities VALUES ('Bullville', 'NY');
INSERT INTO cities VALUES ('Bulpitt', 'IL');
INSERT INTO cities VALUES ('Bulverde', 'TX');
INSERT INTO cities VALUES ('Bumpass', 'VA');
INSERT INTO cities VALUES ('Bumpus Mills', 'TN');
```

```
INSERT INTO cities VALUES ('Buna', 'TX');
INSERT INTO cities VALUES ('Bunceton', 'MO'):
INSERT INTO cities VALUES ('Bunch', 'OK');
INSERT INTO cities VALUES ('Buncombe', 'IL'):
INSERT INTO cities VALUES ('Bunker', 'MO'):
INSERT INTO cities VALUES ('Bunker Hill', 'IL');
INSERT INTO cities VALUES ('Bunker Hill', 'IN');
INSERT INTO cities VALUES ('Bunker Hill', 'KS');
INSERT INTO cities VALUES ('Bunker Hill', 'WV');
INSERT INTO cities VALUES ('Bunkerville', 'NV');
INSERT INTO cities VALUES ('Bunkie', 'LA');
INSERT INTO cities VALUES ('Bunn', 'NC');
INSERT INTO cities VALUES ('Bunnell', 'FL'):
INSERT INTO cities VALUES ('Bunnlevel', 'NC');
INSERT INTO cities VALUES ('Bunola', 'PA');
INSERT INTO cities VALUES ('Buras', 'LA'):
INSERT INTO cities VALUES ('Burbank', 'CA');
INSERT INTO cities VALUES ('Burbank', 'IL');
INSERT INTO cities VALUES ('Burbank', 'OH');
INSERT INTO cities VALUES ('Burbank', 'OK');
INSERT INTO cities VALUES ('Burbank', 'SD');
INSERT INTO cities VALUES ('Burbank', 'WA');
INSERT INTO cities VALUES ('Burchard', 'NE');
INSERT INTO cities VALUES ('Burden', 'KS'):
INSERT INTO cities VALUES ('Burdett', 'KS');
INSERT INTO cities VALUES ('Burdett', 'NY');
INSERT INTO cities VALUES ('Burdette', 'AR');
INSERT INTO cities VALUES ('Burdick', 'KS'):
INSERT INTO cities VALUES ('Burdine', 'KY');
INSERT INTO cities VALUES ('Bureau', 'IL');
INSERT INTO cities VALUES ('Burfordville', 'MO');
INSERT INTO cities VALUES ('Burgaw', 'NC');
INSERT INTO cities VALUES ('Burgess', 'VA');
INSERT INTO cities VALUES ('Burgettstown', 'PA');
INSERT INTO cities VALUES ('Burghill', 'OH');
INSERT INTO cities VALUES ('Burgin', 'KY'):
INSERT INTO cities VALUES ('Burgoon', 'OH');
INSERT INTO cities VALUES ('Burkburnett', 'TX');
INSERT INTO cities VALUES ('Burke', 'NY'):
INSERT INTO cities VALUES ('Burke', 'SD');
INSERT INTO cities VALUES ('Burke', 'VA');
INSERT INTO cities VALUES ('Burkes Garden', 'VA');
INSERT INTO cities VALUES ('Burkesville', 'KY');
INSERT INTO cities VALUES ('Burket', 'IN');
INSERT INTO cities VALUES ('Burkett', 'TX'):
INSERT INTO cities VALUES ('Burkettsville', 'OH');
INSERT INTO cities VALUES ('Burkeville', 'TX');
INSERT INTO cities VALUES ('Burkeville', 'VA');
INSERT INTO cities VALUES ('Burkittsville', 'MD');
INSERT INTO cities VALUES ('Burleson', 'TX');
INSERT INTO cities VALUES ('Burley', 'ID');
INSERT INTO cities VALUES ('Burley', 'WA');
INSERT INTO cities VALUES ('Burlingame', 'CA');
INSERT INTO cities VALUES ('Burlingame', 'KS');
INSERT INTO cities VALUES ('Burlingham', 'NY');
INSERT INTO cities VALUES ('Burlington', 'CO');
```

```
INSERT INTO cities VALUES ('Burlington', 'CT');
INSERT INTO cities VALUES ('Burlington', 'IA'):
INSERT INTO cities VALUES ('Burlington', 'IL');
INSERT INTO cities VALUES ('Burlington', 'IN');
INSERT INTO cities VALUES ('Burlington', 'KS'):
INSERT INTO cities VALUES ('Burlington', 'KY');
INSERT INTO cities VALUES ('Burlington', 'MA');
INSERT INTO cities VALUES ('Burlington', 'ME');
INSERT INTO cities VALUES ('Burlington', 'MI');
INSERT INTO cities VALUES ('Burlington', 'NC');
INSERT INTO cities VALUES ('Burlington', 'ND');
INSERT INTO cities VALUES ('Burlington', 'NJ');
INSERT INTO cities VALUES ('Burlington', 'OK');
INSERT INTO cities VALUES ('Burlington', 'PA');
INSERT INTO cities VALUES ('Burlington', 'TX');
INSERT INTO cities VALUES ('Burlington', 'VT');
INSERT INTO cities VALUES ('Burlington', 'WA');
INSERT INTO cities VALUES ('Burlington', 'WI');
INSERT INTO cities VALUES ('Burlington', 'WV');
INSERT INTO cities VALUES ('Burlington', 'WY');
INSERT INTO cities VALUES ('Burlington Flats', 'NY');
INSERT INTO cities VALUES ('Burlington Junction', 'MO');
INSERT INTO cities VALUES ('Burlison', 'TN');
INSERT INTO cities VALUES ('Burna', 'KY');
INSERT INTO cities VALUES ('Burnet', 'TX');
INSERT INTO cities VALUES ('Burnett', 'WI');
INSERT INTO cities VALUES ('Burnettsville', 'IN');
INSERT INTO cities VALUES ('Burney', 'CA');
INSERT INTO cities VALUES ('Burneyville', 'OK');
INSERT INTO cities VALUES ('Burnham', 'ME');
INSERT INTO cities VALUES ('Burnham', 'PA');
INSERT INTO cities VALUES ('Burnips', 'MI');
INSERT INTO cities VALUES ('Burns', 'CO');
INSERT INTO cities VALUES ('Burns', 'KS'):
INSERT INTO cities VALUES ('Burns', 'OR');
INSERT INTO cities VALUES ('Burns', 'TN');
INSERT INTO cities VALUES ('Burns', 'WY');
INSERT INTO cities VALUES ('Burns Flat', 'OK');
INSERT INTO cities VALUES ('Burnside', 'IA');
INSERT INTO cities VALUES ('Burnside', 'KY');
INSERT INTO cities VALUES ('Burnside', 'LA');
INSERT INTO cities VALUES ('Burnside', 'PA');
INSERT INTO cities VALUES ('Burnsville', 'MN');
INSERT INTO cities VALUES ('Burnsville', 'MS');
INSERT INTO cities VALUES ('Burnsville', 'NC'):
INSERT INTO cities VALUES ('Burnsville', 'WV');
INSERT INTO cities VALUES ('Burnt Cabins', 'PA');
INSERT INTO cities VALUES ('Burnt Corn', 'AL');
INSERT INTO cities VALUES ('Burnt Hills', 'NY');
INSERT INTO cities VALUES ('Burnt Prairie', 'IL');
INSERT INTO cities VALUES ('Burnt Ranch', 'CA');
INSERT INTO cities VALUES ('Burnwell', 'AL');
INSERT INTO cities VALUES ('Burr', 'NE');
INSERT INTO cities VALUES ('Burr Hill', 'VA');
INSERT INTO cities VALUES ('Burr Oak', 'KS');
INSERT INTO cities VALUES ('Burr Oak', 'MI');
```

```
INSERT INTO cities VALUES ('Burrel', 'CA');
INSERT INTO cities VALUES ('Burrows', 'IN'):
INSERT INTO cities VALUES ('Burrton', 'KS');
INSERT INTO cities VALUES ('Burson', 'CA'):
INSERT INTO cities VALUES ('Burt', 'IA'):
INSERT INTO cities VALUES ('Burt', 'MI');
INSERT INTO cities VALUES ('Burt', 'NY');
INSERT INTO cities VALUES ('Burt Lake', 'MI');
INSERT INTO cities VALUES ('Burton', 'MI');
INSERT INTO cities VALUES ('Burton', 'OH');
INSERT INTO cities VALUES ('Burton', 'TX');
INSERT INTO cities VALUES ('Burton', 'WA');
INSERT INTO cities VALUES ('Burton', 'WV');
INSERT INTO cities VALUES ('Burtonsville', 'MD');
INSERT INTO cities VALUES ('Burtrum', 'MN');
INSERT INTO cities VALUES ('Burwell', 'NE'):
INSERT INTO cities VALUES ('Busby', 'MT');
INSERT INTO cities VALUES ('Bush', 'KY');
INSERT INTO cities VALUES ('Bush', 'LA');
INSERT INTO cities VALUES ('Bushkill', 'PA');
INSERT INTO cities VALUES ('Bushland', 'TX');
INSERT INTO cities VALUES ('Bushnell', 'FL'):
INSERT INTO cities VALUES ('Bushnell', 'IL');
INSERT INTO cities VALUES ('Bushnell', 'NE');
INSERT INTO cities VALUES ('Bushton', 'KS');
INSERT INTO cities VALUES ('Bushwood', 'MD');
INSERT INTO cities VALUES ('Buskirk', 'NY'):
INSERT INTO cities VALUES ('Bussey', 'IA');
INSERT INTO cities VALUES ('Bustins Island', 'ME');
INSERT INTO cities VALUES ('Busy', 'KY');
INSERT INTO cities VALUES ('Butler', 'AL');
INSERT INTO cities VALUES ('Butler', 'GA');
INSERT INTO cities VALUES ('Butler', 'IL');
INSERT INTO cities VALUES ('Butler', 'IN');
INSERT INTO cities VALUES ('Butler', 'KY');
INSERT INTO cities VALUES ('Butler', 'MD');
INSERT INTO cities VALUES ('Butler', 'MO');
INSERT INTO cities VALUES ('Butler', 'NJ');
INSERT INTO cities VALUES ('Butler', 'OH');
INSERT INTO cities VALUES ('Butler', 'OK');
INSERT INTO cities VALUES ('Butler', 'PA');
INSERT INTO cities VALUES ('Butler', 'TN');
INSERT INTO cities VALUES ('Butler', 'WI');
INSERT INTO cities VALUES ('Butlerville', 'IN');
INSERT INTO cities VALUES ('Butner', 'NC'):
INSERT INTO cities VALUES ('Butte', 'MT');
INSERT INTO cities VALUES ('Butte', 'ND');
INSERT INTO cities VALUES ('Butte', 'NE');
INSERT INTO cities VALUES ('Butte City', 'CA');
INSERT INTO cities VALUES ('Butte Des Morts', 'WI'):
INSERT INTO cities VALUES ('Butte Falls', 'OR');
INSERT INTO cities VALUES ('Butterfield', 'MN');
INSERT INTO cities VALUES ('Butterfield', 'MO');
INSERT INTO cities VALUES ('Butternut', 'WI');
INSERT INTO cities VALUES ('Buttonwillow', 'CA');
INSERT INTO cities VALUES ('Buttzville', 'NJ');
```

```
INSERT INTO cities VALUES ('Buxton', 'ME');
INSERT INTO cities VALUES ('Buxton', 'NC'):
INSERT INTO cities VALUES ('Buxton', 'ND');
INSERT INTO cities VALUES ('Buxton', 'OR'):
INSERT INTO cities VALUES ('Buzzards Bay', 'MA'):
INSERT INTO cities VALUES ('Byars', 'OK');
INSERT INTO cities VALUES ('Bybee', 'TN');
INSERT INTO cities VALUES ('Byers', 'CO');
INSERT INTO cities VALUES ('Byers', 'KS');
INSERT INTO cities VALUES ('Byers', 'TX');
INSERT INTO cities VALUES ('Byesville', 'OH');
INSERT INTO cities VALUES ('Byfield', 'MA');
INSERT INTO cities VALUES ('Byhalia', 'MS');
INSERT INTO cities VALUES ('Bylas', 'AZ');
INSERT INTO cities VALUES ('Bynum', 'AL'):
INSERT INTO cities VALUES ('Bynum', 'MT');
INSERT INTO cities VALUES ('Bynum', 'NC');
INSERT INTO cities VALUES ('Bynum', 'TX');
INSERT INTO cities VALUES ('Bypro', 'KY');
INSERT INTO cities VALUES ('Byram', 'MS');
INSERT INTO cities VALUES ('Byrdstown', 'TN');
INSERT INTO cities VALUES ('Byrnedale', 'PA');
INSERT INTO cities VALUES ('Byromville', 'GA');
INSERT INTO cities VALUES ('Byron', 'CA');
INSERT INTO cities VALUES ('Byron', 'GA');
INSERT INTO cities VALUES ('Byron', 'IL');
INSERT INTO cities VALUES ('Byron', 'MI');
INSERT INTO cities VALUES ('Byron', 'MN');
INSERT INTO cities VALUES ('Byron', 'NE');
INSERT INTO cities VALUES ('Byron', 'NY');
INSERT INTO cities VALUES ('Byron', 'WY');
INSERT INTO cities VALUES ('Byron Center', 'MI');
INSERT INTO cities VALUES ('Caballo', 'NM');
INSERT INTO cities VALUES ('Cabazon', 'CA');
INSERT INTO cities VALUES ('Cabery', 'IL');
INSERT INTO cities VALUES ('Cabin Creek', 'WV'):
INSERT INTO cities VALUES ('Cabin John', 'MD');
INSERT INTO cities VALUES ('Cabins', 'WV');
INSERT INTO cities VALUES ('Cable', 'OH'):
INSERT INTO cities VALUES ('Cable', 'WI');
INSERT INTO cities VALUES ('Cabo Rojo', 'PR');
INSERT INTO cities VALUES ('Cabool', 'MO');
INSERT INTO cities VALUES ('Cabot', 'AR');
INSERT INTO cities VALUES ('Cabot', 'PA');
INSERT INTO cities VALUES ('Cabot', 'VT');
INSERT INTO cities VALUES ('Cache', 'OK');
INSERT INTO cities VALUES ('Cache Junction', 'UT');
INSERT INTO cities VALUES ('Cactus', 'TX');
INSERT INTO cities VALUES ('Caddo', 'OK');
INSERT INTO cities VALUES ('Caddo', 'TX');
INSERT INTO cities VALUES ('Caddo Gap', 'AR');
INSERT INTO cities VALUES ('Caddo Mills', 'TX');
INSERT INTO cities VALUES ('Cade', 'LA');
INSERT INTO cities VALUES ('Cades', 'SC');
INSERT INTO cities VALUES ('Cadet', 'MO');
INSERT INTO cities VALUES ('Cadillac', 'MI');
```

```
INSERT INTO cities VALUES ('Cadiz', 'KY');
INSERT INTO cities VALUES ('Cadiz', 'OH'):
INSERT INTO cities VALUES ('Cadogan', 'PA');
INSERT INTO cities VALUES ('Cadott', 'WI'):
INSERT INTO cities VALUES ('Cadwell', 'GA'):
INSERT INTO cities VALUES ('Cadyville', 'NY');
INSERT INTO cities VALUES ('Caguas', 'PR');
INSERT INTO cities VALUES ('Cahone', 'CO');
INSERT INTO cities VALUES ('Cainsville', 'MO');
INSERT INTO cities VALUES ('Cairnbrook', 'PA');
INSERT INTO cities VALUES ('Cairo', 'GA');
INSERT INTO cities VALUES ('Cairo', 'IL');
INSERT INTO cities VALUES ('Cairo', 'MO'):
INSERT INTO cities VALUES ('Cairo', 'NE');
INSERT INTO cities VALUES ('Cairo', 'NY');
INSERT INTO cities VALUES ('Cairo', 'OH');
INSERT INTO cities VALUES ('Cairo', 'WV');
INSERT INTO cities VALUES ('Cal Nev Ari', 'NV');
INSERT INTO cities VALUES ('Calabasas', 'CA');
INSERT INTO cities VALUES ('Calabash', 'NC');
INSERT INTO cities VALUES ('Calais', 'ME');
INSERT INTO cities VALUES ('Calais', 'VT'):
INSERT INTO cities VALUES ('Calamus', 'IA');
INSERT INTO cities VALUES ('Calcium', 'NY'):
INSERT INTO cities VALUES ('Calder', 'ID');
INSERT INTO cities VALUES ('Caldwell', 'AR');
INSERT INTO cities VALUES ('Caldwell', 'ID'):
INSERT INTO cities VALUES ('Caldwell', 'KS'):
INSERT INTO cities VALUES ('Caldwell', 'NJ');
INSERT INTO cities VALUES ('Caldwell', 'OH');
INSERT INTO cities VALUES ('Caldwell', 'TX');
INSERT INTO cities VALUES ('Caldwell', 'WV');
INSERT INTO cities VALUES ('Cale', 'AR');
INSERT INTO cities VALUES ('Caledonia', 'IL'):
INSERT INTO cities VALUES ('Caledonia', 'MI');
INSERT INTO cities VALUES ('Caledonia', 'MN');
INSERT INTO cities VALUES ('Caledonia', 'MO');
INSERT INTO cities VALUES ('Caledonia', 'MS');
INSERT INTO cities VALUES ('Caledonia', 'ND');
INSERT INTO cities VALUES ('Caledonia', 'NY');
INSERT INTO cities VALUES ('Caledonia', 'OH');
INSERT INTO cities VALUES ('Caledonia', 'WI');
INSERT INTO cities VALUES ('Calera', 'AL');
INSERT INTO cities VALUES ('Calera', 'OK');
INSERT INTO cities VALUES ('Calexico', 'CA'):
INSERT INTO cities VALUES ('Calhan', 'CO');
INSERT INTO cities VALUES ('Calhoun', 'GA');
INSERT INTO cities VALUES ('Calhoun', 'IL');
INSERT INTO cities VALUES ('Calhoun', 'KY');
INSERT INTO cities VALUES ('Calhoun', 'LA');
INSERT INTO cities VALUES ('Calhoun', 'MO');
INSERT INTO cities VALUES ('Calhoun', 'TN');
INSERT INTO cities VALUES ('Calhoun City', 'MS');
INSERT INTO cities VALUES ('Calhoun Falls', 'SC');
INSERT INTO cities VALUES ('Calico Rock', 'AR');
INSERT INTO cities VALUES ('Caliente', 'CA');
```

```
INSERT INTO cities VALUES ('Caliente', 'NV');
INSERT INTO cities VALUES ('Califon', 'NJ'):
INSERT INTO cities VALUES ('California', 'KY');
INSERT INTO cities VALUES ('California', 'MD');
INSERT INTO cities VALUES ('California', 'MO'):
INSERT INTO cities VALUES ('California', 'PA');
INSERT INTO cities VALUES ('California City', 'CA');
INSERT INTO cities VALUES ('California Hot Springs', 'CA');
INSERT INTO cities VALUES ('Calimesa', 'CA');
INSERT INTO cities VALUES ('Calion', 'AR');
INSERT INTO cities VALUES ('Calipatria', 'CA');
INSERT INTO cities VALUES ('Calistoga', 'CA');
INSERT INTO cities VALUES ('Call', 'TX');
INSERT INTO cities VALUES ('Callahan', 'CA');
INSERT INTO cities VALUES ('Callahan', 'FL'):
INSERT INTO cities VALUES ('Callands', 'VA'):
INSERT INTO cities VALUES ('Callao', 'MO');
INSERT INTO cities VALUES ('Callao', 'VA');
INSERT INTO cities VALUES ('Callaway', 'MD');
INSERT INTO cities VALUES ('Callaway', 'MN');
INSERT INTO cities VALUES ('Callaway', 'NE');
INSERT INTO cities VALUES ('Callaway', 'VA');
INSERT INTO cities VALUES ('Callender', 'IA');
INSERT INTO cities VALUES ('Callensburg', 'PA'):
INSERT INTO cities VALUES ('Callery', 'PA');
INSERT INTO cities VALUES ('Callicoon', 'NY');
INSERT INTO cities VALUES ('Callicoon Center', 'NY');
INSERT INTO cities VALUES ('Calliham', 'TX'):
INSERT INTO cities VALUES ('Calmar', 'IA');
INSERT INTO cities VALUES ('Calpella', 'CA');
INSERT INTO cities VALUES ('Calpine', 'CA');
INSERT INTO cities VALUES ('Calumet', 'IA');
INSERT INTO cities VALUES ('Calumet', 'MI');
INSERT INTO cities VALUES ('Calumet', 'MN');
INSERT INTO cities VALUES ('Calumet', 'OK');
INSERT INTO cities VALUES ('Calumet', 'PA');
INSERT INTO cities VALUES ('Calumet City', 'IL');
INSERT INTO cities VALUES ('Calvary', 'GA');
INSERT INTO cities VALUES ('Calvert', 'AL'):
INSERT INTO cities VALUES ('Calvert', 'TX');
INSERT INTO cities VALUES ('Calvert City', 'KY');
INSERT INTO cities VALUES ('Calverton', 'NY');
INSERT INTO cities VALUES ('Calverton', 'VA');
INSERT INTO cities VALUES ('Calvin', 'KY');
INSERT INTO cities VALUES ('Calvin', 'LA'):
INSERT INTO cities VALUES ('Calvin', 'ND');
INSERT INTO cities VALUES ('Calvin', 'OK');
INSERT INTO cities VALUES ('Calvin', 'PA');
INSERT INTO cities VALUES ('Calvin', 'WV');
INSERT INTO cities VALUES ('Calypso', 'NC');
INSERT INTO cities VALUES ('Camak', 'GA');
INSERT INTO cities VALUES ('Camanche', 'IA');
INSERT INTO cities VALUES ('Camano Island', 'WA');
INSERT INTO cities VALUES ('Camargo', 'IL');
INSERT INTO cities VALUES ('Camargo', 'OK');
INSERT INTO cities VALUES ('Camarillo', 'CA');
```

```
INSERT INTO cities VALUES ('Camas', 'WA');
INSERT INTO cities VALUES ('Camas Valley', 'OR'):
INSERT INTO cities VALUES ('Cambra', 'PA');
INSERT INTO cities VALUES ('Cambria', 'CA');
INSERT INTO cities VALUES ('Cambria', 'IL'):
INSERT INTO cities VALUES ('Cambria', 'WI');
INSERT INTO cities VALUES ('Cambria Heights', 'NY');
INSERT INTO cities VALUES ('Cambridge', 'IA');
INSERT INTO cities VALUES ('Cambridge', 'ID');
INSERT INTO cities VALUES ('Cambridge', 'IL');
INSERT INTO cities VALUES ('Cambridge', 'KS');
INSERT INTO cities VALUES ('Cambridge', 'MA');
INSERT INTO cities VALUES ('Cambridge', 'MD'):
INSERT INTO cities VALUES ('Cambridge', 'ME');
INSERT INTO cities VALUES ('Cambridge', 'MN'):
INSERT INTO cities VALUES ('Cambridge', 'NE'):
INSERT INTO cities VALUES ('Cambridge', 'NY');
INSERT INTO cities VALUES ('Cambridge', 'OH');
INSERT INTO cities VALUES ('Cambridge', 'VT');
INSERT INTO cities VALUES ('Cambridge', 'WI');
INSERT INTO cities VALUES ('Cambridge City', 'IN');
INSERT INTO cities VALUES ('Cambridge Springs', 'PA');
INSERT INTO cities VALUES ('Cambridgeport', 'VT');
INSERT INTO cities VALUES ('Camby', 'IN'):
INSERT INTO cities VALUES ('Camden', 'AL');
INSERT INTO cities VALUES ('Camden', 'AR');
INSERT INTO cities VALUES ('Camden', 'IL'):
INSERT INTO cities VALUES ('Camden', 'IN'):
INSERT INTO cities VALUES ('Camden', 'ME');
INSERT INTO cities VALUES ('Camden', 'MI');
INSERT INTO cities VALUES ('Camden', 'MO');
INSERT INTO cities VALUES ('Camden', 'MS');
INSERT INTO cities VALUES ('Camden', 'NC');
INSERT INTO cities VALUES ('Camden', 'NJ');
INSERT INTO cities VALUES ('Camden', 'NY');
INSERT INTO cities VALUES ('Camden', 'OH'):
INSERT INTO cities VALUES ('Camden', 'SC');
INSERT INTO cities VALUES ('Camden', 'TN');
INSERT INTO cities VALUES ('Camden', 'TX');
INSERT INTO cities VALUES ('Camden', 'WV');
INSERT INTO cities VALUES ('Camden On Gauley', 'WV');
INSERT INTO cities VALUES ('Camden Point', 'MO');
INSERT INTO cities VALUES ('Camden Wyoming', 'DE');
INSERT INTO cities VALUES ('Camdenton', 'MO');
INSERT INTO cities VALUES ('Cameron', 'AZ'):
INSERT INTO cities VALUES ('Cameron', 'IL');
INSERT INTO cities VALUES ('Cameron', 'LA');
INSERT INTO cities VALUES ('Cameron', 'MO');
INSERT INTO cities VALUES ('Cameron', 'MT');
INSERT INTO cities VALUES ('Cameron', 'NC');
INSERT INTO cities VALUES ('Cameron', 'NY');
INSERT INTO cities VALUES ('Cameron', 'OH');
INSERT INTO cities VALUES ('Cameron', 'OK');
INSERT INTO cities VALUES ('Cameron', 'SC');
INSERT INTO cities VALUES ('Cameron', 'TX');
INSERT INTO cities VALUES ('Cameron', 'WI');
```

```
INSERT INTO cities VALUES ('Cameron', 'WV');
INSERT INTO cities VALUES ('Cameron Mills', 'NY'):
INSERT INTO cities VALUES ('Camilla', 'GA');
INSERT INTO cities VALUES ('Camillus', 'NY'):
INSERT INTO cities VALUES ('Camino', 'CA'):
INSERT INTO cities VALUES ('Cammal', 'PA');
INSERT INTO cities VALUES ('Camp', 'AR');
INSERT INTO cities VALUES ('Camp Creek', 'WV');
INSERT INTO cities VALUES ('Camp Crook', 'SD');
INSERT INTO cities VALUES ('Camp Dennison', 'OH');
INSERT INTO cities VALUES ('Camp Douglas', 'WI');
INSERT INTO cities VALUES ('Camp Grove', 'IL');
INSERT INTO cities VALUES ('Camp H M Smith', 'HI');
INSERT INTO cities VALUES ('Camp Hill', 'AL');
INSERT INTO cities VALUES ('Camp Hill', 'PA'):
INSERT INTO cities VALUES ('Camp Lake', 'WI');
INSERT INTO cities VALUES ('Camp Lejeune', 'NC');
INSERT INTO cities VALUES ('Camp Meeker', 'CA');
INSERT INTO cities VALUES ('Camp Murray', 'WA');
INSERT INTO cities VALUES ('Camp Nelson', 'CA');
INSERT INTO cities VALUES ('Camp Pendleton', 'CA');
INSERT INTO cities VALUES ('Camp Point', 'IL');
INSERT INTO cities VALUES ('Camp Sherman', 'OR');
INSERT INTO cities VALUES ('Camp Verde', 'AZ'):
INSERT INTO cities VALUES ('Camp Wood', 'TX');
INSERT INTO cities VALUES ('Campaign', 'TN');
INSERT INTO cities VALUES ('Campbell', 'AL'):
INSERT INTO cities VALUES ('Campbell', 'CA'):
INSERT INTO cities VALUES ('Campbell', 'MN');
INSERT INTO cities VALUES ('Campbell', 'MO');
INSERT INTO cities VALUES ('Campbell', 'NE');
INSERT INTO cities VALUES ('Campbell', 'NY');
INSERT INTO cities VALUES ('Campbell', 'OH');
INSERT INTO cities VALUES ('Campbell', 'TX');
INSERT INTO cities VALUES ('Campbell Hall', 'NY');
INSERT INTO cities VALUES ('Campbell Hill', 'IL'):
INSERT INTO cities VALUES ('Campbellsburg', 'IN');
INSERT INTO cities VALUES ('Campbellsburg', 'KY');
INSERT INTO cities VALUES ('Campbellsport', 'WI'):
INSERT INTO cities VALUES ('Campbellsville', 'KY');
INSERT INTO cities VALUES ('Campbellton', 'FL');
INSERT INTO cities VALUES ('Campbellton', 'TX');
INSERT INTO cities VALUES ('Campbelltown', 'PA');
INSERT INTO cities VALUES ('Campo', 'CA');
INSERT INTO cities VALUES ('Campo', 'CO'):
INSERT INTO cities VALUES ('Campo Seco', 'CA');
INSERT INTO cities VALUES ('Campobello', 'SC');
INSERT INTO cities VALUES ('Campti', 'LA');
INSERT INTO cities VALUES ('Campton', 'KY');
INSERT INTO cities VALUES ('Campton', 'NH');
INSERT INTO cities VALUES ('Camptonville', 'CA');
INSERT INTO cities VALUES ('Camptown', 'PA');
INSERT INTO cities VALUES ('Campus', 'IL');
INSERT INTO cities VALUES ('Camuy', 'PR');
INSERT INTO cities VALUES ('Cana', 'VA');
INSERT INTO cities VALUES ('Canaan', 'CT');
```

```
INSERT INTO cities VALUES ('Canaan', 'IN');
INSERT INTO cities VALUES ('Canaan', 'ME'):
INSERT INTO cities VALUES ('Canaan', 'NH');
INSERT INTO cities VALUES ('Canaan', 'NY');
INSERT INTO cities VALUES ('Canaan', 'VT'):
INSERT INTO cities VALUES ('Canada', 'KY');
INSERT INTO cities VALUES ('Canadensis', 'PA');
INSERT INTO cities VALUES ('Canadian', 'OK');
INSERT INTO cities VALUES ('Canadian', 'TX');
INSERT INTO cities VALUES ('Canadys', 'SC');
INSERT INTO cities VALUES ('Canajoharie', 'NY');
INSERT INTO cities VALUES ('Canal Fulton', 'OH');
INSERT INTO cities VALUES ('Canal Point', 'FL');
INSERT INTO cities VALUES ('Canal Winchester', 'OH');
INSERT INTO cities VALUES ('Canalou', 'MO');
INSERT INTO cities VALUES ('Canandaigua', 'NY'):
INSERT INTO cities VALUES ('Canaseraga', 'NY');
INSERT INTO cities VALUES ('Canastota', 'NY');
INSERT INTO cities VALUES ('Canby', 'CA');
INSERT INTO cities VALUES ('Canby', 'MN');
INSERT INTO cities VALUES ('Canby', 'OR');
INSERT INTO cities VALUES ('Candia', 'NH'):
INSERT INTO cities VALUES ('Candler', 'FL');
INSERT INTO cities VALUES ('Candler', 'NC'):
INSERT INTO cities VALUES ('Cando', 'ND');
INSERT INTO cities VALUES ('Candor', 'NC');
INSERT INTO cities VALUES ('Candor', 'NY');
INSERT INTO cities VALUES ('Cane Valley', 'KY');
INSERT INTO cities VALUES ('Caneadea', 'NY');
INSERT INTO cities VALUES ('Canehill', 'AR');
INSERT INTO cities VALUES ('Caney', 'KS');
INSERT INTO cities VALUES ('Caney', 'OK');
INSERT INTO cities VALUES ('Caneyville', 'KY');
INSERT INTO cities VALUES ('Canfield', 'OH');
INSERT INTO cities VALUES ('Canisteo', 'NY');
INSERT INTO cities VALUES ('Canistota', 'SD'):
INSERT INTO cities VALUES ('Canjilon', 'NM');
INSERT INTO cities VALUES ('Canmer', 'KY');
INSERT INTO cities VALUES ('Cannel City', 'KY');
INSERT INTO cities VALUES ('Cannelburg', 'IN');
INSERT INTO cities VALUES ('Cannelton', 'IN');
INSERT INTO cities VALUES ('Cannelton', 'WV');
INSERT INTO cities VALUES ('Cannon', 'KY');
INSERT INTO cities VALUES ('Cannon Afb', 'NM');
INSERT INTO cities VALUES ('Cannon Ball', 'ND');
INSERT INTO cities VALUES ('Cannon Beach', 'OR');
INSERT INTO cities VALUES ('Cannon Falls', 'MN');
INSERT INTO cities VALUES ('Cannonsburg', 'MI');
INSERT INTO cities VALUES ('Cannonville', 'UT');
INSERT INTO cities VALUES ('Canoga Park', 'CA');
INSERT INTO cities VALUES ('Canon', 'GA');
INSERT INTO cities VALUES ('Canon City', 'CO');
INSERT INTO cities VALUES ('Canones', 'NM');
INSERT INTO cities VALUES ('Canonsburg', 'PA');
INSERT INTO cities VALUES ('Canova', 'SD');
INSERT INTO cities VALUES ('Canovanas', 'PR');
```

```
INSERT INTO cities VALUES ('Canterbury', 'CT');
INSERT INTO cities VALUES ('Canterbury', 'NH'):
INSERT INTO cities VALUES ('Cantil', 'CA');
INSERT INTO cities VALUES ('Canton', 'CT'):
INSERT INTO cities VALUES ('Canton', 'GA'):
INSERT INTO cities VALUES ('Canton', 'IL');
INSERT INTO cities VALUES ('Canton', 'KS');
INSERT INTO cities VALUES ('Canton', 'MA');
INSERT INTO cities VALUES ('Canton', 'ME');
INSERT INTO cities VALUES ('Canton', 'MI');
INSERT INTO cities VALUES ('Canton', 'MN');
INSERT INTO cities VALUES ('Canton', 'MO');
INSERT INTO cities VALUES ('Canton', 'MS'):
INSERT INTO cities VALUES ('Canton', 'NC');
INSERT INTO cities VALUES ('Canton', 'NY');
INSERT INTO cities VALUES ('Canton', 'OH');
INSERT INTO cities VALUES ('Canton', 'OK');
INSERT INTO cities VALUES ('Canton', 'PA');
INSERT INTO cities VALUES ('Canton', 'SD');
INSERT INTO cities VALUES ('Canton', 'TX');
INSERT INTO cities VALUES ('Canton Center', 'CT');
INSERT INTO cities VALUES ('Cantonment', 'FL'):
INSERT INTO cities VALUES ('Cantrall', 'IL');
INSERT INTO cities VALUES ('Cantril', 'IA'):
INSERT INTO cities VALUES ('Cantua Creek', 'CA');
INSERT INTO cities VALUES ('Cantwell', 'AK');
INSERT INTO cities VALUES ('Canute', 'OK');
INSERT INTO cities VALUES ('Canutillo', 'TX');
INSERT INTO cities VALUES ('Canvas', 'WV');
INSERT INTO cities VALUES ('Canyon', 'CA');
INSERT INTO cities VALUES ('Canyon', 'MN');
INSERT INTO cities VALUES ('Canyon', 'TX');
INSERT INTO cities VALUES ('Canyon City', 'OR');
INSERT INTO cities VALUES ('Canyon Country', 'CA');
INSERT INTO cities VALUES ('Canyon Creek', 'MT');
INSERT INTO cities VALUES ('Canyon Dam', 'CA'):
INSERT INTO cities VALUES ('Canyon Lake', 'TX');
INSERT INTO cities VALUES ('Canyonville', 'OR');
INSERT INTO cities VALUES ('Capac', 'MI');
INSERT INTO cities VALUES ('Capay', 'CA');
INSERT INTO cities VALUES ('Cape Canaveral', 'FL');
INSERT INTO cities VALUES ('Cape Charles', 'VA');
INSERT INTO cities VALUES ('Cape Coral', 'FL');
INSERT INTO cities VALUES ('Cape Elizabeth', 'ME');
INSERT INTO cities VALUES ('Cape Fair', 'MO'):
INSERT INTO cities VALUES ('Cape Girardeau', 'MO');
INSERT INTO cities VALUES ('Cape May', 'NJ');
INSERT INTO cities VALUES ('Cape May Court House', 'NJ');
INSERT INTO cities VALUES ('Cape May Point', 'NJ');
INSERT INTO cities VALUES ('Cape Neddick', 'ME');
INSERT INTO cities VALUES ('Cape Porpoise', 'ME');
INSERT INTO cities VALUES ('Cape Vincent', 'NY');
INSERT INTO cities VALUES ('Capeville', 'VA');
INSERT INTO cities VALUES ('Capistrano Beach', 'CA');
INSERT INTO cities VALUES ('Capitan', 'NM');
INSERT INTO cities VALUES ('Capitol', 'MT');
```

```
INSERT INTO cities VALUES ('Capitol Heights', 'MD');
INSERT INTO cities VALUES ('Capitola', 'CA'):
INSERT INTO cities VALUES ('Caplinger Mills', 'MO');
INSERT INTO cities VALUES ('Capon Bridge', 'WV');
INSERT INTO cities VALUES ('Capon Springs', 'WV'):
INSERT INTO cities VALUES ('Caprock', 'NM');
INSERT INTO cities VALUES ('Capron', 'IL');
INSERT INTO cities VALUES ('Capron', 'VA');
INSERT INTO cities VALUES ('Capshaw', 'AL');
INSERT INTO cities VALUES ('Captain Cook', 'HI');
INSERT INTO cities VALUES ('Captiva', 'FL');
INSERT INTO cities VALUES ('Capulin', 'CO');
INSERT INTO cities VALUES ('Capulin', 'NM'):
INSERT INTO cities VALUES ('Caputa', 'SD');
INSERT INTO cities VALUES ('Caratunk', 'ME');
INSERT INTO cities VALUES ('Caraway', 'AR'):
INSERT INTO cities VALUES ('Carbon', 'IA');
INSERT INTO cities VALUES ('Carbon', 'IN');
INSERT INTO cities VALUES ('Carbon', 'TX');
INSERT INTO cities VALUES ('Carbon Cliff', 'IL');
INSERT INTO cities VALUES ('Carbon Hill', 'AL');
INSERT INTO cities VALUES ('Carbon Hill', 'OH');
INSERT INTO cities VALUES ('Carbonado', 'WA');
INSERT INTO cities VALUES ('Carbondale', 'CO'):
INSERT INTO cities VALUES ('Carbondale', 'IL');
INSERT INTO cities VALUES ('Carbondale', 'KS');
INSERT INTO cities VALUES ('Carbondale', 'OH'):
INSERT INTO cities VALUES ('Carbondale', 'PA'):
INSERT INTO cities VALUES ('Cardale', 'PA');
INSERT INTO cities VALUES ('Cardiff', 'AL');
INSERT INTO cities VALUES ('Cardiff By The Sea', 'CA');
INSERT INTO cities VALUES ('Cardin', 'OK');
INSERT INTO cities VALUES ('Cardinal', 'VA');
INSERT INTO cities VALUES ('Cardington', 'OH');
INSERT INTO cities VALUES ('Cardwell', 'MO');
INSERT INTO cities VALUES ('Cardwell', 'MT'):
INSERT INTO cities VALUES ('Carefree', 'AZ');
INSERT INTO cities VALUES ('Carencro', 'LA');
INSERT INTO cities VALUES ('Caret', 'VA'):
INSERT INTO cities VALUES ('Carey', 'ID');
INSERT INTO cities VALUES ('Carey', 'OH');
INSERT INTO cities VALUES ('Careywood', 'ID');
INSERT INTO cities VALUES ('Caribou', 'ME');
INSERT INTO cities VALUES ('Carl Junction', 'MO');
INSERT INTO cities VALUES ('Carle Place', 'NY'):
INSERT INTO cities VALUES ('Carleton', 'MI');
INSERT INTO cities VALUES ('Carleton', 'NE');
INSERT INTO cities VALUES ('Carlin', 'NV');
INSERT INTO cities VALUES ('Carlinville', 'IL');
INSERT INTO cities VALUES ('Carlisle', 'AR');
INSERT INTO cities VALUES ('Carlisle', 'IA');
INSERT INTO cities VALUES ('Carlisle', 'IN');
INSERT INTO cities VALUES ('Carlisle', 'KY');
INSERT INTO cities VALUES ('Carlisle', 'MA');
INSERT INTO cities VALUES ('Carlisle', 'NY');
INSERT INTO cities VALUES ('Carlisle', 'PA');
```

```
INSERT INTO cities VALUES ('Carlisle', 'SC');
INSERT INTO cities VALUES ('Carlock', 'IL'):
INSERT INTO cities VALUES ('Carlos', 'MN');
INSERT INTO cities VALUES ('Carlotta', 'CA'):
INSERT INTO cities VALUES ('Carlsbad', 'CA'):
INSERT INTO cities VALUES ('Carlsbad', 'NM');
INSERT INTO cities VALUES ('Carlsbad', 'TX');
INSERT INTO cities VALUES ('Carlsborg', 'WA');
INSERT INTO cities VALUES ('Carlstadt', 'NJ');
INSERT INTO cities VALUES ('Carlton', 'AL');
INSERT INTO cities VALUES ('Carlton', 'GA');
INSERT INTO cities VALUES ('Carlton', 'MN');
INSERT INTO cities VALUES ('Carlton', 'OR'):
INSERT INTO cities VALUES ('Carlton', 'PA');
INSERT INTO cities VALUES ('Carlton', 'TX'):
INSERT INTO cities VALUES ('Carlton', 'WA');
INSERT INTO cities VALUES ('Carlyle', 'IL');
INSERT INTO cities VALUES ('Carman', 'IL');
INSERT INTO cities VALUES ('Carmel', 'CA');
INSERT INTO cities VALUES ('Carmel', 'IN');
INSERT INTO cities VALUES ('Carmel', 'ME');
INSERT INTO cities VALUES ('Carmel', 'NY');
INSERT INTO cities VALUES ('Carmel By The Sea', 'CA');
INSERT INTO cities VALUES ('Carmel Valley', 'CA'):
INSERT INTO cities VALUES ('Carmen', 'ID');
INSERT INTO cities VALUES ('Carmen', 'OK');
INSERT INTO cities VALUES ('Carmi', 'IL'):
INSERT INTO cities VALUES ('Carmichael', 'CA'):
INSERT INTO cities VALUES ('Carmichaels', 'PA');
INSERT INTO cities VALUES ('Carmine', 'TX');
INSERT INTO cities VALUES ('Carnation', 'WA');
INSERT INTO cities VALUES ('Carnegie', 'OK');
INSERT INTO cities VALUES ('Carnegie', 'PA');
INSERT INTO cities VALUES ('Carnelian Bay', 'CA');
INSERT INTO cities VALUES ('Carnesville', 'GA');
INSERT INTO cities VALUES ('Carney', 'MI'):
INSERT INTO cities VALUES ('Carney', 'OK');
INSERT INTO cities VALUES ('Caro', 'MI');
INSERT INTO cities VALUES ('Caroga Lake', 'NY');
INSERT INTO cities VALUES ('Carol Stream', 'IL');
INSERT INTO cities VALUES ('Caroleen', 'NC');
INSERT INTO cities VALUES ('Carolina', 'PR');
INSERT INTO cities VALUES ('Carolina', 'RI');
INSERT INTO cities VALUES ('Carolina', 'WV');
INSERT INTO cities VALUES ('Carolina Beach', 'NC'):
INSERT INTO cities VALUES ('Caroline', 'WI');
INSERT INTO cities VALUES ('Carp Lake', 'MI');
INSERT INTO cities VALUES ('Carpenter', 'IA');
INSERT INTO cities VALUES ('Carpenter', 'SD');
INSERT INTO cities VALUES ('Carpenter', 'WY');
INSERT INTO cities VALUES ('Carpentersville', 'IL');
INSERT INTO cities VALUES ('Carpinteria', 'CA');
INSERT INTO cities VALUES ('Carpio', 'ND');
INSERT INTO cities VALUES ('Carr', 'CO');
INSERT INTO cities VALUES ('Carrabelle', 'FL');
INSERT INTO cities VALUES ('Carrboro', 'NC');
```

```
INSERT INTO cities VALUES ('Carrie', 'KY');
INSERT INTO cities VALUES ('Carrier', 'OK'):
INSERT INTO cities VALUES ('Carrier Mills', 'IL');
INSERT INTO cities VALUES ('Carriere', 'MS');
INSERT INTO cities VALUES ('Carrington', 'ND'):
INSERT INTO cities VALUES ('Carrizo Springs', 'TX');
INSERT INTO cities VALUES ('Carrizozo', 'NM');
INSERT INTO cities VALUES ('Carroll', 'IA');
INSERT INTO cities VALUES ('Carroll', 'NE');
INSERT INTO cities VALUES ('Carroll', 'OH');
INSERT INTO cities VALUES ('Carrolls', 'WA');
INSERT INTO cities VALUES ('Carrollton', 'AL');
INSERT INTO cities VALUES ('Carrollton', 'GA'):
INSERT INTO cities VALUES ('Carrollton', 'IL');
INSERT INTO cities VALUES ('Carrollton', 'KY'):
INSERT INTO cities VALUES ('Carrollton', 'MI');
INSERT INTO cities VALUES ('Carrollton', 'MO');
INSERT INTO cities VALUES ('Carrollton', 'MS');
INSERT INTO cities VALUES ('Carrollton', 'OH');
INSERT INTO cities VALUES ('Carrollton', 'TX');
INSERT INTO cities VALUES ('Carrollton', 'VA');
INSERT INTO cities VALUES ('Carrolltown', 'PA'):
INSERT INTO cities VALUES ('Carrsville', 'VA');
INSERT INTO cities VALUES ('Carson', 'CA'):
INSERT INTO cities VALUES ('Carson', 'IA');
INSERT INTO cities VALUES ('Carson', 'MS');
INSERT INTO cities VALUES ('Carson', 'ND'):
INSERT INTO cities VALUES ('Carson', 'NM');
INSERT INTO cities VALUES ('Carson', 'VA');
INSERT INTO cities VALUES ('Carson', 'WA');
INSERT INTO cities VALUES ('Carson City', 'MI');
INSERT INTO cities VALUES ('Carson City', 'NV');
INSERT INTO cities VALUES ('Carsonville', 'MI');
INSERT INTO cities VALUES ('Carter', 'KY');
INSERT INTO cities VALUES ('Carter', 'MT');
INSERT INTO cities VALUES ('Carter', 'OK'):
INSERT INTO cities VALUES ('Carter Lake', 'IA');
INSERT INTO cities VALUES ('Carteret', 'NJ');
INSERT INTO cities VALUES ('Cartersville', 'GA');
INSERT INTO cities VALUES ('Cartersville', 'VA');
INSERT INTO cities VALUES ('Carterville', 'IL');
INSERT INTO cities VALUES ('Carterville', 'MO');
INSERT INTO cities VALUES ('Carthage', 'AR');
INSERT INTO cities VALUES ('Carthage', 'IL');
INSERT INTO cities VALUES ('Carthage', 'IN');
INSERT INTO cities VALUES ('Carthage', 'MO');
INSERT INTO cities VALUES ('Carthage', 'MS');
INSERT INTO cities VALUES ('Carthage', 'NC');
INSERT INTO cities VALUES ('Carthage', 'NY');
INSERT INTO cities VALUES ('Carthage', 'SD');
INSERT INTO cities VALUES ('Carthage', 'TN');
INSERT INTO cities VALUES ('Carthage', 'TX');
INSERT INTO cities VALUES ('Cartwright', 'ND');
INSERT INTO cities VALUES ('Cartwright', 'OK');
INSERT INTO cities VALUES ('Caruthers', 'CA');
INSERT INTO cities VALUES ('Caruthersville', 'MO');
```

```
INSERT INTO cities VALUES ('Carver', 'MA');
INSERT INTO cities VALUES ('Carver', 'MN'):
INSERT INTO cities VALUES ('Carversville', 'PA');
INSERT INTO cities VALUES ('Carville', 'LA');
INSERT INTO cities VALUES ('Carv', 'IL'):
INSERT INTO cities VALUES ('Cary', 'MS');
INSERT INTO cities VALUES ('Cary', 'NC');
INSERT INTO cities VALUES ('Caryville', 'FL');
INSERT INTO cities VALUES ('Caryville', 'TN');
INSERT INTO cities VALUES ('Casa', 'AR');
INSERT INTO cities VALUES ('Casa Blanca', 'NM');
INSERT INTO cities VALUES ('Casa Grande', 'AZ');
INSERT INTO cities VALUES ('Casanova', 'VA');
INSERT INTO cities VALUES ('Casar', 'NC');
INSERT INTO cities VALUES ('Cascade', 'CO');
INSERT INTO cities VALUES ('Cascade', 'IA'):
INSERT INTO cities VALUES ('Cascade', 'ID');
INSERT INTO cities VALUES ('Cascade', 'MD');
INSERT INTO cities VALUES ('Cascade', 'MO');
INSERT INTO cities VALUES ('Cascade', 'MT');
INSERT INTO cities VALUES ('Cascade', 'VA');
INSERT INTO cities VALUES ('Cascade', 'WI');
INSERT INTO cities VALUES ('Cascade Locks', 'OR');
INSERT INTO cities VALUES ('Cascadia', 'OR');
INSERT INTO cities VALUES ('Cascilla', 'MS');
INSERT INTO cities VALUES ('Casco', 'ME');
INSERT INTO cities VALUES ('Casco', 'MI'):
INSERT INTO cities VALUES ('Casco', 'WI');
INSERT INTO cities VALUES ('Caseville', 'MI');
INSERT INTO cities VALUES ('Casey', 'IA');
INSERT INTO cities VALUES ('Casey', 'IL');
INSERT INTO cities VALUES ('Caseyville', 'IL');
INSERT INTO cities VALUES ('Cash', 'AR');
INSERT INTO cities VALUES ('Cashiers', 'NC');
INSERT INTO cities VALUES ('Cashion', 'AZ');
INSERT INTO cities VALUES ('Cashion', 'OK');
INSERT INTO cities VALUES ('Cashmere', 'WA');
INSERT INTO cities VALUES ('Cashton', 'WI');
INSERT INTO cities VALUES ('Cashtown', 'PA');
INSERT INTO cities VALUES ('Casmalia', 'CA');
INSERT INTO cities VALUES ('Casnovia', 'MI');
INSERT INTO cities VALUES ('Cason', 'TX');
INSERT INTO cities VALUES ('Caspar', 'CA');
INSERT INTO cities VALUES ('Casper', 'WY');
INSERT INTO cities VALUES ('Caspian', 'MI'):
INSERT INTO cities VALUES ('Cass', 'WV');
INSERT INTO cities VALUES ('Cass City', 'MI');
INSERT INTO cities VALUES ('Cass Lake', 'MN');
INSERT INTO cities VALUES ('Cassadaga', 'FL');
INSERT INTO cities VALUES ('Cassadaga', 'NY');
INSERT INTO cities VALUES ('Cassandra', 'PA');
INSERT INTO cities VALUES ('Cassatt', 'SC');
INSERT INTO cities VALUES ('Casscoe', 'AR');
INSERT INTO cities VALUES ('Cassel', 'CA');
INSERT INTO cities VALUES ('Casselberry', 'FL');
INSERT INTO cities VALUES ('Casselton', 'ND');
```

```
INSERT INTO cities VALUES ('Cassoday', 'KS');
INSERT INTO cities VALUES ('Cassopolis', 'MI'):
INSERT INTO cities VALUES ('Casstown', 'OH');
INSERT INTO cities VALUES ('Cassville', 'GA'):
INSERT INTO cities VALUES ('Cassville', 'MO'):
INSERT INTO cities VALUES ('Cassville', 'NY');
INSERT INTO cities VALUES ('Cassville', 'PA');
INSERT INTO cities VALUES ('Cassville', 'WI');
INSERT INTO cities VALUES ('Cassville', 'WV');
INSERT INTO cities VALUES ('Castaic', 'CA');
INSERT INTO cities VALUES ('Castalia', 'IA');
INSERT INTO cities VALUES ('Castalia', 'NC');
INSERT INTO cities VALUES ('Castalia', 'OH');
INSERT INTO cities VALUES ('Castalian Springs', 'TN');
INSERT INTO cities VALUES ('Castana', 'IA');
INSERT INTO cities VALUES ('Castanea', 'PA');
INSERT INTO cities VALUES ('Castaner', 'PR');
INSERT INTO cities VALUES ('Castell', 'TX');
INSERT INTO cities VALUES ('Castella', 'CA');
INSERT INTO cities VALUES ('Castile', 'NY');
INSERT INTO cities VALUES ('Castine', 'ME');
INSERT INTO cities VALUES ('Castle', 'OK');
INSERT INTO cities VALUES ('Castle Creek', 'NY');
INSERT INTO cities VALUES ('Castle Dale', 'UT');
INSERT INTO cities VALUES ('Castle Hayne', 'NC');
INSERT INTO cities VALUES ('Castle Point', 'NY');
INSERT INTO cities VALUES ('Castle Rock', 'CO');
INSERT INTO cities VALUES ('Castle Rock', 'MN');
INSERT INTO cities VALUES ('Castle Rock', 'WA');
INSERT INTO cities VALUES ('Castleberry', 'AL');
INSERT INTO cities VALUES ('Castleford', 'ID');
INSERT INTO cities VALUES ('Castleton', 'IL');
INSERT INTO cities VALUES ('Castleton', 'VA');
INSERT INTO cities VALUES ('Castleton', 'VT');
INSERT INTO cities VALUES ('Castleton On Hudson', 'NY');
INSERT INTO cities VALUES ('Castlewood', 'SD'):
INSERT INTO cities VALUES ('Castlewood', 'VA');
INSERT INTO cities VALUES ('Castor', 'LA');
INSERT INTO cities VALUES ('Castorland', 'NY');
INSERT INTO cities VALUES ('Castro Valley', 'CA');
INSERT INTO cities VALUES ('Castroville', 'CA');
INSERT INTO cities VALUES ('Castroville', 'TX');
INSERT INTO cities VALUES ('Cat Spring', 'TX');
INSERT INTO cities VALUES ('Cataldo', 'ID');
INSERT INTO cities VALUES ('Catalina', 'AZ');
INSERT INTO cities VALUES ('Catano', 'PR');
INSERT INTO cities VALUES ('Cataract', 'WI');
INSERT INTO cities VALUES ('Catarina', 'TX');
INSERT INTO cities VALUES ('Catasauqua', 'PA');
INSERT INTO cities VALUES ('Cataula', 'GA');
INSERT INTO cities VALUES ('Cataumet', 'MA');
INSERT INTO cities VALUES ('Catawba', 'NC');
INSERT INTO cities VALUES ('Catawba', 'OH');
INSERT INTO cities VALUES ('Catawba', 'SC');
INSERT INTO cities VALUES ('Catawba', 'VA');
INSERT INTO cities VALUES ('Catawba', 'WI');
```

```
INSERT INTO cities VALUES ('Catawissa', 'MO');
INSERT INTO cities VALUES ('Catawissa', 'PA'):
INSERT INTO cities VALUES ('Catharine', 'KS');
INSERT INTO cities VALUES ('Catharpin', 'VA'):
INSERT INTO cities VALUES ('Cathay', 'ND'):
INSERT INTO cities VALUES ('Cathedral City', 'CA');
INSERT INTO cities VALUES ('Catherine', 'AL');
INSERT INTO cities VALUES ('Catheys Valley', 'CA');
INSERT INTO cities VALUES ('Cathlamet', 'WA');
INSERT INTO cities VALUES ('Catlett', 'VA');
INSERT INTO cities VALUES ('Catlettsburg', 'KY');
INSERT INTO cities VALUES ('Catlin', 'IL');
INSERT INTO cities VALUES ('Cato', 'NY');
INSERT INTO cities VALUES ('Catonsville', 'MD');
INSERT INTO cities VALUES ('Catoosa', 'OK');
INSERT INTO cities VALUES ('Catron', 'MO'):
INSERT INTO cities VALUES ('Catskill', 'NY');
INSERT INTO cities VALUES ('Cattaraugus', 'NY');
INSERT INTO cities VALUES ('Caulfield', 'MO');
INSERT INTO cities VALUES ('Causey', 'NM');
INSERT INTO cities VALUES ('Cavalier', 'ND');
INSERT INTO cities VALUES ('Cave City', 'AR');
INSERT INTO cities VALUES ('Cave City', 'KY');
INSERT INTO cities VALUES ('Cave Creek', 'AZ');
INSERT INTO cities VALUES ('Cave In Rock', 'IL');
INSERT INTO cities VALUES ('Cave Junction', 'OR');
INSERT INTO cities VALUES ('Cave Spring', 'GA'):
INSERT INTO cities VALUES ('Cave Springs', 'AR');
INSERT INTO cities VALUES ('Cavendish', 'VT');
INSERT INTO cities VALUES ('Cavetown', 'MD');
INSERT INTO cities VALUES ('Cavour', 'SD');
INSERT INTO cities VALUES ('Cawker City', 'KS');
INSERT INTO cities VALUES ('Cawood', 'KY');
INSERT INTO cities VALUES ('Cayce', 'SC');
INSERT INTO cities VALUES ('Cayey', 'PR');
INSERT INTO cities VALUES ('Cayucos', 'CA'):
INSERT INTO cities VALUES ('Cayuga', 'IN');
INSERT INTO cities VALUES ('Cayuga', 'ND');
INSERT INTO cities VALUES ('Cayuga', 'NY'):
INSERT INTO cities VALUES ('Cayuga', 'TX');
INSERT INTO cities VALUES ('Cayuta', 'NY');
INSERT INTO cities VALUES ('Cazadero', 'CA');
INSERT INTO cities VALUES ('Cazenovia', 'NY');
INSERT INTO cities VALUES ('Cazenovia', 'WI');
INSERT INTO cities VALUES ('Cebolla', 'NM'):
INSERT INTO cities VALUES ('Cecil', 'AL');
INSERT INTO cities VALUES ('Cecil', 'AR');
INSERT INTO cities VALUES ('Cecil', 'GA');
INSERT INTO cities VALUES ('Cecil', 'OH');
INSERT INTO cities VALUES ('Cecil', 'PA');
INSERT INTO cities VALUES ('Cecil', 'WI');
INSERT INTO cities VALUES ('Cecilia', 'KY');
INSERT INTO cities VALUES ('Cecilia', 'LA');
INSERT INTO cities VALUES ('Cecilton', 'MD');
INSERT INTO cities VALUES ('Cedar', 'IA');
INSERT INTO cities VALUES ('Cedar', 'KS');
```

```
INSERT INTO cities VALUES ('Cedar', 'MI');
INSERT INTO cities VALUES ('Cedar', 'MN'):
INSERT INTO cities VALUES ('Cedar Bluff', 'AL');
INSERT INTO cities VALUES ('Cedar Bluff', 'VA'):
INSERT INTO cities VALUES ('Cedar Bluffs', 'NE'):
INSERT INTO cities VALUES ('Cedar Brook', 'NJ');
INSERT INTO cities VALUES ('Cedar City', 'UT');
INSERT INTO cities VALUES ('Cedar Creek', 'NE');
INSERT INTO cities VALUES ('Cedar Creek', 'TX');
INSERT INTO cities VALUES ('Cedar Crest', 'NM');
INSERT INTO cities VALUES ('Cedar Falls', 'IA');
INSERT INTO cities VALUES ('Cedar Falls', 'NC');
INSERT INTO cities VALUES ('Cedar Glen', 'CA'):
INSERT INTO cities VALUES ('Cedar Grove', 'IN');
INSERT INTO cities VALUES ('Cedar Grove', 'NC');
INSERT INTO cities VALUES ('Cedar Grove', 'NJ');
INSERT INTO cities VALUES ('Cedar Grove', 'TN');
INSERT INTO cities VALUES ('Cedar Grove', 'WI');
INSERT INTO cities VALUES ('Cedar Grove', 'WV');
INSERT INTO cities VALUES ('Cedar Hill', 'MO');
INSERT INTO cities VALUES ('Cedar Hill', 'TN');
INSERT INTO cities VALUES ('Cedar Hill', 'TX');
INSERT INTO cities VALUES ('Cedar Island', 'NC');
INSERT INTO cities VALUES ('Cedar Key', 'FL'):
INSERT INTO cities VALUES ('Cedar Knolls', 'NJ');
INSERT INTO cities VALUES ('Cedar Lake', 'IN');
INSERT INTO cities VALUES ('Cedar Lake', 'MI'):
INSERT INTO cities VALUES ('Cedar Lane', 'TX');
INSERT INTO cities VALUES ('Cedar Mountain', 'NC');
INSERT INTO cities VALUES ('Cedar Park', 'TX');
INSERT INTO cities VALUES ('Cedar Point', 'IL');
INSERT INTO cities VALUES ('Cedar Point', 'KS');
INSERT INTO cities VALUES ('Cedar Rapids', 'IA');
INSERT INTO cities VALUES ('Cedar Rapids', 'NE');
INSERT INTO cities VALUES ('Cedar Ridge', 'CA');
INSERT INTO cities VALUES ('Cedar Run', 'PA');
INSERT INTO cities VALUES ('Cedar Springs', 'GA');
INSERT INTO cities VALUES ('Cedar Springs', 'MI');
INSERT INTO cities VALUES ('Cedar Vale', 'KS'):
INSERT INTO cities VALUES ('Cedar Valley', 'UT');
INSERT INTO cities VALUES ('Cedarbluff', 'MS');
INSERT INTO cities VALUES ('Cedarburg', 'WI');
INSERT INTO cities VALUES ('Cedarcreek', 'MO');
INSERT INTO cities VALUES ('Cedaredge', 'CO');
INSERT INTO cities VALUES ('Cedarhurst', 'NY'):
INSERT INTO cities VALUES ('Cedarpines Park', 'CA');
INSERT INTO cities VALUES ('Cedars', 'PA');
INSERT INTO cities VALUES ('Cedartown', 'GA');
INSERT INTO cities VALUES ('Cedarvale', 'NM');
INSERT INTO cities VALUES ('Cedarville', 'AR');
INSERT INTO cities VALUES ('Cedarville', 'CA');
INSERT INTO cities VALUES ('Cedarville', 'IL');
INSERT INTO cities VALUES ('Cedarville', 'MI');
INSERT INTO cities VALUES ('Cedarville', 'NJ');
INSERT INTO cities VALUES ('Cedarville', 'OH');
INSERT INTO cities VALUES ('Cedarville', 'WV');
```

```
INSERT INTO cities VALUES ('Cee Vee', 'TX');
INSERT INTO cities VALUES ('Ceiba', 'PR'):
INSERT INTO cities VALUES ('Celeste', 'TX');
INSERT INTO cities VALUES ('Celestine', 'IN'):
INSERT INTO cities VALUES ('Celina', 'OH'):
INSERT INTO cities VALUES ('Celina', 'TN');
INSERT INTO cities VALUES ('Celina', 'TX');
INSERT INTO cities VALUES ('Celoron', 'NY');
INSERT INTO cities VALUES ('Cement', 'OK');
INSERT INTO cities VALUES ('Cement City', 'MI');
INSERT INTO cities VALUES ('Centenary', 'SC');
INSERT INTO cities VALUES ('Centennial', 'WY');
INSERT INTO cities VALUES ('Center', 'CO'):
INSERT INTO cities VALUES ('Center', 'KY');
INSERT INTO cities VALUES ('Center', 'MO'):
INSERT INTO cities VALUES ('Center', 'ND'):
INSERT INTO cities VALUES ('Center', 'NE');
INSERT INTO cities VALUES ('Center', 'TX');
INSERT INTO cities VALUES ('Center Barnstead', 'NH');
INSERT INTO cities VALUES ('Center City', 'MN');
INSERT INTO cities VALUES ('Center Cross', 'VA');
INSERT INTO cities VALUES ('Center Harbor', 'NH'):
INSERT INTO cities VALUES ('Center Hill', 'FL');
INSERT INTO cities VALUES ('Center Junction', 'IA');
INSERT INTO cities VALUES ('Center Line', 'MI');
INSERT INTO cities VALUES ('Center Lovell', 'ME');
INSERT INTO cities VALUES ('Center Moriches', 'NY');
INSERT INTO cities VALUES ('Center Ossipee', 'NH');
INSERT INTO cities VALUES ('Center Point', 'IA');
INSERT INTO cities VALUES ('Center Point', 'LA');
INSERT INTO cities VALUES ('Center Point', 'TX');
INSERT INTO cities VALUES ('Center Point', 'WV');
INSERT INTO cities VALUES ('Center Ridge', 'AR');
INSERT INTO cities VALUES ('Center Rutland', 'VT');
INSERT INTO cities VALUES ('Center Sandwich', 'NH');
INSERT INTO cities VALUES ('Center Strafford', 'NH');
INSERT INTO cities VALUES ('Center Tuftonboro', 'NH');
INSERT INTO cities VALUES ('Center Valley', 'PA');
INSERT INTO cities VALUES ('Centerbrook', 'CT'):
INSERT INTO cities VALUES ('Centerburg', 'OH');
INSERT INTO cities VALUES ('Centereach', 'NY');
INSERT INTO cities VALUES ('Centerfield', 'UT');
INSERT INTO cities VALUES ('Centerpoint', 'IN');
INSERT INTO cities VALUES ('Centerport', 'NY');
INSERT INTO cities VALUES ('Centerport', 'PA'):
INSERT INTO cities VALUES ('Centerton', 'AR');
INSERT INTO cities VALUES ('Centertown', 'KY');
INSERT INTO cities VALUES ('Centertown', 'MO');
INSERT INTO cities VALUES ('Centerview', 'MO');
INSERT INTO cities VALUES ('Centerville', 'AR');
INSERT INTO cities VALUES ('Centerville', 'GA');
INSERT INTO cities VALUES ('Centerville', 'IA');
INSERT INTO cities VALUES ('Centerville', 'IN');
INSERT INTO cities VALUES ('Centerville', 'KS');
INSERT INTO cities VALUES ('Centerville', 'LA');
INSERT INTO cities VALUES ('Centerville', 'MA');
```

```
INSERT INTO cities VALUES ('Centerville', 'MO');
INSERT INTO cities VALUES ('Centerville', 'NY'):
INSERT INTO cities VALUES ('Centerville', 'PA');
INSERT INTO cities VALUES ('Centerville', 'SD');
INSERT INTO cities VALUES ('Centerville', 'TN'):
INSERT INTO cities VALUES ('Centerville', 'TX');
INSERT INTO cities VALUES ('Centerville', 'UT');
INSERT INTO cities VALUES ('Centerville', 'WA');
INSERT INTO cities VALUES ('Centrahoma', 'OK');
INSERT INTO cities VALUES ('Central', 'AK');
INSERT INTO cities VALUES ('Central', 'AZ');
INSERT INTO cities VALUES ('Central', 'IN');
INSERT INTO cities VALUES ('Central', 'SC'):
INSERT INTO cities VALUES ('Central', 'UT');
INSERT INTO cities VALUES ('Central Bridge', 'NY');
INSERT INTO cities VALUES ('Central City', 'CO'):
INSERT INTO cities VALUES ('Central City', 'IA');
INSERT INTO cities VALUES ('Central City', 'KY');
INSERT INTO cities VALUES ('Central City', 'NE');
INSERT INTO cities VALUES ('Central City', 'PA');
INSERT INTO cities VALUES ('Central Falls', 'RI');
INSERT INTO cities VALUES ('Central Islip', 'NY');
INSERT INTO cities VALUES ('Central Lake', 'MI');
INSERT INTO cities VALUES ('Central Point', 'OR'):
INSERT INTO cities VALUES ('Central Square', 'NY');
INSERT INTO cities VALUES ('Central Valley', 'NY');
INSERT INTO cities VALUES ('Central Village', 'CT');
INSERT INTO cities VALUES ('Centralia', 'IL');
INSERT INTO cities VALUES ('Centralia', 'KS');
INSERT INTO cities VALUES ('Centralia', 'MO');
INSERT INTO cities VALUES ('Centralia', 'TX');
INSERT INTO cities VALUES ('Centralia', 'WA');
INSERT INTO cities VALUES ('Centre', 'AL');
INSERT INTO cities VALUES ('Centre Hall', 'PA');
INSERT INTO cities VALUES ('Centreville', 'AL');
INSERT INTO cities VALUES ('Centreville', 'MD'):
INSERT INTO cities VALUES ('Centreville', 'MI');
INSERT INTO cities VALUES ('Centreville', 'MS');
INSERT INTO cities VALUES ('Centreville', 'VA'):
INSERT INTO cities VALUES ('Centuria', 'WI');
INSERT INTO cities VALUES ('Century', 'FL');
INSERT INTO cities VALUES ('Ceredo', 'WV');
INSERT INTO cities VALUES ('Ceres', 'CA');
INSERT INTO cities VALUES ('Ceres', 'NY');
INSERT INTO cities VALUES ('Ceres', 'VA');
INSERT INTO cities VALUES ('Ceresco', 'MI');
INSERT INTO cities VALUES ('Ceresco', 'NE');
INSERT INTO cities VALUES ('Cerrillos', 'NM');
INSERT INTO cities VALUES ('Cerritos', 'CA');
INSERT INTO cities VALUES ('Cerro', 'NM');
INSERT INTO cities VALUES ('Cerro Gordo', 'IL');
INSERT INTO cities VALUES ('Cerro Gordo', 'NC');
INSERT INTO cities VALUES ('Cerulean', 'KY');
INSERT INTO cities VALUES ('Ceylon', 'MN');
INSERT INTO cities VALUES ('Chacon', 'NM');
INSERT INTO cities VALUES ('Chadbourn', 'NC');
```

```
INSERT INTO cities VALUES ('Chadds Ford', 'PA');
INSERT INTO cities VALUES ('Chadron', 'NE'):
INSERT INTO cities VALUES ('Chadwick', 'IL');
INSERT INTO cities VALUES ('Chadwick', 'MO');
INSERT INTO cities VALUES ('Chadwicks', 'NY'):
INSERT INTO cities VALUES ('Chaffee', 'MO');
INSERT INTO cities VALUES ('Chaffee', 'NY');
INSERT INTO cities VALUES ('Chagrin Falls', 'OH');
INSERT INTO cities VALUES ('Chalfont', 'PA');
INSERT INTO cities VALUES ('Chalk Hill', 'PA');
INSERT INTO cities VALUES ('Chalkyitsik', 'AK');
INSERT INTO cities VALUES ('Challenge', 'CA');
INSERT INTO cities VALUES ('Challis', 'ID');
INSERT INTO cities VALUES ('Chalmers', 'IN');
INSERT INTO cities VALUES ('Chalmette', 'LA'):
INSERT INTO cities VALUES ('Chama', 'CO'):
INSERT INTO cities VALUES ('Chama', 'NM');
INSERT INTO cities VALUES ('Chamberino', 'NM');
INSERT INTO cities VALUES ('Chamberlain', 'ME');
INSERT INTO cities VALUES ('Chamberlain', 'SD');
INSERT INTO cities VALUES ('Chambers', 'AZ');
INSERT INTO cities VALUES ('Chambers', 'NE');
INSERT INTO cities VALUES ('Chambersburg', 'IL');
INSERT INTO cities VALUES ('Chambersburg', 'PA');
INSERT INTO cities VALUES ('Chambersville', 'PA');
INSERT INTO cities VALUES ('Chamisal', 'NM');
INSERT INTO cities VALUES ('Chamois', 'MO'):
INSERT INTO cities VALUES ('Champaign', 'IL');
INSERT INTO cities VALUES ('Champion', 'MI');
INSERT INTO cities VALUES ('Champion', 'NE');
INSERT INTO cities VALUES ('Champion', 'PA');
INSERT INTO cities VALUES ('Champlain', 'NY');
INSERT INTO cities VALUES ('Champlain', 'VA');
INSERT INTO cities VALUES ('Champlin', 'MN');
INSERT INTO cities VALUES ('Chana', 'IL');
INSERT INTO cities VALUES ('Chancellor', 'AL');
INSERT INTO cities VALUES ('Chancellor', 'SD');
INSERT INTO cities VALUES ('Chandler', 'AZ');
INSERT INTO cities VALUES ('Chandler', 'IN');
INSERT INTO cities VALUES ('Chandler', 'MN');
INSERT INTO cities VALUES ('Chandler', 'OK');
INSERT INTO cities VALUES ('Chandler', 'TX');
INSERT INTO cities VALUES ('Chandler Heights', 'AZ');
INSERT INTO cities VALUES ('Chandlers Valley', 'PA');
INSERT INTO cities VALUES ('Chandlersville', 'OH'):
INSERT INTO cities VALUES ('Chandlerville', 'IL');
INSERT INTO cities VALUES ('Changewater', 'NJ');
INSERT INTO cities VALUES ('Chanhassen', 'MN');
INSERT INTO cities VALUES ('Channahon', 'IL');
INSERT INTO cities VALUES ('Channelview', 'TX');
INSERT INTO cities VALUES ('Channing', 'MI');
INSERT INTO cities VALUES ('Channing', 'TX');
INSERT INTO cities VALUES ('Chantilly', 'VA');
INSERT INTO cities VALUES ('Chanute', 'KS');
INSERT INTO cities VALUES ('Chaparral', 'NM');
INSERT INTO cities VALUES ('Chapel Hill', 'NC');
```

```
INSERT INTO cities VALUES ('Chapel Hill', 'TN');
INSERT INTO cities VALUES ('Chapin', 'IA'):
INSERT INTO cities VALUES ('Chapin', 'IL');
INSERT INTO cities VALUES ('Chapin', 'SC'):
INSERT INTO cities VALUES ('Chaplin', 'CT'):
INSERT INTO cities VALUES ('Chaplin', 'KY');
INSERT INTO cities VALUES ('Chapman', 'AL');
INSERT INTO cities VALUES ('Chapman', 'KS');
INSERT INTO cities VALUES ('Chapman', 'NE');
INSERT INTO cities VALUES ('Chapman Ranch', 'TX');
INSERT INTO cities VALUES ('Chapmansboro', 'TN');
INSERT INTO cities VALUES ('Chapmanville', 'WV');
INSERT INTO cities VALUES ('Chappaqua', 'NY');
INSERT INTO cities VALUES ('Chappell', 'KY');
INSERT INTO cities VALUES ('Chappell', 'NE'):
INSERT INTO cities VALUES ('Chappell Hill', 'TX');
INSERT INTO cities VALUES ('Chappells', 'SC');
INSERT INTO cities VALUES ('Chaptico', 'MD');
INSERT INTO cities VALUES ('Chardon', 'OH');
INSERT INTO cities VALUES ('Charenton', 'LA');
INSERT INTO cities VALUES ('Chariton', 'IA');
INSERT INTO cities VALUES ('Charlemont', 'MA'):
INSERT INTO cities VALUES ('Charleroi', 'PA');
INSERT INTO cities VALUES ('Charles City', 'IA');
INSERT INTO cities VALUES ('Charles City', 'VA');
INSERT INTO cities VALUES ('Charles Town', 'WV');
INSERT INTO cities VALUES ('Charleston', 'AR');
INSERT INTO cities VALUES ('Charleston', 'IL'):
INSERT INTO cities VALUES ('Charleston', 'ME');
INSERT INTO cities VALUES ('Charleston', 'MO');
INSERT INTO cities VALUES ('Charleston', 'MS');
INSERT INTO cities VALUES ('Charleston', 'SC');
INSERT INTO cities VALUES ('Charleston', 'TN');
INSERT INTO cities VALUES ('Charleston', 'WV');
INSERT INTO cities VALUES ('Charleston Afb', 'SC');
INSERT INTO cities VALUES ('Charlestown', 'IN');
INSERT INTO cities VALUES ('Charlestown', 'MA');
INSERT INTO cities VALUES ('Charlestown', 'MD');
INSERT INTO cities VALUES ('Charlestown', 'NH'):
INSERT INTO cities VALUES ('Charlestown', 'RI');
INSERT INTO cities VALUES ('Charlevoix', 'MI');
INSERT INTO cities VALUES ('Charlo', 'MT');
INSERT INTO cities VALUES ('Charlotte', 'AR');
INSERT INTO cities VALUES ('Charlotte', 'IA');
INSERT INTO cities VALUES ('Charlotte', 'MI'):
INSERT INTO cities VALUES ('Charlotte', 'NC');
INSERT INTO cities VALUES ('Charlotte', 'TN');
INSERT INTO cities VALUES ('Charlotte', 'TX');
INSERT INTO cities VALUES ('Charlotte', 'VT');
INSERT INTO cities VALUES ('Charlotte Court House', 'VA');
INSERT INTO cities VALUES ('Charlotte Hall', 'MD');
INSERT INTO cities VALUES ('Charlottesville', 'IN');
INSERT INTO cities VALUES ('Charlottesville', 'VA');
INSERT INTO cities VALUES ('Charlotteville', 'NY');
INSERT INTO cities VALUES ('Charlton', 'MA');
INSERT INTO cities VALUES ('Charlton City', 'MA');
```

```
INSERT INTO cities VALUES ('Charlton Depot', 'MA');
INSERT INTO cities VALUES ('Charlton Heights', 'WV'):
INSERT INTO cities VALUES ('Charm', 'OH');
INSERT INTO cities VALUES ('Charmco', 'WV');
INSERT INTO cities VALUES ('Charter Oak', 'IA'):
INSERT INTO cities VALUES ('Chartley', 'MA');
INSERT INTO cities VALUES ('Chase', 'KS');
INSERT INTO cities VALUES ('Chase', 'LA');
INSERT INTO cities VALUES ('Chase', 'MD');
INSERT INTO cities VALUES ('Chase', 'MI');
INSERT INTO cities VALUES ('Chase City', 'VA');
INSERT INTO cities VALUES ('Chase Mills', 'NY');
INSERT INTO cities VALUES ('Chaseburg', 'WI'):
INSERT INTO cities VALUES ('Chaseley', 'ND');
INSERT INTO cities VALUES ('Chaska', 'MN'):
INSERT INTO cities VALUES ('Chassell', 'MI');
INSERT INTO cities VALUES ('Chataignier', 'LA');
INSERT INTO cities VALUES ('Chatawa', 'MS');
INSERT INTO cities VALUES ('Chateaugay', 'NY');
INSERT INTO cities VALUES ('Chatfield', 'MN');
INSERT INTO cities VALUES ('Chatfield', 'OH');
INSERT INTO cities VALUES ('Chatfield', 'TX');
INSERT INTO cities VALUES ('Chatham', 'IL');
INSERT INTO cities VALUES ('Chatham', 'LA'):
INSERT INTO cities VALUES ('Chatham', 'MA');
INSERT INTO cities VALUES ('Chatham', 'MI');
INSERT INTO cities VALUES ('Chatham', 'MS'):
INSERT INTO cities VALUES ('Chatham', 'NH'):
INSERT INTO cities VALUES ('Chatham', 'NJ');
INSERT INTO cities VALUES ('Chatham', 'NY');
INSERT INTO cities VALUES ('Chatham', 'PA');
INSERT INTO cities VALUES ('Chatham', 'VA');
INSERT INTO cities VALUES ('Chatom', 'AL');
INSERT INTO cities VALUES ('Chatsworth', 'CA');
INSERT INTO cities VALUES ('Chatsworth', 'GA');
INSERT INTO cities VALUES ('Chatsworth', 'IA'):
INSERT INTO cities VALUES ('Chatsworth', 'IL');
INSERT INTO cities VALUES ('Chatsworth', 'NJ');
INSERT INTO cities VALUES ('Chattahoochee', 'FL'):
INSERT INTO cities VALUES ('Chattanooga', 'OK');
INSERT INTO cities VALUES ('Chattanooga', 'TN');
INSERT INTO cities VALUES ('Chattaroy', 'WA');
INSERT INTO cities VALUES ('Chattaroy', 'WV');
INSERT INTO cities VALUES ('Chaumont', 'NY');
INSERT INTO cities VALUES ('Chauncey', 'GA'):
INSERT INTO cities VALUES ('Chauncey', 'OH');
INSERT INTO cities VALUES ('Chauncey', 'WV');
INSERT INTO cities VALUES ('Chautauqua', 'KS');
INSERT INTO cities VALUES ('Chautauqua', 'NY');
INSERT INTO cities VALUES ('Chauvin', 'LA');
INSERT INTO cities VALUES ('Chavies', 'KY');
INSERT INTO cities VALUES ('Chazy', 'NY');
INSERT INTO cities VALUES ('Chebanse', 'IL');
INSERT INTO cities VALUES ('Chebeague Island', 'ME');
INSERT INTO cities VALUES ('Cheboygan', 'MI');
INSERT INTO cities VALUES ('Check', 'VA');
```

```
INSERT INTO cities VALUES ('Checotah', 'OK');
INSERT INTO cities VALUES ('Chefornak', 'AK'):
INSERT INTO cities VALUES ('Chehalis', 'WA');
INSERT INTO cities VALUES ('Chelan', 'WA');
INSERT INTO cities VALUES ('Chelan Falls', 'WA'):
INSERT INTO cities VALUES ('Chelmsford', 'MA');
INSERT INTO cities VALUES ('Chelsea', 'AL');
INSERT INTO cities VALUES ('Chelsea', 'IA');
INSERT INTO cities VALUES ('Chelsea', 'MA');
INSERT INTO cities VALUES ('Chelsea', 'MI');
INSERT INTO cities VALUES ('Chelsea', 'NY');
INSERT INTO cities VALUES ('Chelsea', 'OK');
INSERT INTO cities VALUES ('Chelsea', 'VT');
INSERT INTO cities VALUES ('Cheltenham', 'MD');
INSERT INTO cities VALUES ('Cheltenham', 'PA'):
INSERT INTO cities VALUES ('Chemult', 'OR'):
INSERT INTO cities VALUES ('Chemung', 'NY');
INSERT INTO cities VALUES ('Chenango Bridge', 'NY');
INSERT INTO cities VALUES ('Chenango Forks', 'NY');
INSERT INTO cities VALUES ('Cheney', 'KS');
INSERT INTO cities VALUES ('Cheney', 'WA');
INSERT INTO cities VALUES ('Cheneyville', 'LA');
INSERT INTO cities VALUES ('Chenoa', 'IL');
INSERT INTO cities VALUES ('Chepachet', 'RI'):
INSERT INTO cities VALUES ('Cheraw', 'CO');
INSERT INTO cities VALUES ('Cheraw', 'SC');
INSERT INTO cities VALUES ('Cheriton', 'VA'):
INSERT INTO cities VALUES ('Cherokee', 'AL');
INSERT INTO cities VALUES ('Cherokee', 'IA');
INSERT INTO cities VALUES ('Cherokee', 'KS');
INSERT INTO cities VALUES ('Cherokee', 'NC');
INSERT INTO cities VALUES ('Cherokee', 'OK');
INSERT INTO cities VALUES ('Cherokee', 'TX');
INSERT INTO cities VALUES ('Cherokee Village', 'AR');
INSERT INTO cities VALUES ('Cherry', 'IL');
INSERT INTO cities VALUES ('Cherry Creek', 'NY'):
INSERT INTO cities VALUES ('Cherry Creek', 'SD');
INSERT INTO cities VALUES ('Cherry Fork', 'OH');
INSERT INTO cities VALUES ('Cherry Hill', 'NJ'):
INSERT INTO cities VALUES ('Cherry Plain', 'NY');
INSERT INTO cities VALUES ('Cherry Point', 'NC');
INSERT INTO cities VALUES ('Cherry Tree', 'PA');
INSERT INTO cities VALUES ('Cherry Valley', 'AR');
INSERT INTO cities VALUES ('Cherry Valley', 'IL');
INSERT INTO cities VALUES ('Cherry Valley', 'MA');
INSERT INTO cities VALUES ('Cherry Valley', 'NY');
INSERT INTO cities VALUES ('Cherryfield', 'ME');
INSERT INTO cities VALUES ('Cherrylog', 'GA');
INSERT INTO cities VALUES ('Cherryvale', 'KS');
INSERT INTO cities VALUES ('Cherryville', 'MO');
INSERT INTO cities VALUES ('Cherryville', 'NC');
INSERT INTO cities VALUES ('Cherryville', 'PA');
INSERT INTO cities VALUES ('Chesaning', 'MI');
INSERT INTO cities VALUES ('Chesapeake', 'OH');
INSERT INTO cities VALUES ('Chesapeake', 'VA');
INSERT INTO cities VALUES ('Chesapeake Beach', 'MD');
```

```
INSERT INTO cities VALUES ('Chesapeake City', 'MD');
INSERT INTO cities VALUES ('Cheshire', 'CT'):
INSERT INTO cities VALUES ('Cheshire', 'MA');
INSERT INTO cities VALUES ('Cheshire', 'OH'):
INSERT INTO cities VALUES ('Cheshire', 'OR'):
INSERT INTO cities VALUES ('Chesnee', 'SC');
INSERT INTO cities VALUES ('Chest Springs', 'PA');
INSERT INTO cities VALUES ('Chester', 'AR');
INSERT INTO cities VALUES ('Chester', 'CA');
INSERT INTO cities VALUES ('Chester', 'CT');
INSERT INTO cities VALUES ('Chester', 'GA');
INSERT INTO cities VALUES ('Chester', 'IA');
INSERT INTO cities VALUES ('Chester', 'ID'):
INSERT INTO cities VALUES ('Chester', 'IL');
INSERT INTO cities VALUES ('Chester', 'MA'):
INSERT INTO cities VALUES ('Chester', 'MD');
INSERT INTO cities VALUES ('Chester', 'MT');
INSERT INTO cities VALUES ('Chester', 'NE');
INSERT INTO cities VALUES ('Chester', 'NH');
INSERT INTO cities VALUES ('Chester', 'NJ');
INSERT INTO cities VALUES ('Chester', 'NY');
INSERT INTO cities VALUES ('Chester', 'OH'):
INSERT INTO cities VALUES ('Chester', 'OK');
INSERT INTO cities VALUES ('Chester', 'PA'):
INSERT INTO cities VALUES ('Chester', 'SC');
INSERT INTO cities VALUES ('Chester', 'SD');
INSERT INTO cities VALUES ('Chester', 'TX'):
INSERT INTO cities VALUES ('Chester', 'UT'):
INSERT INTO cities VALUES ('Chester', 'VA');
INSERT INTO cities VALUES ('Chester', 'VT');
INSERT INTO cities VALUES ('Chester', 'WV');
INSERT INTO cities VALUES ('Chester Depot', 'VT');
INSERT INTO cities VALUES ('Chester Gap', 'VA');
INSERT INTO cities VALUES ('Chester Heights', 'PA');
INSERT INTO cities VALUES ('Chester Springs', 'PA');
INSERT INTO cities VALUES ('Chesterfield', 'IL');
INSERT INTO cities VALUES ('Chesterfield', 'MA');
INSERT INTO cities VALUES ('Chesterfield', 'MO');
INSERT INTO cities VALUES ('Chesterfield', 'NH'):
INSERT INTO cities VALUES ('Chesterfield', 'NJ');
INSERT INTO cities VALUES ('Chesterfield', 'SC');
INSERT INTO cities VALUES ('Chesterfield', 'VA');
INSERT INTO cities VALUES ('Chesterhill', 'OH');
INSERT INTO cities VALUES ('Chesterland', 'OH');
INSERT INTO cities VALUES ('Chesterton', 'IN'):
INSERT INTO cities VALUES ('Chestertown', 'MD');
INSERT INTO cities VALUES ('Chestertown', 'NY');
INSERT INTO cities VALUES ('Chesterville', 'OH');
INSERT INTO cities VALUES ('Chestnut', 'IL');
INSERT INTO cities VALUES ('Chestnut Hill', 'MA');
INSERT INTO cities VALUES ('Chestnut Mound', 'TN');
INSERT INTO cities VALUES ('Chestnut Mountain', 'GA');
INSERT INTO cities VALUES ('Chestnut Ridge', 'PA');
INSERT INTO cities VALUES ('Chestnutridge', 'MO');
INSERT INTO cities VALUES ('Cheswick', 'PA');
INSERT INTO cities VALUES ('Cheswold', 'DE');
```

```
INSERT INTO cities VALUES ('Chetek', 'WI');
INSERT INTO cities VALUES ('Chetopa', 'KS'):
INSERT INTO cities VALUES ('Chevak', 'AK');
INSERT INTO cities VALUES ('Chevy Chase', 'MD');
INSERT INTO cities VALUES ('Chewalla', 'TN'):
INSERT INTO cities VALUES ('Chewelah', 'WA');
INSERT INTO cities VALUES ('Chewsville', 'MD');
INSERT INTO cities VALUES ('Cheyenne', 'OK');
INSERT INTO cities VALUES ('Cheyenne', 'WY');
INSERT INTO cities VALUES ('Cheyenne Wells', 'CO');
INSERT INTO cities VALUES ('Cheyney', 'PA');
INSERT INTO cities VALUES ('Chicago', 'IL');
INSERT INTO cities VALUES ('Chicago Heights', 'IL'):
INSERT INTO cities VALUES ('Chicago Park', 'CA');
INSERT INTO cities VALUES ('Chicago Ridge', 'IL');
INSERT INTO cities VALUES ('Chichester', 'NH'):
INSERT INTO cities VALUES ('Chichester', 'NY');
INSERT INTO cities VALUES ('Chickamauga', 'GA');
INSERT INTO cities VALUES ('Chickasaw', 'OH');
INSERT INTO cities VALUES ('Chickasha', 'OK');
INSERT INTO cities VALUES ('Chicken', 'AK');
INSERT INTO cities VALUES ('Chico', 'CA');
INSERT INTO cities VALUES ('Chico', 'TX');
INSERT INTO cities VALUES ('Chicopee', 'MA'):
INSERT INTO cities VALUES ('Chicora', 'PA');
INSERT INTO cities VALUES ('Chicota', 'TX');
INSERT INTO cities VALUES ('Chidester', 'AR'):
INSERT INTO cities VALUES ('Chiefland', 'FL'):
INSERT INTO cities VALUES ('Chignik', 'AK');
INSERT INTO cities VALUES ('Chignik Lagoon', 'AK');
INSERT INTO cities VALUES ('Chignik Lake', 'AK');
INSERT INTO cities VALUES ('Chilcoot', 'CA');
INSERT INTO cities VALUES ('Childersburg', 'AL');
INSERT INTO cities VALUES ('Childress', 'TX');
INSERT INTO cities VALUES ('Childs', 'MD'):
INSERT INTO cities VALUES ('Childwold', 'NY'):
INSERT INTO cities VALUES ('Chilhowee', 'MO');
INSERT INTO cities VALUES ('Chilhowie', 'VA');
INSERT INTO cities VALUES ('Chili', 'WI');
INSERT INTO cities VALUES ('Chillicothe', 'IA');
INSERT INTO cities VALUES ('Chillicothe', 'IL');
INSERT INTO cities VALUES ('Chillicothe', 'MO');
INSERT INTO cities VALUES ('Chillicothe', 'OH');
INSERT INTO cities VALUES ('Chillicothe', 'TX');
INSERT INTO cities VALUES ('Chilmark', 'MA'):
INSERT INTO cities VALUES ('Chilo', 'OH');
INSERT INTO cities VALUES ('Chiloquin', 'OR');
INSERT INTO cities VALUES ('Chilton', 'TX');
INSERT INTO cities VALUES ('Chilton', 'WI');
INSERT INTO cities VALUES ('Chimacum', 'WA');
INSERT INTO cities VALUES ('Chimayo', 'NM');
INSERT INTO cities VALUES ('Chimney Rock', 'CO');
INSERT INTO cities VALUES ('Chimney Rock', 'NC');
INSERT INTO cities VALUES ('China', 'TX');
INSERT INTO cities VALUES ('China Grove', 'NC');
INSERT INTO cities VALUES ('China Spring', 'TX');
```

```
INSERT INTO cities VALUES ('China Village', 'ME');
INSERT INTO cities VALUES ('Chinchilla', 'PA'):
INSERT INTO cities VALUES ('Chincoteague Island', 'VA');
INSERT INTO cities VALUES ('Chinese Camp', 'CA'):
INSERT INTO cities VALUES ('Chinle', 'AZ'):
INSERT INTO cities VALUES ('Chino', 'CA');
INSERT INTO cities VALUES ('Chino Hills', 'CA');
INSERT INTO cities VALUES ('Chino Valley', 'AZ');
INSERT INTO cities VALUES ('Chinook', 'MT');
INSERT INTO cities VALUES ('Chinook', 'WA');
INSERT INTO cities VALUES ('Chinquapin', 'NC');
INSERT INTO cities VALUES ('Chipley', 'FL');
INSERT INTO cities VALUES ('Chippewa Bay', 'NY');
INSERT INTO cities VALUES ('Chippewa Falls', 'WI');
INSERT INTO cities VALUES ('Chippewa Lake', 'MI');
INSERT INTO cities VALUES ('Chippewa Lake', 'OH');
INSERT INTO cities VALUES ('Chireno', 'TX');
INSERT INTO cities VALUES ('Chisago City', 'MN');
INSERT INTO cities VALUES ('Chisholm', 'MN');
INSERT INTO cities VALUES ('Chitina', 'AK');
INSERT INTO cities VALUES ('Chittenango', 'NY');
INSERT INTO cities VALUES ('Chittenden', 'VT');
INSERT INTO cities VALUES ('Chloe', 'WV');
INSERT INTO cities VALUES ('Chloride', 'AZ'):
INSERT INTO cities VALUES ('Choccolocco', 'AL');
INSERT INTO cities VALUES ('Chocorua', 'NH');
INSERT INTO cities VALUES ('Chocowinity', 'NC');
INSERT INTO cities VALUES ('Choctaw', 'AR'):
INSERT INTO cities VALUES ('Choctaw', 'OK');
INSERT INTO cities VALUES ('Chokio', 'MN');
INSERT INTO cities VALUES ('Chokoloskee', 'FL');
INSERT INTO cities VALUES ('Choteau', 'MT');
INSERT INTO cities VALUES ('Choudrant', 'LA');
INSERT INTO cities VALUES ('Chouteau', 'OK');
INSERT INTO cities VALUES ('Chowchilla', 'CA');
INSERT INTO cities VALUES ('Chriesman', 'TX'):
INSERT INTO cities VALUES ('Chrisman', 'IL');
INSERT INTO cities VALUES ('Chrisney', 'IN');
INSERT INTO cities VALUES ('Christchurch', 'VA');
INSERT INTO cities VALUES ('Christiana', 'PA');
INSERT INTO cities VALUES ('Christiana', 'TN');
INSERT INTO cities VALUES ('Christiansburg', 'OH');
INSERT INTO cities VALUES ('Christiansburg', 'VA');
INSERT INTO cities VALUES ('Christine', 'ND');
INSERT INTO cities VALUES ('Christine', 'TX'):
INSERT INTO cities VALUES ('Christmas', 'FL');
INSERT INTO cities VALUES ('Christmas Valley', 'OR');
INSERT INTO cities VALUES ('Christopher', 'IL');
INSERT INTO cities VALUES ('Christoval', 'TX');
INSERT INTO cities VALUES ('Chromo', 'CO');
INSERT INTO cities VALUES ('Chualar', 'CA');
INSERT INTO cities VALUES ('Chuckey', 'TN');
INSERT INTO cities VALUES ('Chugiak', 'AK');
INSERT INTO cities VALUES ('Chugwater', 'WY');
INSERT INTO cities VALUES ('Chula', 'GA');
INSERT INTO cities VALUES ('Chula', 'MO');
```

```
INSERT INTO cities VALUES ('Chula Vista', 'CA');
INSERT INTO cities VALUES ('Chunchula', 'AL'):
INSERT INTO cities VALUES ('Chunky', 'MS');
INSERT INTO cities VALUES ('Church Creek', 'MD'):
INSERT INTO cities VALUES ('Church Hill', 'MD'):
INSERT INTO cities VALUES ('Church Hill', 'TN');
INSERT INTO cities VALUES ('Church Point', 'LA'):
INSERT INTO cities VALUES ('Church Road', 'VA');
INSERT INTO cities VALUES ('Church Rock', 'NM');
INSERT INTO cities VALUES ('Church View', 'VA');
INSERT INTO cities VALUES ('Churchs Ferry', 'ND');
INSERT INTO cities VALUES ('Churchton', 'MD');
INSERT INTO cities VALUES ('Churchville', 'MD');
INSERT INTO cities VALUES ('Churchville', 'NY');
INSERT INTO cities VALUES ('Churchville', 'VA');
INSERT INTO cities VALUES ('Churdan', 'IA'):
INSERT INTO cities VALUES ('Churubusco', 'IN');
INSERT INTO cities VALUES ('Churubusco', 'NY');
INSERT INTO cities VALUES ('Ciales', 'PR');
INSERT INTO cities VALUES ('Cibecue', 'AZ');
INSERT INTO cities VALUES ('Cibola', 'AZ');
INSERT INTO cities VALUES ('Cibolo', 'TX'):
INSERT INTO cities VALUES ('Cicero', 'IL');
INSERT INTO cities VALUES ('Cicero', 'IN');
INSERT INTO cities VALUES ('Cicero', 'NY');
INSERT INTO cities VALUES ('Cidra', 'PR');
INSERT INTO cities VALUES ('Cima', 'CA'):
INSERT INTO cities VALUES ('Cimarron', 'CO'):
INSERT INTO cities VALUES ('Cimarron', 'KS');
INSERT INTO cities VALUES ('Cimarron', 'NM');
INSERT INTO cities VALUES ('Cincinnati', 'IA');
INSERT INTO cities VALUES ('Cincinnati', 'OH');
INSERT INTO cities VALUES ('Cincinnatus', 'NY');
INSERT INTO cities VALUES ('Cinebar', 'WA'):
INSERT INTO cities VALUES ('Circle', 'AK');
INSERT INTO cities VALUES ('Circle', 'MT');
INSERT INTO cities VALUES ('Circle Pines', 'MN');
INSERT INTO cities VALUES ('Circleville', 'KS');
INSERT INTO cities VALUES ('Circleville', 'NY');
INSERT INTO cities VALUES ('Circleville', 'OH');
INSERT INTO cities VALUES ('Circleville', 'UT');
INSERT INTO cities VALUES ('Circleville', 'WV');
INSERT INTO cities VALUES ('Cisco', 'GA');
INSERT INTO cities VALUES ('Cisco', 'IL');
INSERT INTO cities VALUES ('Cisco', 'TX');
INSERT INTO cities VALUES ('Cisco', 'UT');
INSERT INTO cities VALUES ('Cisne', 'IL');
INSERT INTO cities VALUES ('Cissna Park', 'IL');
INSERT INTO cities VALUES ('Citra', 'FL');
INSERT INTO cities VALUES ('Citronelle', 'AL');
INSERT INTO cities VALUES ('Citrus Heights', 'CA');
INSERT INTO cities VALUES ('City Of Industry', 'CA');
INSERT INTO cities VALUES ('Clackamas', 'OR');
INSERT INTO cities VALUES ('Claflin', 'KS');
INSERT INTO cities VALUES ('Claiborne', 'MD');
INSERT INTO cities VALUES ('Claire City', 'SD');
```

```
INSERT INTO cities VALUES ('Clairfield', 'TN');
INSERT INTO cities VALUES ('Clairton', 'PA'):
INSERT INTO cities VALUES ('Clallam Bay', 'WA');
INSERT INTO cities VALUES ('Clam Gulch', 'AK'):
INSERT INTO cities VALUES ('Clam Lake', 'WI'):
INSERT INTO cities VALUES ('Clancy', 'MT');
INSERT INTO cities VALUES ('Clanton', 'AL');
INSERT INTO cities VALUES ('Clara', 'MS');
INSERT INTO cities VALUES ('Clara City', 'MN');
INSERT INTO cities VALUES ('Clarcona', 'FL');
INSERT INTO cities VALUES ('Clare', 'IA');
INSERT INTO cities VALUES ('Clare', 'IL');
INSERT INTO cities VALUES ('Clare', 'MI');
INSERT INTO cities VALUES ('Claremont', 'CA');
INSERT INTO cities VALUES ('Claremont', 'IL'):
INSERT INTO cities VALUES ('Claremont', 'MN'):
INSERT INTO cities VALUES ('Claremont', 'NC');
INSERT INTO cities VALUES ('Claremont', 'NH');
INSERT INTO cities VALUES ('Claremont', 'SD');
INSERT INTO cities VALUES ('Claremont', 'VA');
INSERT INTO cities VALUES ('Claremore', 'OK');
INSERT INTO cities VALUES ('Clarence', 'IA'):
INSERT INTO cities VALUES ('Clarence', 'LA');
INSERT INTO cities VALUES ('Clarence', 'MO'):
INSERT INTO cities VALUES ('Clarence', 'NY');
INSERT INTO cities VALUES ('Clarence', 'PA');
INSERT INTO cities VALUES ('Clarence Center', 'NY');
INSERT INTO cities VALUES ('Clarendon', 'AR'):
INSERT INTO cities VALUES ('Clarendon', 'NC');
INSERT INTO cities VALUES ('Clarendon', 'NY');
INSERT INTO cities VALUES ('Clarendon', 'PA');
INSERT INTO cities VALUES ('Clarendon', 'TX');
INSERT INTO cities VALUES ('Clarendon Hills', 'IL');
INSERT INTO cities VALUES ('Claridge', 'PA');
INSERT INTO cities VALUES ('Clarinda', 'IA');
INSERT INTO cities VALUES ('Clarington', 'OH');
INSERT INTO cities VALUES ('Clarington', 'PA');
INSERT INTO cities VALUES ('Clarion', 'IA');
INSERT INTO cities VALUES ('Clarion', 'PA'):
INSERT INTO cities VALUES ('Clarissa', 'MN');
INSERT INTO cities VALUES ('Clarita', 'OK');
INSERT INTO cities VALUES ('Clark', 'CO');
INSERT INTO cities VALUES ('Clark', 'MO');
INSERT INTO cities VALUES ('Clark', 'NJ');
INSERT INTO cities VALUES ('Clark', 'PA'):
INSERT INTO cities VALUES ('Clark', 'SD');
INSERT INTO cities VALUES ('Clark Fork', 'ID');
INSERT INTO cities VALUES ('Clark Mills', 'NY');
INSERT INTO cities VALUES ('Clarkdale', 'AZ');
INSERT INTO cities VALUES ('Clarkdale', 'GA');
INSERT INTO cities VALUES ('Clarkedale', 'AR');
INSERT INTO cities VALUES ('Clarkesville', 'GA');
INSERT INTO cities VALUES ('Clarkfield', 'MN');
INSERT INTO cities VALUES ('Clarkia', 'ID');
INSERT INTO cities VALUES ('Clarklake', 'MI');
INSERT INTO cities VALUES ('Clarkrange', 'TN');
```

```
INSERT INTO cities VALUES ('Clarkridge', 'AR');
INSERT INTO cities VALUES ('Clarks', 'LA'):
INSERT INTO cities VALUES ('Clarks', 'NE');
INSERT INTO cities VALUES ('Clarks Grove', 'MN'):
INSERT INTO cities VALUES ('Clarks Hill', 'IN'):
INSERT INTO cities VALUES ('Clarks Hill', 'SC');
INSERT INTO cities VALUES ('Clarks Mills', 'PA');
INSERT INTO cities VALUES ('Clarks Point', 'AK');
INSERT INTO cities VALUES ('Clarks Summit', 'PA');
INSERT INTO cities VALUES ('Clarksboro', 'NJ');
INSERT INTO cities VALUES ('Clarksburg', 'CA');
INSERT INTO cities VALUES ('Clarksburg', 'IN');
INSERT INTO cities VALUES ('Clarksburg', 'MD'):
INSERT INTO cities VALUES ('Clarksburg', 'MO');
INSERT INTO cities VALUES ('Clarksburg', 'OH'):
INSERT INTO cities VALUES ('Clarksburg', 'PA');
INSERT INTO cities VALUES ('Clarksburg', 'TN');
INSERT INTO cities VALUES ('Clarksburg', 'WV');
INSERT INTO cities VALUES ('Clarksdale', 'MO');
INSERT INTO cities VALUES ('Clarksdale', 'MS');
INSERT INTO cities VALUES ('Clarkson', 'KY');
INSERT INTO cities VALUES ('Clarkson', 'NE');
INSERT INTO cities VALUES ('Clarkson', 'NY');
INSERT INTO cities VALUES ('Clarkston', 'GA');
INSERT INTO cities VALUES ('Clarkston', 'MI');
INSERT INTO cities VALUES ('Clarkston', 'UT');
INSERT INTO cities VALUES ('Clarkston', 'WA');
INSERT INTO cities VALUES ('Clarksville', 'AR');
INSERT INTO cities VALUES ('Clarksville', 'FL');
INSERT INTO cities VALUES ('Clarksville', 'IA');
INSERT INTO cities VALUES ('Clarksville', 'IN');
INSERT INTO cities VALUES ('Clarksville', 'MD');
INSERT INTO cities VALUES ('Clarksville', 'MI');
INSERT INTO cities VALUES ('Clarksville', 'MO'):
INSERT INTO cities VALUES ('Clarksville', 'NY');
INSERT INTO cities VALUES ('Clarksville', 'OH'):
INSERT INTO cities VALUES ('Clarksville', 'PA');
INSERT INTO cities VALUES ('Clarksville', 'TN');
INSERT INTO cities VALUES ('Clarksville', 'TX');
INSERT INTO cities VALUES ('Clarksville', 'VA');
INSERT INTO cities VALUES ('Clarkton', 'MO');
INSERT INTO cities VALUES ('Clarkton', 'NC');
INSERT INTO cities VALUES ('Claryville', 'NY');
INSERT INTO cities VALUES ('Clatonia', 'NE');
INSERT INTO cities VALUES ('Clatskanie', 'OR'):
INSERT INTO cities VALUES ('Claude', 'TX');
INSERT INTO cities VALUES ('Claudville', 'VA');
INSERT INTO cities VALUES ('Claunch', 'NM');
INSERT INTO cities VALUES ('Claverack', 'NY');
INSERT INTO cities VALUES ('Clawson', 'MI');
INSERT INTO cities VALUES ('Clawson', 'UT');
INSERT INTO cities VALUES ('Claxton', 'GA');
INSERT INTO cities VALUES ('Clay', 'AL');
INSERT INTO cities VALUES ('Clay', 'KY');
INSERT INTO cities VALUES ('Clay', 'NY');
INSERT INTO cities VALUES ('Clay', 'WV');
```

```
INSERT INTO cities VALUES ('Clay Center', 'KS');
INSERT INTO cities VALUES ('Clay Center', 'NE'):
INSERT INTO cities VALUES ('Clay Center', 'OH');
INSERT INTO cities VALUES ('Clay City', 'IL');
INSERT INTO cities VALUES ('Clay City', 'IN'):
INSERT INTO cities VALUES ('Clay City', 'KY');
INSERT INTO cities VALUES ('Clay Springs', 'AZ');
INSERT INTO cities VALUES ('Clayhole', 'KY');
INSERT INTO cities VALUES ('Claymont', 'DE');
INSERT INTO cities VALUES ('Claypool', 'AZ');
INSERT INTO cities VALUES ('Claypool', 'IN');
INSERT INTO cities VALUES ('Claysburg', 'PA');
INSERT INTO cities VALUES ('Claysville', 'PA');
INSERT INTO cities VALUES ('Clayton', 'AL');
INSERT INTO cities VALUES ('Clayton', 'CA');
INSERT INTO cities VALUES ('Clayton', 'DE');
INSERT INTO cities VALUES ('Clayton', 'GA');
INSERT INTO cities VALUES ('Clayton', 'ID');
INSERT INTO cities VALUES ('Clayton', 'IL');
INSERT INTO cities VALUES ('Clayton', 'IN');
INSERT INTO cities VALUES ('Clayton', 'KS');
INSERT INTO cities VALUES ('Clayton', 'LA');
INSERT INTO cities VALUES ('Clayton', 'MI');
INSERT INTO cities VALUES ('Clayton', 'NC'):
INSERT INTO cities VALUES ('Clayton', 'NJ');
INSERT INTO cities VALUES ('Clayton', 'NM');
INSERT INTO cities VALUES ('Clayton', 'NY');
INSERT INTO cities VALUES ('Clayton', 'OH');
INSERT INTO cities VALUES ('Clayton', 'OK');
INSERT INTO cities VALUES ('Clayton', 'TX');
INSERT INTO cities VALUES ('Clayton', 'WA');
INSERT INTO cities VALUES ('Clayton', 'WI');
INSERT INTO cities VALUES ('Clayton Lake', 'ME');
INSERT INTO cities VALUES ('Claytonville', 'IL');
INSERT INTO cities VALUES ('Clayville', 'NY');
INSERT INTO cities VALUES ('Clayville', 'RI');
INSERT INTO cities VALUES ('Cle Elum', 'WA');
INSERT INTO cities VALUES ('Clear', 'AK');
INSERT INTO cities VALUES ('Clear Brook', 'VA'):
INSERT INTO cities VALUES ('Clear Creek', 'IN');
INSERT INTO cities VALUES ('Clear Creek', 'WV');
INSERT INTO cities VALUES ('Clear Fork', 'WV');
INSERT INTO cities VALUES ('Clear Lake', 'IA');
INSERT INTO cities VALUES ('Clear Lake', 'MN');
INSERT INTO cities VALUES ('Clear Lake', 'SD'):
INSERT INTO cities VALUES ('Clear Lake', 'WI');
INSERT INTO cities VALUES ('Clear Spring', 'MD');
INSERT INTO cities VALUES ('Clearbrook', 'MN');
INSERT INTO cities VALUES ('Clearfield', 'IA');
INSERT INTO cities VALUES ('Clearfield', 'KY');
INSERT INTO cities VALUES ('Clearfield', 'PA');
INSERT INTO cities VALUES ('Clearfield', 'UT');
INSERT INTO cities VALUES ('Clearlake', 'CA');
INSERT INTO cities VALUES ('Clearlake', 'WA');
INSERT INTO cities VALUES ('Clearlake Oaks', 'CA');
INSERT INTO cities VALUES ('Clearlake Park', 'CA');
```

```
INSERT INTO cities VALUES ('Clearmont', 'MO');
INSERT INTO cities VALUES ('Clearmont', 'WY'):
INSERT INTO cities VALUES ('Clearview City', 'KS');
INSERT INTO cities VALUES ('Clearville', 'PA');
INSERT INTO cities VALUES ('Clearwater', 'FL'):
INSERT INTO cities VALUES ('Clearwater', 'KS');
INSERT INTO cities VALUES ('Clearwater', 'MN');
INSERT INTO cities VALUES ('Clearwater', 'NE');
INSERT INTO cities VALUES ('Clearwater', 'SC');
INSERT INTO cities VALUES ('Clearwater Beach', 'FL');
INSERT INTO cities VALUES ('Cleaton', 'KY');
INSERT INTO cities VALUES ('Cleburne', 'TX');
INSERT INTO cities VALUES ('Cleghorn', 'IA'):
INSERT INTO cities VALUES ('Clementon', 'NJ');
INSERT INTO cities VALUES ('Clements', 'CA'):
INSERT INTO cities VALUES ('Clements', 'MD');
INSERT INTO cities VALUES ('Clements', 'MN');
INSERT INTO cities VALUES ('Clemmons', 'NC');
INSERT INTO cities VALUES ('Clemons', 'IA');
INSERT INTO cities VALUES ('Clemons', 'NY');
INSERT INTO cities VALUES ('Clemson', 'SC');
INSERT INTO cities VALUES ('Clendenin', 'WV');
INSERT INTO cities VALUES ('Cleo Springs', 'OK');
INSERT INTO cities VALUES ('Clermont', 'FL'):
INSERT INTO cities VALUES ('Clermont', 'GA');
INSERT INTO cities VALUES ('Clermont', 'IA');
INSERT INTO cities VALUES ('Clermont', 'KY');
INSERT INTO cities VALUES ('Cleveland', 'AL'):
INSERT INTO cities VALUES ('Cleveland', 'AR');
INSERT INTO cities VALUES ('Cleveland', 'GA');
INSERT INTO cities VALUES ('Cleveland', 'MN');
INSERT INTO cities VALUES ('Cleveland', 'MO');
INSERT INTO cities VALUES ('Cleveland', 'MS');
INSERT INTO cities VALUES ('Cleveland', 'NC');
INSERT INTO cities VALUES ('Cleveland', 'ND');
INSERT INTO cities VALUES ('Cleveland', 'NM');
INSERT INTO cities VALUES ('Cleveland', 'NY');
INSERT INTO cities VALUES ('Cleveland', 'OH');
INSERT INTO cities VALUES ('Cleveland', 'OK'):
INSERT INTO cities VALUES ('Cleveland', 'SC');
INSERT INTO cities VALUES ('Cleveland', 'TN');
INSERT INTO cities VALUES ('Cleveland', 'TX');
INSERT INTO cities VALUES ('Cleveland', 'UT');
INSERT INTO cities VALUES ('Cleveland', 'VA');
INSERT INTO cities VALUES ('Cleveland', 'WI');
INSERT INTO cities VALUES ('Cleveland', 'WV');
INSERT INTO cities VALUES ('Clever', 'MO');
INSERT INTO cities VALUES ('Cleverdale', 'NY');
INSERT INTO cities VALUES ('Cleves', 'OH');
INSERT INTO cities VALUES ('Clewiston', 'FL');
INSERT INTO cities VALUES ('Cliff', 'NM');
INSERT INTO cities VALUES ('Cliff Island', 'ME');
INSERT INTO cities VALUES ('Clifford', 'IN');
INSERT INTO cities VALUES ('Clifford', 'MI');
INSERT INTO cities VALUES ('Clifford', 'ND');
INSERT INTO cities VALUES ('Clifford', 'PA');
```

```
INSERT INTO cities VALUES ('Clifford', 'VA');
INSERT INTO cities VALUES ('Cliffside', 'NC'):
INSERT INTO cities VALUES ('Cliffside Park', 'NJ');
INSERT INTO cities VALUES ('Cliffwood', 'NJ'):
INSERT INTO cities VALUES ('Clifton', 'AZ'):
INSERT INTO cities VALUES ('Clifton', 'CO');
INSERT INTO cities VALUES ('Clifton', 'ID');
INSERT INTO cities VALUES ('Clifton', 'IL');
INSERT INTO cities VALUES ('Clifton', 'KS');
INSERT INTO cities VALUES ('Clifton', 'NJ');
INSERT INTO cities VALUES ('Clifton', 'OH');
INSERT INTO cities VALUES ('Clifton', 'SC');
INSERT INTO cities VALUES ('Clifton', 'TN'):
INSERT INTO cities VALUES ('Clifton', 'TX');
INSERT INTO cities VALUES ('Clifton', 'VA');
INSERT INTO cities VALUES ('Clifton Forge', 'VA'):
INSERT INTO cities VALUES ('Clifton Heights', 'PA');
INSERT INTO cities VALUES ('Clifton Hill', 'MO');
INSERT INTO cities VALUES ('Clifton Park', 'NY');
INSERT INTO cities VALUES ('Clifton Springs', 'NY');
INSERT INTO cities VALUES ('Clifty', 'KY');
INSERT INTO cities VALUES ('Climax', 'CO'):
INSERT INTO cities VALUES ('Climax', 'GA');
INSERT INTO cities VALUES ('Climax', 'MI'):
INSERT INTO cities VALUES ('Climax', 'MN');
INSERT INTO cities VALUES ('Climax', 'NC');
INSERT INTO cities VALUES ('Climax', 'NY');
INSERT INTO cities VALUES ('Climax Springs', 'MO');
INSERT INTO cities VALUES ('Climbing Hill', 'IA');
INSERT INTO cities VALUES ('Clinchco', 'VA');
INSERT INTO cities VALUES ('Clinchfield', 'GA');
INSERT INTO cities VALUES ('Clines Corners', 'NM');
INSERT INTO cities VALUES ('Clint', 'TX');
INSERT INTO cities VALUES ('Clinton', 'AL'):
INSERT INTO cities VALUES ('Clinton', 'AR'):
INSERT INTO cities VALUES ('Clinton', 'CT');
INSERT INTO cities VALUES ('Clinton', 'IA');
INSERT INTO cities VALUES ('Clinton', 'IL');
INSERT INTO cities VALUES ('Clinton', 'IN'):
INSERT INTO cities VALUES ('Clinton', 'KY');
INSERT INTO cities VALUES ('Clinton', 'LA');
INSERT INTO cities VALUES ('Clinton', 'MA');
INSERT INTO cities VALUES ('Clinton', 'MD');
INSERT INTO cities VALUES ('Clinton', 'ME');
INSERT INTO cities VALUES ('Clinton', 'MI'):
INSERT INTO cities VALUES ('Clinton', 'MN');
INSERT INTO cities VALUES ('Clinton', 'MO');
INSERT INTO cities VALUES ('Clinton', 'MS');
INSERT INTO cities VALUES ('Clinton', 'MT');
INSERT INTO cities VALUES ('Clinton', 'NC'):
INSERT INTO cities VALUES ('Clinton', 'NJ');
INSERT INTO cities VALUES ('Clinton', 'NY');
INSERT INTO cities VALUES ('Clinton', 'OH');
INSERT INTO cities VALUES ('Clinton', 'OK');
INSERT INTO cities VALUES ('Clinton', 'PA');
INSERT INTO cities VALUES ('Clinton', 'SC');
```

```
INSERT INTO cities VALUES ('Clinton', 'TN');
INSERT INTO cities VALUES ('Clinton', 'WA'):
INSERT INTO cities VALUES ('Clinton', 'WI');
INSERT INTO cities VALUES ('Clinton Corners', 'NY'):
INSERT INTO cities VALUES ('Clinton Township', 'MI'):
INSERT INTO cities VALUES ('Clintondale', 'NY');
INSERT INTO cities VALUES ('Clintonville', 'PA');
INSERT INTO cities VALUES ('Clintonville', 'WI');
INSERT INTO cities VALUES ('Clintwood', 'VA');
INSERT INTO cities VALUES ('Clio', 'AL');
INSERT INTO cities VALUES ('Clio', 'CA');
INSERT INTO cities VALUES ('Clio', 'IA');
INSERT INTO cities VALUES ('Clio', 'MI'):
INSERT INTO cities VALUES ('Clio', 'SC');
INSERT INTO cities VALUES ('Clipper Mills', 'CA');
INSERT INTO cities VALUES ('Clitherall', 'MN'):
INSERT INTO cities VALUES ('Clive', 'IA');
INSERT INTO cities VALUES ('Clockville', 'NY');
INSERT INTO cities VALUES ('Clontarf', 'MN');
INSERT INTO cities VALUES ('Clopton', 'AL');
INSERT INTO cities VALUES ('Cloquet', 'MN');
INSERT INTO cities VALUES ('Closplint', 'KY');
INSERT INTO cities VALUES ('Closter', 'NJ');
INSERT INTO cities VALUES ('Clothier', 'WV'):
INSERT INTO cities VALUES ('Cloudcroft', 'NM');
INSERT INTO cities VALUES ('Cloutierville', 'LA');
INSERT INTO cities VALUES ('Clover', 'SC');
INSERT INTO cities VALUES ('Clover', 'VA');
INSERT INTO cities VALUES ('Cloverdale', 'AL');
INSERT INTO cities VALUES ('Cloverdale', 'CA');
INSERT INTO cities VALUES ('Cloverdale', 'IN');
INSERT INTO cities VALUES ('Cloverdale', 'MI');
INSERT INTO cities VALUES ('Cloverdale', 'OH');
INSERT INTO cities VALUES ('Cloverdale', 'OR');
INSERT INTO cities VALUES ('Cloverdale', 'VA');
INSERT INTO cities VALUES ('Cloverport', 'KY'):
INSERT INTO cities VALUES ('Clovis', 'CA');
INSERT INTO cities VALUES ('Clovis', 'NM');
INSERT INTO cities VALUES ('Clubb', 'MO'):
INSERT INTO cities VALUES ('Clune', 'PA');
INSERT INTO cities VALUES ('Cluster Springs', 'VA');
INSERT INTO cities VALUES ('Clute', 'TX');
INSERT INTO cities VALUES ('Clutier', 'IA');
INSERT INTO cities VALUES ('Clyde', 'KS');
INSERT INTO cities VALUES ('Clyde', 'MO'):
INSERT INTO cities VALUES ('Clyde', 'NC');
INSERT INTO cities VALUES ('Clyde', 'NY');
INSERT INTO cities VALUES ('Clyde', 'OH');
INSERT INTO cities VALUES ('Clyde', 'TX');
INSERT INTO cities VALUES ('Clyde Park', 'MT');
INSERT INTO cities VALUES ('Clyman', 'WI');
INSERT INTO cities VALUES ('Clymer', 'NY');
INSERT INTO cities VALUES ('Clymer', 'PA');
INSERT INTO cities VALUES ('Clyo', 'GA');
INSERT INTO cities VALUES ('Coachella', 'CA');
INSERT INTO cities VALUES ('Coahoma', 'MS');
```

```
INSERT INTO cities VALUES ('Coahoma', 'TX');
INSERT INTO cities VALUES ('Coal Center', 'PA'):
INSERT INTO cities VALUES ('Coal City', 'IL');
INSERT INTO cities VALUES ('Coal City', 'IN');
INSERT INTO cities VALUES ('Coal City', 'WV'):
INSERT INTO cities VALUES ('Coal Creek', 'CO');
INSERT INTO cities VALUES ('Coal Hill', 'AR');
INSERT INTO cities VALUES ('Coal Mountain', 'WV');
INSERT INTO cities VALUES ('Coal Run', 'OH');
INSERT INTO cities VALUES ('Coal Township', 'PA');
INSERT INTO cities VALUES ('Coal Valley', 'IL');
INSERT INTO cities VALUES ('Coaldale', 'CO');
INSERT INTO cities VALUES ('Coaldale', 'PA');
INSERT INTO cities VALUES ('Coalfield', 'TN');
INSERT INTO cities VALUES ('Coalgate', 'OK'):
INSERT INTO cities VALUES ('Coalgood', 'KY');
INSERT INTO cities VALUES ('Coaling', 'AL');
INSERT INTO cities VALUES ('Coalinga', 'CA');
INSERT INTO cities VALUES ('Coalmont', 'CO');
INSERT INTO cities VALUES ('Coalmont', 'IN');
INSERT INTO cities VALUES ('Coalmont', "TN');
INSERT INTO cities VALUES ('Coalport', 'PA');
INSERT INTO cities VALUES ('Coalton', 'OH');
INSERT INTO cities VALUES ('Coalton', 'WV');
INSERT INTO cities VALUES ('Coalville', 'UT');
INSERT INTO cities VALUES ('Coalwood', 'WV');
INSERT INTO cities VALUES ('Coamo', 'PR');
INSERT INTO cities VALUES ('Coarsegold', 'CA');
INSERT INTO cities VALUES ('Coatesville', 'IN');
INSERT INTO cities VALUES ('Coatesville', 'PA');
INSERT INTO cities VALUES ('Coats', 'KS');
INSERT INTO cities VALUES ('Coats', 'NC');
INSERT INTO cities VALUES ('Coatsburg', 'IL');
INSERT INTO cities VALUES ('Coatsville', 'MO');
INSERT INTO cities VALUES ('Cobalt', 'CT');
INSERT INTO cities VALUES ('Cobalt', 'ID');
INSERT INTO cities VALUES ('Cobb', 'CA');
INSERT INTO cities VALUES ('Cobb', 'GA');
INSERT INTO cities VALUES ('Cobb', 'WI');
INSERT INTO cities VALUES ('Cobb Island', 'MD');
INSERT INTO cities VALUES ('Cobbs Creek', 'VA');
INSERT INTO cities VALUES ('Cobbtown', 'GA');
INSERT INTO cities VALUES ('Cobden', 'IL');
INSERT INTO cities VALUES ('Cobleskill', 'NY');
INSERT INTO cities VALUES ('Coburn', 'PA'):
INSERT INTO cities VALUES ('Cochecton', 'NY');
INSERT INTO cities VALUES ('Cochecton Center', 'NY');
INSERT INTO cities VALUES ('Cochise', 'AZ');
INSERT INTO cities VALUES ('Cochiti Lake', 'NM');
INSERT INTO cities VALUES ('Cochiti Pueblo', 'NM');
INSERT INTO cities VALUES ('Cochran', 'GA');
INSERT INTO cities VALUES ('Cochrane', 'WI');
INSERT INTO cities VALUES ('Cochranton', 'PA');
INSERT INTO cities VALUES ('Cochranville', 'PA');
INSERT INTO cities VALUES ('Cockeysville', 'MD');
INSERT INTO cities VALUES ('Cocoa', 'FL');
```

```
INSERT INTO cities VALUES ('Cocoa Beach', 'FL');
INSERT INTO cities VALUES ('Cocolalla', 'ID'):
INSERT INTO cities VALUES ('Cocolamus', 'PA');
INSERT INTO cities VALUES ('Coconut Creek', 'FL'):
INSERT INTO cities VALUES ('Coden', 'AL'):
INSERT INTO cities VALUES ('Codorus', 'PA');
INSERT INTO cities VALUES ('Cody', 'NE');
INSERT INTO cities VALUES ('Cody', 'WY');
INSERT INTO cities VALUES ('Coeburn', 'VA');
INSERT INTO cities VALUES ('Coello', 'IL');
INSERT INTO cities VALUES ('Coeur D Alene', 'ID');
INSERT INTO cities VALUES ('Coeymans', 'NY');
INSERT INTO cities VALUES ('Coeymans Hollow', 'NY'):
INSERT INTO cities VALUES ('Coffee Creek', 'MT');
INSERT INTO cities VALUES ('Coffee Springs', 'AL');
INSERT INTO cities VALUES ('Coffeen', 'IL'):
INSERT INTO cities VALUES ('Coffeeville', 'AL');
INSERT INTO cities VALUES ('Coffeeville', 'MS');
INSERT INTO cities VALUES ('Coffey', 'MO');
INSERT INTO cities VALUES ('Coffeyville', 'KS');
INSERT INTO cities VALUES ('Coffman Cove', 'AK');
INSERT INTO cities VALUES ('Cofield', 'NC');
INSERT INTO cities VALUES ('Cogan Station', 'PA');
INSERT INTO cities VALUES ('Coggon', 'IA');
INSERT INTO cities VALUES ('Cogswell', 'ND');
INSERT INTO cities VALUES ('Cohagen', 'MT');
INSERT INTO cities VALUES ('Cohasset', 'MA');
INSERT INTO cities VALUES ('Cohasset', 'MN');
INSERT INTO cities VALUES ('Cohoctah', 'MI');
INSERT INTO cities VALUES ('Cohocton', 'NY');
INSERT INTO cities VALUES ('Cohoes', 'NY');
INSERT INTO cities VALUES ('Cohutta', 'GA');
INSERT INTO cities VALUES ('Coila', 'MS');
INSERT INTO cities VALUES ('Coin', 'IA');
INSERT INTO cities VALUES ('Coinjock', 'NC');
INSERT INTO cities VALUES ('Cokato', 'MN'):
INSERT INTO cities VALUES ('Cokeburg', 'PA');
INSERT INTO cities VALUES ('Coker', 'AL');
INSERT INTO cities VALUES ('Cokercreek', 'TN');
INSERT INTO cities VALUES ('Cokeville', 'WY');
INSERT INTO cities VALUES ('Colbert', 'GA');
INSERT INTO cities VALUES ('Colbert', 'OK');
INSERT INTO cities VALUES ('Colbert', 'WA');
INSERT INTO cities VALUES ('Colburn', 'ID');
INSERT INTO cities VALUES ('Colby', 'KS'):
INSERT INTO cities VALUES ('Colby', 'WI');
INSERT INTO cities VALUES ('Colchester', 'CT');
INSERT INTO cities VALUES ('Colchester', 'IL');
INSERT INTO cities VALUES ('Colchester', 'VT');
INSERT INTO cities VALUES ('Colcord', 'OK');
INSERT INTO cities VALUES ('Colcord', 'WV');
INSERT INTO cities VALUES ('Cold Bay', 'AK');
INSERT INTO cities VALUES ('Cold Brook', 'NY');
INSERT INTO cities VALUES ('Cold Spring', 'MN');
INSERT INTO cities VALUES ('Cold Spring', 'NY');
INSERT INTO cities VALUES ('Cold Spring Harbor', 'NY');
```

```
INSERT INTO cities VALUES ('Colden', 'NY');
INSERT INTO cities VALUES ('Coldiron', 'KY'):
INSERT INTO cities VALUES ('Coldspring', 'TX');
INSERT INTO cities VALUES ('Coldwater', 'KS'):
INSERT INTO cities VALUES ('Coldwater', 'MI'):
INSERT INTO cities VALUES ('Coldwater', 'MS');
INSERT INTO cities VALUES ('Coldwater', 'OH');
INSERT INTO cities VALUES ('Cole Camp', 'MO');
INSERT INTO cities VALUES ('Colebrook', 'CT');
INSERT INTO cities VALUES ('Colebrook', 'NH');
INSERT INTO cities VALUES ('Coleharbor', 'ND');
INSERT INTO cities VALUES ('Coleman', 'FL');
INSERT INTO cities VALUES ('Coleman', 'GA');
INSERT INTO cities VALUES ('Coleman', 'MI');
INSERT INTO cities VALUES ('Coleman', 'OK');
INSERT INTO cities VALUES ('Coleman', 'TX'):
INSERT INTO cities VALUES ('Coleman', 'WI');
INSERT INTO cities VALUES ('Coleman Falls', 'VA');
INSERT INTO cities VALUES ('Colerain', 'NC');
INSERT INTO cities VALUES ('Colerain', 'OH');
INSERT INTO cities VALUES ('Coleraine', 'MN');
INSERT INTO cities VALUES ('Coleridge', 'NE');
INSERT INTO cities VALUES ('Coles Point', 'VA');
INSERT INTO cities VALUES ('Colesburg', 'IA'):
INSERT INTO cities VALUES ('Coleville', 'CA');
INSERT INTO cities VALUES ('Colfax', 'CA');
INSERT INTO cities VALUES ('Colfax', 'IA');
INSERT INTO cities VALUES ('Colfax', 'IL'):
INSERT INTO cities VALUES ('Colfax', 'IN');
INSERT INTO cities VALUES ('Colfax', 'LA');
INSERT INTO cities VALUES ('Colfax', 'NC');
INSERT INTO cities VALUES ('Colfax', 'ND');
INSERT INTO cities VALUES ('Colfax', 'WA');
INSERT INTO cities VALUES ('Colfax', 'WI');
INSERT INTO cities VALUES ('Colfax', 'WV');
INSERT INTO cities VALUES ('Colgate', 'WI');
INSERT INTO cities VALUES ('Collbran', 'CO');
INSERT INTO cities VALUES ('College Corner', 'OH');
INSERT INTO cities VALUES ('College Grove', 'TN');
INSERT INTO cities VALUES ('College Park', 'MD');
INSERT INTO cities VALUES ('College Place', 'WA');
INSERT INTO cities VALUES ('College Point', 'NY');
INSERT INTO cities VALUES ('College Springs', 'IA');
INSERT INTO cities VALUES ('College Station', 'AR');
INSERT INTO cities VALUES ('College Station', 'TX');
INSERT INTO cities VALUES ('Collegedale', 'TN');
INSERT INTO cities VALUES ('Collegeport', 'TX');
INSERT INTO cities VALUES ('Collegeville', 'MN');
INSERT INTO cities VALUES ('Collegeville', 'PA');
INSERT INTO cities VALUES ('Collettsville', 'NC');
INSERT INTO cities VALUES ('Colleyville', 'TX');
INSERT INTO cities VALUES ('Colliers', 'WV');
INSERT INTO cities VALUES ('Colliersville', 'NY');
INSERT INTO cities VALUES ('Collierville', 'TN');
INSERT INTO cities VALUES ('Collins', 'GA');
INSERT INTO cities VALUES ('Collins', 'IA');
```

```
INSERT INTO cities VALUES ('Collins', 'MO');
INSERT INTO cities VALUES ('Collins', 'MS'):
INSERT INTO cities VALUES ('Collins', 'NY');
INSERT INTO cities VALUES ('Collins', 'OH');
INSERT INTO cities VALUES ('Collins', 'WI'):
INSERT INTO cities VALUES ('Collins Center', 'NY');
INSERT INTO cities VALUES ('Collinston', 'LA');
INSERT INTO cities VALUES ('Collinston', 'UT');
INSERT INTO cities VALUES ('Collinsville', 'AL');
INSERT INTO cities VALUES ('Collinsville', 'CT');
INSERT INTO cities VALUES ('Collinsville', 'IL');
INSERT INTO cities VALUES ('Collinsville', 'MS');
INSERT INTO cities VALUES ('Collinsville', 'OH');
INSERT INTO cities VALUES ('Collinsville', 'OK');
INSERT INTO cities VALUES ('Collinsville', 'TX'):
INSERT INTO cities VALUES ('Collinsville', 'VA');
INSERT INTO cities VALUES ('Collinwood', 'TN');
INSERT INTO cities VALUES ('Collison', 'IL');
INSERT INTO cities VALUES ('Collyer', 'KS'):
INSERT INTO cities VALUES ('Colman', 'SD');
INSERT INTO cities VALUES ('Colmar', 'PA');
INSERT INTO cities VALUES ('Colmesneil', 'TX'):
INSERT INTO cities VALUES ('Colo', 'IA');
INSERT INTO cities VALUES ('Cologne', 'MN'):
INSERT INTO cities VALUES ('Cologne', 'NJ');
INSERT INTO cities VALUES ('Coloma', 'CA');
INSERT INTO cities VALUES ('Coloma', 'MI'):
INSERT INTO cities VALUES ('Coloma', 'WI'):
INSERT INTO cities VALUES ('Colome', 'SD');
INSERT INTO cities VALUES ('Colon', 'MI');
INSERT INTO cities VALUES ('Colon', 'NE');
INSERT INTO cities VALUES ('Colona', 'IL');
INSERT INTO cities VALUES ('Colonia', 'NJ');
INSERT INTO cities VALUES ('Colonial Beach', 'VA');
INSERT INTO cities VALUES ('Colonial Heights', 'VA');
INSERT INTO cities VALUES ('Colony', 'KS'):
INSERT INTO cities VALUES ('Colony', 'OK');
INSERT INTO cities VALUES ('Colora', 'MD');
INSERT INTO cities VALUES ('Colorado City', 'AZ'):
INSERT INTO cities VALUES ('Colorado City', 'CO');
INSERT INTO cities VALUES ('Colorado City', 'TX');
INSERT INTO cities VALUES ('Colorado Springs', 'CO');
INSERT INTO cities VALUES ('Colp', 'IL');
INSERT INTO cities VALUES ('Colquitt', 'GA');
INSERT INTO cities VALUES ('Colrain', 'MA'):
INSERT INTO cities VALUES ('Colstrip', 'MT');
INSERT INTO cities VALUES ('Colt', 'AR');
INSERT INTO cities VALUES ('Colton', 'CA');
INSERT INTO cities VALUES ('Colton', 'NY');
INSERT INTO cities VALUES ('Colton', 'OH');
INSERT INTO cities VALUES ('Colton', 'OR');
INSERT INTO cities VALUES ('Colton', 'SD');
INSERT INTO cities VALUES ('Colton', 'WA');
INSERT INTO cities VALUES ('Coltons Point', 'MD');
INSERT INTO cities VALUES ('Colts Neck', 'NJ');
INSERT INTO cities VALUES ('Columbia', 'AL');
```

```
INSERT INTO cities VALUES ('Columbia', 'CA');
INSERT INTO cities VALUES ('Columbia', 'CT'):
INSERT INTO cities VALUES ('Columbia', 'IA');
INSERT INTO cities VALUES ('Columbia', 'IL');
INSERT INTO cities VALUES ('Columbia', 'KY'):
INSERT INTO cities VALUES ('Columbia', 'LA');
INSERT INTO cities VALUES ('Columbia', 'MD');
INSERT INTO cities VALUES ('Columbia', 'MO');
INSERT INTO cities VALUES ('Columbia', 'MS');
INSERT INTO cities VALUES ('Columbia', 'NC');
INSERT INTO cities VALUES ('Columbia', 'NJ');
INSERT INTO cities VALUES ('Columbia', 'PA');
INSERT INTO cities VALUES ('Columbia', 'SC'):
INSERT INTO cities VALUES ('Columbia', 'SD');
INSERT INTO cities VALUES ('Columbia', 'TN');
INSERT INTO cities VALUES ('Columbia', 'VA');
INSERT INTO cities VALUES ('Columbia City', 'IN');
INSERT INTO cities VALUES ('Columbia City', 'OR');
INSERT INTO cities VALUES ('Columbia Cross Roads', 'PA');
INSERT INTO cities VALUES ('Columbia Falls', 'ME');
INSERT INTO cities VALUES ('Columbia Falls', 'MT'):
INSERT INTO cities VALUES ('Columbia Station', 'OH');
INSERT INTO cities VALUES ('Columbiana', 'AL');
INSERT INTO cities VALUES ('Columbiana', 'OH');
INSERT INTO cities VALUES ('Columbiaville', 'MI');
INSERT INTO cities VALUES ('Columbiaville', 'NY');
INSERT INTO cities VALUES ('Columbus', 'AR');
INSERT INTO cities VALUES ('Columbus', 'GA');
INSERT INTO cities VALUES ('Columbus', 'IN');
INSERT INTO cities VALUES ('Columbus', 'KS');
INSERT INTO cities VALUES ('Columbus', 'KY');
INSERT INTO cities VALUES ('Columbus', 'MI');
INSERT INTO cities VALUES ('Columbus', 'MS');
INSERT INTO cities VALUES ('Columbus', 'MT');
INSERT INTO cities VALUES ('Columbus', 'NC');
INSERT INTO cities VALUES ('Columbus', 'ND');
INSERT INTO cities VALUES ('Columbus', 'NE');
INSERT INTO cities VALUES ('Columbus', 'NJ');
INSERT INTO cities VALUES ('Columbus', 'NM');
INSERT INTO cities VALUES ('Columbus', 'OH');
INSERT INTO cities VALUES ('Columbus', 'PA');
INSERT INTO cities VALUES ('Columbus', 'TX');
INSERT INTO cities VALUES ('Columbus', 'WI');
INSERT INTO cities VALUES ('Columbus City', 'IA');
INSERT INTO cities VALUES ('Columbus Grove', 'OH'):
INSERT INTO cities VALUES ('Columbus Junction', 'IA');
INSERT INTO cities VALUES ('Colusa', 'CA');
INSERT INTO cities VALUES ('Colusa', 'IL');
INSERT INTO cities VALUES ('Colver', 'PA');
INSERT INTO cities VALUES ('Colville', 'WA');
INSERT INTO cities VALUES ('Colwell', 'IA');
INSERT INTO cities VALUES ('Colwich', 'KS');
INSERT INTO cities VALUES ('Comanche', 'OK');
INSERT INTO cities VALUES ('Comanche', 'TX');
INSERT INTO cities VALUES ('Combes', 'TX');
INSERT INTO cities VALUES ('Combined Locks', 'WI');
```

```
INSERT INTO cities VALUES ('Combs', 'AR');
INSERT INTO cities VALUES ('Combs', 'KY'):
INSERT INTO cities VALUES ('Comer', 'GA');
INSERT INTO cities VALUES ('Comerio', 'PR');
INSERT INTO cities VALUES ('Comfort', 'NC'):
INSERT INTO cities VALUES ('Comfort', 'TX');
INSERT INTO cities VALUES ('Comfort', 'WV');
INSERT INTO cities VALUES ('Comfrey', 'MN');
INSERT INTO cities VALUES ('Comins', 'MI');
INSERT INTO cities VALUES ('Commack', 'NY');
INSERT INTO cities VALUES ('Commerce', 'GA');
INSERT INTO cities VALUES ('Commerce', 'MO');
INSERT INTO cities VALUES ('Commerce', 'OK'):
INSERT INTO cities VALUES ('Commerce', 'TX');
INSERT INTO cities VALUES ('Commerce City', 'CO'):
INSERT INTO cities VALUES ('Commerce Township', 'MI');
INSERT INTO cities VALUES ('Commercial Point', 'OH');
INSERT INTO cities VALUES ('Commiskey', 'IN');
INSERT INTO cities VALUES ('Commodore', 'PA');
INSERT INTO cities VALUES ('Como', 'CO');
INSERT INTO cities VALUES ('Como', 'MS');
INSERT INTO cities VALUES ('Como', 'NC'):
INSERT INTO cities VALUES ('Como', 'TN');
INSERT INTO cities VALUES ('Como', 'TX');
INSERT INTO cities VALUES ('Comptche', 'CA');
INSERT INTO cities VALUES ('Compton', 'AR');
INSERT INTO cities VALUES ('Compton', 'CA');
INSERT INTO cities VALUES ('Compton', 'IL');
INSERT INTO cities VALUES ('Compton', 'MD');
INSERT INTO cities VALUES ('Comstock', 'MI');
INSERT INTO cities VALUES ('Comstock', 'MN');
INSERT INTO cities VALUES ('Comstock', 'NE');
INSERT INTO cities VALUES ('Comstock', 'NY');
INSERT INTO cities VALUES ('Comstock', 'TX');
INSERT INTO cities VALUES ('Comstock', 'WI');
INSERT INTO cities VALUES ('Comstock Park', 'MI');
INSERT INTO cities VALUES ('Conasauga', 'TN');
INSERT INTO cities VALUES ('Concan', 'TX');
INSERT INTO cities VALUES ('Concepcion', 'TX');
INSERT INTO cities VALUES ('Conception', 'MO');
INSERT INTO cities VALUES ('Conception Junction', 'MO');
INSERT INTO cities VALUES ('Conchas Dam', 'NM');
INSERT INTO cities VALUES ('Concho', 'AZ');
INSERT INTO cities VALUES ('Concho', 'OK');
INSERT INTO cities VALUES ('Conconully', 'WA'):
INSERT INTO cities VALUES ('Concord', 'AR');
INSERT INTO cities VALUES ('Concord', 'CA');
INSERT INTO cities VALUES ('Concord', 'GA');
INSERT INTO cities VALUES ('Concord', 'IL');
INSERT INTO cities VALUES ('Concord', 'MA');
INSERT INTO cities VALUES ('Concord', 'MI');
INSERT INTO cities VALUES ('Concord', 'NC');
INSERT INTO cities VALUES ('Concord', 'NE');
INSERT INTO cities VALUES ('Concord', 'NH');
INSERT INTO cities VALUES ('Concord', 'PA');
INSERT INTO cities VALUES ('Concord', 'TX');
```

```
INSERT INTO cities VALUES ('Concord', 'VA');
INSERT INTO cities VALUES ('Concord', 'VT'):
INSERT INTO cities VALUES ('Concordia', 'KS');
INSERT INTO cities VALUES ('Concordia', 'MO'):
INSERT INTO cities VALUES ('Concordville', 'PA'):
INSERT INTO cities VALUES ('Concrete', 'WA');
INSERT INTO cities VALUES ('Conda', 'ID');
INSERT INTO cities VALUES ('Conde', 'SD');
INSERT INTO cities VALUES ('Condon', 'MT');
INSERT INTO cities VALUES ('Condon', 'OR');
INSERT INTO cities VALUES ('Conehatta', 'MS');
INSERT INTO cities VALUES ('Conejos', 'CO');
INSERT INTO cities VALUES ('Conestee', 'SC'):
INSERT INTO cities VALUES ('Conestoga', 'PA');
INSERT INTO cities VALUES ('Conesus', 'NY'):
INSERT INTO cities VALUES ('Conesville', 'IA');
INSERT INTO cities VALUES ('Conesville', 'OH');
INSERT INTO cities VALUES ('Conetoe', 'NC');
INSERT INTO cities VALUES ('Conewango Valley', 'NY');
INSERT INTO cities VALUES ('Confluence', 'PA');
INSERT INTO cities VALUES ('Conger', 'MN');
INSERT INTO cities VALUES ('Congers', 'NY');
INSERT INTO cities VALUES ('Congerville', 'IL');
INSERT INTO cities VALUES ('Congress', 'AZ'):
INSERT INTO cities VALUES ('Conifer', 'CO');
INSERT INTO cities VALUES ('Conklin', 'MI');
INSERT INTO cities VALUES ('Conklin', 'NY');
INSERT INTO cities VALUES ('Conley', 'GA');
INSERT INTO cities VALUES ('Conneaut', 'OH');
INSERT INTO cities VALUES ('Conneaut Lake', 'PA');
INSERT INTO cities VALUES ('Conneautville', 'PA');
INSERT INTO cities VALUES ('Connell', 'WA');
INSERT INTO cities VALUES ('Connellsville', 'PA');
INSERT INTO cities VALUES ('Connelly', 'NY');
INSERT INTO cities VALUES ('Connellys Springs', 'NC');
INSERT INTO cities VALUES ('Conner', 'MT');
INSERT INTO cities VALUES ('Connersville', 'IN');
INSERT INTO cities VALUES ('Connerville', 'OK');
INSERT INTO cities VALUES ('Connoquenessing', 'PA');
INSERT INTO cities VALUES ('Conover', 'NC');
INSERT INTO cities VALUES ('Conover', 'OH');
INSERT INTO cities VALUES ('Conover', 'WI');
INSERT INTO cities VALUES ('Conowingo', 'MD');
INSERT INTO cities VALUES ('Conrad', 'IA');
INSERT INTO cities VALUES ('Conrad', 'MT');
INSERT INTO cities VALUES ('Conrath', 'WI');
INSERT INTO cities VALUES ('Conroe', 'TX');
INSERT INTO cities VALUES ('Conroy', 'IA');
INSERT INTO cities VALUES ('Conshohocken', 'PA');
INSERT INTO cities VALUES ('Constable', 'NY');
INSERT INTO cities VALUES ('Constableville', 'NY');
INSERT INTO cities VALUES ('Constantia', 'NY');
INSERT INTO cities VALUES ('Constantine', 'MI');
INSERT INTO cities VALUES ('Continental', 'OH');
INSERT INTO cities VALUES ('Continental Divide', 'NM');
INSERT INTO cities VALUES ('Contoocook', 'NH');
```

```
INSERT INTO cities VALUES ('Convent', 'LA');
INSERT INTO cities VALUES ('Converse', 'IN'):
INSERT INTO cities VALUES ('Converse', 'LA');
INSERT INTO cities VALUES ('Converse', 'SC'):
INSERT INTO cities VALUES ('Converse', 'TX'):
INSERT INTO cities VALUES ('Convoy', 'OH');
INSERT INTO cities VALUES ('Conway', 'AR');
INSERT INTO cities VALUES ('Conway', 'MA');
INSERT INTO cities VALUES ('Conway', 'MI');
INSERT INTO cities VALUES ('Conway', 'MO');
INSERT INTO cities VALUES ('Conway', 'NC');
INSERT INTO cities VALUES ('Conway', 'NH');
INSERT INTO cities VALUES ('Conway', 'PA'):
INSERT INTO cities VALUES ('Conway', 'SC');
INSERT INTO cities VALUES ('Conway', 'WA'):
INSERT INTO cities VALUES ('Conway Springs', 'KS');
INSERT INTO cities VALUES ('Conyers', 'GA');
INSERT INTO cities VALUES ('Conyngham', 'PA');
INSERT INTO cities VALUES ('Cook', 'MN');
INSERT INTO cities VALUES ('Cook', 'MO');
INSERT INTO cities VALUES ('Cook', 'NE');
INSERT INTO cities VALUES ('Cook Springs', 'AL');
INSERT INTO cities VALUES ('Cooke City', 'MT');
INSERT INTO cities VALUES ('Cookeville', 'TN'):
INSERT INTO cities VALUES ('Cooks', 'MI');
INSERT INTO cities VALUES ('Cooksburg', 'PA');
INSERT INTO cities VALUES ('Cookson', 'OK');
INSERT INTO cities VALUES ('Cookstown', 'NJ');
INSERT INTO cities VALUES ('Cooksville', 'IL');
INSERT INTO cities VALUES ('Cooksville', 'MD');
INSERT INTO cities VALUES ('Cookville', 'TX');
INSERT INTO cities VALUES ('Cool', 'CA');
INSERT INTO cities VALUES ('Cool Ridge', 'WV');
INSERT INTO cities VALUES ('Cooleemee', 'NC'):
INSERT INTO cities VALUES ('Coolidge', 'AZ');
INSERT INTO cities VALUES ('Coolidge', 'GA');
INSERT INTO cities VALUES ('Coolidge', 'KS');
INSERT INTO cities VALUES ('Coolidge', 'TX');
INSERT INTO cities VALUES ('Coolin', 'ID'):
INSERT INTO cities VALUES ('Coolspring', 'PA');
INSERT INTO cities VALUES ('Coolville', 'OH');
INSERT INTO cities VALUES ('Coon Rapids', 'IA');
INSERT INTO cities VALUES ('Coon Valley', 'WI');
INSERT INTO cities VALUES ('Cooper', 'IA');
INSERT INTO cities VALUES ('Cooper', 'TX'):
INSERT INTO cities VALUES ('Cooper Landing', 'AK');
INSERT INTO cities VALUES ('Coopers Mills', 'ME');
INSERT INTO cities VALUES ('Coopers Plains', 'NY');
INSERT INTO cities VALUES ('Coopersburg', 'PA');
INSERT INTO cities VALUES ('Cooperstown', 'ND');
INSERT INTO cities VALUES ('Cooperstown', 'NY');
INSERT INTO cities VALUES ('Cooperstown', 'PA');
INSERT INTO cities VALUES ('Coopersville', 'MI');
INSERT INTO cities VALUES ('Coos Bay', 'OR');
INSERT INTO cities VALUES ('Coosa', 'GA');
INSERT INTO cities VALUES ('Coosada', 'AL');
```

```
INSERT INTO cities VALUES ('Coosawhatchie', 'SC');
INSERT INTO cities VALUES ('Cooter', 'MO'):
INSERT INTO cities VALUES ('Copake', 'NY');
INSERT INTO cities VALUES ('Copake Falls', 'NY');
INSERT INTO cities VALUES ('Copalis Beach', 'WA'):
INSERT INTO cities VALUES ('Copalis Crossing', 'WA');
INSERT INTO cities VALUES ('Copan', 'OK');
INSERT INTO cities VALUES ('Cope', 'CO');
INSERT INTO cities VALUES ('Cope', 'SC');
INSERT INTO cities VALUES ('Copeland', 'FL');
INSERT INTO cities VALUES ('Copeland', 'KS');
INSERT INTO cities VALUES ('Copemish', 'MI');
INSERT INTO cities VALUES ('Copen', 'WV');
INSERT INTO cities VALUES ('Copenhagen', 'NY');
INSERT INTO cities VALUES ('Copeville', 'TX');
INSERT INTO cities VALUES ('Copiague', 'NY');
INSERT INTO cities VALUES ('Coplay', 'PA');
INSERT INTO cities VALUES ('Coppell', 'TX');
INSERT INTO cities VALUES ('Copper Center', 'AK');
INSERT INTO cities VALUES ('Copper City', 'MI');
INSERT INTO cities VALUES ('Copper Harbor', 'MI');
INSERT INTO cities VALUES ('Copper Hill', 'VA');
INSERT INTO cities VALUES ('Copperas Cove', 'TX');
INSERT INTO cities VALUES ('Copperhill', 'TN');
INSERT INTO cities VALUES ('Copperopolis', 'CA');
INSERT INTO cities VALUES ('Coquille', 'OR');
INSERT INTO cities VALUES ('Cora', 'WV');
INSERT INTO cities VALUES ('Cora', 'WY');
INSERT INTO cities VALUES ('Coral', 'MI');
INSERT INTO cities VALUES ('Coral', 'PA');
INSERT INTO cities VALUES ('Coralville', 'IA');
INSERT INTO cities VALUES ('Coram', 'MT');
INSERT INTO cities VALUES ('Coram', 'NY');
INSERT INTO cities VALUES ('Coraopolis', 'PA');
INSERT INTO cities VALUES ('Corapeake', 'NC');
INSERT INTO cities VALUES ('Corbett', 'OR');
INSERT INTO cities VALUES ('Corbettsville', 'NY');
INSERT INTO cities VALUES ('Corbin', 'KY');
INSERT INTO cities VALUES ('Corbin', 'VA');
INSERT INTO cities VALUES ('Corcoran', 'CA');
INSERT INTO cities VALUES ('Cord', 'AR');
INSERT INTO cities VALUES ('Cordele', 'GA');
INSERT INTO cities VALUES ('Cordell', 'OK');
INSERT INTO cities VALUES ('Corder', 'MO');
INSERT INTO cities VALUES ('Cordesville', 'SC'):
INSERT INTO cities VALUES ('Cordova', 'AK');
INSERT INTO cities VALUES ('Cordova', 'AL');
INSERT INTO cities VALUES ('Cordova', 'IL');
INSERT INTO cities VALUES ('Cordova', 'MD');
INSERT INTO cities VALUES ('Cordova', 'NC');
INSERT INTO cities VALUES ('Cordova', 'NE');
INSERT INTO cities VALUES ('Cordova', 'NM');
INSERT INTO cities VALUES ('Cordova', 'SC');
INSERT INTO cities VALUES ('Cordova', 'TN');
INSERT INTO cities VALUES ('Corea', 'ME');
INSERT INTO cities VALUES ('Corfu', 'NY');
```

```
INSERT INTO cities VALUES ('Corinna', 'ME');
INSERT INTO cities VALUES ('Corinne', 'UT'):
INSERT INTO cities VALUES ('Corinne', 'WV');
INSERT INTO cities VALUES ('Corinth', 'KY'):
INSERT INTO cities VALUES ('Corinth', 'ME'):
INSERT INTO cities VALUES ('Corinth', 'MS');
INSERT INTO cities VALUES ('Corinth', 'NY');
INSERT INTO cities VALUES ('Corinth', 'VT');
INSERT INTO cities VALUES ('Corn', 'OK');
INSERT INTO cities VALUES ('Cornelia', 'GA');
INSERT INTO cities VALUES ('Cornelius', 'NC');
INSERT INTO cities VALUES ('Cornelius', 'OR');
INSERT INTO cities VALUES ('Cornell', 'IL'):
INSERT INTO cities VALUES ('Cornell', 'MI');
INSERT INTO cities VALUES ('Cornell', 'WI'):
INSERT INTO cities VALUES ('Cornersville', 'TN');
INSERT INTO cities VALUES ('Cornettsville', 'KY');
INSERT INTO cities VALUES ('Corning', 'AR');
INSERT INTO cities VALUES ('Corning', 'CA');
INSERT INTO cities VALUES ('Corning', 'IA');
INSERT INTO cities VALUES ('Corning', 'KS');
INSERT INTO cities VALUES ('Corning', 'NY');
INSERT INTO cities VALUES ('Corning', 'OH');
INSERT INTO cities VALUES ('Cornish', 'ME');
INSERT INTO cities VALUES ('Cornish', 'NH');
INSERT INTO cities VALUES ('Cornish', 'UT');
INSERT INTO cities VALUES ('Cornish Flat', 'NH'):
INSERT INTO cities VALUES ('Cornland', 'IL');
INSERT INTO cities VALUES ('Cornucopia', 'WI');
INSERT INTO cities VALUES ('Cornville', 'AZ');
INSERT INTO cities VALUES ('Cornwall', 'CT');
INSERT INTO cities VALUES ('Cornwall', 'NY');
INSERT INTO cities VALUES ('Cornwall', 'PA');
INSERT INTO cities VALUES ('Cornwall Bridge', 'CT');
INSERT INTO cities VALUES ('Cornwall On Hudson', 'NY');
INSERT INTO cities VALUES ('Cornwallville', 'NY');
INSERT INTO cities VALUES ('Corolla', 'NC');
INSERT INTO cities VALUES ('Corona', 'CA');
INSERT INTO cities VALUES ('Corona', 'NM');
INSERT INTO cities VALUES ('Corona', 'NY');
INSERT INTO cities VALUES ('Corona', 'SD');
INSERT INTO cities VALUES ('Corona Del Mar', 'CA');
INSERT INTO cities VALUES ('Coronado', 'CA');
INSERT INTO cities VALUES ('Corozal', 'PR');
INSERT INTO cities VALUES ('Corpus Christi', 'TX'):
INSERT INTO cities VALUES ('Corral', 'ID');
INSERT INTO cities VALUES ('Corrales', 'NM');
INSERT INTO cities VALUES ('Correctionville', 'IA');
INSERT INTO cities VALUES ('Correll', 'MN');
INSERT INTO cities VALUES ('Corrigan', 'TX');
INSERT INTO cities VALUES ('Corriganville', 'MD');
INSERT INTO cities VALUES ('Corry', 'PA');
INSERT INTO cities VALUES ('Corryton', 'TN');
INSERT INTO cities VALUES ('Corsica', 'PA');
INSERT INTO cities VALUES ('Corsica', 'SD');
INSERT INTO cities VALUES ('Corsicana', 'TX');
```

```
INSERT INTO cities VALUES ('Cortaro', 'AZ');
INSERT INTO cities VALUES ('Corte Madera', 'CA'):
INSERT INTO cities VALUES ('Cortez', 'CO');
INSERT INTO cities VALUES ('Cortez', 'FL'):
INSERT INTO cities VALUES ('Cortland', 'IL'):
INSERT INTO cities VALUES ('Cortland', 'IN');
INSERT INTO cities VALUES ('Cortland', 'NE');
INSERT INTO cities VALUES ('Cortland', 'NY');
INSERT INTO cities VALUES ('Cortland', 'OH');
INSERT INTO cities VALUES ('Cortlandt Manor', 'NY');
INSERT INTO cities VALUES ('Corunna', 'IN');
INSERT INTO cities VALUES ('Corunna', 'MI');
INSERT INTO cities VALUES ('Corvallis', 'MT'):
INSERT INTO cities VALUES ('Corvallis', 'OR');
INSERT INTO cities VALUES ('Corwith', 'IA'):
INSERT INTO cities VALUES ('Cory', 'CO'):
INSERT INTO cities VALUES ('Cory', 'IN');
INSERT INTO cities VALUES ('Corydon', 'IA');
INSERT INTO cities VALUES ('Corydon', 'IN');
INSERT INTO cities VALUES ('Corydon', 'KY');
INSERT INTO cities VALUES ('Cos Cob', 'CT');
INSERT INTO cities VALUES ('Cosby', 'MO');
INSERT INTO cities VALUES ('Cosby', 'TN');
INSERT INTO cities VALUES ('Coshocton', 'OH');
INSERT INTO cities VALUES ('Cosmopolis', 'WA');
INSERT INTO cities VALUES ('Cosmos', 'MN');
INSERT INTO cities VALUES ('Cossayuna', 'NY');
INSERT INTO cities VALUES ('Cost', 'TX'):
INSERT INTO cities VALUES ('Costa', 'WV');
INSERT INTO cities VALUES ('Costa Mesa', 'CA');
INSERT INTO cities VALUES ('Costilla', 'NM');
INSERT INTO cities VALUES ('Cotati', 'CA');
INSERT INTO cities VALUES ('Coto Laurel', 'PR');
INSERT INTO cities VALUES ('Cotopaxi', 'CO'):
INSERT INTO cities VALUES ('Cottage Grove', 'MN');
INSERT INTO cities VALUES ('Cottage Grove', 'OR'):
INSERT INTO cities VALUES ('Cottage Grove', 'TN');
INSERT INTO cities VALUES ('Cottage Grove', 'WI');
INSERT INTO cities VALUES ('Cottage Hills', 'IL'):
INSERT INTO cities VALUES ('Cottageville', 'SC');
INSERT INTO cities VALUES ('Cottageville', 'WV');
INSERT INTO cities VALUES ('Cottekill', 'NY');
INSERT INTO cities VALUES ('Cotter', 'AR');
INSERT INTO cities VALUES ('Cottleville', 'MO');
INSERT INTO cities VALUES ('Cotton', 'GA'):
INSERT INTO cities VALUES ('Cotton', 'MN');
INSERT INTO cities VALUES ('Cotton Center', 'TX');
INSERT INTO cities VALUES ('Cotton Plant', 'AR');
INSERT INTO cities VALUES ('Cotton Valley', 'LA');
INSERT INTO cities VALUES ('Cottondale', 'AL');
INSERT INTO cities VALUES ('Cottondale', 'FL');
INSERT INTO cities VALUES ('Cottonport', 'LA');
INSERT INTO cities VALUES ('Cottonton', 'AL');
INSERT INTO cities VALUES ('Cottontown', 'TN');
INSERT INTO cities VALUES ('Cottonwood', 'AL');
INSERT INTO cities VALUES ('Cottonwood', 'AZ');
```

```
INSERT INTO cities VALUES ('Cottonwood', 'CA');
INSERT INTO cities VALUES ('Cottonwood', 'ID'):
INSERT INTO cities VALUES ('Cottonwood', 'MN');
INSERT INTO cities VALUES ('Cottonwood Falls', 'KS');
INSERT INTO cities VALUES ('Cotuit', 'MA'):
INSERT INTO cities VALUES ('Cotulla', 'TX');
INSERT INTO cities VALUES ('Couch', 'MO');
INSERT INTO cities VALUES ('Couderay', 'WI');
INSERT INTO cities VALUES ('Coudersport', 'PA');
INSERT INTO cities VALUES ('Cougar', 'WA');
INSERT INTO cities VALUES ('Coulee City', 'WA');
INSERT INTO cities VALUES ('Coulee Dam', 'WA');
INSERT INTO cities VALUES ('Coulter', 'IA'):
INSERT INTO cities VALUES ('Coulters', 'PA');
INSERT INTO cities VALUES ('Coulterville', 'CA'):
INSERT INTO cities VALUES ('Coulterville', 'IL');
INSERT INTO cities VALUES ('Counce', 'TN');
INSERT INTO cities VALUES ('Council', 'ID');
INSERT INTO cities VALUES ('Council', 'NC');
INSERT INTO cities VALUES ('Council Bluffs', 'IA');
INSERT INTO cities VALUES ('Council Grove', 'KS');
INSERT INTO cities VALUES ('Council Hill', 'OK');
INSERT INTO cities VALUES ('Counselor', 'NM');
INSERT INTO cities VALUES ('Country Club Hills', 'IL');
INSERT INTO cities VALUES ('Countyline', 'OK');
INSERT INTO cities VALUES ('Coupeville', 'WA');
INSERT INTO cities VALUES ('Coupland', 'TX'):
INSERT INTO cities VALUES ('Coupon', 'PA');
INSERT INTO cities VALUES ('Courtenay', 'ND');
INSERT INTO cities VALUES ('Courtland', 'AL');
INSERT INTO cities VALUES ('Courtland', 'CA');
INSERT INTO cities VALUES ('Courtland', 'KS');
INSERT INTO cities VALUES ('Courtland', 'MN');
INSERT INTO cities VALUES ('Courtland', 'MS');
INSERT INTO cities VALUES ('Courtland', 'VA');
INSERT INTO cities VALUES ('Coushatta', 'LA');
INSERT INTO cities VALUES ('Cove', 'AR');
INSERT INTO cities VALUES ('Cove', 'OR');
INSERT INTO cities VALUES ('Cove City', 'NC'):
INSERT INTO cities VALUES ('Covel', 'WV');
INSERT INTO cities VALUES ('Covelo', 'CA');
INSERT INTO cities VALUES ('Coventry', 'CT');
INSERT INTO cities VALUES ('Coventry', 'RI');
INSERT INTO cities VALUES ('Coventry', 'VT');
INSERT INTO cities VALUES ('Covert', 'MI');
INSERT INTO cities VALUES ('Covesville', 'VA');
INSERT INTO cities VALUES ('Covina', 'CA');
INSERT INTO cities VALUES ('Covington', 'GA');
INSERT INTO cities VALUES ('Covington', 'IN');
INSERT INTO cities VALUES ('Covington', 'KY');
INSERT INTO cities VALUES ('Covington', 'LA');
INSERT INTO cities VALUES ('Covington', 'MI');
INSERT INTO cities VALUES ('Covington', 'OH');
INSERT INTO cities VALUES ('Covington', 'OK');
INSERT INTO cities VALUES ('Covington', 'PA');
INSERT INTO cities VALUES ('Covington', 'TN');
```

```
INSERT INTO cities VALUES ('Covington', 'TX');
INSERT INTO cities VALUES ('Covington', 'VA'):
INSERT INTO cities VALUES ('Cowan', 'TN');
INSERT INTO cities VALUES ('Cowanesque', 'PA'):
INSERT INTO cities VALUES ('Cowansville', 'PA'):
INSERT INTO cities VALUES ('Coward', 'SC');
INSERT INTO cities VALUES ('Cowarts', 'AL');
INSERT INTO cities VALUES ('Cowden', 'IL');
INSERT INTO cities VALUES ('Cowdrey', 'CO');
INSERT INTO cities VALUES ('Cowen', 'WV');
INSERT INTO cities VALUES ('Coweta', 'OK');
INSERT INTO cities VALUES ('Cowgill', 'MO');
INSERT INTO cities VALUES ('Cowiche', 'WA');
INSERT INTO cities VALUES ('Cowlesville', 'NY');
INSERT INTO cities VALUES ('Cowley', 'WY'):
INSERT INTO cities VALUES ('Cowpens', 'SC');
INSERT INTO cities VALUES ('Coxs Creek', 'KY');
INSERT INTO cities VALUES ('Coxs Mills', 'WV');
INSERT INTO cities VALUES ('Coxsackie', 'NY');
INSERT INTO cities VALUES ('Coy', 'AL');
INSERT INTO cities VALUES ('Coy', 'AR');
INSERT INTO cities VALUES ('Coyanosa', 'TX');
INSERT INTO cities VALUES ('Coyle', 'OK');
INSERT INTO cities VALUES ('Coyote', 'CA'):
INSERT INTO cities VALUES ('Coyote', 'NM');
INSERT INTO cities VALUES ('Cozad', 'NE');
INSERT INTO cities VALUES ('Crab Orchard', 'KY');
INSERT INTO cities VALUES ('Crab Orchard', 'NE'):
INSERT INTO cities VALUES ('Crab Orchard', 'TN');
INSERT INTO cities VALUES ('Crab Orchard', 'WV');
INSERT INTO cities VALUES ('Crabtree', 'OR');
INSERT INTO cities VALUES ('Crabtree', 'PA');
INSERT INTO cities VALUES ('Craddockville', 'VA');
INSERT INTO cities VALUES ('Craftsbury', 'VT');
INSERT INTO cities VALUES ('Craftsbury Common', 'VT');
INSERT INTO cities VALUES ('Cragford', 'AL');
INSERT INTO cities VALUES ('Cragsmoor', 'NY');
INSERT INTO cities VALUES ('Craig', 'AK');
INSERT INTO cities VALUES ('Craig', 'CO'):
INSERT INTO cities VALUES ('Craig', 'MO');
INSERT INTO cities VALUES ('Craig', 'NE');
INSERT INTO cities VALUES ('Craigmont', 'ID');
INSERT INTO cities VALUES ('Craigsville', 'VA');
INSERT INTO cities VALUES ('Craigsville', 'WV');
INSERT INTO cities VALUES ('Craigville', 'IN'):
INSERT INTO cities VALUES ('Craley', 'PA');
INSERT INTO cities VALUES ('Cramerton', 'NC');
INSERT INTO cities VALUES ('Cranberry', 'PA');
INSERT INTO cities VALUES ('Cranberry Isles', 'ME');
INSERT INTO cities VALUES ('Cranberry Lake', 'NY');
INSERT INTO cities VALUES ('Cranberry Twp', 'PA');
INSERT INTO cities VALUES ('Cranbury', 'NJ');
INSERT INTO cities VALUES ('Crandall', 'GA');
INSERT INTO cities VALUES ('Crandall', 'IN');
INSERT INTO cities VALUES ('Crandall', 'TX');
INSERT INTO cities VALUES ('Crandon', 'WI');
```

```
INSERT INTO cities VALUES ('Crane', 'IN');
INSERT INTO cities VALUES ('Crane', 'MO'):
INSERT INTO cities VALUES ('Crane', 'MT');
INSERT INTO cities VALUES ('Crane', 'OR'):
INSERT INTO cities VALUES ('Crane', 'TX'):
INSERT INTO cities VALUES ('Crane Hill', 'AL');
INSERT INTO cities VALUES ('Crane Lake', 'MN');
INSERT INTO cities VALUES ('Cranesville', 'PA');
INSERT INTO cities VALUES ('Cranfills Gap', 'TX');
INSERT INTO cities VALUES ('Cranford', 'NJ');
INSERT INTO cities VALUES ('Cranks', 'KY');
INSERT INTO cities VALUES ('Cranston', 'RI');
INSERT INTO cities VALUES ('Crapo', 'MD');
INSERT INTO cities VALUES ('Crary', 'ND');
INSERT INTO cities VALUES ('Craryville', 'NY');
INSERT INTO cities VALUES ('Crater Lake', 'OR');
INSERT INTO cities VALUES ('Crawford', 'CO');
INSERT INTO cities VALUES ('Crawford', 'GA');
INSERT INTO cities VALUES ('Crawford', 'MS');
INSERT INTO cities VALUES ('Crawford', 'NE');
INSERT INTO cities VALUES ('Crawford', 'OK');
INSERT INTO cities VALUES ('Crawford', 'TN');
INSERT INTO cities VALUES ('Crawford', 'TX');
INSERT INTO cities VALUES ('Crawford', 'WV');
INSERT INTO cities VALUES ('Crawfordsville', 'AR');
INSERT INTO cities VALUES ('Crawfordsville', 'IA');
INSERT INTO cities VALUES ('Crawfordsville', 'IN');
INSERT INTO cities VALUES ('Crawfordsville', 'OR');
INSERT INTO cities VALUES ('Crawfordville', 'FL');
INSERT INTO cities VALUES ('Crawfordville', 'GA');
INSERT INTO cities VALUES ('Crawley', 'WV');
INSERT INTO cities VALUES ('Crayne', 'KY');
INSERT INTO cities VALUES ('Creal Springs', 'IL');
INSERT INTO cities VALUES ('Cream Ridge', 'NJ');
INSERT INTO cities VALUES ('Creamery', 'PA');
INSERT INTO cities VALUES ('Creede', 'CO');
INSERT INTO cities VALUES ('Creedmoor', 'NC');
INSERT INTO cities VALUES ('Creekside', 'PA');
INSERT INTO cities VALUES ('Creighton', 'MO'):
INSERT INTO cities VALUES ('Creighton', 'NE');
INSERT INTO cities VALUES ('Creighton', 'PA');
INSERT INTO cities VALUES ('Crenshaw', 'MS');
INSERT INTO cities VALUES ('Creola', 'AL');
INSERT INTO cities VALUES ('Creola', 'OH');
INSERT INTO cities VALUES ('Creole', 'LA'):
INSERT INTO cities VALUES ('Cresbard', 'SD');
INSERT INTO cities VALUES ('Crescent', 'GA');
INSERT INTO cities VALUES ('Crescent', 'IA');
INSERT INTO cities VALUES ('Crescent', 'OK');
INSERT INTO cities VALUES ('Crescent', 'OR');
INSERT INTO cities VALUES ('Crescent', 'PA');
INSERT INTO cities VALUES ('Crescent City', 'CA');
INSERT INTO cities VALUES ('Crescent City', 'FL');
INSERT INTO cities VALUES ('Crescent City', 'IL');
INSERT INTO cities VALUES ('Crescent Lake', 'OR');
INSERT INTO cities VALUES ('Crescent Mills', 'CA');
```

```
INSERT INTO cities VALUES ('Crescent Valley', 'NV');
INSERT INTO cities VALUES ('Cresco', 'IA'):
INSERT INTO cities VALUES ('Cresco', 'PA');
INSERT INTO cities VALUES ('Cressey', 'CA'):
INSERT INTO cities VALUES ('Cresskill', 'NJ'):
INSERT INTO cities VALUES ('Cresson', 'PA');
INSERT INTO cities VALUES ('Cresson', 'TX');
INSERT INTO cities VALUES ('Cressona', 'PA');
INSERT INTO cities VALUES ('Crest Hill', 'IL');
INSERT INTO cities VALUES ('Crest Park', 'CA');
INSERT INTO cities VALUES ('Crested Butte', 'CO');
INSERT INTO cities VALUES ('Crestline', 'CA');
INSERT INTO cities VALUES ('Crestline', 'KS'):
INSERT INTO cities VALUES ('Crestline', 'OH');
INSERT INTO cities VALUES ('Creston', 'CA'):
INSERT INTO cities VALUES ('Creston', 'IA'):
INSERT INTO cities VALUES ('Creston', 'IL');
INSERT INTO cities VALUES ('Creston', 'NC');
INSERT INTO cities VALUES ('Creston', 'NE');
INSERT INTO cities VALUES ('Creston', 'OH');
INSERT INTO cities VALUES ('Creston', 'WA');
INSERT INTO cities VALUES ('Creston', 'WV'):
INSERT INTO cities VALUES ('Crestone', 'CO');
INSERT INTO cities VALUES ('Crestview', 'FL');
INSERT INTO cities VALUES ('Crestwood', 'KY');
INSERT INTO cities VALUES ('Creswell', 'NC');
INSERT INTO cities VALUES ('Creswell', 'OR'):
INSERT INTO cities VALUES ('Crete', 'IL'):
INSERT INTO cities VALUES ('Crete', 'NE');
INSERT INTO cities VALUES ('Creve Coeur', 'IL');
INSERT INTO cities VALUES ('Crewe', 'VA');
INSERT INTO cities VALUES ('Criders', 'VA');
INSERT INTO cities VALUES ('Crimora', 'VA');
INSERT INTO cities VALUES ('Cripple Creek', 'CO');
INSERT INTO cities VALUES ('Cripple Creek', 'VA');
INSERT INTO cities VALUES ('Crisfield', 'MD'):
INSERT INTO cities VALUES ('Crittenden', 'KY');
INSERT INTO cities VALUES ('Crittenden', 'NY');
INSERT INTO cities VALUES ('Critz', 'VA'):
INSERT INTO cities VALUES ('Crivitz', 'WI');
INSERT INTO cities VALUES ('Crocheron', 'MD');
INSERT INTO cities VALUES ('Crocker', 'MO');
INSERT INTO cities VALUES ('Crockett', 'CA');
INSERT INTO cities VALUES ('Crockett', 'KY');
INSERT INTO cities VALUES ('Crockett', 'TX'):
INSERT INTO cities VALUES ('Crockett', 'VA');
INSERT INTO cities VALUES ('Crockett Mills', 'TN');
INSERT INTO cities VALUES ('Crocketts Bluff', 'AR');
INSERT INTO cities VALUES ('Crocketville', 'SC');
INSERT INTO cities VALUES ('Crofton', 'KY');
INSERT INTO cities VALUES ('Crofton', 'MD');
INSERT INTO cities VALUES ('Crofton', 'NE');
INSERT INTO cities VALUES ('Croghan', 'NY');
INSERT INTO cities VALUES ('Cromona', 'KY');
INSERT INTO cities VALUES ('Crompond', 'NY');
INSERT INTO cities VALUES ('Cromwell', 'CT');
```

```
INSERT INTO cities VALUES ('Cromwell', 'IA');
INSERT INTO cities VALUES ('Cromwell', 'IN'):
INSERT INTO cities VALUES ('Cromwell', 'KY');
INSERT INTO cities VALUES ('Cromwell', 'MN');
INSERT INTO cities VALUES ('Cromwell', 'OK'):
INSERT INTO cities VALUES ('Crook', 'CO');
INSERT INTO cities VALUES ('Crooked Creek', 'AK');
INSERT INTO cities VALUES ('Crooks', 'SD');
INSERT INTO cities VALUES ('Crookston', 'MN');
INSERT INTO cities VALUES ('Crookston', 'NE');
INSERT INTO cities VALUES ('Crooksville', 'OH');
INSERT INTO cities VALUES ('Cropsey', 'IL');
INSERT INTO cities VALUES ('Cropseyville', 'NY');
INSERT INTO cities VALUES ('Cropwell', 'AL');
INSERT INTO cities VALUES ('Crosby', 'MN'):
INSERT INTO cities VALUES ('Crosby', 'MS'):
INSERT INTO cities VALUES ('Crosby', 'ND');
INSERT INTO cities VALUES ('Crosby', 'PA');
INSERT INTO cities VALUES ('Crosby', 'TX');
INSERT INTO cities VALUES ('Crosbyton', 'TX');
INSERT INTO cities VALUES ('Cross', 'SC');
INSERT INTO cities VALUES ('Cross Anchor', 'SC');
INSERT INTO cities VALUES ('Cross City', 'FL');
INSERT INTO cities VALUES ('Cross Fork', 'PA'):
INSERT INTO cities VALUES ('Cross Hill', 'SC');
INSERT INTO cities VALUES ('Cross Junction', 'VA');
INSERT INTO cities VALUES ('Cross Plains', 'IN');
INSERT INTO cities VALUES ('Cross Plains', 'TN');
INSERT INTO cities VALUES ('Cross Plains', 'TX');
INSERT INTO cities VALUES ('Cross Plains', 'WI');
INSERT INTO cities VALUES ('Cross River', 'NY');
INSERT INTO cities VALUES ('Cross Timbers', 'MO');
INSERT INTO cities VALUES ('Cross Village', 'MI');
INSERT INTO cities VALUES ('Crossett', 'AR');
INSERT INTO cities VALUES ('Crosslake', 'MN');
INSERT INTO cities VALUES ('Crossnore', 'NC'):
INSERT INTO cities VALUES ('Crossroads', 'NM');
INSERT INTO cities VALUES ('Crossville', 'AL');
INSERT INTO cities VALUES ('Crossville', 'IL'):
INSERT INTO cities VALUES ('Crossville', 'TN');
INSERT INTO cities VALUES ('Croswell', 'MI');
INSERT INTO cities VALUES ('Crothersville', 'IN');
INSERT INTO cities VALUES ('Croton', 'OH');
INSERT INTO cities VALUES ('Croton Falls', 'NY');
INSERT INTO cities VALUES ('Croton On Hudson', 'NY'):
INSERT INTO cities VALUES ('Crouse', 'NC');
INSERT INTO cities VALUES ('Crouseville', 'ME');
INSERT INTO cities VALUES ('Crow Agency', 'MT');
INSERT INTO cities VALUES ('Crowder', 'MS');
INSERT INTO cities VALUES ('Crowder', 'OK');
INSERT INTO cities VALUES ('Crowell', 'TX');
INSERT INTO cities VALUES ('Crowheart', 'WY');
INSERT INTO cities VALUES ('Crowley', 'CO');
INSERT INTO cities VALUES ('Crowley', 'LA');
INSERT INTO cities VALUES ('Crowley', 'TX');
INSERT INTO cities VALUES ('Crown', 'PA');
```

```
INSERT INTO cities VALUES ('Crown City', 'OH');
INSERT INTO cities VALUES ('Crown King', 'AZ');
INSERT INTO cities VALUES ('Crown Point', 'IN');
INSERT INTO cities VALUES ('Crown Point', 'NY');
INSERT INTO cities VALUES ('Crownpoint', 'NM'):
INSERT INTO cities VALUES ('Crownsville', 'MD');
INSERT INTO cities VALUES ('Crows Landing', 'CA');
INSERT INTO cities VALUES ('Crowville', 'LA');
INSERT INTO cities VALUES ('Croydon', 'PA');
INSERT INTO cities VALUES ('Croydon', 'UT');
INSERT INTO cities VALUES ('Crozet', 'VA');
INSERT INTO cities VALUES ('Crozier', 'VA');
INSERT INTO cities VALUES ('Crp Christi', 'TX'):
INSERT INTO cities VALUES ('Crucible', 'PA');
INSERT INTO cities VALUES ('Cruger', 'MS'):
INSERT INTO cities VALUES ('Crum', 'WV'):
INSERT INTO cities VALUES ('Crum Lynne', 'PA');
INSERT INTO cities VALUES ('Crump', 'TN');
INSERT INTO cities VALUES ('Crumpler', 'NC');
INSERT INTO cities VALUES ('Crumpton', 'MD');
INSERT INTO cities VALUES ('Crumrod', 'AR');
INSERT INTO cities VALUES ('Crystal', 'MI');
INSERT INTO cities VALUES ('Crystal', 'ND');
INSERT INTO cities VALUES ('Crystal Bay', 'MN'):
INSERT INTO cities VALUES ('Crystal Bay', 'NV');
INSERT INTO cities VALUES ('Crystal Beach', 'FL');
INSERT INTO cities VALUES ('Crystal City', 'MO'):
INSERT INTO cities VALUES ('Crystal City', 'TX');
INSERT INTO cities VALUES ('Crystal Falls', 'MI');
INSERT INTO cities VALUES ('Crystal Hill', 'VA');
INSERT INTO cities VALUES ('Crystal Lake', 'IA');
INSERT INTO cities VALUES ('Crystal Lake', 'IL');
INSERT INTO cities VALUES ('Crystal River', 'FL');
INSERT INTO cities VALUES ('Crystal Spring', 'PA');
INSERT INTO cities VALUES ('Crystal Springs', 'FL');
INSERT INTO cities VALUES ('Crystal Springs', 'MS');
INSERT INTO cities VALUES ('Cub Run', 'KY');
INSERT INTO cities VALUES ('Cuba', 'AL');
INSERT INTO cities VALUES ('Cuba', 'IL'):
INSERT INTO cities VALUES ('Cuba', 'KS');
INSERT INTO cities VALUES ('Cuba', 'MO');
INSERT INTO cities VALUES ('Cuba', 'NM');
INSERT INTO cities VALUES ('Cuba', 'NY');
INSERT INTO cities VALUES ('Cuba', 'OH');
INSERT INTO cities VALUES ('Cuba City', 'WI'):
INSERT INTO cities VALUES ('Cubero', 'NM');
INSERT INTO cities VALUES ('Cucumber', 'WV');
INSERT INTO cities VALUES ('Cudahy', 'WI');
INSERT INTO cities VALUES ('Cuddebackville', 'NY');
INSERT INTO cities VALUES ('Cuddy', 'PA');
INSERT INTO cities VALUES ('Cuero', 'TX');
INSERT INTO cities VALUES ('Cuervo', 'NM');
INSERT INTO cities VALUES ('Culberson', 'NC');
INSERT INTO cities VALUES ('Culbertson', 'MT');
INSERT INTO cities VALUES ('Culbertson', 'NE');
INSERT INTO cities VALUES ('Culdesac', 'ID');
```

```
INSERT INTO cities VALUES ('Culebra', 'PR');
INSERT INTO cities VALUES ('Cullen', 'LA'):
INSERT INTO cities VALUES ('Cullen', 'VA');
INSERT INTO cities VALUES ('Culleoka', 'TN'):
INSERT INTO cities VALUES ('Cullman', 'AL'):
INSERT INTO cities VALUES ('Culloden', 'GA');
INSERT INTO cities VALUES ('Culloden', 'WV');
INSERT INTO cities VALUES ('Cullom', 'IL');
INSERT INTO cities VALUES ('Cullowhee', 'NC');
INSERT INTO cities VALUES ('Culp Creek', 'OR');
INSERT INTO cities VALUES ('Culpeper', 'VA');
INSERT INTO cities VALUES ('Culver', 'IN');
INSERT INTO cities VALUES ('Culver', 'OR');
INSERT INTO cities VALUES ('Culver City', 'CA');
INSERT INTO cities VALUES ('Cumberland', 'IA'):
INSERT INTO cities VALUES ('Cumberland', 'KY'):
INSERT INTO cities VALUES ('Cumberland', 'MD');
INSERT INTO cities VALUES ('Cumberland', 'NC');
INSERT INTO cities VALUES ('Cumberland', 'OH');
INSERT INTO cities VALUES ('Cumberland', 'RI');
INSERT INTO cities VALUES ('Cumberland', 'VA');
INSERT INTO cities VALUES ('Cumberland', 'WI'):
INSERT INTO cities VALUES ('Cumberland Center', 'ME');
INSERT INTO cities VALUES ('Cumberland City', 'TN');
INSERT INTO cities VALUES ('Cumberland Foreside', 'ME');
INSERT INTO cities VALUES ('Cumberland Furnace', 'TN');
INSERT INTO cities VALUES ('Cumberland Gap', 'TN');
INSERT INTO cities VALUES ('Cumbola', 'PA'):
INSERT INTO cities VALUES ('Cumby', 'TX');
INSERT INTO cities VALUES ('Cummaguid', 'MA');
INSERT INTO cities VALUES ('Cumming', 'GA');
INSERT INTO cities VALUES ('Cumming', 'IA');
INSERT INTO cities VALUES ('Cummings', 'KS');
INSERT INTO cities VALUES ('Cummings', 'ND'):
INSERT INTO cities VALUES ('Cummington', 'MA');
INSERT INTO cities VALUES ('Cumnock', 'NC'):
INSERT INTO cities VALUES ('Cuney', 'TX');
INSERT INTO cities VALUES ('Cunningham', 'KS');
INSERT INTO cities VALUES ('Cunningham', 'KY');
INSERT INTO cities VALUES ('Cunningham', 'TN');
INSERT INTO cities VALUES ('Cunningham', 'TX');
INSERT INTO cities VALUES ('Cupertino', 'CA');
INSERT INTO cities VALUES ('Curdsville', 'KY');
INSERT INTO cities VALUES ('Curlew', 'IA');
INSERT INTO cities VALUES ('Curlew', 'WA');
INSERT INTO cities VALUES ('Curllsville', 'PA');
INSERT INTO cities VALUES ('Curran', 'MI');
INSERT INTO cities VALUES ('Currie', 'MN');
INSERT INTO cities VALUES ('Currie', 'NC');
INSERT INTO cities VALUES ('Currituck', 'NC');
INSERT INTO cities VALUES ('Curryville', 'MO');
INSERT INTO cities VALUES ('Curryville', 'PA');
INSERT INTO cities VALUES ('Curtice', 'OH');
INSERT INTO cities VALUES ('Curtin', 'OR');
INSERT INTO cities VALUES ('Curtis', 'AR');
INSERT INTO cities VALUES ('Curtis', 'MI');
```

```
INSERT INTO cities VALUES ('Curtis', 'NE');
INSERT INTO cities VALUES ('Curtis', 'WA'):
INSERT INTO cities VALUES ('Curtis Bay', 'MD');
INSERT INTO cities VALUES ('Curtiss', 'WI');
INSERT INTO cities VALUES ('Curtisville', 'PA'):
INSERT INTO cities VALUES ('Curwensville', 'PA');
INSERT INTO cities VALUES ('Cushing', 'IA');
INSERT INTO cities VALUES ('Cushing', 'ME');
INSERT INTO cities VALUES ('Cushing', 'MN');
INSERT INTO cities VALUES ('Cushing', 'OK');
INSERT INTO cities VALUES ('Cushing', 'TX');
INSERT INTO cities VALUES ('Cushing', 'WI');
INSERT INTO cities VALUES ('Cushman', 'AR'):
INSERT INTO cities VALUES ('Cusick', 'WA');
INSERT INTO cities VALUES ('Cusseta', 'AL');
INSERT INTO cities VALUES ('Cusseta', 'GA');
INSERT INTO cities VALUES ('Custar', 'OH');
INSERT INTO cities VALUES ('Custer', 'KY');
INSERT INTO cities VALUES ('Custer', 'MI'):
INSERT INTO cities VALUES ('Custer', 'MT');
INSERT INTO cities VALUES ('Custer', 'SD');
INSERT INTO cities VALUES ('Custer', 'WA'):
INSERT INTO cities VALUES ('Custer', 'WI');
INSERT INTO cities VALUES ('Custer City', 'OK'):
INSERT INTO cities VALUES ('Custer City', 'PA');
INSERT INTO cities VALUES ('Cut Bank', 'MT');
INSERT INTO cities VALUES ('Cut Off', 'LA'):
INSERT INTO cities VALUES ('Cutchogue', 'NY');
INSERT INTO cities VALUES ('Cuthbert', 'GA');
INSERT INTO cities VALUES ('Cutler', 'CA');
INSERT INTO cities VALUES ('Cutler', 'IL');
INSERT INTO cities VALUES ('Cutler', 'IN');
INSERT INTO cities VALUES ('Cutler', 'ME');
INSERT INTO cities VALUES ('Cutler', 'OH');
INSERT INTO cities VALUES ('Cutten', 'CA');
INSERT INTO cities VALUES ('Cuttingsville', 'VT'):
INSERT INTO cities VALUES ('Cuttyhunk', 'MA');
INSERT INTO cities VALUES ('Cuyahoga Falls', 'OH');
INSERT INTO cities VALUES ('Cyclone', 'PA'):
INSERT INTO cities VALUES ('Cyclone', 'WV');
INSERT INTO cities VALUES ('Cygnet', 'OH');
INSERT INTO cities VALUES ('Cylinder', 'IA');
INSERT INTO cities VALUES ('Cynthiana', 'IN');
INSERT INTO cities VALUES ('Cynthiana', 'KY');
INSERT INTO cities VALUES ('Cynthiana', 'OH'):
INSERT INTO cities VALUES ('Cypress', 'CA');
INSERT INTO cities VALUES ('Cypress', 'FL');
INSERT INTO cities VALUES ('Cypress', 'IL');
INSERT INTO cities VALUES ('Cypress', 'TX');
INSERT INTO cities VALUES ('Cypress Inn', 'TN');
INSERT INTO cities VALUES ('Cyril', 'OK');
INSERT INTO cities VALUES ('Cyrus', 'MN');
INSERT INTO cities VALUES ('D Hanis', 'TX');
INSERT INTO cities VALUES ('D Lo', 'MS');
INSERT INTO cities VALUES ('Dacoma', 'OK');
INSERT INTO cities VALUES ('Dacono', 'CO');
```

```
INSERT INTO cities VALUES ('Dacula', 'GA');
INSERT INTO cities VALUES ('Dade City', 'FL'):
INSERT INTO cities VALUES ('Dadeville', 'AL');
INSERT INTO cities VALUES ('Dadeville', 'MO');
INSERT INTO cities VALUES ('Dafter', 'MI'):
INSERT INTO cities VALUES ('Daggett', 'CA');
INSERT INTO cities VALUES ('Daggett', 'MI');
INSERT INTO cities VALUES ('Dagmar', 'MT');
INSERT INTO cities VALUES ('Dagsboro', 'DE');
INSERT INTO cities VALUES ('Dagus Mines', 'PA');
INSERT INTO cities VALUES ('Dahinda', 'IL');
INSERT INTO cities VALUES ('Dahlen', 'ND');
INSERT INTO cities VALUES ('Dahlgren', 'IL');
INSERT INTO cities VALUES ('Dahlgren', 'VA');
INSERT INTO cities VALUES ('Dahlonega', 'GA'):
INSERT INTO cities VALUES ('Dailey', 'WV');
INSERT INTO cities VALUES ('Daingerfield', 'TX');
INSERT INTO cities VALUES ('Dairy', 'OR');
INSERT INTO cities VALUES ('Daisetta', 'TX');
INSERT INTO cities VALUES ('Daisy', 'GA');
INSERT INTO cities VALUES ('Daisy', 'MO');
INSERT INTO cities VALUES ('Daisy', 'OK');
INSERT INTO cities VALUES ('Daisytown', 'PA');
INSERT INTO cities VALUES ('Dakota', 'IL');
INSERT INTO cities VALUES ('Dakota', 'MN');
INSERT INTO cities VALUES ('Dakota City', 'IA');
INSERT INTO cities VALUES ('Dakota City', 'NE'):
INSERT INTO cities VALUES ('Dalbo', 'MN'):
INSERT INTO cities VALUES ('Dale', 'IL');
INSERT INTO cities VALUES ('Dale', 'IN');
INSERT INTO cities VALUES ('Dale', 'NY');
INSERT INTO cities VALUES ('Dale', 'SC');
INSERT INTO cities VALUES ('Dale', 'TX');
INSERT INTO cities VALUES ('Dale', 'WI');
INSERT INTO cities VALUES ('Daleville', 'AL');
INSERT INTO cities VALUES ('Daleville', 'IN'):
INSERT INTO cities VALUES ('Daleville', 'MS');
INSERT INTO cities VALUES ('Daleville', 'VA');
INSERT INTO cities VALUES ('Dalhart', 'TX'):
INSERT INTO cities VALUES ('Dallardsville', 'TX');
INSERT INTO cities VALUES ('Dallas', 'GA');
INSERT INTO cities VALUES ('Dallas', 'IA');
INSERT INTO cities VALUES ('Dallas', 'NC');
INSERT INTO cities VALUES ('Dallas', 'OR');
INSERT INTO cities VALUES ('Dallas', 'PA'):
INSERT INTO cities VALUES ('Dallas', 'SD');
INSERT INTO cities VALUES ('Dallas', 'TX');
INSERT INTO cities VALUES ('Dallas', 'WI');
INSERT INTO cities VALUES ('Dallas', 'WV');
INSERT INTO cities VALUES ('Dallas Center', 'IA');
INSERT INTO cities VALUES ('Dallas City', 'IL');
INSERT INTO cities VALUES ('Dallastown', 'PA');
INSERT INTO cities VALUES ('Dallesport', 'WA');
INSERT INTO cities VALUES ('Dalmatia', 'PA');
INSERT INTO cities VALUES ('Dalton', 'GA');
INSERT INTO cities VALUES ('Dalton', 'MA');
```

```
INSERT INTO cities VALUES ('Dalton', 'MN');
INSERT INTO cities VALUES ('Dalton', 'MO'):
INSERT INTO cities VALUES ('Dalton', 'NE');
INSERT INTO cities VALUES ('Dalton', 'NY'):
INSERT INTO cities VALUES ('Dalton', 'OH'):
INSERT INTO cities VALUES ('Dalton', 'PA');
INSERT INTO cities VALUES ('Dalton', 'WI');
INSERT INTO cities VALUES ('Dalton City', 'IL');
INSERT INTO cities VALUES ('Daly City', 'CA');
INSERT INTO cities VALUES ('Dalzell', 'IL');
INSERT INTO cities VALUES ('Dalzell', 'SC');
INSERT INTO cities VALUES ('Damar', 'KS');
INSERT INTO cities VALUES ('Damariscotta', 'ME'):
INSERT INTO cities VALUES ('Damascus', 'AR');
INSERT INTO cities VALUES ('Damascus', 'GA'):
INSERT INTO cities VALUES ('Damascus', 'MD');
INSERT INTO cities VALUES ('Damascus', 'OH');
INSERT INTO cities VALUES ('Damascus', 'OR');
INSERT INTO cities VALUES ('Damascus', 'PA'):
INSERT INTO cities VALUES ('Damascus', 'VA');
INSERT INTO cities VALUES ('Dameron', 'MD');
INSERT INTO cities VALUES ('Dammeron Valley', 'UT');
INSERT INTO cities VALUES ('Damon', 'TX');
INSERT INTO cities VALUES ('Dana', 'IA'):
INSERT INTO cities VALUES ('Dana', 'IL');
INSERT INTO cities VALUES ('Dana', 'IN');
INSERT INTO cities VALUES ('Dana', 'KY');
INSERT INTO cities VALUES ('Dana', 'NC'):
INSERT INTO cities VALUES ('Dana Point', 'CA');
INSERT INTO cities VALUES ('Danboro', 'PA');
INSERT INTO cities VALUES ('Danbury', 'CT');
INSERT INTO cities VALUES ('Danbury', 'IA');
INSERT INTO cities VALUES ('Danbury', 'NC');
INSERT INTO cities VALUES ('Danbury', 'NE');
INSERT INTO cities VALUES ('Danbury', 'NH');
INSERT INTO cities VALUES ('Danbury', 'TX');
INSERT INTO cities VALUES ('Danbury', 'WI');
INSERT INTO cities VALUES ('Danby', 'VT');
INSERT INTO cities VALUES ('Danciger', 'TX');
INSERT INTO cities VALUES ('Dandridge', 'TN');
INSERT INTO cities VALUES ('Dane', 'WI');
INSERT INTO cities VALUES ('Danese', 'WV');
INSERT INTO cities VALUES ('Danevang', 'TX');
INSERT INTO cities VALUES ('Danforth', 'IL');
INSERT INTO cities VALUES ('Danforth', 'ME');
INSERT INTO cities VALUES ('Dania', 'FL');
INSERT INTO cities VALUES ('Daniel', 'WY');
INSERT INTO cities VALUES ('Daniels', 'WV');
INSERT INTO cities VALUES ('Danielson', 'CT');
INSERT INTO cities VALUES ('Danielsville', 'GA');
INSERT INTO cities VALUES ('Danielsville', 'PA');
INSERT INTO cities VALUES ('Dannebrog', 'NE');
INSERT INTO cities VALUES ('Dannemora', 'NY');
INSERT INTO cities VALUES ('Dansville', 'MI');
INSERT INTO cities VALUES ('Dansville', 'NY');
INSERT INTO cities VALUES ('Dante', 'SD');
```

```
INSERT INTO cities VALUES ('Dante', 'VA');
INSERT INTO cities VALUES ('Danube', 'MN'):
INSERT INTO cities VALUES ('Danvers', 'IL');
INSERT INTO cities VALUES ('Danvers', 'MA');
INSERT INTO cities VALUES ('Danvers', 'MN'):
INSERT INTO cities VALUES ('Danville', 'AL');
INSERT INTO cities VALUES ('Danville', 'AR');
INSERT INTO cities VALUES ('Danville', 'CA');
INSERT INTO cities VALUES ('Danville', 'GA');
INSERT INTO cities VALUES ('Danville', 'IA');
INSERT INTO cities VALUES ('Danville', 'IL');
INSERT INTO cities VALUES ('Danville', 'IN');
INSERT INTO cities VALUES ('Danville', 'KS');
INSERT INTO cities VALUES ('Danville', 'KY');
INSERT INTO cities VALUES ('Danville', 'ME');
INSERT INTO cities VALUES ('Danville', 'NH'):
INSERT INTO cities VALUES ('Danville', 'OH');
INSERT INTO cities VALUES ('Danville', 'PA');
INSERT INTO cities VALUES ('Danville', 'VA');
INSERT INTO cities VALUES ('Danville', 'VT');
INSERT INTO cities VALUES ('Danville', 'WA');
INSERT INTO cities VALUES ('Danville', 'WV');
INSERT INTO cities VALUES ('Daphne', 'AL');
INSERT INTO cities VALUES ('Darby', 'MT'):
INSERT INTO cities VALUES ('Darby', 'PA');
INSERT INTO cities VALUES ('Dardanelle', 'AR');
INSERT INTO cities VALUES ('Dardanelle', 'CA');
INSERT INTO cities VALUES ('Darden', 'TN'):
INSERT INTO cities VALUES ('Darfur', 'MN');
INSERT INTO cities VALUES ('Darien', 'CT');
INSERT INTO cities VALUES ('Darien', 'GA');
INSERT INTO cities VALUES ('Darien', 'IL');
INSERT INTO cities VALUES ('Darien', 'WI');
INSERT INTO cities VALUES ('Darien Center', 'NY');
INSERT INTO cities VALUES ('Darling', 'MS');
INSERT INTO cities VALUES ('Darlington', 'IN');
INSERT INTO cities VALUES ('Darlington', 'MD');
INSERT INTO cities VALUES ('Darlington', 'MO');
INSERT INTO cities VALUES ('Darlington', 'PA'):
INSERT INTO cities VALUES ('Darlington', 'SC');
INSERT INTO cities VALUES ('Darlington', 'WI');
INSERT INTO cities VALUES ('Darragh', 'PA');
INSERT INTO cities VALUES ('Darrington', 'WA');
INSERT INTO cities VALUES ('Darrouzett', 'TX');
INSERT INTO cities VALUES ('Darrow', 'LA'):
INSERT INTO cities VALUES ('Dartmouth', 'MA');
INSERT INTO cities VALUES ('Darwin', 'CA');
INSERT INTO cities VALUES ('Darwin', 'MN');
INSERT INTO cities VALUES ('Dassel', 'MN');
INSERT INTO cities VALUES ('Dateland', 'AZ');
INSERT INTO cities VALUES ('Datil', 'NM');
INSERT INTO cities VALUES ('Datto', 'AR');
INSERT INTO cities VALUES ('Daufuskie Island', 'SC');
INSERT INTO cities VALUES ('Dauphin', 'PA');
INSERT INTO cities VALUES ('Dauphin Island', 'AL');
INSERT INTO cities VALUES ('Davenport', 'CA');
```

```
INSERT INTO cities VALUES ('Davenport', 'FL');
INSERT INTO cities VALUES ('Davenport', 'IA'):
INSERT INTO cities VALUES ('Davenport', 'ND');
INSERT INTO cities VALUES ('Davenport', 'NE');
INSERT INTO cities VALUES ('Davenport', 'NY'):
INSERT INTO cities VALUES ('Davenport', 'OK');
INSERT INTO cities VALUES ('Davenport', 'VA');
INSERT INTO cities VALUES ('Davenport', 'WA');
INSERT INTO cities VALUES ('Davenport Center', 'NY');
INSERT INTO cities VALUES ('Davey', 'NE');
INSERT INTO cities VALUES ('David', 'KY');
INSERT INTO cities VALUES ('David City', 'NE');
INSERT INTO cities VALUES ('Davidson', 'NC'):
INSERT INTO cities VALUES ('Davidson', 'OK');
INSERT INTO cities VALUES ('Davidsonville', 'MD'):
INSERT INTO cities VALUES ('Davidsville', 'PA'):
INSERT INTO cities VALUES ('Davilla', 'TX');
INSERT INTO cities VALUES ('Davin', 'WV');
INSERT INTO cities VALUES ('Davis', 'CA');
INSERT INTO cities VALUES ('Davis', 'IL');
INSERT INTO cities VALUES ('Davis', 'NC');
INSERT INTO cities VALUES ('Davis', 'OK'):
INSERT INTO cities VALUES ('Davis', 'SD');
INSERT INTO cities VALUES ('Davis', 'WV');
INSERT INTO cities VALUES ('Davis City', 'IA');
INSERT INTO cities VALUES ('Davis Creek', 'CA');
INSERT INTO cities VALUES ('Davis Junction', 'IL');
INSERT INTO cities VALUES ('Davis Station', 'SC'):
INSERT INTO cities VALUES ('Davis Wharf', 'VA');
INSERT INTO cities VALUES ('Davisboro', 'GA');
INSERT INTO cities VALUES ('Davisburg', 'MI');
INSERT INTO cities VALUES ('Davison', 'MI');
INSERT INTO cities VALUES ('Daviston', 'AL');
INSERT INTO cities VALUES ('Davisville', 'MO');
INSERT INTO cities VALUES ('Davisville', 'WV');
INSERT INTO cities VALUES ('Davy', 'WV');
INSERT INTO cities VALUES ('Dawes', 'WV');
INSERT INTO cities VALUES ('Dawn', 'MO');
INSERT INTO cities VALUES ('Dawn', 'TX'):
INSERT INTO cities VALUES ('Dawson', 'AL');
INSERT INTO cities VALUES ('Dawson', 'GA');
INSERT INTO cities VALUES ('Dawson', 'IA');
INSERT INTO cities VALUES ('Dawson', 'IL');
INSERT INTO cities VALUES ('Dawson', 'MN');
INSERT INTO cities VALUES ('Dawson', 'ND'):
INSERT INTO cities VALUES ('Dawson', 'NE');
INSERT INTO cities VALUES ('Dawson', 'PA');
INSERT INTO cities VALUES ('Dawson', 'TX');
INSERT INTO cities VALUES ('Dawson Springs', 'KY');
INSERT INTO cities VALUES ('Dawsonville', 'GA');
INSERT INTO cities VALUES ('Day', 'FL');
INSERT INTO cities VALUES ('Dayhoit', 'KY');
INSERT INTO cities VALUES ('Daykin', 'NE');
INSERT INTO cities VALUES ('Days Creek', 'OR');
INSERT INTO cities VALUES ('Dayton', 'IA');
INSERT INTO cities VALUES ('Dayton', 'ID');
```

```
INSERT INTO cities VALUES ('Dayton', 'IN');
INSERT INTO cities VALUES ('Dayton', 'KY'):
INSERT INTO cities VALUES ('Dayton', 'MD');
INSERT INTO cities VALUES ('Dayton', 'MN');
INSERT INTO cities VALUES ('Dayton', 'MT'):
INSERT INTO cities VALUES ('Dayton', 'NJ');
INSERT INTO cities VALUES ('Dayton', 'NV');
INSERT INTO cities VALUES ('Dayton', 'NY');
INSERT INTO cities VALUES ('Dayton', 'OH');
INSERT INTO cities VALUES ('Dayton', 'OR');
INSERT INTO cities VALUES ('Dayton', 'PA');
INSERT INTO cities VALUES ('Dayton', 'TN');
INSERT INTO cities VALUES ('Dayton', 'TX'):
INSERT INTO cities VALUES ('Dayton', 'VA');
INSERT INTO cities VALUES ('Dayton', 'WA');
INSERT INTO cities VALUES ('Dayton', 'WY');
INSERT INTO cities VALUES ('Daytona Beach', 'FL');
INSERT INTO cities VALUES ('Dayville', 'CT');
INSERT INTO cities VALUES ('Dayville', 'OR');
INSERT INTO cities VALUES ('Dazey', 'ND');
INSERT INTO cities VALUES ('De Armanville', 'AL');
INSERT INTO cities VALUES ('De Beque', 'CO');
INSERT INTO cities VALUES ('De Berry', 'TX');
INSERT INTO cities VALUES ('De Borgia', 'MT');
INSERT INTO cities VALUES ('De Forest', 'WI');
INSERT INTO cities VALUES ('De Graff', 'OH');
INSERT INTO cities VALUES ('De Kalb', 'MO');
INSERT INTO cities VALUES ('De Kalb', 'MS'):
INSERT INTO cities VALUES ('De Kalb', 'TX');
INSERT INTO cities VALUES ('De Kalb Junction', 'NY');
INSERT INTO cities VALUES ('De Lancey', 'PA');
INSERT INTO cities VALUES ('De Land', 'IL');
INSERT INTO cities VALUES ('De Leon', 'TX');
INSERT INTO cities VALUES ('De Leon Springs', 'FL');
INSERT INTO cities VALUES ('De Mossville', 'KY'):
INSERT INTO cities VALUES ('De Pere', 'WI');
INSERT INTO cities VALUES ('De Peyster', 'NY');
INSERT INTO cities VALUES ('De Queen', 'AR');
INSERT INTO cities VALUES ('De Ruyter', 'NY');
INSERT INTO cities VALUES ('De Smet', 'SD');
INSERT INTO cities VALUES ('De Soto', 'GA');
INSERT INTO cities VALUES ('De Soto', 'IA');
INSERT INTO cities VALUES ('De Soto', 'IL');
INSERT INTO cities VALUES ('De Soto', 'KS');
INSERT INTO cities VALUES ('De Soto', 'MO'):
INSERT INTO cities VALUES ('De Soto', 'WI');
INSERT INTO cities VALUES ('De Tour Village', 'MI');
INSERT INTO cities VALUES ('De Valls Bluff', 'AR');
INSERT INTO cities VALUES ('De Witt', 'AR');
INSERT INTO cities VALUES ('De Witt', 'IA');
INSERT INTO cities VALUES ('De Witt', 'MO');
INSERT INTO cities VALUES ('De Witt', 'NE');
INSERT INTO cities VALUES ('De Young', 'PA');
INSERT INTO cities VALUES ('Deadwood', 'OR');
INSERT INTO cities VALUES ('Deadwood', 'SD');
INSERT INTO cities VALUES ('Deal', 'NJ');
```

```
INSERT INTO cities VALUES ('Deal Island', 'MD');
INSERT INTO cities VALUES ('Deale', 'MD'):
INSERT INTO cities VALUES ('Deane', 'KY');
INSERT INTO cities VALUES ('Deansboro', 'NY'):
INSERT INTO cities VALUES ('Deanville', 'TX'):
INSERT INTO cities VALUES ('Dearborn', 'MI');
INSERT INTO cities VALUES ('Dearborn', 'MO');
INSERT INTO cities VALUES ('Dearborn Heights', 'MI');
INSERT INTO cities VALUES ('Dearing', 'GA');
INSERT INTO cities VALUES ('Dearing', 'KS');
INSERT INTO cities VALUES ('Deary', 'ID');
INSERT INTO cities VALUES ('Death Valley', 'CA');
INSERT INTO cities VALUES ('Deatsville', 'AL'):
INSERT INTO cities VALUES ('Deaver', 'WY');
INSERT INTO cities VALUES ('Debary', 'FL'):
INSERT INTO cities VALUES ('Debord', 'KY');
INSERT INTO cities VALUES ('Decatur', 'AL');
INSERT INTO cities VALUES ('Decatur', 'AR');
INSERT INTO cities VALUES ('Decatur', 'GA');
INSERT INTO cities VALUES ('Decatur', 'IA');
INSERT INTO cities VALUES ('Decatur', 'IL');
INSERT INTO cities VALUES ('Decatur', 'IN');
INSERT INTO cities VALUES ('Decatur', 'MI');
INSERT INTO cities VALUES ('Decatur', 'MS'):
INSERT INTO cities VALUES ('Decatur', 'NE');
INSERT INTO cities VALUES ('Decatur', 'OH');
INSERT INTO cities VALUES ('Decatur', 'TN');
INSERT INTO cities VALUES ('Decatur', 'TX'):
INSERT INTO cities VALUES ('Decaturville', 'TN');
INSERT INTO cities VALUES ('Decherd', 'TN');
INSERT INTO cities VALUES ('Decker', 'IN');
INSERT INTO cities VALUES ('Decker', 'MI');
INSERT INTO cities VALUES ('Decker', 'MT');
INSERT INTO cities VALUES ('Deckerville', 'MI'):
INSERT INTO cities VALUES ('Declo', 'ID');
INSERT INTO cities VALUES ('Decorah', 'IA');
INSERT INTO cities VALUES ('Dedham', 'IA');
INSERT INTO cities VALUES ('Dedham', 'MA');
INSERT INTO cities VALUES ('Deedsville', 'IN');
INSERT INTO cities VALUES ('Deep Gap', 'NC');
INSERT INTO cities VALUES ('Deep River', 'CT');
INSERT INTO cities VALUES ('Deep River', 'IA');
INSERT INTO cities VALUES ('Deep Run', 'NC');
INSERT INTO cities VALUES ('Deep Water', 'WV');
INSERT INTO cities VALUES ('Deepwater', 'MO'):
INSERT INTO cities VALUES ('Deepwater', 'NJ');
INSERT INTO cities VALUES ('Deer', 'AR');
INSERT INTO cities VALUES ('Deer Creek', 'IL');
INSERT INTO cities VALUES ('Deer Creek', 'MN');
INSERT INTO cities VALUES ('Deer Creek', 'OK');
INSERT INTO cities VALUES ('Deer Grove', 'IL');
INSERT INTO cities VALUES ('Deer Harbor', 'WA');
INSERT INTO cities VALUES ('Deer Island', 'OR');
INSERT INTO cities VALUES ('Deer Isle', 'ME');
INSERT INTO cities VALUES ('Deer Lodge', 'MT');
INSERT INTO cities VALUES ('Deer Lodge', 'TN');
```

```
INSERT INTO cities VALUES ('Deer Park', 'AL');
INSERT INTO cities VALUES ('Deer Park', 'CA'):
INSERT INTO cities VALUES ('Deer Park', 'NY');
INSERT INTO cities VALUES ('Deer Park', 'TX'):
INSERT INTO cities VALUES ('Deer Park', 'WA'):
INSERT INTO cities VALUES ('Deer Park', 'WI');
INSERT INTO cities VALUES ('Deer River', 'MN');
INSERT INTO cities VALUES ('Deer River', 'NY');
INSERT INTO cities VALUES ('Deer Trail', 'CO');
INSERT INTO cities VALUES ('Deerbrook', 'WI');
INSERT INTO cities VALUES ('Deerfield', 'IL');
INSERT INTO cities VALUES ('Deerfield', 'KS');
INSERT INTO cities VALUES ('Deerfield', 'MA'):
INSERT INTO cities VALUES ('Deerfield', 'MI');
INSERT INTO cities VALUES ('Deerfield', 'MO');
INSERT INTO cities VALUES ('Deerfield', 'NH'):
INSERT INTO cities VALUES ('Deerfield', 'OH');
INSERT INTO cities VALUES ('Deerfield', 'VA');
INSERT INTO cities VALUES ('Deerfield', 'WI');
INSERT INTO cities VALUES ('Deerfield Beach', 'FL');
INSERT INTO cities VALUES ('Deerfield Street', 'NJ');
INSERT INTO cities VALUES ('Deering', 'AK');
INSERT INTO cities VALUES ('Deering', 'MO');
INSERT INTO cities VALUES ('Deering', 'ND');
INSERT INTO cities VALUES ('Deersville', 'OH');
INSERT INTO cities VALUES ('Deerton', 'MI');
INSERT INTO cities VALUES ('Deerwood', 'MN');
INSERT INTO cities VALUES ('Deeth', 'NV'):
INSERT INTO cities VALUES ('Deferiet', 'NY');
INSERT INTO cities VALUES ('Defiance', 'IA');
INSERT INTO cities VALUES ('Defiance', 'MO');
INSERT INTO cities VALUES ('Defiance', 'OH');
INSERT INTO cities VALUES ('Defiance', 'PA');
INSERT INTO cities VALUES ('Deford', 'MI'):
INSERT INTO cities VALUES ('Defuniak Springs', 'FL');
INSERT INTO cities VALUES ('Dekalb', 'IL'):
INSERT INTO cities VALUES ('Del Mar', 'CA');
INSERT INTO cities VALUES ('Del Norte', 'CO');
INSERT INTO cities VALUES ('Del Rey', 'CA'):
INSERT INTO cities VALUES ('Del Rio', 'TN');
INSERT INTO cities VALUES ('Del Rio', 'TX');
INSERT INTO cities VALUES ('Del Valle', 'TX');
INSERT INTO cities VALUES ('Delafield', 'WI');
INSERT INTO cities VALUES ('Delancey', 'NY');
INSERT INTO cities VALUES ('Deland', 'FL'):
INSERT INTO cities VALUES ('Delano', 'CA');
INSERT INTO cities VALUES ('Delano', 'MN');
INSERT INTO cities VALUES ('Delano', 'PA');
INSERT INTO cities VALUES ('Delano', 'TN');
INSERT INTO cities VALUES ('Delanson', 'NY');
INSERT INTO cities VALUES ('Delaplaine', 'AR');
INSERT INTO cities VALUES ('Delaplane', 'VA');
INSERT INTO cities VALUES ('Delavan', 'IL');
INSERT INTO cities VALUES ('Delavan', 'MN');
INSERT INTO cities VALUES ('Delavan', 'WI');
INSERT INTO cities VALUES ('Delaware', 'AR');
```

```
INSERT INTO cities VALUES ('Delaware', 'IA');
INSERT INTO cities VALUES ('Delaware', 'NJ'):
INSERT INTO cities VALUES ('Delaware', 'OH');
INSERT INTO cities VALUES ('Delaware', 'OK');
INSERT INTO cities VALUES ('Delaware City', 'DE'):
INSERT INTO cities VALUES ('Delaware Water Gap', 'PA');
INSERT INTO cities VALUES ('Delbarton', 'WV');
INSERT INTO cities VALUES ('Delcambre', 'LA');
INSERT INTO cities VALUES ('Delco', 'NC');
INSERT INTO cities VALUES ('Delevan', 'NY');
INSERT INTO cities VALUES ('Delhi', 'CA');
INSERT INTO cities VALUES ('Delhi', 'IA');
INSERT INTO cities VALUES ('Delhi', 'LA'):
INSERT INTO cities VALUES ('Delhi', 'NY');
INSERT INTO cities VALUES ('Delia', 'KS'):
INSERT INTO cities VALUES ('Delight', 'AR'):
INSERT INTO cities VALUES ('Dell', 'AR');
INSERT INTO cities VALUES ('Dell', 'MT');
INSERT INTO cities VALUES ('Dell City', 'TX');
INSERT INTO cities VALUES ('Dell Rapids', 'SD');
INSERT INTO cities VALUES ('Dellrose', 'TN');
INSERT INTO cities VALUES ('Dellroy', 'OH');
INSERT INTO cities VALUES ('Dellslow', 'WV');
INSERT INTO cities VALUES ('Dellwood', 'WI'):
INSERT INTO cities VALUES ('Delmar', 'AL');
INSERT INTO cities VALUES ('Delmar', 'DE');
INSERT INTO cities VALUES ('Delmar', 'IA');
INSERT INTO cities VALUES ('Delmar', 'MD'):
INSERT INTO cities VALUES ('Delmar', 'NY');
INSERT INTO cities VALUES ('Delmita', 'TX');
INSERT INTO cities VALUES ('Delmont', 'NJ');
INSERT INTO cities VALUES ('Delmont', 'PA');
INSERT INTO cities VALUES ('Delmont', 'SD');
INSERT INTO cities VALUES ('Deloit', 'IA');
INSERT INTO cities VALUES ('Delong', 'IN');
INSERT INTO cities VALUES ('Delphi', 'IN'):
INSERT INTO cities VALUES ('Delphi Falls', 'NY');
INSERT INTO cities VALUES ('Delphia', 'KY');
INSERT INTO cities VALUES ('Delphos', 'KS'):
INSERT INTO cities VALUES ('Delphos', 'OH');
INSERT INTO cities VALUES ('Delran', 'NJ');
INSERT INTO cities VALUES ('Delray', 'WV');
INSERT INTO cities VALUES ('Delray Beach', 'FL');
INSERT INTO cities VALUES ('Delta', 'AL');
INSERT INTO cities VALUES ('Delta', 'CO'):
INSERT INTO cities VALUES ('Delta', 'IA');
INSERT INTO cities VALUES ('Delta', 'LA');
INSERT INTO cities VALUES ('Delta', 'MO');
INSERT INTO cities VALUES ('Delta', 'OH');
INSERT INTO cities VALUES ('Delta', 'PA');
INSERT INTO cities VALUES ('Delta', 'UT');
INSERT INTO cities VALUES ('Delta City', 'MS');
INSERT INTO cities VALUES ('Delta Junction', 'AK');
INSERT INTO cities VALUES ('Deltaville', 'VA');
INSERT INTO cities VALUES ('Delton', 'MI');
INSERT INTO cities VALUES ('Deltona', 'FL');
```

```
INSERT INTO cities VALUES ('Dema', 'KY');
INSERT INTO cities VALUES ('Demarest', 'NJ'):
INSERT INTO cities VALUES ('Deming', 'NM');
INSERT INTO cities VALUES ('Deming', 'WA');
INSERT INTO cities VALUES ('Demopolis', 'AL'):
INSERT INTO cities VALUES ('Demorest', 'GA');
INSERT INTO cities VALUES ('Demotte', 'IN');
INSERT INTO cities VALUES ('Denair', 'CA');
INSERT INTO cities VALUES ('Denali National Park', 'AK');
INSERT INTO cities VALUES ('Denbo', 'PA');
INSERT INTO cities VALUES ('Dendron', 'VA');
INSERT INTO cities VALUES ('Denham Springs', 'LA');
INSERT INTO cities VALUES ('Denhoff', 'ND'):
INSERT INTO cities VALUES ('Denio', 'NV');
INSERT INTO cities VALUES ('Denison', 'IA');
INSERT INTO cities VALUES ('Denison', 'KS'):
INSERT INTO cities VALUES ('Denison', 'TX');
INSERT INTO cities VALUES ('Denmark', 'IA');
INSERT INTO cities VALUES ('Denmark', 'ME'):
INSERT INTO cities VALUES ('Denmark', 'NY');
INSERT INTO cities VALUES ('Denmark', 'SC');
INSERT INTO cities VALUES ('Denmark', 'TN');
INSERT INTO cities VALUES ('Denmark', 'WI');
INSERT INTO cities VALUES ('Dennard', 'AR');
INSERT INTO cities VALUES ('Dennehotso', 'AZ');
INSERT INTO cities VALUES ('Dennis', 'KS');
INSERT INTO cities VALUES ('Dennis', 'MA');
INSERT INTO cities VALUES ('Dennis', 'MS'):
INSERT INTO cities VALUES ('Dennis', 'TX');
INSERT INTO cities VALUES ('Dennis Port', 'MA');
INSERT INTO cities VALUES ('Dennison', 'IL');
INSERT INTO cities VALUES ('Dennison', 'MN');
INSERT INTO cities VALUES ('Dennison', 'OH');
INSERT INTO cities VALUES ('Denniston', 'KY');
INSERT INTO cities VALUES ('Dennisville', 'NJ');
INSERT INTO cities VALUES ('Dennysville', 'ME'):
INSERT INTO cities VALUES ('Dent', 'MN');
INSERT INTO cities VALUES ('Denton', 'GA');
INSERT INTO cities VALUES ('Denton', 'KS'):
INSERT INTO cities VALUES ('Denton', 'KY');
INSERT INTO cities VALUES ('Denton', 'MD');
INSERT INTO cities VALUES ('Denton', 'MT');
INSERT INTO cities VALUES ('Denton', 'NC');
INSERT INTO cities VALUES ('Denton', 'NE');
INSERT INTO cities VALUES ('Denton', 'TX'):
INSERT INTO cities VALUES ('Denver', 'CO');
INSERT INTO cities VALUES ('Denver', 'IA');
INSERT INTO cities VALUES ('Denver', 'IN');
INSERT INTO cities VALUES ('Denver', 'MO');
INSERT INTO cities VALUES ('Denver', 'NC'):
INSERT INTO cities VALUES ('Denver', 'NY');
INSERT INTO cities VALUES ('Denver', 'PA');
INSERT INTO cities VALUES ('Denver City', 'TX');
INSERT INTO cities VALUES ('Denville', 'NJ');
INSERT INTO cities VALUES ('Depauville', 'NY');
INSERT INTO cities VALUES ('Depauw', 'IN');
```

```
INSERT INTO cities VALUES ('Depew', 'NY');
INSERT INTO cities VALUES ('Depew', 'OK');
INSERT INTO cities VALUES ('Depoe Bay', 'OR');
INSERT INTO cities VALUES ('Deport', 'TX');
INSERT INTO cities VALUES ('Deposit', 'NY'):
INSERT INTO cities VALUES ('Depue', 'IL');
INSERT INTO cities VALUES ('Deputy', 'IN');
INSERT INTO cities VALUES ('Dequincy', 'LA');
INSERT INTO cities VALUES ('Derby', 'CT');
INSERT INTO cities VALUES ('Derby', 'IA');
INSERT INTO cities VALUES ('Derby', 'IN');
INSERT INTO cities VALUES ('Derby', 'KS');
INSERT INTO cities VALUES ('Derby', 'NY');
INSERT INTO cities VALUES ('Derby', 'OH');
INSERT INTO cities VALUES ('Derby', 'VT');
INSERT INTO cities VALUES ('Derby Line', 'VT');
INSERT INTO cities VALUES ('Deridder', 'LA');
INSERT INTO cities VALUES ('Derma', 'MS');
INSERT INTO cities VALUES ('Dermott', 'AR');
INSERT INTO cities VALUES ('Derrick City', 'PA');
INSERT INTO cities VALUES ('Derry', 'NH');
INSERT INTO cities VALUES ('Derry', 'NM');
INSERT INTO cities VALUES ('Derry', 'PA');
INSERT INTO cities VALUES ('Derwent', 'OH'):
INSERT INTO cities VALUES ('Derwood', 'MD');
INSERT INTO cities VALUES ('Des Allemands', 'LA');
INSERT INTO cities VALUES ('Des Arc', 'AR'):
INSERT INTO cities VALUES ('Des Arc', 'MO');
INSERT INTO cities VALUES ('Des Lacs', 'ND');
INSERT INTO cities VALUES ('Des Moines', 'IA');
INSERT INTO cities VALUES ('Des Moines', 'NM');
INSERT INTO cities VALUES ('Des Plaines', 'IL');
INSERT INTO cities VALUES ('Descanso', 'CA');
INSERT INTO cities VALUES ('Desdemona', 'TX');
INSERT INTO cities VALUES ('Desert Center', 'CA');
INSERT INTO cities VALUES ('Desert Hot Springs', 'CA'):
INSERT INTO cities VALUES ('Desha', 'AR');
INSERT INTO cities VALUES ('Deshler', 'NE');
INSERT INTO cities VALUES ('Deshler', 'OH');
INSERT INTO cities VALUES ('Desmet', 'ID');
INSERT INTO cities VALUES ('Desoto', 'TX');
INSERT INTO cities VALUES ('Destin', 'FL');
INSERT INTO cities VALUES ('Destrehan', 'LA');
INSERT INTO cities VALUES ('Detroit', 'AL');
INSERT INTO cities VALUES ('Detroit', 'ME'):
INSERT INTO cities VALUES ('Detroit', 'MI');
INSERT INTO cities VALUES ('Detroit', 'OR');
INSERT INTO cities VALUES ('Detroit', 'TX');
INSERT INTO cities VALUES ('Detroit Lakes', 'MN');
INSERT INTO cities VALUES ('Devault', 'PA');
INSERT INTO cities VALUES ('Devens', 'MA');
INSERT INTO cities VALUES ('Devers', 'TX');
INSERT INTO cities VALUES ('Deville', 'LA');
INSERT INTO cities VALUES ('Devils Elbow', 'MO');
INSERT INTO cities VALUES ('Devils Lake', 'ND');
INSERT INTO cities VALUES ('Devils Tower', 'WY');
```

```
INSERT INTO cities VALUES ('Devine', 'TX');
INSERT INTO cities VALUES ('Devol', 'OK'):
INSERT INTO cities VALUES ('Devon', 'PA');
INSERT INTO cities VALUES ('Dewar', 'IA'):
INSERT INTO cities VALUES ('Dewar', 'OK'):
INSERT INTO cities VALUES ('Dewart', 'PA');
INSERT INTO cities VALUES ('Deweese', 'NE');
INSERT INTO cities VALUES ('Dewey', 'AZ');
INSERT INTO cities VALUES ('Dewey', 'IL');
INSERT INTO cities VALUES ('Dewey', 'OK');
INSERT INTO cities VALUES ('Deweyville', 'TX');
INSERT INTO cities VALUES ('Deweyville', 'UT');
INSERT INTO cities VALUES ('Dewitt', 'IL');
INSERT INTO cities VALUES ('Dewitt', 'KY');
INSERT INTO cities VALUES ('Dewitt', 'MI'):
INSERT INTO cities VALUES ('Dewitt', 'VA');
INSERT INTO cities VALUES ('Dewittville', 'NY');
INSERT INTO cities VALUES ('Dewy Rose', 'GA');
INSERT INTO cities VALUES ('Dexter', 'GA'):
INSERT INTO cities VALUES ('Dexter', 'IA');
INSERT INTO cities VALUES ('Dexter', 'KS');
INSERT INTO cities VALUES ('Dexter', 'KY'):
INSERT INTO cities VALUES ('Dexter', 'ME');
INSERT INTO cities VALUES ('Dexter', 'MI');
INSERT INTO cities VALUES ('Dexter', 'MN');
INSERT INTO cities VALUES ('Dexter', 'MO');
INSERT INTO cities VALUES ('Dexter', 'NM');
INSERT INTO cities VALUES ('Dexter', 'NY'):
INSERT INTO cities VALUES ('Dexter', 'OR');
INSERT INTO cities VALUES ('Dexter City', 'OH');
INSERT INTO cities VALUES ('Diablo', 'CA');
INSERT INTO cities VALUES ('Diagonal', 'IA');
INSERT INTO cities VALUES ('Diamond', 'MO');
INSERT INTO cities VALUES ('Diamond', 'OH'):
INSERT INTO cities VALUES ('Diamond', 'OR');
INSERT INTO cities VALUES ('Diamond Bar', 'CA'):
INSERT INTO cities VALUES ('Diamond City', 'AR');
INSERT INTO cities VALUES ('Diamond Point', 'NY');
INSERT INTO cities VALUES ('Diamond Springs', 'CA'):
INSERT INTO cities VALUES ('Diamondhead', 'MS');
INSERT INTO cities VALUES ('Diamondville', 'WY');
INSERT INTO cities VALUES ('Diana', 'TX');
INSERT INTO cities VALUES ('Diana', 'WV');
INSERT INTO cities VALUES ('Diaz', 'AR');
INSERT INTO cities VALUES ('Dibble', 'OK'):
INSERT INTO cities VALUES ('Diberville', 'MS');
INSERT INTO cities VALUES ('Diboll', 'TX');
INSERT INTO cities VALUES ('Dice', 'KY');
INSERT INTO cities VALUES ('Dickens', 'IA');
INSERT INTO cities VALUES ('Dickens', 'NE');
INSERT INTO cities VALUES ('Dickens', 'TX');
INSERT INTO cities VALUES ('Dickerson', 'MD');
INSERT INTO cities VALUES ('Dickerson Run', 'PA');
INSERT INTO cities VALUES ('Dickey', 'ND');
INSERT INTO cities VALUES ('Dickeyville', 'WI');
INSERT INTO cities VALUES ('Dickinson', 'AL');
```

```
INSERT INTO cities VALUES ('Dickinson', 'ND');
INSERT INTO cities VALUES ('Dickinson', 'TX'):
INSERT INTO cities VALUES ('Dickinson Center', 'NY');
INSERT INTO cities VALUES ('Dickson', 'TN');
INSERT INTO cities VALUES ('Dickson City', 'PA'):
INSERT INTO cities VALUES ('Dierks', 'AR');
INSERT INTO cities VALUES ('Dieterich', 'IL');
INSERT INTO cities VALUES ('Dietrich', 'ID');
INSERT INTO cities VALUES ('Diggins', 'MO');
INSERT INTO cities VALUES ('Diggs', 'VA');
INSERT INTO cities VALUES ('Dighton', 'KS');
INSERT INTO cities VALUES ('Dighton', 'MA');
INSERT INTO cities VALUES ('Dike', 'IA'):
INSERT INTO cities VALUES ('Dike', 'TX');
INSERT INTO cities VALUES ('Dill City', 'OK'):
INSERT INTO cities VALUES ('Dillard', 'GA'):
INSERT INTO cities VALUES ('Dillard', 'OR');
INSERT INTO cities VALUES ('Dille', 'WV');
INSERT INTO cities VALUES ('Diller', 'NE');
INSERT INTO cities VALUES ('Dilley', 'TX');
INSERT INTO cities VALUES ('Dilliner', 'PA');
INSERT INTO cities VALUES ('Dillingham', 'AK');
INSERT INTO cities VALUES ('Dillon', 'CO');
INSERT INTO cities VALUES ('Dillon', 'MT'):
INSERT INTO cities VALUES ('Dillon', 'SC');
INSERT INTO cities VALUES ('Dillon Beach', 'CA');
INSERT INTO cities VALUES ('Dillonvale', 'OH'):
INSERT INTO cities VALUES ('Dillsboro', 'IN');
INSERT INTO cities VALUES ('Dillsboro', 'NC');
INSERT INTO cities VALUES ('Dillsburg', 'PA');
INSERT INTO cities VALUES ('Dilltown', 'PA');
INSERT INTO cities VALUES ('Dillwyn', 'VA');
INSERT INTO cities VALUES ('Dilworth', 'MN');
INSERT INTO cities VALUES ('Dime Box', 'TX');
INSERT INTO cities VALUES ('Dimmitt', 'TX');
INSERT INTO cities VALUES ('Dimock', 'PA'):
INSERT INTO cities VALUES ('Dimock', 'SD');
INSERT INTO cities VALUES ('Dimondale', 'MI');
INSERT INTO cities VALUES ('Dinero', 'TX'):
INSERT INTO cities VALUES ('Dingess', 'WV');
INSERT INTO cities VALUES ('Dingle', 'ID');
INSERT INTO cities VALUES ('Dingmans Ferry', 'PA');
INSERT INTO cities VALUES ('Dinosaur', 'CO');
INSERT INTO cities VALUES ('Dinuba', 'CA');
INSERT INTO cities VALUES ('Dinwiddie', 'VA');
INSERT INTO cities VALUES ('Discovery Bay', 'CA');
INSERT INTO cities VALUES ('Disney', 'OK');
INSERT INTO cities VALUES ('Disputanta', 'VA');
INSERT INTO cities VALUES ('Distant', 'PA');
INSERT INTO cities VALUES ('District Heights', 'MD');
INSERT INTO cities VALUES ('Dittmer', 'MO');
INSERT INTO cities VALUES ('Divernon', 'IL');
INSERT INTO cities VALUES ('Divide', 'CO');
INSERT INTO cities VALUES ('Divide', 'MT');
INSERT INTO cities VALUES ('Dividing Creek', 'NJ');
INSERT INTO cities VALUES ('Dix', 'IL');
```

```
INSERT INTO cities VALUES ('Dix', 'NE');
INSERT INTO cities VALUES ('Dixfield', 'ME'):
INSERT INTO cities VALUES ('Dixie', 'GA');
INSERT INTO cities VALUES ('Dixie', 'WA'):
INSERT INTO cities VALUES ('Dixie', 'WV'):
INSERT INTO cities VALUES ('Dixmont', 'ME');
INSERT INTO cities VALUES ('Dixon', 'CA');
INSERT INTO cities VALUES ('Dixon', 'IA');
INSERT INTO cities VALUES ('Dixon', 'IL');
INSERT INTO cities VALUES ('Dixon', 'KY');
INSERT INTO cities VALUES ('Dixon', 'MO');
INSERT INTO cities VALUES ('Dixon', 'MT');
INSERT INTO cities VALUES ('Dixon', 'NE'):
INSERT INTO cities VALUES ('Dixon', 'NM');
INSERT INTO cities VALUES ('Dixon', 'WY'):
INSERT INTO cities VALUES ('Dixon Springs', 'TN');
INSERT INTO cities VALUES ('Dixons Mills', 'AL');
INSERT INTO cities VALUES ('Dixonville', 'PA');
INSERT INTO cities VALUES ('Dobbin', 'TX');
INSERT INTO cities VALUES ('Dobbins', 'CA');
INSERT INTO cities VALUES ('Dobbs Ferry', 'NY');
INSERT INTO cities VALUES ('Dobson', 'NC');
INSERT INTO cities VALUES ('Docena', 'AL');
INSERT INTO cities VALUES ('Doctors Inlet', 'FL'):
INSERT INTO cities VALUES ('Dodd City', 'TX');
INSERT INTO cities VALUES ('Doddridge', 'AR');
INSERT INTO cities VALUES ('Doddsville', 'MS'):
INSERT INTO cities VALUES ('Dodge', 'ND'):
INSERT INTO cities VALUES ('Dodge', 'NE');
INSERT INTO cities VALUES ('Dodge', 'TX');
INSERT INTO cities VALUES ('Dodge', 'WI');
INSERT INTO cities VALUES ('Dodge Center', 'MN');
INSERT INTO cities VALUES ('Dodge City', 'KS');
INSERT INTO cities VALUES ('Dodgeville', 'MI');
INSERT INTO cities VALUES ('Dodgeville', 'WI');
INSERT INTO cities VALUES ('Dodson', 'LA'):
INSERT INTO cities VALUES ('Dodson', 'MT');
INSERT INTO cities VALUES ('Dodson', 'TX');
INSERT INTO cities VALUES ('Doe Hill', 'VA');
INSERT INTO cities VALUES ('Doe Run', 'MO');
INSERT INTO cities VALUES ('Doerun', 'GA');
INSERT INTO cities VALUES ('Dogue', 'VA');
INSERT INTO cities VALUES ('Dola', 'OH');
INSERT INTO cities VALUES ('Dolan Springs', 'AZ');
INSERT INTO cities VALUES ('Doland', 'SD'):
INSERT INTO cities VALUES ('Dolgeville', 'NY');
INSERT INTO cities VALUES ('Dollar Bay', 'MI');
INSERT INTO cities VALUES ('Dolliver', 'IA');
INSERT INTO cities VALUES ('Dolomite', 'AL');
INSERT INTO cities VALUES ('Dolores', 'CO');
INSERT INTO cities VALUES ('Dolph', 'AR');
INSERT INTO cities VALUES ('Dolphin', 'VA');
INSERT INTO cities VALUES ('Dolton', 'IL');
INSERT INTO cities VALUES ('Dona Ana', 'NM');
INSERT INTO cities VALUES ('Donahue', 'IA');
INSERT INTO cities VALUES ('Donald', 'OR');
```

```
INSERT INTO cities VALUES ('Donalds', 'SC');
INSERT INTO cities VALUES ('Donaldson', 'AR'):
INSERT INTO cities VALUES ('Donaldson', 'IN');
INSERT INTO cities VALUES ('Donaldson', 'MN');
INSERT INTO cities VALUES ('Donaldsonville', 'LA'):
INSERT INTO cities VALUES ('Donalsonville', 'GA');
INSERT INTO cities VALUES ('Donegal', 'PA');
INSERT INTO cities VALUES ('Dongola', 'IL');
INSERT INTO cities VALUES ('Donie', 'TX');
INSERT INTO cities VALUES ('Doniphan', 'MO');
INSERT INTO cities VALUES ('Doniphan', 'NE');
INSERT INTO cities VALUES ('Donna', 'TX');
INSERT INTO cities VALUES ('Donnellson', 'IA'):
INSERT INTO cities VALUES ('Donnellson', 'IL');
INSERT INTO cities VALUES ('Donnelly', 'ID'):
INSERT INTO cities VALUES ('Donnelly', 'MN');
INSERT INTO cities VALUES ('Donnelsville', 'OH');
INSERT INTO cities VALUES ('Donner', 'LA');
INSERT INTO cities VALUES ('Donnybrook', 'ND');
INSERT INTO cities VALUES ('Donora', 'PA');
INSERT INTO cities VALUES ('Donovan', 'IL');
INSERT INTO cities VALUES ('Doole', 'TX'):
INSERT INTO cities VALUES ('Doon', 'IA');
INSERT INTO cities VALUES ('Dora', 'AL'):
INSERT INTO cities VALUES ('Dora', 'MO');
INSERT INTO cities VALUES ('Dora', 'NM');
INSERT INTO cities VALUES ('Dorado', 'PR');
INSERT INTO cities VALUES ('Doran', 'VA'):
INSERT INTO cities VALUES ('Dorchester', 'IA');
INSERT INTO cities VALUES ('Dorchester', 'NE');
INSERT INTO cities VALUES ('Dorchester', 'NJ');
INSERT INTO cities VALUES ('Dorchester', 'SC');
INSERT INTO cities VALUES ('Dorchester', 'WI');
INSERT INTO cities VALUES ('Dorena', 'OR'):
INSERT INTO cities VALUES ('Dormansville', 'NY');
INSERT INTO cities VALUES ('Dornsife', 'PA'):
INSERT INTO cities VALUES ('Dorothy', 'NJ');
INSERT INTO cities VALUES ('Dorothy', 'WV');
INSERT INTO cities VALUES ('Dorr', 'MI'):
INSERT INTO cities VALUES ('Dorrance', 'KS');
INSERT INTO cities VALUES ('Dorris', 'CA');
INSERT INTO cities VALUES ('Dorset', 'OH');
INSERT INTO cities VALUES ('Dorset', 'VT');
INSERT INTO cities VALUES ('Dorsey', 'IL');
INSERT INTO cities VALUES ('Dorton', 'KY');
INSERT INTO cities VALUES ('Dos Palos', 'CA');
INSERT INTO cities VALUES ('Dos Rios', 'CA');
INSERT INTO cities VALUES ('Doss', 'TX');
INSERT INTO cities VALUES ('Doswell', 'VA');
INSERT INTO cities VALUES ('Dothan', 'AL');
INSERT INTO cities VALUES ('Dothan', 'WV');
INSERT INTO cities VALUES ('Doty', 'WA');
INSERT INTO cities VALUES ('Double Springs', 'AL');
INSERT INTO cities VALUES ('Doucette', 'TX');
INSERT INTO cities VALUES ('Douds', 'IA');
INSERT INTO cities VALUES ('Dougherty', 'IA');
```

```
INSERT INTO cities VALUES ('Dougherty', 'OK');
INSERT INTO cities VALUES ('Dougherty', 'TX');
INSERT INTO cities VALUES ('Douglas', 'AK');
INSERT INTO cities VALUES ('Douglas', 'AL');
INSERT INTO cities VALUES ('Douglas', 'AZ'):
INSERT INTO cities VALUES ('Douglas', 'GA');
INSERT INTO cities VALUES ('Douglas', 'MA');
INSERT INTO cities VALUES ('Douglas', 'MI');
INSERT INTO cities VALUES ('Douglas', 'ND');
INSERT INTO cities VALUES ('Douglas', 'NE');
INSERT INTO cities VALUES ('Douglas', 'OK');
INSERT INTO cities VALUES ('Douglas', 'WY');
INSERT INTO cities VALUES ('Douglas City', 'CA');
INSERT INTO cities VALUES ('Douglas Flat', 'CA');
INSERT INTO cities VALUES ('Douglass', 'KS');
INSERT INTO cities VALUES ('Douglass', 'TX');
INSERT INTO cities VALUES ('Douglassville', 'PA');
INSERT INTO cities VALUES ('Douglassville', 'TX');
INSERT INTO cities VALUES ('Douglasville', 'GA');
INSERT INTO cities VALUES ('Dousman', 'WI');
INSERT INTO cities VALUES ('Dove Creek', 'CO');
INSERT INTO cities VALUES ('Dover', 'AR');
INSERT INTO cities VALUES ('Dover', 'DE');
INSERT INTO cities VALUES ('Dover', 'FL'):
INSERT INTO cities VALUES ('Dover', 'GA');
INSERT INTO cities VALUES ('Dover', 'ID');
INSERT INTO cities VALUES ('Dover', 'IL'):
INSERT INTO cities VALUES ('Dover', 'KS');
INSERT INTO cities VALUES ('Dover', 'KY');
INSERT INTO cities VALUES ('Dover', 'MA');
INSERT INTO cities VALUES ('Dover', 'MN');
INSERT INTO cities VALUES ('Dover', 'MO');
INSERT INTO cities VALUES ('Dover', 'NC');
INSERT INTO cities VALUES ('Dover', 'NH');
INSERT INTO cities VALUES ('Dover', 'NJ');
INSERT INTO cities VALUES ('Dover', 'OH');
INSERT INTO cities VALUES ('Dover', 'OK');
INSERT INTO cities VALUES ('Dover', 'PA');
INSERT INTO cities VALUES ('Dover', 'TN');
INSERT INTO cities VALUES ('Dover Afb', 'DE');
INSERT INTO cities VALUES ('Dover Foxcroft', 'ME');
INSERT INTO cities VALUES ('Dover Plains', 'NY');
INSERT INTO cities VALUES ('Dovray', 'MN');
INSERT INTO cities VALUES ('Dow', 'IL');
INSERT INTO cities VALUES ('Dow City', 'IA'):
INSERT INTO cities VALUES ('Dowagiac', 'MI');
INSERT INTO cities VALUES ('Dowell', 'IL');
INSERT INTO cities VALUES ('Dowell', 'MD');
INSERT INTO cities VALUES ('Dowelltown', 'TN');
INSERT INTO cities VALUES ('Dowling', 'MI');
INSERT INTO cities VALUES ('Downers Grove', 'IL');
INSERT INTO cities VALUES ('Downey', 'CA');
INSERT INTO cities VALUES ('Downey', 'ID');
INSERT INTO cities VALUES ('Downieville', 'CA');
INSERT INTO cities VALUES ('Downing', 'MO');
INSERT INTO cities VALUES ('Downing', 'WI');
```

```
INSERT INTO cities VALUES ('Downingtown', 'PA');
INSERT INTO cities VALUES ('Downs', 'IL'):
INSERT INTO cities VALUES ('Downs', 'KS');
INSERT INTO cities VALUES ('Downsville', 'LA'):
INSERT INTO cities VALUES ('Downsville', 'NY'):
INSERT INTO cities VALUES ('Downsville', 'WI');
INSERT INTO cities VALUES ('Dows', 'IA');
INSERT INTO cities VALUES ('Doyle', 'CA');
INSERT INTO cities VALUES ('Doyle', 'TN');
INSERT INTO cities VALUES ('Doylesburg', 'PA');
INSERT INTO cities VALUES ('Doylestown', 'OH');
INSERT INTO cities VALUES ('Doylestown', 'PA');
INSERT INTO cities VALUES ('Doylestown', 'WI');
INSERT INTO cities VALUES ('Doyline', 'LA');
INSERT INTO cities VALUES ('Dozier', 'AL'):
INSERT INTO cities VALUES ('Dracut', 'MA');
INSERT INTO cities VALUES ('Dragoon', 'AZ');
INSERT INTO cities VALUES ('Drain', 'OR');
INSERT INTO cities VALUES ('Drake', 'CO');
INSERT INTO cities VALUES ('Drake', 'KY');
INSERT INTO cities VALUES ('Drake', 'ND');
INSERT INTO cities VALUES ('Drakes Branch', 'VA');
INSERT INTO cities VALUES ('Drakesboro', 'KY');
INSERT INTO cities VALUES ('Drakesville', 'IA'):
INSERT INTO cities VALUES ('Draper', 'SD');
INSERT INTO cities VALUES ('Draper', 'UT');
INSERT INTO cities VALUES ('Draper', 'VA');
INSERT INTO cities VALUES ('Drasco', 'AR');
INSERT INTO cities VALUES ('Dravosburg', 'PA');
INSERT INTO cities VALUES ('Drayden', 'MD');
INSERT INTO cities VALUES ('Drayton', 'ND');
INSERT INTO cities VALUES ('Drayton', 'SC');
INSERT INTO cities VALUES ('Drayton Plains', 'MI');
INSERT INTO cities VALUES ('Drennen', 'WV');
INSERT INTO cities VALUES ('Dresden', 'KS'):
INSERT INTO cities VALUES ('Dresden', 'ME');
INSERT INTO cities VALUES ('Dresden', 'NY');
INSERT INTO cities VALUES ('Dresden', 'OH');
INSERT INTO cities VALUES ('Dresden', 'TN');
INSERT INTO cities VALUES ('Dresher', 'PA');
INSERT INTO cities VALUES ('Dresser', 'WI');
INSERT INTO cities VALUES ('Drew', 'MS');
INSERT INTO cities VALUES ('Drewryville', 'VA');
INSERT INTO cities VALUES ('Drewsey', 'OR');
INSERT INTO cities VALUES ('Drewsville', 'NH'):
INSERT INTO cities VALUES ('Drexel', 'MO');
INSERT INTO cities VALUES ('Drexel', 'NC');
INSERT INTO cities VALUES ('Drexel Hill', 'PA');
INSERT INTO cities VALUES ('Drift', 'KY');
INSERT INTO cities VALUES ('Drifting', 'PA');
INSERT INTO cities VALUES ('Drifton', 'PA');
INSERT INTO cities VALUES ('Driftwood', 'PA');
INSERT INTO cities VALUES ('Driftwood', 'TX');
INSERT INTO cities VALUES ('Driggs', 'ID');
INSERT INTO cities VALUES ('Dripping Springs', 'TX');
INSERT INTO cities VALUES ('Driscoll', 'ND');
```

```
INSERT INTO cities VALUES ('Driscoll', 'TX');
INSERT INTO cities VALUES ('Driver', 'AR'):
INSERT INTO cities VALUES ('Drummond', 'MT');
INSERT INTO cities VALUES ('Drummond', 'OK'):
INSERT INTO cities VALUES ('Drummond', 'WI'):
INSERT INTO cities VALUES ('Drummond Island', 'MI');
INSERT INTO cities VALUES ('Drummonds', 'TN');
INSERT INTO cities VALUES ('Drumore', 'PA');
INSERT INTO cities VALUES ('Drumright', 'OK');
INSERT INTO cities VALUES ('Drums', 'PA');
INSERT INTO cities VALUES ('Drury', 'MA');
INSERT INTO cities VALUES ('Drury', 'MO');
INSERT INTO cities VALUES ('Dry Branch', 'GA');
INSERT INTO cities VALUES ('Dry Creek', 'LA');
INSERT INTO cities VALUES ('Dry Creek', 'WV');
INSERT INTO cities VALUES ('Dry Fork', 'VA');
INSERT INTO cities VALUES ('Dry Prong', 'LA');
INSERT INTO cities VALUES ('Dry Ridge', 'KY');
INSERT INTO cities VALUES ('Dry Run', 'PA');
INSERT INTO cities VALUES ('Drybranch', 'WV');
INSERT INTO cities VALUES ('Dryden', 'ME');
INSERT INTO cities VALUES ('Dryden', 'MI');
INSERT INTO cities VALUES ('Dryden', 'NY');
INSERT INTO cities VALUES ('Dryden', 'TX'):
INSERT INTO cities VALUES ('Dryden', 'VA');
INSERT INTO cities VALUES ('Dryden', 'WA');
INSERT INTO cities VALUES ('Dryfork', 'WV');
INSERT INTO cities VALUES ('Drytown', 'CA');
INSERT INTO cities VALUES ('Du Bois', 'IL');
INSERT INTO cities VALUES ('Du Bois', 'NE');
INSERT INTO cities VALUES ('Du Bois', 'PA');
INSERT INTO cities VALUES ('Du Pont', 'GA');
INSERT INTO cities VALUES ('Du Quoin', 'IL');
INSERT INTO cities VALUES ('Duanesburg', 'NY');
INSERT INTO cities VALUES ('Duarte', 'CA'):
INSERT INTO cities VALUES ('Dubach', 'LA');
INSERT INTO cities VALUES ('Dubberly', 'LA');
INSERT INTO cities VALUES ('Dublin', 'CA');
INSERT INTO cities VALUES ('Dublin', 'GA'):
INSERT INTO cities VALUES ('Dublin', 'IN');
INSERT INTO cities VALUES ('Dublin', 'MS');
INSERT INTO cities VALUES ('Dublin', 'NC');
INSERT INTO cities VALUES ('Dublin', 'NH');
INSERT INTO cities VALUES ('Dublin', 'OH');
INSERT INTO cities VALUES ('Dublin', 'PA');
INSERT INTO cities VALUES ('Dublin', 'TX');
INSERT INTO cities VALUES ('Dublin', 'VA');
INSERT INTO cities VALUES ('Dubois', 'ID');
INSERT INTO cities VALUES ('Dubois', 'IN');
INSERT INTO cities VALUES ('Dubois', 'WY');
INSERT INTO cities VALUES ('Dubre', 'KY');
INSERT INTO cities VALUES ('Dubuque', 'IA');
INSERT INTO cities VALUES ('Duchesne', 'UT');
INSERT INTO cities VALUES ('Duck', 'WV');
INSERT INTO cities VALUES ('Duck Creek Village', 'UT');
INSERT INTO cities VALUES ('Duck Hill', 'MS');
```

```
INSERT INTO cities VALUES ('Duck River', 'TN');
INSERT INTO cities VALUES ('Ducktown', 'TN'):
INSERT INTO cities VALUES ('Duckwater', 'NV');
INSERT INTO cities VALUES ('Ducor', 'CA'):
INSERT INTO cities VALUES ('Dudley', 'GA'):
INSERT INTO cities VALUES ('Dudley', 'MA');
INSERT INTO cities VALUES ('Dudley', 'MO');
INSERT INTO cities VALUES ('Dudley', 'NC');
INSERT INTO cities VALUES ('Dudley', 'PA');
INSERT INTO cities VALUES ('Due West', 'SC');
INSERT INTO cities VALUES ('Duenweg', 'MO');
INSERT INTO cities VALUES ('Duff', 'TN');
INSERT INTO cities VALUES ('Duffield', 'VA');
INSERT INTO cities VALUES ('Dufur', 'OR');
INSERT INTO cities VALUES ('Dugger', 'IN'):
INSERT INTO cities VALUES ('Dugspur', 'VA');
INSERT INTO cities VALUES ('Dugway', 'UT');
INSERT INTO cities VALUES ('Duke', 'MO');
INSERT INTO cities VALUES ('Duke', 'OK');
INSERT INTO cities VALUES ('Duke Center', 'PA');
INSERT INTO cities VALUES ('Dukedom', 'TN');
INSERT INTO cities VALUES ('Dulac', 'LA'):
INSERT INTO cities VALUES ('Dulce', 'NM');
INSERT INTO cities VALUES ('Dulles', 'VA'):
INSERT INTO cities VALUES ('Duluth', 'GA');
INSERT INTO cities VALUES ('Duluth', 'MN');
INSERT INTO cities VALUES ('Dulzura', 'CA');
INSERT INTO cities VALUES ('Dumas', 'AR'):
INSERT INTO cities VALUES ('Dumas', 'MS');
INSERT INTO cities VALUES ('Dumas', 'TX');
INSERT INTO cities VALUES ('Dumfries', 'VA');
INSERT INTO cities VALUES ('Dumont', 'CO');
INSERT INTO cities VALUES ('Dumont', 'IA');
INSERT INTO cities VALUES ('Dumont', 'MN'):
INSERT INTO cities VALUES ('Dumont', 'NJ');
INSERT INTO cities VALUES ('Dunbar', 'KY');
INSERT INTO cities VALUES ('Dunbar', 'NE');
INSERT INTO cities VALUES ('Dunbar', 'PA');
INSERT INTO cities VALUES ('Dunbar', 'WI'):
INSERT INTO cities VALUES ('Dunbar', 'WV');
INSERT INTO cities VALUES ('Dunbarton', 'NH');
INSERT INTO cities VALUES ('Dunbridge', 'OH');
INSERT INTO cities VALUES ('Duncan', 'AZ');
INSERT INTO cities VALUES ('Duncan', 'MS');
INSERT INTO cities VALUES ('Duncan', 'NE'):
INSERT INTO cities VALUES ('Duncan', 'OK');
INSERT INTO cities VALUES ('Duncan', 'SC');
INSERT INTO cities VALUES ('Duncan Falls', 'OH');
INSERT INTO cities VALUES ('Duncannon', 'PA');
INSERT INTO cities VALUES ('Duncans Mills', 'CA');
INSERT INTO cities VALUES ('Duncansville', 'PA');
INSERT INTO cities VALUES ('Duncanville', 'AL');
INSERT INTO cities VALUES ('Duncanville', 'TX');
INSERT INTO cities VALUES ('Duncombe', 'IA');
INSERT INTO cities VALUES ('Dundalk', 'MD');
INSERT INTO cities VALUES ('Dundas', 'IL');
```

```
INSERT INTO cities VALUES ('Dundas', 'MN');
INSERT INTO cities VALUES ('Dundas', 'VA'):
INSERT INTO cities VALUES ('Dundee', 'FL');
INSERT INTO cities VALUES ('Dundee', 'IA'):
INSERT INTO cities VALUES ('Dundee', 'IL'):
INSERT INTO cities VALUES ('Dundee', 'KY');
INSERT INTO cities VALUES ('Dundee', 'MI');
INSERT INTO cities VALUES ('Dundee', 'MS');
INSERT INTO cities VALUES ('Dundee', 'NY');
INSERT INTO cities VALUES ('Dundee', 'OH');
INSERT INTO cities VALUES ('Dundee', 'OR');
INSERT INTO cities VALUES ('Dunedin', 'FL');
INSERT INTO cities VALUES ('Dunellen', 'NJ');
INSERT INTO cities VALUES ('Dunfermline', 'IL');
INSERT INTO cities VALUES ('Dungannon', 'VA');
INSERT INTO cities VALUES ('Dunkerton', 'IA');
INSERT INTO cities VALUES ('Dunkirk', 'IN');
INSERT INTO cities VALUES ('Dunkirk', 'MD');
INSERT INTO cities VALUES ('Dunkirk', 'NY'):
INSERT INTO cities VALUES ('Dunkirk', 'OH');
INSERT INTO cities VALUES ('Dunlap', 'CA');
INSERT INTO cities VALUES ('Dunlap', 'IA');
INSERT INTO cities VALUES ('Dunlap', 'IL');
INSERT INTO cities VALUES ('Dunlap', 'TN');
INSERT INTO cities VALUES ('Dunlevy', 'PA');
INSERT INTO cities VALUES ('Dunlo', 'PA');
INSERT INTO cities VALUES ('Dunlow', 'WV');
INSERT INTO cities VALUES ('Dunmor', 'KY'):
INSERT INTO cities VALUES ('Dunmore', 'WV');
INSERT INTO cities VALUES ('Dunn', 'NC');
INSERT INTO cities VALUES ('Dunn', 'TX');
INSERT INTO cities VALUES ('Dunn Center', 'ND');
INSERT INTO cities VALUES ('Dunn Loring', 'VA');
INSERT INTO cities VALUES ('Dunnegan', 'MO');
INSERT INTO cities VALUES ('Dunnell', 'MN');
INSERT INTO cities VALUES ('Dunnellon', 'FL');
INSERT INTO cities VALUES ('Dunnigan', 'CA');
INSERT INTO cities VALUES ('Dunning', 'NE');
INSERT INTO cities VALUES ('Dunnsville', 'VA'):
INSERT INTO cities VALUES ('Dunnville', 'KY');
INSERT INTO cities VALUES ('Dunreith', 'IN');
INSERT INTO cities VALUES ('Dunseith', 'ND');
INSERT INTO cities VALUES ('Dunsmuir', 'CA');
INSERT INTO cities VALUES ('Dunstable', 'MA');
INSERT INTO cities VALUES ('Duplessis', 'LA'):
INSERT INTO cities VALUES ('Dupo', 'IL');
INSERT INTO cities VALUES ('Dupont', 'CO');
INSERT INTO cities VALUES ('Dupont', 'IN');
INSERT INTO cities VALUES ('Dupont', 'LA');
INSERT INTO cities VALUES ('Dupont', 'OH');
INSERT INTO cities VALUES ('Dupont', 'WA');
INSERT INTO cities VALUES ('Dupree', 'SD');
INSERT INTO cities VALUES ('Dupuyer', 'MT');
INSERT INTO cities VALUES ('Duquesne', 'PA');
INSERT INTO cities VALUES ('Durand', 'IL');
INSERT INTO cities VALUES ('Durand', 'MI');
```

```
INSERT INTO cities VALUES ('Durand', 'WI');
INSERT INTO cities VALUES ('Durango', 'CO'):
INSERT INTO cities VALUES ('Durango', 'IA');
INSERT INTO cities VALUES ('Durant', 'FL'):
INSERT INTO cities VALUES ('Durant', 'IA'):
INSERT INTO cities VALUES ('Durant', 'MS');
INSERT INTO cities VALUES ('Durant', 'OK');
INSERT INTO cities VALUES ('Durants Neck', 'NC');
INSERT INTO cities VALUES ('Durbin', 'WV');
INSERT INTO cities VALUES ('Durham', 'CA');
INSERT INTO cities VALUES ('Durham', 'CT');
INSERT INTO cities VALUES ('Durham', 'KS');
INSERT INTO cities VALUES ('Durham', 'ME'):
INSERT INTO cities VALUES ('Durham', 'MO');
INSERT INTO cities VALUES ('Durham', 'NC'):
INSERT INTO cities VALUES ('Durham', 'NH');
INSERT INTO cities VALUES ('Durham', 'NY');
INSERT INTO cities VALUES ('Durham', 'OK');
INSERT INTO cities VALUES ('Durham', 'PA');
INSERT INTO cities VALUES ('Durhamville', 'NY');
INSERT INTO cities VALUES ('Durkee', 'OR');
INSERT INTO cities VALUES ('Duryea', 'PA');
INSERT INTO cities VALUES ('Dushore', 'PA');
INSERT INTO cities VALUES ('Duson', 'LA'):
INSERT INTO cities VALUES ('Dustin', 'OK');
INSERT INTO cities VALUES ('Dutch Flat', 'CA');
INSERT INTO cities VALUES ('Dutch Harbor', 'AK');
INSERT INTO cities VALUES ('Dutch John', 'UT');
INSERT INTO cities VALUES ('Dutchtown', 'MO');
INSERT INTO cities VALUES ('Dutton', 'AL');
INSERT INTO cities VALUES ('Dutton', 'MT');
INSERT INTO cities VALUES ('Dutton', 'VA');
INSERT INTO cities VALUES ('Dutzow', 'MO');
INSERT INTO cities VALUES ('Duvall', 'WA');
INSERT INTO cities VALUES ('Duxbury', 'MA');
INSERT INTO cities VALUES ('Dwale', 'KY'):
INSERT INTO cities VALUES ('Dwarf', 'KY');
INSERT INTO cities VALUES ('Dwight', 'IL');
INSERT INTO cities VALUES ('Dwight', 'KS'):
INSERT INTO cities VALUES ('Dwight', 'NE');
INSERT INTO cities VALUES ('Dycusburg', 'KY');
INSERT INTO cities VALUES ('Dyer', 'AR');
INSERT INTO cities VALUES ('Dyer', 'IN');
INSERT INTO cities VALUES ('Dyer', 'NV');
INSERT INTO cities VALUES ('Dver', 'TN'):
INSERT INTO cities VALUES ('Dyersburg', 'TN');
INSERT INTO cities VALUES ('Dyersville', 'IA');
INSERT INTO cities VALUES ('Dyess', 'AR');
INSERT INTO cities VALUES ('Dyess Afb', 'TX');
INSERT INTO cities VALUES ('Dyke', 'VA');
INSERT INTO cities VALUES ('Dysart', 'IA');
INSERT INTO cities VALUES ('Dysart', 'PA');
INSERT INTO cities VALUES ('Eads', 'CO');
INSERT INTO cities VALUES ('Eads', 'TN');
INSERT INTO cities VALUES ('Eagan', 'TN');
INSERT INTO cities VALUES ('Eagar', 'AZ');
```

```
INSERT INTO cities VALUES ('Eagarville', 'IL');
INSERT INTO cities VALUES ('Eagle', 'AK'):
INSERT INTO cities VALUES ('Eagle', 'CO');
INSERT INTO cities VALUES ('Eagle', 'ID');
INSERT INTO cities VALUES ('Eagle', 'MI'):
INSERT INTO cities VALUES ('Eagle', 'NE');
INSERT INTO cities VALUES ('Eagle', 'WI');
INSERT INTO cities VALUES ('Eagle Bay', 'NY');
INSERT INTO cities VALUES ('Eagle Bend', 'MN');
INSERT INTO cities VALUES ('Eagle Bridge', 'NY');
INSERT INTO cities VALUES ('Eagle Butte', 'SD');
INSERT INTO cities VALUES ('Eagle Creek', 'OR');
INSERT INTO cities VALUES ('Eagle Grove', 'IA');
INSERT INTO cities VALUES ('Eagle Lake', 'FL');
INSERT INTO cities VALUES ('Eagle Lake', 'ME');
INSERT INTO cities VALUES ('Eagle Lake', 'MN');
INSERT INTO cities VALUES ('Eagle Lake', 'TX');
INSERT INTO cities VALUES ('Eagle Mountain', 'UT');
INSERT INTO cities VALUES ('Eagle Nest', 'NM');
INSERT INTO cities VALUES ('Eagle Pass', 'TX');
INSERT INTO cities VALUES ('Eagle Point', 'OR');
INSERT INTO cities VALUES ('Eagle River', 'AK');
INSERT INTO cities VALUES ('Eagle River', 'WI');
INSERT INTO cities VALUES ('Eagle Rock', 'MO');
INSERT INTO cities VALUES ('Eagle Rock', 'VA');
INSERT INTO cities VALUES ('Eagle Springs', 'NC');
INSERT INTO cities VALUES ('Eagles Mere', 'PA'):
INSERT INTO cities VALUES ('Eagletown', 'OK');
INSERT INTO cities VALUES ('Eagleville', 'CA');
INSERT INTO cities VALUES ('Eagleville', 'MO');
INSERT INTO cities VALUES ('Eagleville', 'PA');
INSERT INTO cities VALUES ('Eagleville', 'TN');
INSERT INTO cities VALUES ('Eakly', 'OK');
INSERT INTO cities VALUES ('Earl', 'NC');
INSERT INTO cities VALUES ('Earl Park', 'IN');
INSERT INTO cities VALUES ('Earle', 'AR'):
INSERT INTO cities VALUES ('Earleton', 'FL');
INSERT INTO cities VALUES ('Earleville', 'MD');
INSERT INTO cities VALUES ('Earlham', 'IA'):
INSERT INTO cities VALUES ('Earlimart', 'CA');
INSERT INTO cities VALUES ('Earling', 'IA');
INSERT INTO cities VALUES ('Earlington', 'KY');
INSERT INTO cities VALUES ('Earlington', 'PA');
INSERT INTO cities VALUES ('Earlsboro', 'OK');
INSERT INTO cities VALUES ('Earlton', 'NY'):
INSERT INTO cities VALUES ('Earlville', 'IA');
INSERT INTO cities VALUES ('Earlville', 'IL');
INSERT INTO cities VALUES ('Earlville', 'NY');
INSERT INTO cities VALUES ('Earlville', 'PA');
INSERT INTO cities VALUES ('Early', 'IA');
INSERT INTO cities VALUES ('Early', 'TX');
INSERT INTO cities VALUES ('Early Branch', 'SC');
INSERT INTO cities VALUES ('Earlysville', 'VA');
INSERT INTO cities VALUES ('Earp', 'CA');
INSERT INTO cities VALUES ('Earth', 'TX');
INSERT INTO cities VALUES ('Earth City', 'MO');
```

```
INSERT INTO cities VALUES ('Easley', 'SC');
INSERT INTO cities VALUES ('East Alton', 'IL'):
INSERT INTO cities VALUES ('East Amherst', 'NY');
INSERT INTO cities VALUES ('East Andover', 'ME');
INSERT INTO cities VALUES ('East Andover', 'NH'):
INSERT INTO cities VALUES ('East Arlington', 'VT');
INSERT INTO cities VALUES ('East Aurora', 'NY');
INSERT INTO cities VALUES ('East Baldwin', 'ME');
INSERT INTO cities VALUES ('East Bank', 'WV');
INSERT INTO cities VALUES ('East Barre', 'VT');
INSERT INTO cities VALUES ('East Bend', 'NC');
INSERT INTO cities VALUES ('East Berkshire', 'VT');
INSERT INTO cities VALUES ('East Berlin', 'CT'):
INSERT INTO cities VALUES ('East Berlin', 'PA');
INSERT INTO cities VALUES ('East Bernard', 'TX');
INSERT INTO cities VALUES ('East Berne', 'NY');
INSERT INTO cities VALUES ('East Bernstadt', 'KY');
INSERT INTO cities VALUES ('East Bethany', 'NY');
INSERT INTO cities VALUES ('East Bloomfield', 'NY');
INSERT INTO cities VALUES ('East Blue Hill', 'ME');
INSERT INTO cities VALUES ('East Boothbay', 'ME');
INSERT INTO cities VALUES ('East Boston', 'MA');
INSERT INTO cities VALUES ('East Brady', 'PA');
INSERT INTO cities VALUES ('East Branch', 'NY');
INSERT INTO cities VALUES ('East Bridgewater', 'MA');
INSERT INTO cities VALUES ('East Brookfield', 'MA');
INSERT INTO cities VALUES ('East Brunswick', 'NJ');
INSERT INTO cities VALUES ('East Burke', 'VT');
INSERT INTO cities VALUES ('East Butler', 'PA');
INSERT INTO cities VALUES ('East Calais', 'VT');
INSERT INTO cities VALUES ('East Canaan', 'CT');
INSERT INTO cities VALUES ('East Candia', 'NH');
INSERT INTO cities VALUES ('East Canton', 'OH');
INSERT INTO cities VALUES ('East Carbon', 'UT');
INSERT INTO cities VALUES ('East Carondelet', 'IL');
INSERT INTO cities VALUES ('East Charleston', 'VT'):
INSERT INTO cities VALUES ('East Chatham', 'NY');
INSERT INTO cities VALUES ('East Chicago', 'IN');
INSERT INTO cities VALUES ('East China', 'MI'):
INSERT INTO cities VALUES ('East Claridon', 'OH');
INSERT INTO cities VALUES ('East Concord', 'NY');
INSERT INTO cities VALUES ('East Corinth', 'VT');
INSERT INTO cities VALUES ('East Dennis', 'MA');
INSERT INTO cities VALUES ('East Derry', 'NH');
INSERT INTO cities VALUES ('East Dixfield', 'ME'):
INSERT INTO cities VALUES ('East Dorset', 'VT');
INSERT INTO cities VALUES ('East Dover', 'VT');
INSERT INTO cities VALUES ('East Dublin', 'GA');
INSERT INTO cities VALUES ('East Dubuque', 'IL');
INSERT INTO cities VALUES ('East Durham', 'NY');
INSERT INTO cities VALUES ('East Earl', 'PA');
INSERT INTO cities VALUES ('East Ellijay', 'GA');
INSERT INTO cities VALUES ('East Ellsworth', 'WI');
INSERT INTO cities VALUES ('East Elmhurst', 'NY');
INSERT INTO cities VALUES ('East Enterprise', 'IN');
INSERT INTO cities VALUES ('East Fairfield', 'VT');
```

```
INSERT INTO cities VALUES ('East Falmouth', 'MA');
INSERT INTO cities VALUES ('East Flat Rock', 'NC'):
INSERT INTO cities VALUES ('East Freedom', 'PA');
INSERT INTO cities VALUES ('East Freetown', 'MA');
INSERT INTO cities VALUES ('East Fultonham', 'OH'):
INSERT INTO cities VALUES ('East Galesburg', 'IL');
INSERT INTO cities VALUES ('East Glacier Park', 'MT');
INSERT INTO cities VALUES ('East Glastonbury', 'CT');
INSERT INTO cities VALUES ('East Granby', 'CT');
INSERT INTO cities VALUES ('East Grand Forks', 'MN');
INSERT INTO cities VALUES ('East Greenbush', 'NY');
INSERT INTO cities VALUES ('East Greenville', 'PA');
INSERT INTO cities VALUES ('East Greenwich', 'RI');
INSERT INTO cities VALUES ('East Haddam', 'CT');
INSERT INTO cities VALUES ('East Hampstead', 'NH');
INSERT INTO cities VALUES ('East Hampton', 'CT');
INSERT INTO cities VALUES ('East Hampton', 'NY');
INSERT INTO cities VALUES ('East Hanover', 'NJ');
INSERT INTO cities VALUES ('East Hardwick', 'VT');
INSERT INTO cities VALUES ('East Hartford', 'CT');
INSERT INTO cities VALUES ('East Hartland', 'CT');
INSERT INTO cities VALUES ('East Haven', 'CT');
INSERT INTO cities VALUES ('East Haven', 'VT');
INSERT INTO cities VALUES ('East Helena', 'MT');
INSERT INTO cities VALUES ('East Hickory', 'PA');
INSERT INTO cities VALUES ('East Homer', 'NY');
INSERT INTO cities VALUES ('East Irvine', 'CA'):
INSERT INTO cities VALUES ('East Islip', 'NY');
INSERT INTO cities VALUES ('East Jewett', 'NY');
INSERT INTO cities VALUES ('East Jordan', 'MI');
INSERT INTO cities VALUES ('East Killingly', 'CT');
INSERT INTO cities VALUES ('East Lansing', 'MI');
INSERT INTO cities VALUES ('East Leroy', 'MI');
INSERT INTO cities VALUES ('East Liberty', 'OH');
INSERT INTO cities VALUES ('East Livermore', 'ME');
INSERT INTO cities VALUES ('East Liverpool', 'OH');
INSERT INTO cities VALUES ('East Longmeadow', 'MA');
INSERT INTO cities VALUES ('East Lyme', 'CT');
INSERT INTO cities VALUES ('East Lynn', 'IL');
INSERT INTO cities VALUES ('East Lynn', 'WV');
INSERT INTO cities VALUES ('East Lynne', 'MO');
INSERT INTO cities VALUES ('East Machias', 'ME');
INSERT INTO cities VALUES ('East Mansfield', 'MA');
INSERT INTO cities VALUES ('East Marion', 'NY');
INSERT INTO cities VALUES ('East Mc Keesport', 'PA'):
INSERT INTO cities VALUES ('East Meadow', 'NY');
INSERT INTO cities VALUES ('East Meredith', 'NY');
INSERT INTO cities VALUES ('East Middlebury', 'VT');
INSERT INTO cities VALUES ('East Millinocket', 'ME');
INSERT INTO cities VALUES ('East Millsboro', 'PA');
INSERT INTO cities VALUES ('East Moline', 'IL');
INSERT INTO cities VALUES ('East Montpelier', 'VT');
INSERT INTO cities VALUES ('East Moriches', 'NY');
INSERT INTO cities VALUES ('East Nassau', 'NY');
INSERT INTO cities VALUES ('East New Market', 'MD');
INSERT INTO cities VALUES ('East Newport', 'ME');
```

```
INSERT INTO cities VALUES ('East Northport', 'NY');
INSERT INTO cities VALUES ('East Norwich', 'NY'):
INSERT INTO cities VALUES ('East Olympia', 'WA');
INSERT INTO cities VALUES ('East Orange', 'NJ');
INSERT INTO cities VALUES ('East Orland', 'ME'):
INSERT INTO cities VALUES ('East Orleans', 'MA');
INSERT INTO cities VALUES ('East Otis', 'MA');
INSERT INTO cities VALUES ('East Otto', 'NY');
INSERT INTO cities VALUES ('East Palatka', 'FL');
INSERT INTO cities VALUES ('East Palestine', 'OH');
INSERT INTO cities VALUES ('East Parsonsfield', 'ME');
INSERT INTO cities VALUES ('East Pembroke', 'NY');
INSERT INTO cities VALUES ('East Peoria', 'IL');
INSERT INTO cities VALUES ('East Petersburg', 'PA');
INSERT INTO cities VALUES ('East Pharsalia', 'NY');
INSERT INTO cities VALUES ('East Pittsburgh', 'PA');
INSERT INTO cities VALUES ('East Point', 'KY');
INSERT INTO cities VALUES ('East Poland', 'ME');
INSERT INTO cities VALUES ('East Poultney', 'VT');
INSERT INTO cities VALUES ('East Prairie', 'MO');
INSERT INTO cities VALUES ('East Princeton', 'MA');
INSERT INTO cities VALUES ('East Prospect', 'PA');
INSERT INTO cities VALUES ('East Providence', 'RI');
INSERT INTO cities VALUES ('East Quogue', 'NY');
INSERT INTO cities VALUES ('East Randolph', 'NY');
INSERT INTO cities VALUES ('East Randolph', 'VT');
INSERT INTO cities VALUES ('East Rochester', 'NY');
INSERT INTO cities VALUES ('East Rochester', 'OH');
INSERT INTO cities VALUES ('East Rockaway', 'NY');
INSERT INTO cities VALUES ('East Rutherford', 'NJ');
INSERT INTO cities VALUES ('East Ryegate', 'VT');
INSERT INTO cities VALUES ('East Saint Johnsbury', 'VT');
INSERT INTO cities VALUES ('East Saint Louis', 'IL');
INSERT INTO cities VALUES ('East Sandwich', 'MA');
INSERT INTO cities VALUES ('East Schodack', 'NY');
INSERT INTO cities VALUES ('East Setauket', 'NY'):
INSERT INTO cities VALUES ('East Smethport', 'PA');
INSERT INTO cities VALUES ('East Smithfield', 'PA');
INSERT INTO cities VALUES ('East Sparta', 'OH');
INSERT INTO cities VALUES ('East Spencer', 'NC');
INSERT INTO cities VALUES ('East Springfield', 'NY');
INSERT INTO cities VALUES ('East Springfield', 'OH');
INSERT INTO cities VALUES ('East Springfield', 'PA');
INSERT INTO cities VALUES ('East Stone Gap', 'VA');
INSERT INTO cities VALUES ('East Stroudsburg', 'PA'):
INSERT INTO cities VALUES ('East Syracuse', 'NY');
INSERT INTO cities VALUES ('East Tallassee', 'AL');
INSERT INTO cities VALUES ('East Taunton', 'MA');
INSERT INTO cities VALUES ('East Tawas', 'MI');
INSERT INTO cities VALUES ('East Templeton', 'MA');
INSERT INTO cities VALUES ('East Texas', 'PA');
INSERT INTO cities VALUES ('East Thetford', 'VT');
INSERT INTO cities VALUES ('East Troy', 'WI');
INSERT INTO cities VALUES ('East Vandergrift', 'PA');
INSERT INTO cities VALUES ('East Vassalboro', 'ME');
INSERT INTO cities VALUES ('East Wakefield', 'NH');
```

```
INSERT INTO cities VALUES ('East Wallingford', 'VT');
INSERT INTO cities VALUES ('East Walpole', 'MA'):
INSERT INTO cities VALUES ('East Wareham', 'MA');
INSERT INTO cities VALUES ('East Waterboro', 'ME'):
INSERT INTO cities VALUES ('East Waterford', 'PA'):
INSERT INTO cities VALUES ('East Wenatchee', 'WA');
INSERT INTO cities VALUES ('East Weymouth', 'MA');
INSERT INTO cities VALUES ('East Williamson', 'NY');
INSERT INTO cities VALUES ('East Wilton', 'ME');
INSERT INTO cities VALUES ('East Windsor', 'CT');
INSERT INTO cities VALUES ('East Windsor Hill', 'CT');
INSERT INTO cities VALUES ('East Winthrop', 'ME');
INSERT INTO cities VALUES ('East Woodstock', 'CT');
INSERT INTO cities VALUES ('East Worcester', 'NY');
INSERT INTO cities VALUES ('Eastaboga', 'AL');
INSERT INTO cities VALUES ('Eastabuchie', 'MS');
INSERT INTO cities VALUES ('Eastanollee', 'GA');
INSERT INTO cities VALUES ('Eastchester', 'NY');
INSERT INTO cities VALUES ('Eastern', 'KY');
INSERT INTO cities VALUES ('Eastford', 'CT');
INSERT INTO cities VALUES ('Eastham', 'MA');
INSERT INTO cities VALUES ('Easthampton', 'MA');
INSERT INTO cities VALUES ('Eastlake', 'CO');
INSERT INTO cities VALUES ('Eastlake', 'MI'):
INSERT INTO cities VALUES ('Eastlake', 'OH');
INSERT INTO cities VALUES ('Eastlake Weir', 'FL');
INSERT INTO cities VALUES ('Eastland', 'TX'):
INSERT INTO cities VALUES ('Eastman', 'GA'):
INSERT INTO cities VALUES ('Eastman', 'WI');
INSERT INTO cities VALUES ('Easton', 'CT');
INSERT INTO cities VALUES ('Easton', 'IL');
INSERT INTO cities VALUES ('Easton', 'KS');
INSERT INTO cities VALUES ('Easton', 'MA');
INSERT INTO cities VALUES ('Easton', 'MD'):
INSERT INTO cities VALUES ('Easton', 'ME');
INSERT INTO cities VALUES ('Easton', 'MN');
INSERT INTO cities VALUES ('Easton', 'MO');
INSERT INTO cities VALUES ('Easton', 'PA');
INSERT INTO cities VALUES ('Easton', 'TX');
INSERT INTO cities VALUES ('Easton', 'WA');
INSERT INTO cities VALUES ('Eastover', 'SC');
INSERT INTO cities VALUES ('Eastpoint', 'FL');
INSERT INTO cities VALUES ('Eastpointe', 'MI');
INSERT INTO cities VALUES ('Eastport', 'ID');
INSERT INTO cities VALUES ('Eastport', 'ME'):
INSERT INTO cities VALUES ('Eastport', 'MI');
INSERT INTO cities VALUES ('Eastport', 'NY');
INSERT INTO cities VALUES ('Eastsound', 'WA');
INSERT INTO cities VALUES ('Eastview', 'KY');
INSERT INTO cities VALUES ('Eastville', 'VA');
INSERT INTO cities VALUES ('Eastwood', 'KY');
INSERT INTO cities VALUES ('Eaton', 'CO');
INSERT INTO cities VALUES ('Eaton', 'IN');
INSERT INTO cities VALUES ('Eaton', 'NY');
INSERT INTO cities VALUES ('Eaton', 'OH');
INSERT INTO cities VALUES ('Eaton', 'TN');
```

```
INSERT INTO cities VALUES ('Eaton Center', 'NH');
INSERT INTO cities VALUES ('Eaton Park', 'FL'):
INSERT INTO cities VALUES ('Eaton Rapids', 'MI');
INSERT INTO cities VALUES ('Eatonton', 'GA');
INSERT INTO cities VALUES ('Eatontown', 'NJ'):
INSERT INTO cities VALUES ('Eatonville', 'WA');
INSERT INTO cities VALUES ('Eau Claire', 'MI');
INSERT INTO cities VALUES ('Eau Claire', 'PA');
INSERT INTO cities VALUES ('Eau Claire', 'WI');
INSERT INTO cities VALUES ('Eau Galle', 'WI');
INSERT INTO cities VALUES ('Eben Junction', 'MI');
INSERT INTO cities VALUES ('Ebensburg', 'PA');
INSERT INTO cities VALUES ('Ebervale', 'PA'):
INSERT INTO cities VALUES ('Ebony', 'VA');
INSERT INTO cities VALUES ('Ebro', 'FL'):
INSERT INTO cities VALUES ('Eccles', 'WV');
INSERT INTO cities VALUES ('Echo', 'LA');
INSERT INTO cities VALUES ('Echo', 'MN');
INSERT INTO cities VALUES ('Echo', 'OR');
INSERT INTO cities VALUES ('Echo', 'UT');
INSERT INTO cities VALUES ('Echo Lake', 'CA');
INSERT INTO cities VALUES ('Echola', 'AL');
INSERT INTO cities VALUES ('Eckerman', 'MI');
INSERT INTO cities VALUES ('Eckert', 'CO'):
INSERT INTO cities VALUES ('Eckerty', 'IN');
INSERT INTO cities VALUES ('Eckhart Mines', 'MD');
INSERT INTO cities VALUES ('Eckley', 'CO'):
INSERT INTO cities VALUES ('Eckman', 'WV');
INSERT INTO cities VALUES ('Eclectic', 'AL');
INSERT INTO cities VALUES ('Ecleto', 'TX');
INSERT INTO cities VALUES ('Economy', 'IN');
INSERT INTO cities VALUES ('Ecorse', 'MI');
INSERT INTO cities VALUES ('Ecru', 'MS');
INSERT INTO cities VALUES ('Ector', 'TX');
INSERT INTO cities VALUES ('Edcouch', 'TX');
INSERT INTO cities VALUES ('Eddington', 'ME'):
INSERT INTO cities VALUES ('Eddy', 'TX');
INSERT INTO cities VALUES ('Eddyville', 'IA');
INSERT INTO cities VALUES ('Eddyville', 'IL'):
INSERT INTO cities VALUES ('Eddyville', 'KY');
INSERT INTO cities VALUES ('Eddyville', 'NE');
INSERT INTO cities VALUES ('Eddyville', 'OR');
INSERT INTO cities VALUES ('Edelstein', 'IL');
INSERT INTO cities VALUES ('Eden', 'AZ');
INSERT INTO cities VALUES ('Eden', 'GA'):
INSERT INTO cities VALUES ('Eden', 'ID');
INSERT INTO cities VALUES ('Eden', 'MD');
INSERT INTO cities VALUES ('Eden', 'NC');
INSERT INTO cities VALUES ('Eden', 'NY');
INSERT INTO cities VALUES ('Eden', 'SD');
INSERT INTO cities VALUES ('Eden', 'TX');
INSERT INTO cities VALUES ('Eden', 'UT');
INSERT INTO cities VALUES ('Eden', 'VT');
INSERT INTO cities VALUES ('Eden', 'WI');
INSERT INTO cities VALUES ('Eden Mills', 'VT');
INSERT INTO cities VALUES ('Eden Prairie', 'MN');
```

```
INSERT INTO cities VALUES ('Eden Valley', 'MN');
INSERT INTO cities VALUES ('Edenton', 'NC'):
INSERT INTO cities VALUES ('Edenville', 'MI');
INSERT INTO cities VALUES ('Edgar', 'FL');
INSERT INTO cities VALUES ('Edgar', 'MT'):
INSERT INTO cities VALUES ('Edgar', 'NE');
INSERT INTO cities VALUES ('Edgar', 'WI');
INSERT INTO cities VALUES ('Edgar Springs', 'MO');
INSERT INTO cities VALUES ('Edgard', 'LA');
INSERT INTO cities VALUES ('Edgarton', 'WV');
INSERT INTO cities VALUES ('Edgartown', 'MA');
INSERT INTO cities VALUES ('Edgecomb', 'ME');
INSERT INTO cities VALUES ('Edgefield', 'SC'):
INSERT INTO cities VALUES ('Edgeley', 'ND');
INSERT INTO cities VALUES ('Edgemont', 'AR');
INSERT INTO cities VALUES ('Edgemont', 'PA'):
INSERT INTO cities VALUES ('Edgemont', 'SD');
INSERT INTO cities VALUES ('Edgemoor', 'SC');
INSERT INTO cities VALUES ('Edgerton', 'KS');
INSERT INTO cities VALUES ('Edgerton', 'MN');
INSERT INTO cities VALUES ('Edgerton', 'MO');
INSERT INTO cities VALUES ('Edgerton', 'OH');
INSERT INTO cities VALUES ('Edgerton', 'WI');
INSERT INTO cities VALUES ('Edgerton', 'WY');
INSERT INTO cities VALUES ('Edgewater', 'FL');
INSERT INTO cities VALUES ('Edgewater', 'MD');
INSERT INTO cities VALUES ('Edgewater', 'NJ'):
INSERT INTO cities VALUES ('Edgewater', 'WI');
INSERT INTO cities VALUES ('Edgewood', 'IA');
INSERT INTO cities VALUES ('Edgewood', 'IL');
INSERT INTO cities VALUES ('Edgewood', 'MD');
INSERT INTO cities VALUES ('Edgewood', 'NM');
INSERT INTO cities VALUES ('Edgewood', 'TX');
INSERT INTO cities VALUES ('Edina', 'MO');
INSERT INTO cities VALUES ('Edinboro', 'PA');
INSERT INTO cities VALUES ('Edinburg', 'IL'):
INSERT INTO cities VALUES ('Edinburg', 'ND');
INSERT INTO cities VALUES ('Edinburg', 'PA');
INSERT INTO cities VALUES ('Edinburg', 'TX');
INSERT INTO cities VALUES ('Edinburg', 'VA');
INSERT INTO cities VALUES ('Edinburgh', 'IN');
INSERT INTO cities VALUES ('Edison', 'CA');
INSERT INTO cities VALUES ('Edison', 'GA');
INSERT INTO cities VALUES ('Edison', 'NE');
INSERT INTO cities VALUES ('Edison', 'NJ'):
INSERT INTO cities VALUES ('Edison', 'OH');
INSERT INTO cities VALUES ('Edisto Island', 'SC');
INSERT INTO cities VALUES ('Edmeston', 'NY');
INSERT INTO cities VALUES ('Edmond', 'OK');
INSERT INTO cities VALUES ('Edmond', 'WV');
INSERT INTO cities VALUES ('Edmonds', 'WA');
INSERT INTO cities VALUES ('Edmondson', 'AR');
INSERT INTO cities VALUES ('Edmonson', 'TX');
INSERT INTO cities VALUES ('Edmonton', 'KY');
INSERT INTO cities VALUES ('Edmore', 'MI');
INSERT INTO cities VALUES ('Edmore', 'ND');
```

```
INSERT INTO cities VALUES ('Edmund', 'WI');
INSERT INTO cities VALUES ('Edna', 'KS'):
INSERT INTO cities VALUES ('Edna', 'TX');
INSERT INTO cities VALUES ('Edneyville', 'NC');
INSERT INTO cities VALUES ('Edon', 'OH'):
INSERT INTO cities VALUES ('Edroy', 'TX');
INSERT INTO cities VALUES ('Edson', 'KS');
INSERT INTO cities VALUES ('Edwall', 'WA');
INSERT INTO cities VALUES ('Edward', 'NC');
INSERT INTO cities VALUES ('Edwards', 'CA');
INSERT INTO cities VALUES ('Edwards', 'CO');
INSERT INTO cities VALUES ('Edwards', 'IL');
INSERT INTO cities VALUES ('Edwards', 'MO');
INSERT INTO cities VALUES ('Edwards', 'MS');
INSERT INTO cities VALUES ('Edwards', 'NY'):
INSERT INTO cities VALUES ('Edwardsburg', 'MI');
INSERT INTO cities VALUES ('Edwardsport', 'IN');
INSERT INTO cities VALUES ('Edwardsville', 'AL');
INSERT INTO cities VALUES ('Edwardsville', 'IL'):
INSERT INTO cities VALUES ('Edwardsville', 'KS');
INSERT INTO cities VALUES ('Edwardsville', 'VA');
INSERT INTO cities VALUES ('Eek', 'AK');
INSERT INTO cities VALUES ('Effie', 'LA');
INSERT INTO cities VALUES ('Effie', 'MN'):
INSERT INTO cities VALUES ('Effingham', 'IL');
INSERT INTO cities VALUES ('Effingham', 'KS');
INSERT INTO cities VALUES ('Effingham', 'NH');
INSERT INTO cities VALUES ('Effingham', 'SC');
INSERT INTO cities VALUES ('Effort', 'PA');
INSERT INTO cities VALUES ('Efland', 'NC');
INSERT INTO cities VALUES ('Egan', 'LA');
INSERT INTO cities VALUES ('Egan', 'SD');
INSERT INTO cities VALUES ('Egegik', 'AK');
INSERT INTO cities VALUES ('Egeland', 'ND');
INSERT INTO cities VALUES ('Egg Harbor', 'WI');
INSERT INTO cities VALUES ('Egg Harbor City', 'NJ');
INSERT INTO cities VALUES ('Egg Harbor Township', 'NJ');
INSERT INTO cities VALUES ('Eggleston', 'VA');
INSERT INTO cities VALUES ('Eglin Afb', 'FL');
INSERT INTO cities VALUES ('Eglon', 'WV');
INSERT INTO cities VALUES ('Egnar', 'CO');
INSERT INTO cities VALUES ('Egypt', 'AR');
INSERT INTO cities VALUES ('Egypt', 'TX');
INSERT INTO cities VALUES ('Ehrenberg', 'AZ');
INSERT INTO cities VALUES ('Ehrhardt', 'SC'):
INSERT INTO cities VALUES ('Eidson', 'TN');
INSERT INTO cities VALUES ('Eielson Afb', 'AK');
INSERT INTO cities VALUES ('Eight Mile', 'AL');
INSERT INTO cities VALUES ('Eighty Eight', 'KY');
INSERT INTO cities VALUES ('Eighty Four', 'PA');
INSERT INTO cities VALUES ('Eitzen', 'MN');
INSERT INTO cities VALUES ('Ekalaka', 'MT');
INSERT INTO cities VALUES ('Ekron', 'KY');
INSERT INTO cities VALUES ('Ekwok', 'AK');
INSERT INTO cities VALUES ('El Cajon', 'CA');
INSERT INTO cities VALUES ('El Campo', 'TX');
```

```
INSERT INTO cities VALUES ('El Centro', 'CA');
INSERT INTO cities VALUES ('El Cerrito', 'CA'):
INSERT INTO cities VALUES ('El Dorado', 'AR');
INSERT INTO cities VALUES ('El Dorado', 'CA'):
INSERT INTO cities VALUES ('El Dorado', 'KS'):
INSERT INTO cities VALUES ('El Dorado Hills', 'CA');
INSERT INTO cities VALUES ('El Dorado Springs', 'MO');
INSERT INTO cities VALUES ('El Granada', 'CA');
INSERT INTO cities VALUES ('El Indio', 'TX');
INSERT INTO cities VALUES ('El Jobean', 'FL');
INSERT INTO cities VALUES ('El Mirage', 'AZ');
INSERT INTO cities VALUES ('El Monte', 'CA');
INSERT INTO cities VALUES ('El Nido', 'CA');
INSERT INTO cities VALUES ('El Paso', 'AR');
INSERT INTO cities VALUES ('El Paso', 'IL'):
INSERT INTO cities VALUES ('El Paso', 'TX');
INSERT INTO cities VALUES ('El Portal', 'CA');
INSERT INTO cities VALUES ('El Prado', 'NM');
INSERT INTO cities VALUES ('El Reno', 'OK');
INSERT INTO cities VALUES ('El Rito', 'NM');
INSERT INTO cities VALUES ('El Segundo', 'CA');
INSERT INTO cities VALUES ('El Sobrante', 'CA');
INSERT INTO cities VALUES ('El Toro', 'CA');
INSERT INTO cities VALUES ('El Verano', 'CA'):
INSERT INTO cities VALUES ('Elaine', 'AR');
INSERT INTO cities VALUES ('Eland', 'WI');
INSERT INTO cities VALUES ('Elba', 'AL'):
INSERT INTO cities VALUES ('Elba', 'NE'):
INSERT INTO cities VALUES ('Elba', 'NY');
INSERT INTO cities VALUES ('Elbe', 'WA');
INSERT INTO cities VALUES ('Elberfeld', 'IN');
INSERT INTO cities VALUES ('Elberon', 'IA');
INSERT INTO cities VALUES ('Elberon', 'VA');
INSERT INTO cities VALUES ('Elbert', 'CO');
INSERT INTO cities VALUES ('Elbert', 'WV');
INSERT INTO cities VALUES ('Elberta', 'AL'):
INSERT INTO cities VALUES ('Elberta', 'MI');
INSERT INTO cities VALUES ('Elberta', 'UT');
INSERT INTO cities VALUES ('Elberton', 'GA');
INSERT INTO cities VALUES ('Elbing', 'KS');
INSERT INTO cities VALUES ('Elbow Lake', 'MN');
INSERT INTO cities VALUES ('Elbridge', 'NY');
INSERT INTO cities VALUES ('Elburn', 'IL');
INSERT INTO cities VALUES ('Elcho', 'WI');
INSERT INTO cities VALUES ('Elco', 'PA'):
INSERT INTO cities VALUES ('Eldena', 'IL');
INSERT INTO cities VALUES ('Elderon', 'WI');
INSERT INTO cities VALUES ('Elderton', 'PA');
INSERT INTO cities VALUES ('Eldon', 'IA');
INSERT INTO cities VALUES ('Eldon', 'MO'):
INSERT INTO cities VALUES ('Eldora', 'IA');
INSERT INTO cities VALUES ('Eldorado', 'IL');
INSERT INTO cities VALUES ('Eldorado', 'OH');
INSERT INTO cities VALUES ('Eldorado', 'OK');
INSERT INTO cities VALUES ('Eldorado', 'TX');
INSERT INTO cities VALUES ('Eldorado', 'WI');
```

```
INSERT INTO cities VALUES ('Eldorado Springs', 'CO');
INSERT INTO cities VALUES ('Eldred', 'IL'):
INSERT INTO cities VALUES ('Eldred', 'NY');
INSERT INTO cities VALUES ('Eldred', 'PA');
INSERT INTO cities VALUES ('Eldridge', 'AL'):
INSERT INTO cities VALUES ('Eldridge', 'CA');
INSERT INTO cities VALUES ('Eldridge', 'IA');
INSERT INTO cities VALUES ('Eldridge', 'MO');
INSERT INTO cities VALUES ('Eleanor', 'WV');
INSERT INTO cities VALUES ('Electra', 'TX');
INSERT INTO cities VALUES ('Electric City', 'WA');
INSERT INTO cities VALUES ('Eleele', 'HI');
INSERT INTO cities VALUES ('Elephant Butte', 'NM');
INSERT INTO cities VALUES ('Eleroy', 'IL');
INSERT INTO cities VALUES ('Eleva', 'WI'):
INSERT INTO cities VALUES ('Elfers', 'FL'):
INSERT INTO cities VALUES ('Elfin Cove', 'AK');
INSERT INTO cities VALUES ('Elfrida', 'AZ');
INSERT INTO cities VALUES ('Elgin', 'AZ');
INSERT INTO cities VALUES ('Elgin', 'IA');
INSERT INTO cities VALUES ('Elgin', 'IL');
INSERT INTO cities VALUES ('Elgin', 'MN');
INSERT INTO cities VALUES ('Elgin', 'ND');
INSERT INTO cities VALUES ('Elgin', 'NE'):
INSERT INTO cities VALUES ('Elgin', 'OH');
INSERT INTO cities VALUES ('Elgin', 'OK');
INSERT INTO cities VALUES ('Elgin', 'OR'):
INSERT INTO cities VALUES ('Elgin', 'PA');
INSERT INTO cities VALUES ('Elgin', 'SC');
INSERT INTO cities VALUES ('Elgin', 'TN');
INSERT INTO cities VALUES ('Elgin', 'TX');
INSERT INTO cities VALUES ('Elida', 'NM');
INSERT INTO cities VALUES ('Elim', 'AK');
INSERT INTO cities VALUES ('Eliot', 'ME');
INSERT INTO cities VALUES ('Elizabeth', 'AR');
INSERT INTO cities VALUES ('Elizabeth', 'CO'):
INSERT INTO cities VALUES ('Elizabeth', 'IL');
INSERT INTO cities VALUES ('Elizabeth', 'IN');
INSERT INTO cities VALUES ('Elizabeth', 'LA');
INSERT INTO cities VALUES ('Elizabeth', 'MN');
INSERT INTO cities VALUES ('Elizabeth', 'NJ');
INSERT INTO cities VALUES ('Elizabeth', 'PA');
INSERT INTO cities VALUES ('Elizabeth', 'WV');
INSERT INTO cities VALUES ('Elizabeth City', 'NC');
INSERT INTO cities VALUES ('Elizabethton', 'TN');
INSERT INTO cities VALUES ('Elizabethtown', 'IL');
INSERT INTO cities VALUES ('Elizabethtown', 'IN');
INSERT INTO cities VALUES ('Elizabethtown', 'KY');
INSERT INTO cities VALUES ('Elizabethtown', 'NC');
INSERT INTO cities VALUES ('Elizabethtown', 'NY');
INSERT INTO cities VALUES ('Elizabethtown', 'PA');
INSERT INTO cities VALUES ('Elizabethville', 'PA');
INSERT INTO cities VALUES ('Elizaville', 'KY');
INSERT INTO cities VALUES ('Elizaville', 'NY');
INSERT INTO cities VALUES ('Elk', 'CA');
INSERT INTO cities VALUES ('Elk', 'WA');
```

```
INSERT INTO cities VALUES ('Elk City', 'ID');
INSERT INTO cities VALUES ('Elk City', 'KS'):
INSERT INTO cities VALUES ('Elk City', 'OK');
INSERT INTO cities VALUES ('Elk Creek', 'CA'):
INSERT INTO cities VALUES ('Elk Creek', 'MO'):
INSERT INTO cities VALUES ('Elk Creek', 'NE');
INSERT INTO cities VALUES ('Elk Creek', 'VA');
INSERT INTO cities VALUES ('Elk Falls', 'KS');
INSERT INTO cities VALUES ('Elk Garden', 'WV');
INSERT INTO cities VALUES ('Elk Grove', 'CA');
INSERT INTO cities VALUES ('Elk Grove Village', 'IL');
INSERT INTO cities VALUES ('Elk Horn', 'IA');
INSERT INTO cities VALUES ('Elk Horn', 'KY'):
INSERT INTO cities VALUES ('Elk Mills', 'MD');
INSERT INTO cities VALUES ('Elk Mound', 'WI');
INSERT INTO cities VALUES ('Elk Mountain', 'WY');
INSERT INTO cities VALUES ('Elk Park', 'NC');
INSERT INTO cities VALUES ('Elk Point', 'SD');
INSERT INTO cities VALUES ('Elk Rapids', 'MI');
INSERT INTO cities VALUES ('Elk River', 'ID');
INSERT INTO cities VALUES ('Elk River', 'MN');
INSERT INTO cities VALUES ('Elka Park', 'NY');
INSERT INTO cities VALUES ('Elkader', 'IA');
INSERT INTO cities VALUES ('Elkfork', 'KY'):
INSERT INTO cities VALUES ('Elkhart', 'IA'):
INSERT INTO cities VALUES ('Elkhart', 'IL');
INSERT INTO cities VALUES ('Elkhart', 'IN');
INSERT INTO cities VALUES ('Elkhart', 'KS'):
INSERT INTO cities VALUES ('Elkhart', 'TX');
INSERT INTO cities VALUES ('Elkhart Lake', 'WI');
INSERT INTO cities VALUES ('Elkhorn', 'NE');
INSERT INTO cities VALUES ('Elkhorn', 'WI');
INSERT INTO cities VALUES ('Elkhorn', 'WV');
INSERT INTO cities VALUES ('Elkhorn City', 'KY'):
INSERT INTO cities VALUES ('Elkin', 'NC');
INSERT INTO cities VALUES ('Elkins', 'AR');
INSERT INTO cities VALUES ('Elkins', 'NH');
INSERT INTO cities VALUES ('Elkins', 'WV');
INSERT INTO cities VALUES ('Elkins Park', 'PA'):
INSERT INTO cities VALUES ('Elkland', 'MO');
INSERT INTO cities VALUES ('Elkland', 'PA');
INSERT INTO cities VALUES ('Elkmont', 'AL');
INSERT INTO cities VALUES ('Elko', 'GA');
INSERT INTO cities VALUES ('Elko', 'MN');
INSERT INTO cities VALUES ('Elko', 'NV'):
INSERT INTO cities VALUES ('Elko', 'SC');
INSERT INTO cities VALUES ('Elkport', 'IA');
INSERT INTO cities VALUES ('Elkridge', 'MD');
INSERT INTO cities VALUES ('Elkton', 'FL');
INSERT INTO cities VALUES ('Elkton', 'KY'):
INSERT INTO cities VALUES ('Elkton', 'MD');
INSERT INTO cities VALUES ('Elkton', 'MI');
INSERT INTO cities VALUES ('Elkton', 'MN');
INSERT INTO cities VALUES ('Elkton', 'OH');
INSERT INTO cities VALUES ('Elkton', 'OR');
INSERT INTO cities VALUES ('Elkton', 'SD');
```

```
INSERT INTO cities VALUES ('Elkton', 'TN');
INSERT INTO cities VALUES ('Elkton', 'VA'):
INSERT INTO cities VALUES ('Elkview', 'WV');
INSERT INTO cities VALUES ('Elkville', 'IL'):
INSERT INTO cities VALUES ('Elkwood', 'VA'):
INSERT INTO cities VALUES ('Ellabell', 'GA');
INSERT INTO cities VALUES ('Ellamore', 'WV');
INSERT INTO cities VALUES ('Ellaville', 'GA');
INSERT INTO cities VALUES ('Ellenboro', 'NC');
INSERT INTO cities VALUES ('Ellenboro', 'WV');
INSERT INTO cities VALUES ('Ellenburg', 'NY');
INSERT INTO cities VALUES ('Ellenburg Center', 'NY');
INSERT INTO cities VALUES ('Ellenburg Depot', 'NY'):
INSERT INTO cities VALUES ('Ellendale', 'DE');
INSERT INTO cities VALUES ('Ellendale', 'MN');
INSERT INTO cities VALUES ('Ellendale', 'ND');
INSERT INTO cities VALUES ('Ellendale', 'TN');
INSERT INTO cities VALUES ('Ellensburg', 'WA');
INSERT INTO cities VALUES ('Ellenton', 'FL');
INSERT INTO cities VALUES ('Ellenton', 'GA');
INSERT INTO cities VALUES ('Ellenville', 'NY');
INSERT INTO cities VALUES ('Ellenwood', 'GA'):
INSERT INTO cities VALUES ('Ellerbe', 'NC');
INSERT INTO cities VALUES ('Ellerslie', 'GA');
INSERT INTO cities VALUES ('Ellerslie', 'MD');
INSERT INTO cities VALUES ('Ellery', 'IL');
INSERT INTO cities VALUES ('Ellettsville', 'IN');
INSERT INTO cities VALUES ('Ellicott City', 'MD');
INSERT INTO cities VALUES ('Ellicottville', 'NY');
INSERT INTO cities VALUES ('Ellijay', 'GA');
INSERT INTO cities VALUES ('Ellinger', 'TX');
INSERT INTO cities VALUES ('Ellington', 'CT');
INSERT INTO cities VALUES ('Ellington', 'MO');
INSERT INTO cities VALUES ('Ellington', 'NY');
INSERT INTO cities VALUES ('Ellinwood', 'KS'):
INSERT INTO cities VALUES ('Elliott', 'IA'):
INSERT INTO cities VALUES ('Elliott', 'IL');
INSERT INTO cities VALUES ('Elliott', 'MS');
INSERT INTO cities VALUES ('Elliott', 'SC'):
INSERT INTO cities VALUES ('Elliottsburg', 'PA');
INSERT INTO cities VALUES ('Elliottville', 'KY');
INSERT INTO cities VALUES ('Ellis', 'ID');
INSERT INTO cities VALUES ('Ellis', 'KS');
INSERT INTO cities VALUES ('Ellis Grove', 'IL');
INSERT INTO cities VALUES ('Ellisburg', 'NY');
INSERT INTO cities VALUES ('Ellison Bay', 'WI');
INSERT INTO cities VALUES ('Elliston', 'MT');
INSERT INTO cities VALUES ('Elliston', 'VA');
INSERT INTO cities VALUES ('Ellisville', 'IL');
INSERT INTO cities VALUES ('Ellisville', 'MS');
INSERT INTO cities VALUES ('Elloree', 'SC');
INSERT INTO cities VALUES ('Ellsinore', 'MO');
INSERT INTO cities VALUES ('Ellston', 'IA');
INSERT INTO cities VALUES ('Ellsworth', 'IA');
INSERT INTO cities VALUES ('Ellsworth', 'IL');
INSERT INTO cities VALUES ('Ellsworth', 'KS');
```

```
INSERT INTO cities VALUES ('Ellsworth', 'ME');
INSERT INTO cities VALUES ('Ellsworth', 'MI'):
INSERT INTO cities VALUES ('Ellsworth', 'MN');
INSERT INTO cities VALUES ('Ellsworth', 'NE'):
INSERT INTO cities VALUES ('Ellsworth', 'OH'):
INSERT INTO cities VALUES ('Ellsworth', 'PA');
INSERT INTO cities VALUES ('Ellsworth', 'WI');
INSERT INTO cities VALUES ('Ellsworth Afb', 'SD');
INSERT INTO cities VALUES ('Ellwood City', 'PA');
INSERT INTO cities VALUES ('Elm', 'PA');
INSERT INTO cities VALUES ('Elm City', 'NC');
INSERT INTO cities VALUES ('Elm Creek', 'NE');
INSERT INTO cities VALUES ('Elm Grove', 'LA');
INSERT INTO cities VALUES ('Elm Grove', 'WI');
INSERT INTO cities VALUES ('Elm Hall', 'MI'):
INSERT INTO cities VALUES ('Elm Mott', 'TX'):
INSERT INTO cities VALUES ('Elm Springs', 'AR');
INSERT INTO cities VALUES ('Elma', 'IA');
INSERT INTO cities VALUES ('Elma', 'NY');
INSERT INTO cities VALUES ('Elma', 'WA');
INSERT INTO cities VALUES ('Elmaton', 'TX');
INSERT INTO cities VALUES ('Elmdale', 'KS');
INSERT INTO cities VALUES ('Elmendorf', 'TX');
INSERT INTO cities VALUES ('Elmendorf Afb', 'AK');
INSERT INTO cities VALUES ('Elmer', 'LA');
INSERT INTO cities VALUES ('Elmer', 'MO');
INSERT INTO cities VALUES ('Elmer', 'NJ');
INSERT INTO cities VALUES ('Elmer', 'OK');
INSERT INTO cities VALUES ('Elmer City', 'WA');
INSERT INTO cities VALUES ('Elmhurst', 'IL');
INSERT INTO cities VALUES ('Elmhurst', 'NY');
INSERT INTO cities VALUES ('Elmhurst', 'PA');
INSERT INTO cities VALUES ('Elmira', 'CA');
INSERT INTO cities VALUES ('Elmira', 'MI'):
INSERT INTO cities VALUES ('Elmira', 'NY'):
INSERT INTO cities VALUES ('Elmira', 'OR');
INSERT INTO cities VALUES ('Elmo', 'MO');
INSERT INTO cities VALUES ('Elmo', 'MT');
INSERT INTO cities VALUES ('Elmo', 'TX'):
INSERT INTO cities VALUES ('Elmo', 'UT');
INSERT INTO cities VALUES ('Elmont', 'NY');
INSERT INTO cities VALUES ('Elmora', 'PA');
INSERT INTO cities VALUES ('Elmore', 'AL');
INSERT INTO cities VALUES ('Elmore', 'MN');
INSERT INTO cities VALUES ('Elmore', 'OH'):
INSERT INTO cities VALUES ('Elmore City', 'OK');
INSERT INTO cities VALUES ('Elmsford', 'NY');
INSERT INTO cities VALUES ('Elmwood', 'IL');
INSERT INTO cities VALUES ('Elmwood', 'MA');
INSERT INTO cities VALUES ('Elmwood', 'NE');
INSERT INTO cities VALUES ('Elmwood', 'TN');
INSERT INTO cities VALUES ('Elmwood', 'WI');
INSERT INTO cities VALUES ('Elmwood Park', 'IL');
INSERT INTO cities VALUES ('Elmwood Park', 'NJ');
INSERT INTO cities VALUES ('Elnora', 'IN');
INSERT INTO cities VALUES ('Elon', 'NC');
```

```
INSERT INTO cities VALUES ('Elora', 'TN');
INSERT INTO cities VALUES ('Elov', 'AZ'):
INSERT INTO cities VALUES ('Elrama', 'PA');
INSERT INTO cities VALUES ('Elrod', 'AL'):
INSERT INTO cities VALUES ('Elrosa', 'MN'):
INSERT INTO cities VALUES ('Elroy', 'WI');
INSERT INTO cities VALUES ('Elsa', 'TX');
INSERT INTO cities VALUES ('Elsah', 'IL');
INSERT INTO cities VALUES ('Elsberry', 'MO');
INSERT INTO cities VALUES ('Elsie', 'MI');
INSERT INTO cities VALUES ('Elsie', 'NE');
INSERT INTO cities VALUES ('Elsinore', 'UT');
INSERT INTO cities VALUES ('Elsmere', 'NE'):
INSERT INTO cities VALUES ('Elsmore', 'KS');
INSERT INTO cities VALUES ('Elton', 'LA'):
INSERT INTO cities VALUES ('Elton', 'PA'):
INSERT INTO cities VALUES ('Elton', 'WI');
INSERT INTO cities VALUES ('Elton', 'WV');
INSERT INTO cities VALUES ('Eltopia', 'WA');
INSERT INTO cities VALUES ('Elvaston', 'IL');
INSERT INTO cities VALUES ('Elverson', 'PA');
INSERT INTO cities VALUES ('Elverta', 'CA'):
INSERT INTO cities VALUES ('Elwell', 'MI');
INSERT INTO cities VALUES ('Elwin', 'IL');
INSERT INTO cities VALUES ('Elwood', 'IL');
INSERT INTO cities VALUES ('Elwood', 'IN');
INSERT INTO cities VALUES ('Elwood', 'KS');
INSERT INTO cities VALUES ('Elwood', 'NE');
INSERT INTO cities VALUES ('Elwood', 'NJ');
INSERT INTO cities VALUES ('Ely', 'IA');
INSERT INTO cities VALUES ('Ely', 'MN');
INSERT INTO cities VALUES ('Ely', 'NV');
INSERT INTO cities VALUES ('Elyria', 'NE');
INSERT INTO cities VALUES ('Elyria', 'OH');
INSERT INTO cities VALUES ('Elysburg', 'PA');
INSERT INTO cities VALUES ('Elysian', 'MN'):
INSERT INTO cities VALUES ('Elysian Fields', 'TX');
INSERT INTO cities VALUES ('Embarrass', 'MN');
INSERT INTO cities VALUES ('Embarrass', 'WI');
INSERT INTO cities VALUES ('Emblem', 'WY');
INSERT INTO cities VALUES ('Embudo', 'NM');
INSERT INTO cities VALUES ('Emden', 'IL');
INSERT INTO cities VALUES ('Emden', 'MO');
INSERT INTO cities VALUES ('Emeigh', 'PA');
INSERT INTO cities VALUES ('Emelle', 'AL'):
INSERT INTO cities VALUES ('Emerado', 'ND');
INSERT INTO cities VALUES ('Emerald Isle', 'NC'):
INSERT INTO cities VALUES ('Emerson', 'AR');
INSERT INTO cities VALUES ('Emerson', 'GA');
INSERT INTO cities VALUES ('Emerson', 'IA');
INSERT INTO cities VALUES ('Emerson', 'KY');
INSERT INTO cities VALUES ('Emerson', 'NE');
INSERT INTO cities VALUES ('Emerson', 'NJ');
INSERT INTO cities VALUES ('Emery', 'SD');
INSERT INTO cities VALUES ('Emery', 'UT');
INSERT INTO cities VALUES ('Emeryville', 'CA');
```

```
INSERT INTO cities VALUES ('Emigrant', 'MT');
INSERT INTO cities VALUES ('Emigrant Gap', 'CA'):
INSERT INTO cities VALUES ('Emigsville', 'PA');
INSERT INTO cities VALUES ('Emily', 'MN');
INSERT INTO cities VALUES ('Eminence', 'IN'):
INSERT INTO cities VALUES ('Eminence', 'KY');
INSERT INTO cities VALUES ('Eminence', 'MO');
INSERT INTO cities VALUES ('Emington', 'IL');
INSERT INTO cities VALUES ('Emlenton', 'PA');
INSERT INTO cities VALUES ('Emlyn', 'KY');
INSERT INTO cities VALUES ('Emma', 'IL');
INSERT INTO cities VALUES ('Emma', 'MO');
INSERT INTO cities VALUES ('Emmalena', 'KY');
INSERT INTO cities VALUES ('Emmaus', 'PA');
INSERT INTO cities VALUES ('Emmet', 'AR'):
INSERT INTO cities VALUES ('Emmet', 'NE'):
INSERT INTO cities VALUES ('Emmetsburg', 'IA');
INSERT INTO cities VALUES ('Emmett', 'ID');
INSERT INTO cities VALUES ('Emmett', 'KS');
INSERT INTO cities VALUES ('Emmett', 'MI');
INSERT INTO cities VALUES ('Emmitsburg', 'MD');
INSERT INTO cities VALUES ('Emmonak', 'AK');
INSERT INTO cities VALUES ('Emmons', 'MN');
INSERT INTO cities VALUES ('Emory', 'TX');
INSERT INTO cities VALUES ('Emory', 'VA');
INSERT INTO cities VALUES ('Empire', 'AL');
INSERT INTO cities VALUES ('Empire', 'CA'):
INSERT INTO cities VALUES ('Empire', 'CO'):
INSERT INTO cities VALUES ('Empire', 'LA');
INSERT INTO cities VALUES ('Empire', 'MI');
INSERT INTO cities VALUES ('Empire', 'NV');
INSERT INTO cities VALUES ('Empire', 'OH');
INSERT INTO cities VALUES ('Emporia', 'KS');
INSERT INTO cities VALUES ('Emporia', 'VA');
INSERT INTO cities VALUES ('Emporium', 'PA');
INSERT INTO cities VALUES ('Encampment', 'WY'):
INSERT INTO cities VALUES ('Encinal', 'TX');
INSERT INTO cities VALUES ('Encinitas', 'CA');
INSERT INTO cities VALUES ('Encino', 'CA'):
INSERT INTO cities VALUES ('Encino', 'NM');
INSERT INTO cities VALUES ('Encino', 'TX');
INSERT INTO cities VALUES ('Endeavor', 'PA');
INSERT INTO cities VALUES ('Endeavor', 'WI');
INSERT INTO cities VALUES ('Enderlin', 'ND');
INSERT INTO cities VALUES ('Enders', 'NE'):
INSERT INTO cities VALUES ('Endicott', 'NE');
INSERT INTO cities VALUES ('Endicott', 'NY');
INSERT INTO cities VALUES ('Endicott', 'WA');
INSERT INTO cities VALUES ('Endwell', 'NY');
INSERT INTO cities VALUES ('Energy', 'IL');
INSERT INTO cities VALUES ('Energy', 'TX');
INSERT INTO cities VALUES ('Enfield', 'CT');
INSERT INTO cities VALUES ('Enfield', 'IL');
INSERT INTO cities VALUES ('Enfield', 'NC');
INSERT INTO cities VALUES ('Enfield', 'NH');
INSERT INTO cities VALUES ('Enfield Center', 'NH');
```

```
INSERT INTO cities VALUES ('Engadine', 'MI');
INSERT INTO cities VALUES ('Engelhard', 'NC'):
INSERT INTO cities VALUES ('England', 'AR');
INSERT INTO cities VALUES ('Englewood', 'CO');
INSERT INTO cities VALUES ('Englewood', 'FL'):
INSERT INTO cities VALUES ('Englewood', 'KS');
INSERT INTO cities VALUES ('Englewood', 'NJ');
INSERT INTO cities VALUES ('Englewood', 'OH');
INSERT INTO cities VALUES ('Englewood', 'TN');
INSERT INTO cities VALUES ('Englewood Cliffs', 'NJ');
INSERT INTO cities VALUES ('English', 'IN');
INSERT INTO cities VALUES ('Englishtown', 'NJ');
INSERT INTO cities VALUES ('Enid', 'MS');
INSERT INTO cities VALUES ('Enid', 'OK');
INSERT INTO cities VALUES ('Enigma', 'GA'):
INSERT INTO cities VALUES ('Enka', 'NC'):
INSERT INTO cities VALUES ('Enloe', 'TX');
INSERT INTO cities VALUES ('Ennice', 'NC');
INSERT INTO cities VALUES ('Enning', 'SD');
INSERT INTO cities VALUES ('Ennis', 'MT');
INSERT INTO cities VALUES ('Ennis', 'TX');
INSERT INTO cities VALUES ('Enochs', 'TX'):
INSERT INTO cities VALUES ('Enola', 'AR');
INSERT INTO cities VALUES ('Enola', 'PA'):
INSERT INTO cities VALUES ('Enon', 'OH');
INSERT INTO cities VALUES ('Enon Valley', 'PA');
INSERT INTO cities VALUES ('Enoree', 'SC'):
INSERT INTO cities VALUES ('Enosburg Falls', 'VT');
INSERT INTO cities VALUES ('Ensenada', 'PR');
INSERT INTO cities VALUES ('Ensign', 'KS');
INSERT INTO cities VALUES ('Enterprise', 'AL');
INSERT INTO cities VALUES ('Enterprise', 'KS');
INSERT INTO cities VALUES ('Enterprise', 'LA');
INSERT INTO cities VALUES ('Enterprise', 'MS'):
INSERT INTO cities VALUES ('Enterprise', 'OR');
INSERT INTO cities VALUES ('Enterprise', 'UT'):
INSERT INTO cities VALUES ('Enterprise', 'WV');
INSERT INTO cities VALUES ('Entiat', 'WA');
INSERT INTO cities VALUES ('Entriken', 'PA');
INSERT INTO cities VALUES ('Enumclaw', 'WA');
INSERT INTO cities VALUES ('Enville', 'TN');
INSERT INTO cities VALUES ('Eola', 'IL');
INSERT INTO cities VALUES ('Eola', 'TX');
INSERT INTO cities VALUES ('Eolia', 'KY');
INSERT INTO cities VALUES ('Eolia', 'MO'):
INSERT INTO cities VALUES ('Epes', 'AL');
INSERT INTO cities VALUES ('Ephraim', 'UT');
INSERT INTO cities VALUES ('Ephraim', 'WI');
INSERT INTO cities VALUES ('Ephrata', 'PA');
INSERT INTO cities VALUES ('Ephrata', 'WA');
INSERT INTO cities VALUES ('Epping', 'ND');
INSERT INTO cities VALUES ('Epping', 'NH');
INSERT INTO cities VALUES ('Epps', 'LA');
INSERT INTO cities VALUES ('Epsom', 'NH');
INSERT INTO cities VALUES ('Epworth', 'GA');
INSERT INTO cities VALUES ('Epworth', 'IA');
```

```
INSERT INTO cities VALUES ('Equality', 'AL');
INSERT INTO cities VALUES ('Equality', 'IL');
INSERT INTO cities VALUES ('Equinunk', 'PA');
INSERT INTO cities VALUES ('Era', 'TX');
INSERT INTO cities VALUES ('Erath', 'LA'):
INSERT INTO cities VALUES ('Erbacon', 'WV');
INSERT INTO cities VALUES ('Erhard', 'MN');
INSERT INTO cities VALUES ('Erick', 'OK');
INSERT INTO cities VALUES ('Ericson', 'NE');
INSERT INTO cities VALUES ('Erie', 'CO');
INSERT INTO cities VALUES ('Erie', 'IL');
INSERT INTO cities VALUES ('Erie', 'KS');
INSERT INTO cities VALUES ('Erie', 'MI');
INSERT INTO cities VALUES ('Erie', 'ND');
INSERT INTO cities VALUES ('Erie', 'PA'):
INSERT INTO cities VALUES ('Erieville', 'NY');
INSERT INTO cities VALUES ('Eriline', 'KY');
INSERT INTO cities VALUES ('Erin', 'NY');
INSERT INTO cities VALUES ('Erin', 'TN');
INSERT INTO cities VALUES ('Erlanger', 'KY');
INSERT INTO cities VALUES ('Ermine', 'KY');
INSERT INTO cities VALUES ('Ernest', 'PA'):
INSERT INTO cities VALUES ('Ernul', 'NC');
INSERT INTO cities VALUES ('Eros', 'LA'):
INSERT INTO cities VALUES ('Errol', 'NH');
INSERT INTO cities VALUES ('Erskine', 'MN');
INSERT INTO cities VALUES ('Erving', 'MA'):
INSERT INTO cities VALUES ('Erwin', 'NC');
INSERT INTO cities VALUES ('Erwin', 'SD');
INSERT INTO cities VALUES ('Erwin', 'TN');
INSERT INTO cities VALUES ('Erwinna', 'PA');
INSERT INTO cities VALUES ('Erwinville', 'LA');
INSERT INTO cities VALUES ('Esbon', 'KS');
INSERT INTO cities VALUES ('Escalante', 'UT');
INSERT INTO cities VALUES ('Escalon', 'CA');
INSERT INTO cities VALUES ('Escanaba', 'MI'):
INSERT INTO cities VALUES ('Escatawpa', 'MS');
INSERT INTO cities VALUES ('Escondido', 'CA');
INSERT INTO cities VALUES ('Eskdale', 'WV'):
INSERT INTO cities VALUES ('Esko', 'MN');
INSERT INTO cities VALUES ('Eskridge', 'KS');
INSERT INTO cities VALUES ('Esmond', 'IL');
INSERT INTO cities VALUES ('Esmond', 'ND');
INSERT INTO cities VALUES ('Esmont', 'VA');
INSERT INTO cities VALUES ('Esom Hill', 'GA'):
INSERT INTO cities VALUES ('Esopus', 'NY');
INSERT INTO cities VALUES ('Espanola', 'NM');
INSERT INTO cities VALUES ('Esparto', 'CA');
INSERT INTO cities VALUES ('Esperance', 'NY');
INSERT INTO cities VALUES ('Essex', 'CA');
INSERT INTO cities VALUES ('Essex', 'CT');
INSERT INTO cities VALUES ('Essex', 'IA');
INSERT INTO cities VALUES ('Essex', 'IL');
INSERT INTO cities VALUES ('Essex', 'MA');
INSERT INTO cities VALUES ('Essex', 'MD');
INSERT INTO cities VALUES ('Essex', 'MO');
```

```
INSERT INTO cities VALUES ('Essex', 'MT');
INSERT INTO cities VALUES ('Essex', 'NY'):
INSERT INTO cities VALUES ('Essex', 'VT');
INSERT INTO cities VALUES ('Essex Fells', 'NJ');
INSERT INTO cities VALUES ('Essex Junction', 'VT'):
INSERT INTO cities VALUES ('Essexville', 'MI');
INSERT INTO cities VALUES ('Essie', 'KY');
INSERT INTO cities VALUES ('Essig', 'MN');
INSERT INTO cities VALUES ('Essington', 'PA');
INSERT INTO cities VALUES ('Estacada', 'OR');
INSERT INTO cities VALUES ('Estancia', 'NM');
INSERT INTO cities VALUES ('Estcourt Station', 'ME');
INSERT INTO cities VALUES ('Estell Manor', 'NJ');
INSERT INTO cities VALUES ('Estelline', 'SD');
INSERT INTO cities VALUES ('Estelline', 'TX');
INSERT INTO cities VALUES ('Ester', 'AK'):
INSERT INTO cities VALUES ('Estero', 'FL');
INSERT INTO cities VALUES ('Estes Park', 'CO');
INSERT INTO cities VALUES ('Estherville', 'IA'):
INSERT INTO cities VALUES ('Estherwood', 'LA');
INSERT INTO cities VALUES ('Estill', 'SC');
INSERT INTO cities VALUES ('Estill Springs', 'TN');
INSERT INTO cities VALUES ('Estillfork', 'AL');
INSERT INTO cities VALUES ('Ethan', 'SD'):
INSERT INTO cities VALUES ('Ethel', 'AR');
INSERT INTO cities VALUES ('Ethel', 'LA');
INSERT INTO cities VALUES ('Ethel', 'MO');
INSERT INTO cities VALUES ('Ethel', 'MS'):
INSERT INTO cities VALUES ('Ethel', 'WA');
INSERT INTO cities VALUES ('Ethel', 'WV');
INSERT INTO cities VALUES ('Ethelsville', 'AL');
INSERT INTO cities VALUES ('Ether', 'NC');
INSERT INTO cities VALUES ('Ethridge', 'MT');
INSERT INTO cities VALUES ('Ethridge', 'TN');
INSERT INTO cities VALUES ('Etlan', 'VA');
INSERT INTO cities VALUES ('Etna', 'CA'):
INSERT INTO cities VALUES ('Etna', 'ME');
INSERT INTO cities VALUES ('Etna', 'NH');
INSERT INTO cities VALUES ('Etna', 'NY');
INSERT INTO cities VALUES ('Etna', 'OH');
INSERT INTO cities VALUES ('Etna', 'WY');
INSERT INTO cities VALUES ('Etna Green', 'IN');
INSERT INTO cities VALUES ('Etoile', 'KY');
INSERT INTO cities VALUES ('Etoile', 'TX');
INSERT INTO cities VALUES ('Eton', 'GA'):
INSERT INTO cities VALUES ('Etowah', 'AR');
INSERT INTO cities VALUES ('Etowah', 'NC');
INSERT INTO cities VALUES ('Etowah', 'TN');
INSERT INTO cities VALUES ('Etta', 'MS');
INSERT INTO cities VALUES ('Etters', 'PA');
INSERT INTO cities VALUES ('Ettrick', 'WI');
INSERT INTO cities VALUES ('Eubank', 'KY');
INSERT INTO cities VALUES ('Eucha', 'OK');
INSERT INTO cities VALUES ('Euclid', 'MN');
INSERT INTO cities VALUES ('Euclid', 'OH');
INSERT INTO cities VALUES ('Eudora', 'AR');
```

```
INSERT INTO cities VALUES ('Eudora', 'KS');
INSERT INTO cities VALUES ('Eudora', 'MO'):
INSERT INTO cities VALUES ('Eufaula', 'AL');
INSERT INTO cities VALUES ('Eufaula', 'OK');
INSERT INTO cities VALUES ('Eugene', 'MO'):
INSERT INTO cities VALUES ('Eugene', 'OR');
INSERT INTO cities VALUES ('Euless', 'TX');
INSERT INTO cities VALUES ('Eunice', 'LA');
INSERT INTO cities VALUES ('Eunice', 'MO');
INSERT INTO cities VALUES ('Eunice', 'NM');
INSERT INTO cities VALUES ('Eupora', 'MS');
INSERT INTO cities VALUES ('Eure', 'NC');
INSERT INTO cities VALUES ('Eureka', 'CA'):
INSERT INTO cities VALUES ('Eureka', 'IL');
INSERT INTO cities VALUES ('Eureka', 'KS');
INSERT INTO cities VALUES ('Eureka', 'MI'):
INSERT INTO cities VALUES ('Eureka', 'MO');
INSERT INTO cities VALUES ('Eureka', 'MT');
INSERT INTO cities VALUES ('Eureka', 'NV'):
INSERT INTO cities VALUES ('Eureka', 'SD');
INSERT INTO cities VALUES ('Eureka', 'UT');
INSERT INTO cities VALUES ('Eureka', 'WI');
INSERT INTO cities VALUES ('Eureka Springs', 'AR');
INSERT INTO cities VALUES ('Eustace', 'TX'):
INSERT INTO cities VALUES ('Eustis', 'FL');
INSERT INTO cities VALUES ('Eustis', 'ME');
INSERT INTO cities VALUES ('Eustis', 'NE');
INSERT INTO cities VALUES ('Eutaw', 'AL'):
INSERT INTO cities VALUES ('Eutawville', 'SC');
INSERT INTO cities VALUES ('Eva', 'AL');
INSERT INTO cities VALUES ('Eva', 'TN');
INSERT INTO cities VALUES ('Evadale', 'TX');
INSERT INTO cities VALUES ('Evangeline', 'LA');
INSERT INTO cities VALUES ('Evans', 'CO');
INSERT INTO cities VALUES ('Evans', 'GA');
INSERT INTO cities VALUES ('Evans', 'LA'):
INSERT INTO cities VALUES ('Evans', 'WA');
INSERT INTO cities VALUES ('Evans', 'WV');
INSERT INTO cities VALUES ('Evans City', 'PA'):
INSERT INTO cities VALUES ('Evans Mills', 'NY');
INSERT INTO cities VALUES ('Evansdale', 'IA');
INSERT INTO cities VALUES ('Evansport', 'OH');
INSERT INTO cities VALUES ('Evanston', 'IL');
INSERT INTO cities VALUES ('Evanston', 'IN');
INSERT INTO cities VALUES ('Evanston', 'WY'):
INSERT INTO cities VALUES ('Evansville', 'AR');
INSERT INTO cities VALUES ('Evansville', 'IL');
INSERT INTO cities VALUES ('Evansville', 'IN');
INSERT INTO cities VALUES ('Evansville', 'MN');
INSERT INTO cities VALUES ('Evansville', 'WI');
INSERT INTO cities VALUES ('Evansville', 'WY');
INSERT INTO cities VALUES ('Evant', 'TX');
INSERT INTO cities VALUES ('Evart', 'MI');
INSERT INTO cities VALUES ('Evarts', 'KY');
INSERT INTO cities VALUES ('Eveleth', 'MN');
INSERT INTO cities VALUES ('Evening Shade', 'AR');
```

```
INSERT INTO cities VALUES ('Evensville', 'TN');
INSERT INTO cities VALUES ('Everest', 'KS'):
INSERT INTO cities VALUES ('Everett', 'MA');
INSERT INTO cities VALUES ('Everett', 'PA');
INSERT INTO cities VALUES ('Everett', 'WA'):
INSERT INTO cities VALUES ('Everetts', 'NC');
INSERT INTO cities VALUES ('Everglades City', 'FL');
INSERT INTO cities VALUES ('Evergreen', 'CO');
INSERT INTO cities VALUES ('Evergreen', 'LA');
INSERT INTO cities VALUES ('Evergreen', 'NC');
INSERT INTO cities VALUES ('Evergreen', 'VA');
INSERT INTO cities VALUES ('Evergreen Park', 'IL');
INSERT INTO cities VALUES ('Everly', 'IA');
INSERT INTO cities VALUES ('Everson', 'PA');
INSERT INTO cities VALUES ('Everson', 'WA'):
INSERT INTO cities VALUES ('Everton', 'AR'):
INSERT INTO cities VALUES ('Everton', 'MO');
INSERT INTO cities VALUES ('Evington', 'VA');
INSERT INTO cities VALUES ('Evinston', 'FL');
INSERT INTO cities VALUES ('Ewa Beach', 'HI');
INSERT INTO cities VALUES ('Ewan', 'NJ');
INSERT INTO cities VALUES ('Ewell', 'MD'):
INSERT INTO cities VALUES ('Ewen', 'MI');
INSERT INTO cities VALUES ('Ewing', 'IL');
INSERT INTO cities VALUES ('Ewing', 'KY');
INSERT INTO cities VALUES ('Ewing', 'MO');
INSERT INTO cities VALUES ('Ewing', 'NE'):
INSERT INTO cities VALUES ('Ewing', 'NJ'):
INSERT INTO cities VALUES ('Ewing', 'VA');
INSERT INTO cities VALUES ('Excel', 'AL');
INSERT INTO cities VALUES ('Excello', 'MO');
INSERT INTO cities VALUES ('Excelsior', 'MN');
INSERT INTO cities VALUES ('Excelsior Springs', 'MO');
INSERT INTO cities VALUES ('Exchange', 'WV');
INSERT INTO cities VALUES ('Exeland', 'WI'):
INSERT INTO cities VALUES ('Exeter', 'CA'):
INSERT INTO cities VALUES ('Exeter', 'ME');
INSERT INTO cities VALUES ('Exeter', 'MO');
INSERT INTO cities VALUES ('Exeter', 'NE'):
INSERT INTO cities VALUES ('Exeter', 'NH');
INSERT INTO cities VALUES ('Exeter', 'RI');
INSERT INTO cities VALUES ('Exira', 'IA');
INSERT INTO cities VALUES ('Exline', 'IA');
INSERT INTO cities VALUES ('Exmore', 'VA');
INSERT INTO cities VALUES ('Experiment', 'GA');
INSERT INTO cities VALUES ('Export', 'PA');
INSERT INTO cities VALUES ('Exton', 'PA');
INSERT INTO cities VALUES ('Eyota', 'MN');
INSERT INTO cities VALUES ('Ezel', 'KY');
INSERT INTO cities VALUES ('Fabens', 'TX');
INSERT INTO cities VALUES ('Faber', 'VA');
INSERT INTO cities VALUES ('Fabius', 'NY');
INSERT INTO cities VALUES ('Fabyan', 'CT');
INSERT INTO cities VALUES ('Fackler', 'AL');
INSERT INTO cities VALUES ('Factoryville', 'PA');
INSERT INTO cities VALUES ('Fagus', 'MO');
```

```
INSERT INTO cities VALUES ('Fair Bluff', 'NC');
INSERT INTO cities VALUES ('Fair Grove', 'MO'):
INSERT INTO cities VALUES ('Fair Haven', 'MI');
INSERT INTO cities VALUES ('Fair Haven', 'NJ'):
INSERT INTO cities VALUES ('Fair Haven', 'NY'):
INSERT INTO cities VALUES ('Fair Haven', 'VT');
INSERT INTO cities VALUES ('Fair Lawn', 'NJ');
INSERT INTO cities VALUES ('Fair Oaks', 'CA');
INSERT INTO cities VALUES ('Fair Oaks', 'IN');
INSERT INTO cities VALUES ('Fair Play', 'MO');
INSERT INTO cities VALUES ('Fair Play', 'SC');
INSERT INTO cities VALUES ('Fairacres', 'NM');
INSERT INTO cities VALUES ('Fairbank', 'IA'):
INSERT INTO cities VALUES ('Fairbank', 'PA');
INSERT INTO cities VALUES ('Fairbanks', 'AK'):
INSERT INTO cities VALUES ('Fairbanks', 'IN');
INSERT INTO cities VALUES ('Fairbanks', 'LA');
INSERT INTO cities VALUES ('Fairborn', 'OH');
INSERT INTO cities VALUES ('Fairburn', 'GA'):
INSERT INTO cities VALUES ('Fairburn', 'SD');
INSERT INTO cities VALUES ('Fairbury', 'IL');
INSERT INTO cities VALUES ('Fairbury', 'NE');
INSERT INTO cities VALUES ('Fairchance', 'PA');
INSERT INTO cities VALUES ('Fairchild', 'WI');
INSERT INTO cities VALUES ('Fairchild Air Force Base', 'WA');
INSERT INTO cities VALUES ('Fairdale', 'KY');
INSERT INTO cities VALUES ('Fairdale', 'ND'):
INSERT INTO cities VALUES ('Fairdale', 'WV');
INSERT INTO cities VALUES ('Fairdealing', 'MO');
INSERT INTO cities VALUES ('Fairfax', 'CA');
INSERT INTO cities VALUES ('Fairfax', 'IA');
INSERT INTO cities VALUES ('Fairfax', 'MN');
INSERT INTO cities VALUES ('Fairfax', 'MO');
INSERT INTO cities VALUES ('Fairfax', 'OK');
INSERT INTO cities VALUES ('Fairfax', 'SC');
INSERT INTO cities VALUES ('Fairfax', 'SD'):
INSERT INTO cities VALUES ('Fairfax', 'VA');
INSERT INTO cities VALUES ('Fairfax', 'VT');
INSERT INTO cities VALUES ('Fairfax Station', 'VA'):
INSERT INTO cities VALUES ('Fairfield', 'AL');
INSERT INTO cities VALUES ('Fairfield', 'CA');
INSERT INTO cities VALUES ('Fairfield', 'CT');
INSERT INTO cities VALUES ('Fairfield', 'FL');
INSERT INTO cities VALUES ('Fairfield', 'IA');
INSERT INTO cities VALUES ('Fairfield', 'ID'):
INSERT INTO cities VALUES ('Fairfield', 'IL');
INSERT INTO cities VALUES ('Fairfield', 'KY');
INSERT INTO cities VALUES ('Fairfield', 'ME');
INSERT INTO cities VALUES ('Fairfield', 'MT');
INSERT INTO cities VALUES ('Fairfield', 'NC'):
INSERT INTO cities VALUES ('Fairfield', 'ND');
INSERT INTO cities VALUES ('Fairfield', 'NE');
INSERT INTO cities VALUES ('Fairfield', 'NJ');
INSERT INTO cities VALUES ('Fairfield', 'OH');
INSERT INTO cities VALUES ('Fairfield', 'PA');
INSERT INTO cities VALUES ('Fairfield', 'TX');
```

```
INSERT INTO cities VALUES ('Fairfield', 'VA');
INSERT INTO cities VALUES ('Fairfield', 'VT'):
INSERT INTO cities VALUES ('Fairfield', 'WA');
INSERT INTO cities VALUES ('Fairfield Bay', 'AR'):
INSERT INTO cities VALUES ('Fairforest', 'SC'):
INSERT INTO cities VALUES ('Fairgrove', 'MI');
INSERT INTO cities VALUES ('Fairhaven', 'MA');
INSERT INTO cities VALUES ('Fairhope', 'AL');
INSERT INTO cities VALUES ('Fairhope', 'PA');
INSERT INTO cities VALUES ('Fairland', 'IN');
INSERT INTO cities VALUES ('Fairland', 'OK');
INSERT INTO cities VALUES ('Fairlawn', 'OH');
INSERT INTO cities VALUES ('Fairlea', 'WV'):
INSERT INTO cities VALUES ('Fairlee', 'VT');
INSERT INTO cities VALUES ('Fairless Hills', 'PA'):
INSERT INTO cities VALUES ('Fairmont', 'MN');
INSERT INTO cities VALUES ('Fairmont', 'NC');
INSERT INTO cities VALUES ('Fairmont', 'NE');
INSERT INTO cities VALUES ('Fairmont', 'OK');
INSERT INTO cities VALUES ('Fairmont', 'WV');
INSERT INTO cities VALUES ('Fairmount', 'GA');
INSERT INTO cities VALUES ('Fairmount', 'IL');
INSERT INTO cities VALUES ('Fairmount', 'IN');
INSERT INTO cities VALUES ('Fairmount', 'ND');
INSERT INTO cities VALUES ('Fairmount City', 'PA');
INSERT INTO cities VALUES ('Fairplay', 'CO');
INSERT INTO cities VALUES ('Fairplay', 'MD'):
INSERT INTO cities VALUES ('Fairpoint', 'OH');
INSERT INTO cities VALUES ('Fairport', 'MO');
INSERT INTO cities VALUES ('Fairport', 'NY');
INSERT INTO cities VALUES ('Fairton', 'NJ');
INSERT INTO cities VALUES ('Fairview', 'IL');
INSERT INTO cities VALUES ('Fairview', 'KS');
INSERT INTO cities VALUES ('Fairview', 'KY');
INSERT INTO cities VALUES ('Fairview', 'MI');
INSERT INTO cities VALUES ('Fairview', 'MO');
INSERT INTO cities VALUES ('Fairview', 'MT');
INSERT INTO cities VALUES ('Fairview', 'NC');
INSERT INTO cities VALUES ('Fairview', 'NJ'):
INSERT INTO cities VALUES ('Fairview', 'OH');
INSERT INTO cities VALUES ('Fairview', 'OK'):
INSERT INTO cities VALUES ('Fairview', 'OR');
INSERT INTO cities VALUES ('Fairview', 'PA');
INSERT INTO cities VALUES ('Fairview', 'SD');
INSERT INTO cities VALUES ('Fairview', 'TN');
INSERT INTO cities VALUES ('Fairview', 'UT');
INSERT INTO cities VALUES ('Fairview', 'WV');
INSERT INTO cities VALUES ('Fairview', 'WY');
INSERT INTO cities VALUES ('Fairview Heights', 'IL');
INSERT INTO cities VALUES ('Fairview Village', 'PA');
INSERT INTO cities VALUES ('Fairwater', 'WI');
INSERT INTO cities VALUES ('Faison', 'NC');
INSERT INTO cities VALUES ('Faith', 'NC');
INSERT INTO cities VALUES ('Faith', 'SD');
INSERT INTO cities VALUES ('Fajardo', 'PR');
INSERT INTO cities VALUES ('Falcon', 'KY');
```

```
INSERT INTO cities VALUES ('Falcon', 'MO');
INSERT INTO cities VALUES ('Falcon', 'MS'):
INSERT INTO cities VALUES ('Falcon', 'NC');
INSERT INTO cities VALUES ('Falcon Heights', 'TX');
INSERT INTO cities VALUES ('Falconer', 'NY'):
INSERT INTO cities VALUES ('Falfurrias', 'TX');
INSERT INTO cities VALUES ('Falkland', 'NC');
INSERT INTO cities VALUES ('Falkner', 'MS');
INSERT INTO cities VALUES ('Falkville', 'AL');
INSERT INTO cities VALUES ('Fall Branch', 'TN');
INSERT INTO cities VALUES ('Fall City', 'WA');
INSERT INTO cities VALUES ('Fall Creek', 'OR');
INSERT INTO cities VALUES ('Fall Creek', 'WI'):
INSERT INTO cities VALUES ('Fall River', 'KS');
INSERT INTO cities VALUES ('Fall River', 'MA');
INSERT INTO cities VALUES ('Fall River', 'WI'):
INSERT INTO cities VALUES ('Fall River Mills', 'CA');
INSERT INTO cities VALUES ('Fall Rock', 'KY');
INSERT INTO cities VALUES ('Fallbrook', 'CA');
INSERT INTO cities VALUES ('Fallentimber', 'PA');
INSERT INTO cities VALUES ('Falling Rock', 'WV');
INSERT INTO cities VALUES ('Falling Waters', 'WV');
INSERT INTO cities VALUES ('Fallon', 'MT');
INSERT INTO cities VALUES ('Fallon', 'NV'):
INSERT INTO cities VALUES ('Falls', 'PA');
INSERT INTO cities VALUES ('Falls Church', 'VA');
INSERT INTO cities VALUES ('Falls City', 'NE'):
INSERT INTO cities VALUES ('Falls City', 'OR');
INSERT INTO cities VALUES ('Falls City', 'TX');
INSERT INTO cities VALUES ('Falls Creek', 'PA');
INSERT INTO cities VALUES ('Falls Mills', 'VA');
INSERT INTO cities VALUES ('Falls Of Rough', 'KY');
INSERT INTO cities VALUES ('Falls Village', 'CT');
INSERT INTO cities VALUES ('Fallsburg', 'NY');
INSERT INTO cities VALUES ('Fallston', 'MD');
INSERT INTO cities VALUES ('Fallston', 'NC'):
INSERT INTO cities VALUES ('Falmouth', 'IN');
INSERT INTO cities VALUES ('Falmouth', 'KY');
INSERT INTO cities VALUES ('Falmouth', 'MA'):
INSERT INTO cities VALUES ('Falmouth', 'ME');
INSERT INTO cities VALUES ('Falmouth', 'MI');
INSERT INTO cities VALUES ('False Pass', 'AK');
INSERT INTO cities VALUES ('Falun', 'KS');
INSERT INTO cities VALUES ('Fancher', 'NY');
INSERT INTO cities VALUES ('Fancy Farm', 'KY'):
INSERT INTO cities VALUES ('Fancy Gap', 'VA');
INSERT INTO cities VALUES ('Fannettsburg', 'PA');
INSERT INTO cities VALUES ('Fannin', 'TX');
INSERT INTO cities VALUES ('Fanrock', 'WV');
INSERT INTO cities VALUES ('Fanshawe', 'OK');
INSERT INTO cities VALUES ('Fanwood', 'NJ');
INSERT INTO cities VALUES ('Far Hills', 'NJ');
INSERT INTO cities VALUES ('Far Rockaway', 'NY');
INSERT INTO cities VALUES ('Farber', 'MO');
INSERT INTO cities VALUES ('Fargo', 'GA');
INSERT INTO cities VALUES ('Fargo', 'ND');
```

```
INSERT INTO cities VALUES ('Fargo', 'OK');
INSERT INTO cities VALUES ('Faribault', 'MN'):
INSERT INTO cities VALUES ('Farina', 'IL');
INSERT INTO cities VALUES ('Farley', 'IA');
INSERT INTO cities VALUES ('Farley', 'MO'):
INSERT INTO cities VALUES ('Farlington', 'KS');
INSERT INTO cities VALUES ('Farmdale', 'OH');
INSERT INTO cities VALUES ('Farmer', 'OH');
INSERT INTO cities VALUES ('Farmer City', 'IL');
INSERT INTO cities VALUES ('Farmers', 'KY');
INSERT INTO cities VALUES ('Farmersburg', 'IA');
INSERT INTO cities VALUES ('Farmersburg', 'IN');
INSERT INTO cities VALUES ('Farmersville', 'CA'):
INSERT INTO cities VALUES ('Farmersville', 'IL');
INSERT INTO cities VALUES ('Farmersville', 'OH');
INSERT INTO cities VALUES ('Farmersville', 'TX'):
INSERT INTO cities VALUES ('Farmersville Station', 'NY');
INSERT INTO cities VALUES ('Farmerville', 'LA');
INSERT INTO cities VALUES ('Farmingdale', 'ME');
INSERT INTO cities VALUES ('Farmingdale', 'NJ');
INSERT INTO cities VALUES ('Farmingdale', 'NY');
INSERT INTO cities VALUES ('Farmington', 'AR');
INSERT INTO cities VALUES ('Farmington', 'CA');
INSERT INTO cities VALUES ('Farmington', 'CT'):
INSERT INTO cities VALUES ('Farmington', 'GA');
INSERT INTO cities VALUES ('Farmington', 'IA');
INSERT INTO cities VALUES ('Farmington', 'IL'):
INSERT INTO cities VALUES ('Farmington', 'KY');
INSERT INTO cities VALUES ('Farmington', 'ME');
INSERT INTO cities VALUES ('Farmington', 'MI');
INSERT INTO cities VALUES ('Farmington', 'MN');
INSERT INTO cities VALUES ('Farmington', 'MO');
INSERT INTO cities VALUES ('Farmington', 'NH');
INSERT INTO cities VALUES ('Farmington', 'NM');
INSERT INTO cities VALUES ('Farmington', 'NY');
INSERT INTO cities VALUES ('Farmington', 'PA');
INSERT INTO cities VALUES ('Farmington', 'UT');
INSERT INTO cities VALUES ('Farmington', 'WA');
INSERT INTO cities VALUES ('Farmington', 'WV'):
INSERT INTO cities VALUES ('Farmington Falls', 'ME');
INSERT INTO cities VALUES ('Farmingville', 'NY');
INSERT INTO cities VALUES ('Farmland', 'IN');
INSERT INTO cities VALUES ('Farmville', 'NC');
INSERT INTO cities VALUES ('Farmville', 'VA');
INSERT INTO cities VALUES ('Farnam', 'NE'):
INSERT INTO cities VALUES ('Farner', 'TN');
INSERT INTO cities VALUES ('Farnham', 'NY');
INSERT INTO cities VALUES ('Farnham', 'VA');
INSERT INTO cities VALUES ('Farnhamville', 'IA');
INSERT INTO cities VALUES ('Farnsworth', 'TX');
INSERT INTO cities VALUES ('Farragut', 'IA');
INSERT INTO cities VALUES ('Farrar', 'MO');
INSERT INTO cities VALUES ('Farrell', 'MS');
INSERT INTO cities VALUES ('Farrell', 'PA');
INSERT INTO cities VALUES ('Farris', 'OK');
INSERT INTO cities VALUES ('Farson', 'WY');
```

```
INSERT INTO cities VALUES ('Farwell', 'MI');
INSERT INTO cities VALUES ('Farwell', 'MN'):
INSERT INTO cities VALUES ('Farwell', 'NE');
INSERT INTO cities VALUES ('Farwell', 'TX'):
INSERT INTO cities VALUES ('Fate', 'TX'):
INSERT INTO cities VALUES ('Faucett', 'MO');
INSERT INTO cities VALUES ('Faulkner', 'MD');
INSERT INTO cities VALUES ('Faulkton', 'SD');
INSERT INTO cities VALUES ('Faunsdale', 'AL');
INSERT INTO cities VALUES ('Fawn Grove', 'PA');
INSERT INTO cities VALUES ('Fawnskin', 'CA');
INSERT INTO cities VALUES ('Faxon', 'OK');
INSERT INTO cities VALUES ('Fay', 'OK');
INSERT INTO cities VALUES ('Fayette', 'AL');
INSERT INTO cities VALUES ('Fayette', 'IA'):
INSERT INTO cities VALUES ('Fayette', 'MO');
INSERT INTO cities VALUES ('Fayette', 'MS');
INSERT INTO cities VALUES ('Fayette', 'NY');
INSERT INTO cities VALUES ('Fayette', 'OH');
INSERT INTO cities VALUES ('Fayette', 'UT');
INSERT INTO cities VALUES ('Fayette City', 'PA');
INSERT INTO cities VALUES ('Fayetteville', 'AR');
INSERT INTO cities VALUES ('Fayetteville', 'GA');
INSERT INTO cities VALUES ('Fayetteville', 'NC');
INSERT INTO cities VALUES ('Fayetteville', 'NY');
INSERT INTO cities VALUES ('Fayetteville', 'OH');
INSERT INTO cities VALUES ('Fayetteville', 'PA'):
INSERT INTO cities VALUES ('Fayetteville', 'TN');
INSERT INTO cities VALUES ('Fayetteville', 'TX');
INSERT INTO cities VALUES ('Fayetteville', 'WV');
INSERT INTO cities VALUES ('Fayville', 'MA');
INSERT INTO cities VALUES ('Faywood', 'NM');
INSERT INTO cities VALUES ('Feasterville Trevose', 'PA');
INSERT INTO cities VALUES ('Feather Falls', 'CA'):
INSERT INTO cities VALUES ('Federal Dam', 'MN');
INSERT INTO cities VALUES ('Federal Way', 'WA'):
INSERT INTO cities VALUES ('Federalsburg', 'MD');
INSERT INTO cities VALUES ('Fedhaven', 'FL');
INSERT INTO cities VALUES ('Fedora', 'SD'):
INSERT INTO cities VALUES ('Fedscreek', 'KY');
INSERT INTO cities VALUES ('Feeding Hills', 'MA');
INSERT INTO cities VALUES ('Feesburg', 'OH');
INSERT INTO cities VALUES ('Felch', 'MI');
INSERT INTO cities VALUES ('Felda', 'FL');
INSERT INTO cities VALUES ('Felicity', 'OH'):
INSERT INTO cities VALUES ('Fellows', 'CA');
INSERT INTO cities VALUES ('Fellsmere', 'FL');
INSERT INTO cities VALUES ('Felt', 'ID');
INSERT INTO cities VALUES ('Felt', 'OK');
INSERT INTO cities VALUES ('Felton', 'CA');
INSERT INTO cities VALUES ('Felton', 'DE');
INSERT INTO cities VALUES ('Felton', 'GA');
INSERT INTO cities VALUES ('Felton', 'MN');
INSERT INTO cities VALUES ('Felton', 'PA');
INSERT INTO cities VALUES ('Felts Mills', 'NY');
INSERT INTO cities VALUES ('Fence', 'WI');
```

```
INSERT INTO cities VALUES ('Fence Lake', 'NM');
INSERT INTO cities VALUES ('Fenelton', 'PA'):
INSERT INTO cities VALUES ('Fenn', 'ID');
INSERT INTO cities VALUES ('Fennimore', 'WI'):
INSERT INTO cities VALUES ('Fennville', 'MI'):
INSERT INTO cities VALUES ('Fenton', 'IA');
INSERT INTO cities VALUES ('Fenton', 'IL');
INSERT INTO cities VALUES ('Fenton', 'LA');
INSERT INTO cities VALUES ('Fenton', 'MI');
INSERT INTO cities VALUES ('Fenton', 'MO');
INSERT INTO cities VALUES ('Fentress', 'TX');
INSERT INTO cities VALUES ('Fenwick', 'MI');
INSERT INTO cities VALUES ('Fenwick', 'WV');
INSERT INTO cities VALUES ('Fenwick Island', 'DE');
INSERT INTO cities VALUES ('Ferdinand', 'ID');
INSERT INTO cities VALUES ('Ferdinand', 'IN');
INSERT INTO cities VALUES ('Fergus Falls', 'MN');
INSERT INTO cities VALUES ('Ferguson', 'IA');
INSERT INTO cities VALUES ('Ferguson', 'KY');
INSERT INTO cities VALUES ('Ferguson', 'NC');
INSERT INTO cities VALUES ('Fernandina Beach', 'FL');
INSERT INTO cities VALUES ('Ferndale', 'CA');
INSERT INTO cities VALUES ('Ferndale', 'FL');
INSERT INTO cities VALUES ('Ferndale', 'MI'):
INSERT INTO cities VALUES ('Ferndale', 'NY');
INSERT INTO cities VALUES ('Ferndale', 'PA');
INSERT INTO cities VALUES ('Ferndale', 'WA'):
INSERT INTO cities VALUES ('Ferney', 'SD'):
INSERT INTO cities VALUES ('Fernley', 'NV');
INSERT INTO cities VALUES ('Fernwood', 'ID');
INSERT INTO cities VALUES ('Fernwood', 'MS');
INSERT INTO cities VALUES ('Ferriday', 'LA');
INSERT INTO cities VALUES ('Ferris', 'IL');
INSERT INTO cities VALUES ('Ferris', 'TX');
INSERT INTO cities VALUES ('Ferrisburgh', 'VT');
INSERT INTO cities VALUES ('Ferron', 'UT'):
INSERT INTO cities VALUES ('Ferrum', 'VA');
INSERT INTO cities VALUES ('Ferrysburg', 'MI');
INSERT INTO cities VALUES ('Ferryville', 'WI'):
INSERT INTO cities VALUES ('Fertile', 'IA');
INSERT INTO cities VALUES ('Fertile', 'MN');
INSERT INTO cities VALUES ('Fessenden', 'ND');
INSERT INTO cities VALUES ('Festus', 'MO');
INSERT INTO cities VALUES ('Feura Bush', 'NY');
INSERT INTO cities VALUES ('Fiatt', 'IL'):
INSERT INTO cities VALUES ('Fiddletown', 'CA');
INSERT INTO cities VALUES ('Fidelity', 'IL');
INSERT INTO cities VALUES ('Fieldale', 'VA');
INSERT INTO cities VALUES ('Fielding', 'UT');
INSERT INTO cities VALUES ('Fieldon', 'IL');
INSERT INTO cities VALUES ('Fields', 'OR');
INSERT INTO cities VALUES ('Fields Landing', 'CA');
INSERT INTO cities VALUES ('Fieldton', 'TX');
INSERT INTO cities VALUES ('Fife Lake', 'MI');
INSERT INTO cities VALUES ('Fifield', 'WI');
INSERT INTO cities VALUES ('Fifty Lakes', 'MN');
```

```
INSERT INTO cities VALUES ('Fifty Six', 'AR');
INSERT INTO cities VALUES ('Filer', 'ID'):
INSERT INTO cities VALUES ('Filer City', 'MI');
INSERT INTO cities VALUES ('Filion', 'MI'):
INSERT INTO cities VALUES ('Filley', 'NE'):
INSERT INTO cities VALUES ('Fillmore', 'CA');
INSERT INTO cities VALUES ('Fillmore', 'IL');
INSERT INTO cities VALUES ('Fillmore', 'IN');
INSERT INTO cities VALUES ('Fillmore', 'MO');
INSERT INTO cities VALUES ('Fillmore', 'NY');
INSERT INTO cities VALUES ('Fillmore', 'UT');
INSERT INTO cities VALUES ('Fincastle', 'VA');
INSERT INTO cities VALUES ('Finchville', 'KY');
INSERT INTO cities VALUES ('Findlay', 'IL');
INSERT INTO cities VALUES ('Findlay', 'OH');
INSERT INTO cities VALUES ('Findley Lake', 'NY');
INSERT INTO cities VALUES ('Fine', 'NY');
INSERT INTO cities VALUES ('Fingal', 'ND');
INSERT INTO cities VALUES ('Finger', 'TN');
INSERT INTO cities VALUES ('Fingerville', 'SC');
INSERT INTO cities VALUES ('Finksburg', 'MD');
INSERT INTO cities VALUES ('Finland', 'MN');
INSERT INTO cities VALUES ('Finlayson', 'MN');
INSERT INTO cities VALUES ('Finley', 'CA'):
INSERT INTO cities VALUES ('Finley', 'ND');
INSERT INTO cities VALUES ('Finley', 'OK');
INSERT INTO cities VALUES ('Finley', 'TN'):
INSERT INTO cities VALUES ('Finleyville', 'PA');
INSERT INTO cities VALUES ('Finly', 'IN');
INSERT INTO cities VALUES ('Firebaugh', 'CA');
INSERT INTO cities VALUES ('Firestone', 'CO');
INSERT INTO cities VALUES ('Firth', 'ID');
INSERT INTO cities VALUES ('Firth', 'NE');
INSERT INTO cities VALUES ('Fischer', 'TX');
INSERT INTO cities VALUES ('Fish Camp', 'CA');
INSERT INTO cities VALUES ('Fish Creek', 'WI');
INSERT INTO cities VALUES ('Fish Haven', 'ID');
INSERT INTO cities VALUES ('Fisher', 'AR');
INSERT INTO cities VALUES ('Fisher', 'IL'):
INSERT INTO cities VALUES ('Fisher', 'LA');
INSERT INTO cities VALUES ('Fisher', 'MN');
INSERT INTO cities VALUES ('Fisher', 'PA');
INSERT INTO cities VALUES ('Fisher', 'WV');
INSERT INTO cities VALUES ('Fishers', 'IN');
INSERT INTO cities VALUES ('Fishers', 'NY');
INSERT INTO cities VALUES ('Fishers Hill', 'VA');
INSERT INTO cities VALUES ('Fishers Island', 'NY');
INSERT INTO cities VALUES ('Fishers Landing', 'NY');
INSERT INTO cities VALUES ('Fishersville', 'VA');
INSERT INTO cities VALUES ('Fishertown', 'PA');
INSERT INTO cities VALUES ('Fisherville', 'KY');
INSERT INTO cities VALUES ('Fishing Creek', 'MD');
INSERT INTO cities VALUES ('Fishkill', 'NY');
INSERT INTO cities VALUES ('Fishs Eddy', 'NY');
INSERT INTO cities VALUES ('Fishtail', 'MT');
INSERT INTO cities VALUES ('Fisk', 'MO');
```

```
INSERT INTO cities VALUES ('Fiskdale', 'MA');
INSERT INTO cities VALUES ('Fiskeville', 'RI'):
INSERT INTO cities VALUES ('Fisty', 'KY');
INSERT INTO cities VALUES ('Fitchburg', 'MA'):
INSERT INTO cities VALUES ('Fithian', 'IL'):
INSERT INTO cities VALUES ('Fittstown', 'OK');
INSERT INTO cities VALUES ('Fitzgerald', 'GA');
INSERT INTO cities VALUES ('Fitzhugh', 'OK');
INSERT INTO cities VALUES ('Fitzpatrick', 'AL');
INSERT INTO cities VALUES ('Fitzwilliam', 'NH');
INSERT INTO cities VALUES ('Five Points', 'AL');
INSERT INTO cities VALUES ('Five Points', 'CA');
INSERT INTO cities VALUES ('Five Points', 'TN'):
INSERT INTO cities VALUES ('Flag Pond', 'TN');
INSERT INTO cities VALUES ('Flagler', 'CO');
INSERT INTO cities VALUES ('Flagler Beach', 'FL');
INSERT INTO cities VALUES ('Flagstaff', 'AZ');
INSERT INTO cities VALUES ('Flagtown', 'NJ');
INSERT INTO cities VALUES ('Flanagan', 'IL');
INSERT INTO cities VALUES ('Flanders', 'NJ');
INSERT INTO cities VALUES ('Flandreau', 'SD');
INSERT INTO cities VALUES ('Flasher', 'ND'):
INSERT INTO cities VALUES ('Flat', 'TX');
INSERT INTO cities VALUES ('Flat Lick', 'KY'):
INSERT INTO cities VALUES ('Flat Rock', 'AL');
INSERT INTO cities VALUES ('Flat Rock', 'IL');
INSERT INTO cities VALUES ('Flat Rock', 'IN'):
INSERT INTO cities VALUES ('Flat Rock', 'MI'):
INSERT INTO cities VALUES ('Flat Rock', 'NC');
INSERT INTO cities VALUES ('Flat Rock', 'OH');
INSERT INTO cities VALUES ('Flat Top', 'WV');
INSERT INTO cities VALUES ('Flatgap', 'KY');
INSERT INTO cities VALUES ('Flatonia', 'TX');
INSERT INTO cities VALUES ('Flatwoods', 'KY'):
INSERT INTO cities VALUES ('Flatwoods', 'LA');
INSERT INTO cities VALUES ('Flatwoods', 'WV'):
INSERT INTO cities VALUES ('Flaxton', 'ND');
INSERT INTO cities VALUES ('Flaxville', 'MT');
INSERT INTO cities VALUES ('Fleetville', 'PA'):
INSERT INTO cities VALUES ('Fleetwood', 'NC');
INSERT INTO cities VALUES ('Fleetwood', 'PA');
INSERT INTO cities VALUES ('Fleischmanns', 'NY');
INSERT INTO cities VALUES ('Fleming', 'CO');
INSERT INTO cities VALUES ('Fleming', 'GA');
INSERT INTO cities VALUES ('Fleming', 'OH'):
INSERT INTO cities VALUES ('Fleming', 'PA');
INSERT INTO cities VALUES ('Fleming Island', 'FL');
INSERT INTO cities VALUES ('Flemingsburg', 'KY');
INSERT INTO cities VALUES ('Flemington', 'MO');
INSERT INTO cities VALUES ('Flemington', 'NJ');
INSERT INTO cities VALUES ('Flemington', 'WV');
INSERT INTO cities VALUES ('Flensburg', 'MN');
INSERT INTO cities VALUES ('Fletcher', 'MO');
INSERT INTO cities VALUES ('Fletcher', 'NC');
INSERT INTO cities VALUES ('Fletcher', 'OH');
INSERT INTO cities VALUES ('Fletcher', 'OK');
```

```
INSERT INTO cities VALUES ('Flicksville', 'PA');
INSERT INTO cities VALUES ('Flint', 'MI'):
INSERT INTO cities VALUES ('Flint', 'TX');
INSERT INTO cities VALUES ('Flint Hill', 'VA'):
INSERT INTO cities VALUES ('Flinthill', 'MO'):
INSERT INTO cities VALUES ('Flinton', 'PA');
INSERT INTO cities VALUES ('Flintstone', 'GA');
INSERT INTO cities VALUES ('Flintstone', 'MD');
INSERT INTO cities VALUES ('Flintville', 'TN');
INSERT INTO cities VALUES ('Flippin', 'AR');
INSERT INTO cities VALUES ('Flom', 'MN');
INSERT INTO cities VALUES ('Flomaton', 'AL');
INSERT INTO cities VALUES ('Flomot', 'TX'):
INSERT INTO cities VALUES ('Floodwood', 'MN');
INSERT INTO cities VALUES ('Flora', 'IL'):
INSERT INTO cities VALUES ('Flora', 'IN');
INSERT INTO cities VALUES ('Flora', 'LA');
INSERT INTO cities VALUES ('Flora', 'MS');
INSERT INTO cities VALUES ('Flora Vista', 'NM');
INSERT INTO cities VALUES ('Florahome', 'FL');
INSERT INTO cities VALUES ('Floral', 'AR');
INSERT INTO cities VALUES ('Floral City', 'FL'):
INSERT INTO cities VALUES ('Floral Park', 'NY');
INSERT INTO cities VALUES ('Florala', 'AL');
INSERT INTO cities VALUES ('Florence', 'AL');
INSERT INTO cities VALUES ('Florence', 'AZ');
INSERT INTO cities VALUES ('Florence', 'CO');
INSERT INTO cities VALUES ('Florence', 'IN'):
INSERT INTO cities VALUES ('Florence', 'KS');
INSERT INTO cities VALUES ('Florence', 'KY');
INSERT INTO cities VALUES ('Florence', 'MO');
INSERT INTO cities VALUES ('Florence', 'MS');
INSERT INTO cities VALUES ('Florence', 'MT');
INSERT INTO cities VALUES ('Florence', 'NJ');
INSERT INTO cities VALUES ('Florence', 'OR');
INSERT INTO cities VALUES ('Florence', 'SC'):
INSERT INTO cities VALUES ('Florence', 'SD');
INSERT INTO cities VALUES ('Florence', 'TX');
INSERT INTO cities VALUES ('Florence', 'VT');
INSERT INTO cities VALUES ('Florence', 'WI');
INSERT INTO cities VALUES ('Floresville', 'TX'):
INSERT INTO cities VALUES ('Florham Park', 'NJ');
INSERT INTO cities VALUES ('Florida', 'NY');
INSERT INTO cities VALUES ('Florida', 'PR');
INSERT INTO cities VALUES ('Florien', 'LA'):
INSERT INTO cities VALUES ('Floris', 'IA');
INSERT INTO cities VALUES ('Florissant', 'CO'):
INSERT INTO cities VALUES ('Florissant', 'MO'):
INSERT INTO cities VALUES ('Floriston', 'CA');
INSERT INTO cities VALUES ('Flossmoor', 'IL'):
INSERT INTO cities VALUES ('Flournoy', 'CA');
INSERT INTO cities VALUES ('Flourtown', 'PA');
INSERT INTO cities VALUES ('Flovilla', 'GA');
INSERT INTO cities VALUES ('Flower Mound', 'TX');
INSERT INTO cities VALUES ('Floweree', 'MT');
INSERT INTO cities VALUES ('Flowery Branch', 'GA');
```

```
INSERT INTO cities VALUES ('Flowood', 'MS');
INSERT INTO cities VALUES ('Floyd', 'IA'):
INSERT INTO cities VALUES ('Floyd', 'NM');
INSERT INTO cities VALUES ('Floyd', 'VA');
INSERT INTO cities VALUES ('Floydada', 'TX'):
INSERT INTO cities VALUES ('Floyds Knobs', 'IN');
INSERT INTO cities VALUES ('Fluker', 'LA');
INSERT INTO cities VALUES ('Flushing', 'MI');
INSERT INTO cities VALUES ('Flushing', 'NY');
INSERT INTO cities VALUES ('Flushing', 'OH');
INSERT INTO cities VALUES ('Fluvanna', 'TX');
INSERT INTO cities VALUES ('Fly Creek', 'NY');
INSERT INTO cities VALUES ('Flynn', 'TX');
INSERT INTO cities VALUES ('Fogelsville', 'PA');
INSERT INTO cities VALUES ('Folcroft', 'PA'):
INSERT INTO cities VALUES ('Foley', 'AL'):
INSERT INTO cities VALUES ('Foley', 'MN');
INSERT INTO cities VALUES ('Foley', 'MO');
INSERT INTO cities VALUES ('Folkston', 'GA');
INSERT INTO cities VALUES ('Follansbee', 'WV');
INSERT INTO cities VALUES ('Follett', 'TX');
INSERT INTO cities VALUES ('Folly Beach', 'SC');
INSERT INTO cities VALUES ('Folsom', 'CA');
INSERT INTO cities VALUES ('Folsom', 'LA'):
INSERT INTO cities VALUES ('Folsom', 'NM');
INSERT INTO cities VALUES ('Folsom', 'PA');
INSERT INTO cities VALUES ('Folsom', 'WV');
INSERT INTO cities VALUES ('Folsomville', 'IN');
INSERT INTO cities VALUES ('Fombell', 'PA');
INSERT INTO cities VALUES ('Fond Du Lac', 'WI');
INSERT INTO cities VALUES ('Fonda', 'IA');
INSERT INTO cities VALUES ('Fonda', 'NY');
INSERT INTO cities VALUES ('Fontana', 'CA');
INSERT INTO cities VALUES ('Fontana', 'KS'):
INSERT INTO cities VALUES ('Fontana', 'WI');
INSERT INTO cities VALUES ('Fontana Dam', 'NC'):
INSERT INTO cities VALUES ('Fontanelle', 'IA');
INSERT INTO cities VALUES ('Fontanet', 'IN');
INSERT INTO cities VALUES ('Foosland', 'IL'):
INSERT INTO cities VALUES ('Foothill Ranch', 'CA');
INSERT INTO cities VALUES ('Footville', 'WI');
INSERT INTO cities VALUES ('Forbes', 'MN');
INSERT INTO cities VALUES ('Forbes', 'ND');
INSERT INTO cities VALUES ('Forbes Road', 'PA');
INSERT INTO cities VALUES ('Forbestown', 'CA');
INSERT INTO cities VALUES ('Force', 'PA');
INSERT INTO cities VALUES ('Ford', 'KS');
INSERT INTO cities VALUES ('Ford', 'VA');
INSERT INTO cities VALUES ('Ford', 'WA');
INSERT INTO cities VALUES ('Ford City', 'PA');
INSERT INTO cities VALUES ('Ford Cliff', 'PA');
INSERT INTO cities VALUES ('Fordland', 'MO');
INSERT INTO cities VALUES ('Fordoche', 'LA');
INSERT INTO cities VALUES ('Fords', 'NJ');
INSERT INTO cities VALUES ('Fords Branch', 'KY');
INSERT INTO cities VALUES ('Fordsville', 'KY');
```

```
INSERT INTO cities VALUES ('Fordville', 'ND');
INSERT INTO cities VALUES ('Fordyce', 'AR'):
INSERT INTO cities VALUES ('Fordyce', 'NE');
INSERT INTO cities VALUES ('Foreman', 'AR'):
INSERT INTO cities VALUES ('Forest', 'IN'):
INSERT INTO cities VALUES ('Forest', 'LA');
INSERT INTO cities VALUES ('Forest', 'MS');
INSERT INTO cities VALUES ('Forest', 'OH');
INSERT INTO cities VALUES ('Forest', 'VA');
INSERT INTO cities VALUES ('Forest City', 'IA');
INSERT INTO cities VALUES ('Forest City', 'IL');
INSERT INTO cities VALUES ('Forest City', 'MO');
INSERT INTO cities VALUES ('Forest City', 'NC'):
INSERT INTO cities VALUES ('Forest City', 'PA');
INSERT INTO cities VALUES ('Forest Dale', 'VT');
INSERT INTO cities VALUES ('Forest Falls', 'CA'):
INSERT INTO cities VALUES ('Forest Grove', 'MT');
INSERT INTO cities VALUES ('Forest Grove', 'OR');
INSERT INTO cities VALUES ('Forest Grove', 'PA');
INSERT INTO cities VALUES ('Forest Hill', 'LA');
INSERT INTO cities VALUES ('Forest Hill', 'MD');
INSERT INTO cities VALUES ('Forest Hill', 'WV');
INSERT INTO cities VALUES ('Forest Hills', 'KY');
INSERT INTO cities VALUES ('Forest Hills', 'NY');
INSERT INTO cities VALUES ('Forest Home', 'AL');
INSERT INTO cities VALUES ('Forest Junction', 'WI');
INSERT INTO cities VALUES ('Forest Knolls', 'CA'):
INSERT INTO cities VALUES ('Forest Lake', 'MN'):
INSERT INTO cities VALUES ('Forest Lakes', 'AZ');
INSERT INTO cities VALUES ('Forest Park', 'GA');
INSERT INTO cities VALUES ('Forest Park', 'IL');
INSERT INTO cities VALUES ('Forest Ranch', 'CA');
INSERT INTO cities VALUES ('Forest River', 'ND');
INSERT INTO cities VALUES ('Forestburg', 'TX');
INSERT INTO cities VALUES ('Forestburgh', 'NY');
INSERT INTO cities VALUES ('Forestdale', 'MA'):
INSERT INTO cities VALUES ('Forestdale', 'RI');
INSERT INTO cities VALUES ('Foresthill', 'CA');
INSERT INTO cities VALUES ('Foreston', 'MN'):
INSERT INTO cities VALUES ('Forestport', 'NY');
INSERT INTO cities VALUES ('Forestville', 'CA');
INSERT INTO cities VALUES ('Forestville', 'MI');
INSERT INTO cities VALUES ('Forestville', 'NY');
INSERT INTO cities VALUES ('Forestville', 'PA');
INSERT INTO cities VALUES ('Forestville', 'WI'):
INSERT INTO cities VALUES ('Forgan', 'OK');
INSERT INTO cities VALUES ('Foristell', 'MO');
INSERT INTO cities VALUES ('Fork', 'MD');
INSERT INTO cities VALUES ('Fork', 'SC');
INSERT INTO cities VALUES ('Fork Union', 'VA');
INSERT INTO cities VALUES ('Forked River', 'NJ');
INSERT INTO cities VALUES ('Forkland', 'AL');
INSERT INTO cities VALUES ('Forks', 'WA');
INSERT INTO cities VALUES ('Forks Of Salmon', 'CA');
INSERT INTO cities VALUES ('Forksville', 'PA');
INSERT INTO cities VALUES ('Forman', 'ND');
```

```
INSERT INTO cities VALUES ('Formoso', 'KS');
INSERT INTO cities VALUES ('Forney', 'TX'):
INSERT INTO cities VALUES ('Forrest', 'IL');
INSERT INTO cities VALUES ('Forrest City', 'AR'):
INSERT INTO cities VALUES ('Forreston', 'IL'):
INSERT INTO cities VALUES ('Forreston', 'TX');
INSERT INTO cities VALUES ('Forsan', 'TX');
INSERT INTO cities VALUES ('Forsyth', 'GA');
INSERT INTO cities VALUES ('Forsyth', 'IL');
INSERT INTO cities VALUES ('Forsyth', 'MO');
INSERT INTO cities VALUES ('Forsyth', 'MT');
INSERT INTO cities VALUES ('Fort Ann', 'NY');
INSERT INTO cities VALUES ('Fort Apache', 'AZ'):
INSERT INTO cities VALUES ('Fort Ashby', 'WV');
INSERT INTO cities VALUES ('Fort Atkinson', 'IA');
INSERT INTO cities VALUES ('Fort Atkinson', 'WI');
INSERT INTO cities VALUES ('Fort Bayard', 'NM');
INSERT INTO cities VALUES ('Fort Belvoir', 'VA');
INSERT INTO cities VALUES ('Fort Benning', 'GA');
INSERT INTO cities VALUES ('Fort Benton', 'MT');
INSERT INTO cities VALUES ('Fort Bidwell', 'CA');
INSERT INTO cities VALUES ('Fort Blackmore', 'VA');
INSERT INTO cities VALUES ('Fort Bliss', 'TX');
INSERT INTO cities VALUES ('Fort Bragg', 'CA'):
INSERT INTO cities VALUES ('Fort Bragg', 'NC');
INSERT INTO cities VALUES ('Fort Branch', 'IN');
INSERT INTO cities VALUES ('Fort Bridger', 'WY'):
INSERT INTO cities VALUES ('Fort Buchanan', 'PR');
INSERT INTO cities VALUES ('Fort Calhoun', 'NE');
INSERT INTO cities VALUES ('Fort Campbell', 'KY');
INSERT INTO cities VALUES ('Fort Cobb', 'OK');
INSERT INTO cities VALUES ('Fort Collins', 'CO');
INSERT INTO cities VALUES ('Fort Covington', 'NY');
INSERT INTO cities VALUES ('Fort Davis', 'AL');
INSERT INTO cities VALUES ('Fort Davis', 'TX');
INSERT INTO cities VALUES ('Fort Defiance', 'AZ'):
INSERT INTO cities VALUES ('Fort Defiance', 'VA');
INSERT INTO cities VALUES ('Fort Deposit', 'AL');
INSERT INTO cities VALUES ('Fort Dick', 'CA'):
INSERT INTO cities VALUES ('Fort Dix', 'NJ');
INSERT INTO cities VALUES ('Fort Dodge', 'IA');
INSERT INTO cities VALUES ('Fort Dodge', 'KS');
INSERT INTO cities VALUES ('Fort Drum', 'NY');
INSERT INTO cities VALUES ('Fort Duchesne', 'UT');
INSERT INTO cities VALUES ('Fort Edward', 'NY');
INSERT INTO cities VALUES ('Fort Eustis', 'VA');
INSERT INTO cities VALUES ('Fort Fairfield', 'ME');
INSERT INTO cities VALUES ('Fort Gaines', 'GA');
INSERT INTO cities VALUES ('Fort Garland', 'CO');
INSERT INTO cities VALUES ('Fort Gay', 'WV');
INSERT INTO cities VALUES ('Fort George G Meade', 'MD');
INSERT INTO cities VALUES ('Fort Gibson', 'OK');
INSERT INTO cities VALUES ('Fort Gratiot', 'MI');
INSERT INTO cities VALUES ('Fort Greely', 'AK');
INSERT INTO cities VALUES ('Fort Hall', 'ID');
INSERT INTO cities VALUES ('Fort Hancock', 'TX');
```

```
INSERT INTO cities VALUES ('Fort Harrison', 'MT');
INSERT INTO cities VALUES ('Fort Hill', 'PA'):
INSERT INTO cities VALUES ('Fort Howard', 'MD');
INSERT INTO cities VALUES ('Fort Huachuca', 'AZ'):
INSERT INTO cities VALUES ('Fort Hunter', 'NY'):
INSERT INTO cities VALUES ('Fort Irwin', 'CA');
INSERT INTO cities VALUES ('Fort Jennings', 'OH');
INSERT INTO cities VALUES ('Fort Johnson', 'NY');
INSERT INTO cities VALUES ('Fort Jones', 'CA');
INSERT INTO cities VALUES ('Fort Kent', 'ME');
INSERT INTO cities VALUES ('Fort Kent Mills', 'ME');
INSERT INTO cities VALUES ('Fort Klamath', 'OR');
INSERT INTO cities VALUES ('Fort Knox', 'KY');
INSERT INTO cities VALUES ('Fort Laramie', 'WY');
INSERT INTO cities VALUES ('Fort Lauderdale', 'FL'):
INSERT INTO cities VALUES ('Fort Lawn', 'SC'):
INSERT INTO cities VALUES ('Fort Leavenworth', 'KS');
INSERT INTO cities VALUES ('Fort Lee', 'NJ');
INSERT INTO cities VALUES ('Fort Lee', 'VA');
INSERT INTO cities VALUES ('Fort Leonard Wood', 'MO');
INSERT INTO cities VALUES ('Fort Littleton', 'PA');
INSERT INTO cities VALUES ('Fort Loramie', 'OH');
INSERT INTO cities VALUES ('Fort Loudon', 'PA');
INSERT INTO cities VALUES ('Fort Lupton', 'CO'):
INSERT INTO cities VALUES ('Fort Lyon', 'CO');
INSERT INTO cities VALUES ('Fort Madison', 'IA');
INSERT INTO cities VALUES ('Fort Mc Coy', 'FL');
INSERT INTO cities VALUES ('Fort Mc Kavett', 'TX');
INSERT INTO cities VALUES ('Fort Mcdowell', 'AZ');
INSERT INTO cities VALUES ('Fort Meade', 'FL');
INSERT INTO cities VALUES ('Fort Meade', 'SD');
INSERT INTO cities VALUES ('Fort Mill', 'SC');
INSERT INTO cities VALUES ('Fort Mitchell', 'AL');
INSERT INTO cities VALUES ('Fort Mitchell', 'VA');
INSERT INTO cities VALUES ('Fort Mohave', 'AZ');
INSERT INTO cities VALUES ('Fort Monmouth', 'NJ'):
INSERT INTO cities VALUES ('Fort Monroe', 'VA');
INSERT INTO cities VALUES ('Fort Montgomery', 'NY');
INSERT INTO cities VALUES ('Fort Morgan', 'CO'):
INSERT INTO cities VALUES ('Fort Myers', 'FL');
INSERT INTO cities VALUES ('Fort Myers Beach', 'FL');
INSERT INTO cities VALUES ('Fort Necessity', 'LA');
INSERT INTO cities VALUES ('Fort Ogden', 'FL');
INSERT INTO cities VALUES ('Fort Oglethorpe', 'GA');
INSERT INTO cities VALUES ('Fort Payne', 'AL'):
INSERT INTO cities VALUES ('Fort Peck', 'MT');
INSERT INTO cities VALUES ('Fort Pierce', 'FL');
INSERT INTO cities VALUES ('Fort Pierre', 'SD');
INSERT INTO cities VALUES ('Fort Plain', 'NY');
INSERT INTO cities VALUES ('Fort Polk', 'LA');
INSERT INTO cities VALUES ('Fort Ransom', 'ND');
INSERT INTO cities VALUES ('Fort Recovery', 'OH');
INSERT INTO cities VALUES ('Fort Richardson', 'AK');
INSERT INTO cities VALUES ('Fort Riley', 'KS');
INSERT INTO cities VALUES ('Fort Ripley', 'MN');
INSERT INTO cities VALUES ('Fort Ritner', 'IN');
```

```
INSERT INTO cities VALUES ('Fort Rock', 'OR');
INSERT INTO cities VALUES ('Fort Rucker', 'AL'):
INSERT INTO cities VALUES ('Fort Scott', 'KS');
INSERT INTO cities VALUES ('Fort Shafter', 'HI');
INSERT INTO cities VALUES ('Fort Shaw', 'MT'):
INSERT INTO cities VALUES ('Fort Sheridan', 'IL');
INSERT INTO cities VALUES ('Fort Sill', 'OK');
INSERT INTO cities VALUES ('Fort Smith', 'AR');
INSERT INTO cities VALUES ('Fort Stanton', 'NM');
INSERT INTO cities VALUES ('Fort Stewart', 'GA');
INSERT INTO cities VALUES ('Fort Stockton', 'TX'):
INSERT INTO cities VALUES ('Fort Sumner', 'NM');
INSERT INTO cities VALUES ('Fort Supply', 'OK'):
INSERT INTO cities VALUES ('Fort Thomas', 'AZ');
INSERT INTO cities VALUES ('Fort Thomas', 'KY');
INSERT INTO cities VALUES ('Fort Thompson', 'SD');
INSERT INTO cities VALUES ('Fort Totten', 'ND');
INSERT INTO cities VALUES ('Fort Towson', 'OK');
INSERT INTO cities VALUES ('Fort Valley', 'GA');
INSERT INTO cities VALUES ('Fort Valley', 'VA');
INSERT INTO cities VALUES ('Fort Wainwright', 'AK');
INSERT INTO cities VALUES ('Fort Walton Beach', 'FL'):
INSERT INTO cities VALUES ('Fort Washakie', 'WY');
INSERT INTO cities VALUES ('Fort Washington', 'MD');
INSERT INTO cities VALUES ('Fort Washington', 'PA');
INSERT INTO cities VALUES ('Fort Wayne', 'IN');
INSERT INTO cities VALUES ('Fort White', 'FL'):
INSERT INTO cities VALUES ('Fort Wingate', 'NM');
INSERT INTO cities VALUES ('Fort Worth', 'TX');
INSERT INTO cities VALUES ('Fort Yates', 'ND');
INSERT INTO cities VALUES ('Fort Yukon', 'AK');
INSERT INTO cities VALUES ('Fortescue', 'NJ');
INSERT INTO cities VALUES ('Fortine', 'MT');
INSERT INTO cities VALUES ('Fortson', 'GA'):
INSERT INTO cities VALUES ('Fortuna', 'CA');
INSERT INTO cities VALUES ('Fortuna', 'MO');
INSERT INTO cities VALUES ('Fortuna', 'ND');
INSERT INTO cities VALUES ('Fortville', 'IN');
INSERT INTO cities VALUES ('Foss', 'OK'):
INSERT INTO cities VALUES ('Fossil', 'OR');
INSERT INTO cities VALUES ('Fosston', 'MN');
INSERT INTO cities VALUES ('Foster', 'KY');
INSERT INTO cities VALUES ('Foster', 'MO');
INSERT INTO cities VALUES ('Foster', 'OK');
INSERT INTO cities VALUES ('Foster', 'OR'):
INSERT INTO cities VALUES ('Foster', 'RI');
INSERT INTO cities VALUES ('Foster', 'VA');
INSERT INTO cities VALUES ('Foster', 'WV');
INSERT INTO cities VALUES ('Foster City', 'MI');
INSERT INTO cities VALUES ('Fosters', 'AL');
INSERT INTO cities VALUES ('Fosterville', 'TN');
INSERT INTO cities VALUES ('Fostoria', 'IA');
INSERT INTO cities VALUES ('Fostoria', 'KS');
INSERT INTO cities VALUES ('Fostoria', 'MI');
INSERT INTO cities VALUES ('Fostoria', 'OH');
INSERT INTO cities VALUES ('Fouke', 'AR');
```

```
INSERT INTO cities VALUES ('Fountain', 'CO');
INSERT INTO cities VALUES ('Fountain', 'FL'):
INSERT INTO cities VALUES ('Fountain', 'MI');
INSERT INTO cities VALUES ('Fountain', 'MN'):
INSERT INTO cities VALUES ('Fountain', 'NC'):
INSERT INTO cities VALUES ('Fountain City', 'IN');
INSERT INTO cities VALUES ('Fountain City', 'WI');
INSERT INTO cities VALUES ('Fountain Green', 'UT');
INSERT INTO cities VALUES ('Fountain Hill', 'AR');
INSERT INTO cities VALUES ('Fountain Hills', 'AZ');
INSERT INTO cities VALUES ('Fountain Inn', 'SC');
INSERT INTO cities VALUES ('Fountain Run', 'KY');
INSERT INTO cities VALUES ('Fountain Valley', 'CA'):
INSERT INTO cities VALUES ('Fountaintown', 'IN');
INSERT INTO cities VALUES ('Fountainville', 'PA');
INSERT INTO cities VALUES ('Four Corners', 'WY');
INSERT INTO cities VALUES ('Four Lakes', 'WA');
INSERT INTO cities VALUES ('Four Oaks', 'NC');
INSERT INTO cities VALUES ('Four States', 'WV');
INSERT INTO cities VALUES ('Fourmile', 'KY');
INSERT INTO cities VALUES ('Fowler', 'CA');
INSERT INTO cities VALUES ('Fowler', 'CO');
INSERT INTO cities VALUES ('Fowler', 'IL');
INSERT INTO cities VALUES ('Fowler', 'IN'):
INSERT INTO cities VALUES ('Fowler', 'KS');
INSERT INTO cities VALUES ('Fowler', 'MI');
INSERT INTO cities VALUES ('Fowler', 'OH');
INSERT INTO cities VALUES ('Fowlerton', 'IN'):
INSERT INTO cities VALUES ('Fowlerton', 'TX');
INSERT INTO cities VALUES ('Fowlerville', 'MI');
INSERT INTO cities VALUES ('Fowlstown', 'GA');
INSERT INTO cities VALUES ('Fox', 'AR');
INSERT INTO cities VALUES ('Fox', 'OK');
INSERT INTO cities VALUES ('Fox Island', 'WA');
INSERT INTO cities VALUES ('Fox Lake', 'IL');
INSERT INTO cities VALUES ('Fox Lake', 'WI');
INSERT INTO cities VALUES ('Fox River Grove', 'IL');
INSERT INTO cities VALUES ('Fox Valley', 'IL');
INSERT INTO cities VALUES ('Foxboro', 'MA'):
INSERT INTO cities VALUES ('Foxboro', 'WI');
INSERT INTO cities VALUES ('Foxburg', 'PA');
INSERT INTO cities VALUES ('Foxhome', 'MN');
INSERT INTO cities VALUES ('Foxworth', 'MS');
INSERT INTO cities VALUES ('Foyil', 'OK');
INSERT INTO cities VALUES ('Frackville', 'PA'):
INSERT INTO cities VALUES ('Frakes', 'KY');
INSERT INTO cities VALUES ('Frametown', 'WV');
INSERT INTO cities VALUES ('Framingham', 'MA');
INSERT INTO cities VALUES ('Francestown', 'NH');
INSERT INTO cities VALUES ('Francesville', 'IN');
INSERT INTO cities VALUES ('Francis', 'OK');
INSERT INTO cities VALUES ('Francis Creek', 'WI');
INSERT INTO cities VALUES ('Francisco', 'IN');
INSERT INTO cities VALUES ('Francitas', 'TX');
INSERT INTO cities VALUES ('Franconia', 'NH');
INSERT INTO cities VALUES ('Franconia', 'PA');
```

```
INSERT INTO cities VALUES ('Frankenmuth', 'MI');
INSERT INTO cities VALUES ('Frankewing', 'TN'):
INSERT INTO cities VALUES ('Frankford', 'DE');
INSERT INTO cities VALUES ('Frankford', 'MO'):
INSERT INTO cities VALUES ('Frankford', 'WV'):
INSERT INTO cities VALUES ('Frankfort', 'IL');
INSERT INTO cities VALUES ('Frankfort', 'IN');
INSERT INTO cities VALUES ('Frankfort', 'KS');
INSERT INTO cities VALUES ('Frankfort', 'KY');
INSERT INTO cities VALUES ('Frankfort', 'ME');
INSERT INTO cities VALUES ('Frankfort', 'MI');
INSERT INTO cities VALUES ('Frankfort', 'NY');
INSERT INTO cities VALUES ('Frankfort', 'OH'):
INSERT INTO cities VALUES ('Frankfort', 'SD');
INSERT INTO cities VALUES ('Frankfort Heights', 'IL'):
INSERT INTO cities VALUES ('Franklin', 'AL');
INSERT INTO cities VALUES ('Franklin', 'AR');
INSERT INTO cities VALUES ('Franklin', 'GA');
INSERT INTO cities VALUES ('Franklin', 'ID');
INSERT INTO cities VALUES ('Franklin', 'IL');
INSERT INTO cities VALUES ('Franklin', 'IN');
INSERT INTO cities VALUES ('Franklin', 'KS');
INSERT INTO cities VALUES ('Franklin', 'KY');
INSERT INTO cities VALUES ('Franklin', 'LA'):
INSERT INTO cities VALUES ('Franklin', 'MA');
INSERT INTO cities VALUES ('Franklin', 'ME');
INSERT INTO cities VALUES ('Franklin', 'MI');
INSERT INTO cities VALUES ('Franklin', 'MN');
INSERT INTO cities VALUES ('Franklin', 'MO');
INSERT INTO cities VALUES ('Franklin', 'NC');
INSERT INTO cities VALUES ('Franklin', 'NE');
INSERT INTO cities VALUES ('Franklin', 'NH');
INSERT INTO cities VALUES ('Franklin', 'NJ');
INSERT INTO cities VALUES ('Franklin', 'NY');
INSERT INTO cities VALUES ('Franklin', 'OH');
INSERT INTO cities VALUES ('Franklin', 'PA');
INSERT INTO cities VALUES ('Franklin', 'TN');
INSERT INTO cities VALUES ('Franklin', 'TX');
INSERT INTO cities VALUES ('Franklin', 'VA');
INSERT INTO cities VALUES ('Franklin', 'VT');
INSERT INTO cities VALUES ('Franklin', 'WI');
INSERT INTO cities VALUES ('Franklin', 'WV');
INSERT INTO cities VALUES ('Franklin Furnace', 'OH');
INSERT INTO cities VALUES ('Franklin Grove', 'IL');
INSERT INTO cities VALUES ('Franklin Lakes', 'NJ'):
INSERT INTO cities VALUES ('Franklin Park', 'IL');
INSERT INTO cities VALUES ('Franklin Park', 'NJ');
INSERT INTO cities VALUES ('Franklin Springs', 'GA');
INSERT INTO cities VALUES ('Franklin Springs', 'NY');
INSERT INTO cities VALUES ('Franklin Square', 'NY');
INSERT INTO cities VALUES ('Franklinton', 'LA');
INSERT INTO cities VALUES ('Franklinton', 'NC');
INSERT INTO cities VALUES ('Franklintown', 'PA');
INSERT INTO cities VALUES ('Franklinville', 'NC');
INSERT INTO cities VALUES ('Franklinville', 'NJ');
INSERT INTO cities VALUES ('Franklinville', 'NY');
```

```
INSERT INTO cities VALUES ('Frankston', 'TX');
INSERT INTO cities VALUES ('Franksville', 'WI'):
INSERT INTO cities VALUES ('Frankton', 'IN');
INSERT INTO cities VALUES ('Franktown', 'CO');
INSERT INTO cities VALUES ('Franktown', 'VA'):
INSERT INTO cities VALUES ('Frankville', 'AL');
INSERT INTO cities VALUES ('Frannie', 'WY');
INSERT INTO cities VALUES ('Fraser', 'CO');
INSERT INTO cities VALUES ('Fraser', 'MI');
INSERT INTO cities VALUES ('Frazee', 'MN');
INSERT INTO cities VALUES ('Frazer', 'MT');
INSERT INTO cities VALUES ('Frazeysburg', 'OH');
INSERT INTO cities VALUES ('Frazier Park', 'CA');
INSERT INTO cities VALUES ('Fraziers Bottom', 'WV');
INSERT INTO cities VALUES ('Fred', 'TX'):
INSERT INTO cities VALUES ('Frederic', 'MI'):
INSERT INTO cities VALUES ('Frederic', 'WI');
INSERT INTO cities VALUES ('Frederica', 'DE');
INSERT INTO cities VALUES ('Frederick', 'CO'):
INSERT INTO cities VALUES ('Frederick', 'IL');
INSERT INTO cities VALUES ('Frederick', 'MD');
INSERT INTO cities VALUES ('Frederick', 'OK');
INSERT INTO cities VALUES ('Frederick', 'PA');
INSERT INTO cities VALUES ('Frederick', 'SD');
INSERT INTO cities VALUES ('Fredericksburg', 'IA');
INSERT INTO cities VALUES ('Fredericksburg', 'IN');
INSERT INTO cities VALUES ('Fredericksburg', 'OH'):
INSERT INTO cities VALUES ('Fredericksburg', 'PA');
INSERT INTO cities VALUES ('Fredericksburg', 'TX');
INSERT INTO cities VALUES ('Fredericksburg', 'VA');
INSERT INTO cities VALUES ('Fredericktown', 'MO');
INSERT INTO cities VALUES ('Fredericktown', 'OH');
INSERT INTO cities VALUES ('Fredericktown', 'PA');
INSERT INTO cities VALUES ('Frederika', 'IA');
INSERT INTO cities VALUES ('Fredonia', 'AZ');
INSERT INTO cities VALUES ('Fredonia', 'KS'):
INSERT INTO cities VALUES ('Fredonia', 'KY');
INSERT INTO cities VALUES ('Fredonia', 'ND');
INSERT INTO cities VALUES ('Fredonia', 'NY');
INSERT INTO cities VALUES ('Fredonia', 'PA');
INSERT INTO cities VALUES ('Fredonia', 'TX');
INSERT INTO cities VALUES ('Fredonia', 'WI');
INSERT INTO cities VALUES ('Free Soil', 'MI');
INSERT INTO cities VALUES ('Free Union', 'VA');
INSERT INTO cities VALUES ('Freeborn', 'MN'):
INSERT INTO cities VALUES ('Freeburg', 'IL');
INSERT INTO cities VALUES ('Freeburg', 'MO');
INSERT INTO cities VALUES ('Freeburg', 'PA');
INSERT INTO cities VALUES ('Freeburn', 'KY');
INSERT INTO cities VALUES ('Freedom', 'CA');
INSERT INTO cities VALUES ('Freedom', 'IN');
INSERT INTO cities VALUES ('Freedom', 'ME');
INSERT INTO cities VALUES ('Freedom', 'NH');
INSERT INTO cities VALUES ('Freedom', 'NY');
INSERT INTO cities VALUES ('Freedom', 'OK');
INSERT INTO cities VALUES ('Freedom', 'PA');
```

```
INSERT INTO cities VALUES ('Freedom', 'WI');
INSERT INTO cities VALUES ('Freedom', 'WY'):
INSERT INTO cities VALUES ('Freehold', 'NJ');
INSERT INTO cities VALUES ('Freehold', 'NY');
INSERT INTO cities VALUES ('Freeland', 'MD'):
INSERT INTO cities VALUES ('Freeland', 'MI');
INSERT INTO cities VALUES ('Freeland', 'PA');
INSERT INTO cities VALUES ('Freeland', 'WA');
INSERT INTO cities VALUES ('Freelandville', 'IN');
INSERT INTO cities VALUES ('Freeman', 'MO');
INSERT INTO cities VALUES ('Freeman', 'SD');
INSERT INTO cities VALUES ('Freeman', 'VA');
INSERT INTO cities VALUES ('Freeman', 'WV');
INSERT INTO cities VALUES ('Freeman Spur', 'IL');
INSERT INTO cities VALUES ('Freeport', 'FL'):
INSERT INTO cities VALUES ('Freeport', 'IL'):
INSERT INTO cities VALUES ('Freeport', 'KS');
INSERT INTO cities VALUES ('Freeport', 'ME');
INSERT INTO cities VALUES ('Freeport', 'MI');
INSERT INTO cities VALUES ('Freeport', 'MN');
INSERT INTO cities VALUES ('Freeport', 'NY');
INSERT INTO cities VALUES ('Freeport', 'OH');
INSERT INTO cities VALUES ('Freeport', 'PA');
INSERT INTO cities VALUES ('Freeport', 'TX'):
INSERT INTO cities VALUES ('Freer', 'TX');
INSERT INTO cities VALUES ('Freetown', 'IN');
INSERT INTO cities VALUES ('Freeville', 'NY');
INSERT INTO cities VALUES ('Freistatt', 'MO');
INSERT INTO cities VALUES ('Fremont', 'CA');
INSERT INTO cities VALUES ('Fremont', 'IA');
INSERT INTO cities VALUES ('Fremont', 'IN');
INSERT INTO cities VALUES ('Fremont', 'MI');
INSERT INTO cities VALUES ('Fremont', 'MO');
INSERT INTO cities VALUES ('Fremont', 'NC');
INSERT INTO cities VALUES ('Fremont', 'NE');
INSERT INTO cities VALUES ('Fremont', 'NH');
INSERT INTO cities VALUES ('Fremont', 'OH');
INSERT INTO cities VALUES ('Fremont', 'WI');
INSERT INTO cities VALUES ('Fremont Center', 'NY'):
INSERT INTO cities VALUES ('French Camp', 'CA');
INSERT INTO cities VALUES ('French Camp', 'MS');
INSERT INTO cities VALUES ('French Creek', 'WV');
INSERT INTO cities VALUES ('French Gulch', 'CA');
INSERT INTO cities VALUES ('French Lick', 'IN');
INSERT INTO cities VALUES ('French Settlement', 'LA'):
INSERT INTO cities VALUES ('French Village', 'MO');
INSERT INTO cities VALUES ('Frenchboro', 'ME');
INSERT INTO cities VALUES ('Frenchburg', 'KY');
INSERT INTO cities VALUES ('Frenchglen', 'OR');
INSERT INTO cities VALUES ('Frenchmans Bayou', 'AR');
INSERT INTO cities VALUES ('Frenchton', 'WV');
INSERT INTO cities VALUES ('Frenchtown', 'MT');
INSERT INTO cities VALUES ('Frenchtown', 'NJ');
INSERT INTO cities VALUES ('Frenchville', 'ME');
INSERT INTO cities VALUES ('Frenchville', 'PA');
INSERT INTO cities VALUES ('Fresh Meadows', 'NY');
```

```
INSERT INTO cities VALUES ('Fresno', 'CA');
INSERT INTO cities VALUES ('Fresno', 'OH'):
INSERT INTO cities VALUES ('Fresno', 'TX');
INSERT INTO cities VALUES ('Frewsburg', 'NY');
INSERT INTO cities VALUES ('Friant', 'CA'):
INSERT INTO cities VALUES ('Friars Point', 'MS');
INSERT INTO cities VALUES ('Friday Harbor', 'WA');
INSERT INTO cities VALUES ('Friedens', 'PA');
INSERT INTO cities VALUES ('Friedensburg', 'PA');
INSERT INTO cities VALUES ('Friedheim', 'MO');
INSERT INTO cities VALUES ('Friend', 'NE');
INSERT INTO cities VALUES ('Friendly', 'WV');
INSERT INTO cities VALUES ('Friendship', 'AR');
INSERT INTO cities VALUES ('Friendship', 'IN');
INSERT INTO cities VALUES ('Friendship', 'MD');
INSERT INTO cities VALUES ('Friendship', 'ME');
INSERT INTO cities VALUES ('Friendship', 'NY');
INSERT INTO cities VALUES ('Friendship', 'OH');
INSERT INTO cities VALUES ('Friendship', 'TN');
INSERT INTO cities VALUES ('Friendship', 'WI');
INSERT INTO cities VALUES ('Friendsville', 'MD');
INSERT INTO cities VALUES ('Friendsville', 'PA');
INSERT INTO cities VALUES ('Friendsville', 'TN');
INSERT INTO cities VALUES ('Friendswood', 'TX');
INSERT INTO cities VALUES ('Frierson', 'LA');
INSERT INTO cities VALUES ('Fries', 'VA');
INSERT INTO cities VALUES ('Friesland', 'WI'):
INSERT INTO cities VALUES ('Friona', 'TX');
INSERT INTO cities VALUES ('Frisco', 'CO');
INSERT INTO cities VALUES ('Frisco', 'NC');
INSERT INTO cities VALUES ('Frisco', 'TX');
INSERT INTO cities VALUES ('Frisco City', 'AL');
INSERT INTO cities VALUES ('Fritch', 'TX');
INSERT INTO cities VALUES ('Frohna', 'MO');
INSERT INTO cities VALUES ('Froid', 'MT');
INSERT INTO cities VALUES ('Fromberg', 'MT');
INSERT INTO cities VALUES ('Front Royal', 'VA');
INSERT INTO cities VALUES ('Frontenac', 'KS');
INSERT INTO cities VALUES ('Frontenac', 'MN'):
INSERT INTO cities VALUES ('Frontier', 'MI');
INSERT INTO cities VALUES ('Frontier', 'WY');
INSERT INTO cities VALUES ('Frost', 'MN');
INSERT INTO cities VALUES ('Frost', 'TX');
INSERT INTO cities VALUES ('Frostburg', 'MD');
INSERT INTO cities VALUES ('Frostburg', 'PA'):
INSERT INTO cities VALUES ('Frostproof', 'FL');
INSERT INTO cities VALUES ('Fruita', 'CO');
INSERT INTO cities VALUES ('Fruitdale', 'AL');
INSERT INTO cities VALUES ('Fruithurst', 'AL');
INSERT INTO cities VALUES ('Fruitland', 'IA');
INSERT INTO cities VALUES ('Fruitland', 'ID');
INSERT INTO cities VALUES ('Fruitland', 'MD');
INSERT INTO cities VALUES ('Fruitland', 'NM');
INSERT INTO cities VALUES ('Fruitland', 'UT');
INSERT INTO cities VALUES ('Fruitland', 'WA');
INSERT INTO cities VALUES ('Fruitland Park', 'FL');
```

```
INSERT INTO cities VALUES ('Fruitport', 'MI');
INSERT INTO cities VALUES ('Fruitvale', 'TN'):
INSERT INTO cities VALUES ('Fruitvale', 'TX');
INSERT INTO cities VALUES ('Fryburg', 'PA'):
INSERT INTO cities VALUES ('Fryeburg', 'ME'):
INSERT INTO cities VALUES ('Ft Mitchell', 'KY');
INSERT INTO cities VALUES ('Ft Myer', 'VA');
INSERT INTO cities VALUES ('Ft Warren Afb', 'WY');
INSERT INTO cities VALUES ('Fulda', 'IN');
INSERT INTO cities VALUES ('Fulda', 'MN');
INSERT INTO cities VALUES ('Fulks Run', 'VA');
INSERT INTO cities VALUES ('Fullerton', 'CA');
INSERT INTO cities VALUES ('Fullerton', 'ND');
INSERT INTO cities VALUES ('Fullerton', 'NE');
INSERT INTO cities VALUES ('Fulshear', 'TX'):
INSERT INTO cities VALUES ('Fulton', 'AL'):
INSERT INTO cities VALUES ('Fulton', 'AR');
INSERT INTO cities VALUES ('Fulton', 'CA');
INSERT INTO cities VALUES ('Fulton', 'IL'):
INSERT INTO cities VALUES ('Fulton', 'IN');
INSERT INTO cities VALUES ('Fulton', 'KS');
INSERT INTO cities VALUES ('Fulton', 'KY'):
INSERT INTO cities VALUES ('Fulton', 'MD');
INSERT INTO cities VALUES ('Fulton', 'MI'):
INSERT INTO cities VALUES ('Fulton', 'MO');
INSERT INTO cities VALUES ('Fulton', 'MS');
INSERT INTO cities VALUES ('Fulton', 'NY');
INSERT INTO cities VALUES ('Fulton', 'OH'):
INSERT INTO cities VALUES ('Fulton', 'SD');
INSERT INTO cities VALUES ('Fulton', 'TX');
INSERT INTO cities VALUES ('Fultondale', 'AL');
INSERT INTO cities VALUES ('Fultonham', 'NY');
INSERT INTO cities VALUES ('Fultonham', 'OH');
INSERT INTO cities VALUES ('Fultonville', 'NY'):
INSERT INTO cities VALUES ('Fults', 'IL');
INSERT INTO cities VALUES ('Funk', 'NE');
INSERT INTO cities VALUES ('Funkstown', 'MD');
INSERT INTO cities VALUES ('Funston', 'GA');
INSERT INTO cities VALUES ('Fuguay Varina', 'NC');
INSERT INTO cities VALUES ('Furlong', 'PA');
INSERT INTO cities VALUES ('Furman', 'AL');
INSERT INTO cities VALUES ('Furman', 'SC');
INSERT INTO cities VALUES ('Fyffe', 'AL');
INSERT INTO cities VALUES ('Gaastra', 'MI');
INSERT INTO cities VALUES ('Gabbs', 'NV'):
INSERT INTO cities VALUES ('Gable', 'SC');
INSERT INTO cities VALUES ('Gabriels', 'NY');
INSERT INTO cities VALUES ('Gackle', 'ND');
INSERT INTO cities VALUES ('Gadsden', 'AL');
INSERT INTO cities VALUES ('Gadsden', 'AZ'):
INSERT INTO cities VALUES ('Gadsden', 'SC');
INSERT INTO cities VALUES ('Gadsden', 'TN');
INSERT INTO cities VALUES ('Gaffney', 'SC');
INSERT INTO cities VALUES ('Gage', 'OK');
INSERT INTO cities VALUES ('Gagetown', 'MI');
INSERT INTO cities VALUES ('Gail', 'TX');
```

```
INSERT INTO cities VALUES ('Gaines', 'MI');
INSERT INTO cities VALUES ('Gaines', 'PA'):
INSERT INTO cities VALUES ('Gainesboro', 'TN');
INSERT INTO cities VALUES ('Gainestown', 'AL');
INSERT INTO cities VALUES ('Gainesville', 'AL'):
INSERT INTO cities VALUES ('Gainesville', 'FL');
INSERT INTO cities VALUES ('Gainesville', 'GA');
INSERT INTO cities VALUES ('Gainesville', 'MO');
INSERT INTO cities VALUES ('Gainesville', 'NY');
INSERT INTO cities VALUES ('Gainesville', 'TX');
INSERT INTO cities VALUES ('Gainesville', 'VA');
INSERT INTO cities VALUES ('Gaithersburg', 'MD');
INSERT INTO cities VALUES ('Gakona', 'AK'):
INSERT INTO cities VALUES ('Galata', 'MT');
INSERT INTO cities VALUES ('Galatia', 'IL'):
INSERT INTO cities VALUES ('Galax', 'VA'):
INSERT INTO cities VALUES ('Galena', 'AK');
INSERT INTO cities VALUES ('Galena', 'IL');
INSERT INTO cities VALUES ('Galena', 'KS');
INSERT INTO cities VALUES ('Galena', 'MD');
INSERT INTO cities VALUES ('Galena', 'MO');
INSERT INTO cities VALUES ('Galena', 'OH'):
INSERT INTO cities VALUES ('Galena Park', 'TX');
INSERT INTO cities VALUES ('Gales Creek', 'OR');
INSERT INTO cities VALUES ('Gales Ferry', 'CT');
INSERT INTO cities VALUES ('Galesburg', 'IL');
INSERT INTO cities VALUES ('Galesburg', 'KS');
INSERT INTO cities VALUES ('Galesburg', 'MI');
INSERT INTO cities VALUES ('Galesburg', 'ND');
INSERT INTO cities VALUES ('Galesville', 'MD');
INSERT INTO cities VALUES ('Galesville', 'WI');
INSERT INTO cities VALUES ('Galeton', 'CO');
INSERT INTO cities VALUES ('Galeton', 'PA');
INSERT INTO cities VALUES ('Galien', 'MI');
INSERT INTO cities VALUES ('Galion', 'OH');
INSERT INTO cities VALUES ('Galivants Ferry', 'SC'):
INSERT INTO cities VALUES ('Gallagher', 'WV');
INSERT INTO cities VALUES ('Gallant', 'AL');
INSERT INTO cities VALUES ('Gallatin', 'MO');
INSERT INTO cities VALUES ('Gallatin', 'TN');
INSERT INTO cities VALUES ('Gallatin', 'TX');
INSERT INTO cities VALUES ('Gallatin Gateway', 'MT');
INSERT INTO cities VALUES ('Gallaway', 'TN');
INSERT INTO cities VALUES ('Galliano', 'LA');
INSERT INTO cities VALUES ('Gallina', 'NM'):
INSERT INTO cities VALUES ('Gallion', 'AL');
INSERT INTO cities VALUES ('Gallipolis', 'OH');
INSERT INTO cities VALUES ('Gallipolis Ferry', 'WV');
INSERT INTO cities VALUES ('Gallitzin', 'PA');
INSERT INTO cities VALUES ('Gallman', 'MS');
INSERT INTO cities VALUES ('Galloway', 'OH');
INSERT INTO cities VALUES ('Galloway', 'WI');
INSERT INTO cities VALUES ('Galloway', 'WV');
INSERT INTO cities VALUES ('Gallup', 'NM');
INSERT INTO cities VALUES ('Gallupville', 'NY');
INSERT INTO cities VALUES ('Galt', 'CA');
```

```
INSERT INTO cities VALUES ('Galt', 'IA');
INSERT INTO cities VALUES ('Galt', 'IL'):
INSERT INTO cities VALUES ('Galt', 'MO');
INSERT INTO cities VALUES ('Galva', 'IA'):
INSERT INTO cities VALUES ('Galva', 'IL'):
INSERT INTO cities VALUES ('Galva', 'KS');
INSERT INTO cities VALUES ('Galveston', 'IN');
INSERT INTO cities VALUES ('Galveston', 'TX');
INSERT INTO cities VALUES ('Galvin', 'WA');
INSERT INTO cities VALUES ('Galway', 'NY');
INSERT INTO cities VALUES ('Gamaliel', 'AR');
INSERT INTO cities VALUES ('Gamaliel', 'KY');
INSERT INTO cities VALUES ('Gambell', 'AK'):
INSERT INTO cities VALUES ('Gambier', 'OH');
INSERT INTO cities VALUES ('Gambrills', 'MD'):
INSERT INTO cities VALUES ('Gamerco', 'NM');
INSERT INTO cities VALUES ('Ganado', 'AZ');
INSERT INTO cities VALUES ('Ganado', 'TX');
INSERT INTO cities VALUES ('Gandeeville', 'WV');
INSERT INTO cities VALUES ('Gann Valley', 'SD');
INSERT INTO cities VALUES ('Gans', 'OK');
INSERT INTO cities VALUES ('Gans', 'PA'):
INSERT INTO cities VALUES ('Gansevoort', 'NY');
INSERT INTO cities VALUES ('Gantt', 'AL'):
INSERT INTO cities VALUES ('Gap', 'PA');
INSERT INTO cities VALUES ('Gap Mills', 'WV');
INSERT INTO cities VALUES ('Gapville', 'KY'):
INSERT INTO cities VALUES ('Garards Fort', 'PA'):
INSERT INTO cities VALUES ('Garber', 'IA');
INSERT INTO cities VALUES ('Garber', 'OK');
INSERT INTO cities VALUES ('Garberville', 'CA');
INSERT INTO cities VALUES ('Garcia', 'CO');
INSERT INTO cities VALUES ('Garciasville', 'TX');
INSERT INTO cities VALUES ('Garden', 'MI');
INSERT INTO cities VALUES ('Garden City', 'AL');
INSERT INTO cities VALUES ('Garden City', 'IA'):
INSERT INTO cities VALUES ('Garden City', 'ID');
INSERT INTO cities VALUES ('Garden City', 'KS');
INSERT INTO cities VALUES ('Garden City', 'LA'):
INSERT INTO cities VALUES ('Garden City', 'MI');
INSERT INTO cities VALUES ('Garden City', 'MN');
INSERT INTO cities VALUES ('Garden City', 'MO');
INSERT INTO cities VALUES ('Garden City', 'NY');
INSERT INTO cities VALUES ('Garden City', 'SD');
INSERT INTO cities VALUES ('Garden City', 'TX'):
INSERT INTO cities VALUES ('Garden City', 'UT');
INSERT INTO cities VALUES ('Garden Grove', 'CA');
INSERT INTO cities VALUES ('Garden Grove', 'IA');
INSERT INTO cities VALUES ('Garden Plain', 'KS');
INSERT INTO cities VALUES ('Garden Prairie', 'IL');
INSERT INTO cities VALUES ('Garden Valley', 'CA');
INSERT INTO cities VALUES ('Garden Valley', 'ID');
INSERT INTO cities VALUES ('Gardena', 'CA');
INSERT INTO cities VALUES ('Gardendale', 'AL');
INSERT INTO cities VALUES ('Gardendale', 'TX');
INSERT INTO cities VALUES ('Gardenville', 'PA');
```

```
INSERT INTO cities VALUES ('Gardiner', 'ME');
INSERT INTO cities VALUES ('Gardiner', 'MT'):
INSERT INTO cities VALUES ('Gardiner', 'NY');
INSERT INTO cities VALUES ('Gardiner', 'OR'):
INSERT INTO cities VALUES ('Gardner', 'CO'):
INSERT INTO cities VALUES ('Gardner', 'IL');
INSERT INTO cities VALUES ('Gardner', 'KS');
INSERT INTO cities VALUES ('Gardner', 'LA');
INSERT INTO cities VALUES ('Gardner', 'MA');
INSERT INTO cities VALUES ('Gardner', 'ND');
INSERT INTO cities VALUES ('Gardners', 'PA');
INSERT INTO cities VALUES ('Gardnerville', 'NV');
INSERT INTO cities VALUES ('Garfield', 'AR');
INSERT INTO cities VALUES ('Garfield', 'GA');
INSERT INTO cities VALUES ('Garfield', 'KS'):
INSERT INTO cities VALUES ('Garfield', 'KY'):
INSERT INTO cities VALUES ('Garfield', 'MN');
INSERT INTO cities VALUES ('Garfield', 'NJ');
INSERT INTO cities VALUES ('Garfield', 'NM');
INSERT INTO cities VALUES ('Garfield', 'WA');
INSERT INTO cities VALUES ('Garibaldi', 'OR');
INSERT INTO cities VALUES ('Garita', 'NM'):
INSERT INTO cities VALUES ('Garland', 'KS');
INSERT INTO cities VALUES ('Garland', 'ME');
INSERT INTO cities VALUES ('Garland', 'NC');
INSERT INTO cities VALUES ('Garland', 'NE');
INSERT INTO cities VALUES ('Garland', 'PA'):
INSERT INTO cities VALUES ('Garland', 'TX');
INSERT INTO cities VALUES ('Garland', 'UT');
INSERT INTO cities VALUES ('Garland City', 'AR');
INSERT INTO cities VALUES ('Garnavillo', 'IA');
INSERT INTO cities VALUES ('Garner', 'AR');
INSERT INTO cities VALUES ('Garner', 'IA');
INSERT INTO cities VALUES ('Garner', 'KY'):
INSERT INTO cities VALUES ('Garner', 'NC');
INSERT INTO cities VALUES ('Garnerville', 'NY'):
INSERT INTO cities VALUES ('Garnett', 'KS');
INSERT INTO cities VALUES ('Garnett', 'SC');
INSERT INTO cities VALUES ('Garrard', 'KY');
INSERT INTO cities VALUES ('Garrattsville', 'NY');
INSERT INTO cities VALUES ('Garretson', 'SD');
INSERT INTO cities VALUES ('Garrett', 'IN');
INSERT INTO cities VALUES ('Garrett', 'KY');
INSERT INTO cities VALUES ('Garrett', 'PA');
INSERT INTO cities VALUES ('Garrett', 'WY');
INSERT INTO cities VALUES ('Garrett Park', 'MD');
INSERT INTO cities VALUES ('Garrettsville', 'OH');
INSERT INTO cities VALUES ('Garrison', 'IA');
INSERT INTO cities VALUES ('Garrison', 'KY');
INSERT INTO cities VALUES ('Garrison', 'MN');
INSERT INTO cities VALUES ('Garrison', 'MO');
INSERT INTO cities VALUES ('Garrison', 'MT');
INSERT INTO cities VALUES ('Garrison', 'ND');
INSERT INTO cities VALUES ('Garrison', 'NY');
INSERT INTO cities VALUES ('Garrison', 'TX');
INSERT INTO cities VALUES ('Garrison', 'UT');
```

```
INSERT INTO cities VALUES ('Garrisonville', 'VA');
INSERT INTO cities VALUES ('Garrochales', 'PR'):
INSERT INTO cities VALUES ('Garryowen', 'MT');
INSERT INTO cities VALUES ('Garvin', 'MN'):
INSERT INTO cities VALUES ('Garvin', 'OK'):
INSERT INTO cities VALUES ('Garwin', 'IA');
INSERT INTO cities VALUES ('Garwood', 'NJ');
INSERT INTO cities VALUES ('Garwood', 'TX');
INSERT INTO cities VALUES ('Gary', 'IN');
INSERT INTO cities VALUES ('Gary', 'MN');
INSERT INTO cities VALUES ('Gary', 'SD');
INSERT INTO cities VALUES ('Gary', 'TX');
INSERT INTO cities VALUES ('Gary', 'WV');
INSERT INTO cities VALUES ('Garysburg', 'NC');
INSERT INTO cities VALUES ('Garyville', 'LA');
INSERT INTO cities VALUES ('Gas', 'KS'):
INSERT INTO cities VALUES ('Gas City', 'IN');
INSERT INTO cities VALUES ('Gasburg', 'VA');
INSERT INTO cities VALUES ('Gasconade', 'MO');
INSERT INTO cities VALUES ('Gasport', 'NY');
INSERT INTO cities VALUES ('Gasquet', 'CA');
INSERT INTO cities VALUES ('Gassaway', 'WV');
INSERT INTO cities VALUES ('Gassville', 'AR');
INSERT INTO cities VALUES ('Gaston', 'IN');
INSERT INTO cities VALUES ('Gaston', 'NC');
INSERT INTO cities VALUES ('Gaston', 'OR');
INSERT INTO cities VALUES ('Gaston', 'SC'):
INSERT INTO cities VALUES ('Gastonia', 'NC');
INSERT INTO cities VALUES ('Gastonville', 'PA');
INSERT INTO cities VALUES ('Gate', 'OK');
INSERT INTO cities VALUES ('Gate City', 'VA');
INSERT INTO cities VALUES ('Gates', 'NC');
INSERT INTO cities VALUES ('Gates', 'OR');
INSERT INTO cities VALUES ('Gates', 'TN'):
INSERT INTO cities VALUES ('Gates Mills', 'OH');
INSERT INTO cities VALUES ('Gatesville', 'NC'):
INSERT INTO cities VALUES ('Gatesville', 'TX');
INSERT INTO cities VALUES ('Gateway', 'AR');
INSERT INTO cities VALUES ('Gateway', 'CO'):
INSERT INTO cities VALUES ('Gatewood', 'MO');
INSERT INTO cities VALUES ('Gatlinburg', 'TN');
INSERT INTO cities VALUES ('Gattman', 'MS');
INSERT INTO cities VALUES ('Gatzke', 'MN');
INSERT INTO cities VALUES ('Gauley Bridge', 'WV');
INSERT INTO cities VALUES ('Gause', 'TX'):
INSERT INTO cities VALUES ('Gautier', 'MS');
INSERT INTO cities VALUES ('Gay', 'GA');
INSERT INTO cities VALUES ('Gay', 'WV');
INSERT INTO cities VALUES ('Gaylesville', 'AL');
INSERT INTO cities VALUES ('Gaylord', 'KS');
INSERT INTO cities VALUES ('Gaylord', 'MI');
INSERT INTO cities VALUES ('Gaylord', 'MN');
INSERT INTO cities VALUES ('Gaylordsville', 'CT');
INSERT INTO cities VALUES ('Gays', 'IL');
INSERT INTO cities VALUES ('Gays Creek', 'KY');
INSERT INTO cities VALUES ('Gays Mills', 'WI');
```

```
INSERT INTO cities VALUES ('Gaysville', 'VT');
INSERT INTO cities VALUES ('Gavville', 'SD'):
INSERT INTO cities VALUES ('Gazelle', 'CA');
INSERT INTO cities VALUES ('Geary', 'OK'):
INSERT INTO cities VALUES ('Geddes', 'SD'):
INSERT INTO cities VALUES ('Geff', 'IL');
INSERT INTO cities VALUES ('Geigertown', 'PA');
INSERT INTO cities VALUES ('Geismar', 'LA');
INSERT INTO cities VALUES ('Gem', 'KS');
INSERT INTO cities VALUES ('Gene Autry', 'OK');
INSERT INTO cities VALUES ('Genesee', 'ID');
INSERT INTO cities VALUES ('Genesee', 'MI');
INSERT INTO cities VALUES ('Genesee', 'PA');
INSERT INTO cities VALUES ('Genesee Depot', 'WI');
INSERT INTO cities VALUES ('Geneseo', 'IL');
INSERT INTO cities VALUES ('Geneseo', 'KS');
INSERT INTO cities VALUES ('Geneseo', 'NY');
INSERT INTO cities VALUES ('Geneva', 'AL');
INSERT INTO cities VALUES ('Geneva', 'FL');
INSERT INTO cities VALUES ('Geneva', 'GA');
INSERT INTO cities VALUES ('Geneva', 'IA');
INSERT INTO cities VALUES ('Geneva', 'ID');
INSERT INTO cities VALUES ('Geneva', 'IL');
INSERT INTO cities VALUES ('Geneva', 'IN');
INSERT INTO cities VALUES ('Geneva', 'MN');
INSERT INTO cities VALUES ('Geneva', 'NE');
INSERT INTO cities VALUES ('Geneva', 'NY');
INSERT INTO cities VALUES ('Geneva', 'OH'):
INSERT INTO cities VALUES ('Genoa', 'AR');
INSERT INTO cities VALUES ('Genoa', 'CO');
INSERT INTO cities VALUES ('Genoa', 'IL');
INSERT INTO cities VALUES ('Genoa', 'NE');
INSERT INTO cities VALUES ('Genoa', 'NV');
INSERT INTO cities VALUES ('Genoa', 'NY'):
INSERT INTO cities VALUES ('Genoa', 'OH');
INSERT INTO cities VALUES ('Genoa', 'WI'):
INSERT INTO cities VALUES ('Genoa', 'WV');
INSERT INTO cities VALUES ('Genoa City', 'WI');
INSERT INTO cities VALUES ('Gentry', 'AR'):
INSERT INTO cities VALUES ('Gentry', 'MO');
INSERT INTO cities VALUES ('Gentryville', 'IN');
INSERT INTO cities VALUES ('George', 'IA');
INSERT INTO cities VALUES ('George', 'WA');
INSERT INTO cities VALUES ('George West', 'TX');
INSERT INTO cities VALUES ('Georges Mills', 'NH'):
INSERT INTO cities VALUES ('Georgetown', 'CA');
INSERT INTO cities VALUES ('Georgetown', 'CO');
INSERT INTO cities VALUES ('Georgetown', 'CT');
INSERT INTO cities VALUES ('Georgetown', 'DE');
INSERT INTO cities VALUES ('Georgetown', 'FL');
INSERT INTO cities VALUES ('Georgetown', 'GA');
INSERT INTO cities VALUES ('Georgetown', 'ID');
INSERT INTO cities VALUES ('Georgetown', 'IL');
INSERT INTO cities VALUES ('Georgetown', 'IN');
INSERT INTO cities VALUES ('Georgetown', 'KY');
INSERT INTO cities VALUES ('Georgetown', 'LA');
```

```
INSERT INTO cities VALUES ('Georgetown', 'MA');
INSERT INTO cities VALUES ('Georgetown', 'MD'):
INSERT INTO cities VALUES ('Georgetown', 'ME');
INSERT INTO cities VALUES ('Georgetown', 'MN');
INSERT INTO cities VALUES ('Georgetown', 'MS'):
INSERT INTO cities VALUES ('Georgetown', 'NY');
INSERT INTO cities VALUES ('Georgetown', 'OH');
INSERT INTO cities VALUES ('Georgetown', 'PA');
INSERT INTO cities VALUES ('Georgetown', 'SC');
INSERT INTO cities VALUES ('Georgetown', 'TN');
INSERT INTO cities VALUES ('Georgetown', 'TX');
INSERT INTO cities VALUES ('Georgiana', 'AL');
INSERT INTO cities VALUES ('Gepp', 'AR');
INSERT INTO cities VALUES ('Gerald', 'MO');
INSERT INTO cities VALUES ('Geraldine', 'AL'):
INSERT INTO cities VALUES ('Geraldine', 'MT'):
INSERT INTO cities VALUES ('Gerber', 'CA');
INSERT INTO cities VALUES ('Gering', 'NE');
INSERT INTO cities VALUES ('Gerlach', 'NV');
INSERT INTO cities VALUES ('Gerlaw', 'IL');
INSERT INTO cities VALUES ('German Valley', 'IL');
INSERT INTO cities VALUES ('Germansville', 'PA'):
INSERT INTO cities VALUES ('Germanton', 'NC');
INSERT INTO cities VALUES ('Germantown', 'IL');
INSERT INTO cities VALUES ('Germantown', 'KY');
INSERT INTO cities VALUES ('Germantown', 'MD');
INSERT INTO cities VALUES ('Germantown', 'NY'):
INSERT INTO cities VALUES ('Germantown', 'OH'):
INSERT INTO cities VALUES ('Germantown', 'TN');
INSERT INTO cities VALUES ('Germantown', 'WI');
INSERT INTO cities VALUES ('Germfask', 'MI');
INSERT INTO cities VALUES ('Geronimo', 'OK');
INSERT INTO cities VALUES ('Geronimo', 'TX');
INSERT INTO cities VALUES ('Gerrardstown', 'WV');
INSERT INTO cities VALUES ('Gerry', 'NY');
INSERT INTO cities VALUES ('Gerton', 'NC');
INSERT INTO cities VALUES ('Gervais', 'OR');
INSERT INTO cities VALUES ('Gettysburg', 'OH');
INSERT INTO cities VALUES ('Gettysburg', 'PA');
INSERT INTO cities VALUES ('Gettysburg', 'SD');
INSERT INTO cities VALUES ('Getzville', 'NY');
INSERT INTO cities VALUES ('Geuda Springs', 'KS');
INSERT INTO cities VALUES ('Geyser', 'MT');
INSERT INTO cities VALUES ('Geyserville', 'CA');
INSERT INTO cities VALUES ('Gheens', 'LA'):
INSERT INTO cities VALUES ('Ghent', 'KY');
INSERT INTO cities VALUES ('Ghent', 'MN');
INSERT INTO cities VALUES ('Ghent', 'NY');
INSERT INTO cities VALUES ('Ghent', 'WV');
INSERT INTO cities VALUES ('Gibbon', 'MN');
INSERT INTO cities VALUES ('Gibbon', 'NE');
INSERT INTO cities VALUES ('Gibbon Glade', 'PA');
INSERT INTO cities VALUES ('Gibbonsville', 'ID');
INSERT INTO cities VALUES ('Gibbs', 'MO');
INSERT INTO cities VALUES ('Gibbsboro', 'NJ');
INSERT INTO cities VALUES ('Gibbstown', 'NJ');
```

```
INSERT INTO cities VALUES ('Gibsland', 'LA');
INSERT INTO cities VALUES ('Gibson', 'GA'):
INSERT INTO cities VALUES ('Gibson', 'IA');
INSERT INTO cities VALUES ('Gibson', 'LA'):
INSERT INTO cities VALUES ('Gibson', 'MO'):
INSERT INTO cities VALUES ('Gibson', 'NC');
INSERT INTO cities VALUES ('Gibson', 'PA');
INSERT INTO cities VALUES ('Gibson', 'TN');
INSERT INTO cities VALUES ('Gibson City', 'IL');
INSERT INTO cities VALUES ('Gibson Island', 'MD');
INSERT INTO cities VALUES ('Gibsonburg', 'OH');
INSERT INTO cities VALUES ('Gibsonia', 'PA');
INSERT INTO cities VALUES ('Gibsonton', 'FL');
INSERT INTO cities VALUES ('Gibsonville', 'NC');
INSERT INTO cities VALUES ('Giddings', 'TX'):
INSERT INTO cities VALUES ('Gideon', 'MO'):
INSERT INTO cities VALUES ('Gifford', 'IA');
INSERT INTO cities VALUES ('Gifford', 'IL');
INSERT INTO cities VALUES ('Gifford', 'PA'):
INSERT INTO cities VALUES ('Gifford', 'SC');
INSERT INTO cities VALUES ('Gifford', 'WA');
INSERT INTO cities VALUES ('Gig Harbor', 'WA');
INSERT INTO cities VALUES ('Gila', 'NM');
INSERT INTO cities VALUES ('Gila Bend', 'AZ'):
INSERT INTO cities VALUES ('Gilbert', 'AR');
INSERT INTO cities VALUES ('Gilbert', 'AZ');
INSERT INTO cities VALUES ('Gilbert', 'IA'):
INSERT INTO cities VALUES ('Gilbert', 'LA'):
INSERT INTO cities VALUES ('Gilbert', 'MN');
INSERT INTO cities VALUES ('Gilbert', 'PA');
INSERT INTO cities VALUES ('Gilbert', 'SC');
INSERT INTO cities VALUES ('Gilbert', 'WV');
INSERT INTO cities VALUES ('Gilberton', 'PA');
INSERT INTO cities VALUES ('Gilbertown', 'AL'):
INSERT INTO cities VALUES ('Gilberts', 'IL');
INSERT INTO cities VALUES ('Gilbertsville', 'KY'):
INSERT INTO cities VALUES ('Gilbertsville', 'NY');
INSERT INTO cities VALUES ('Gilbertsville', 'PA');
INSERT INTO cities VALUES ('Gilbertville', 'IA'):
INSERT INTO cities VALUES ('Gilbertville', 'MA');
INSERT INTO cities VALUES ('Gilboa', 'NY');
INSERT INTO cities VALUES ('Gilboa', 'WV');
INSERT INTO cities VALUES ('Gilby', 'ND');
INSERT INTO cities VALUES ('Gilchrist', 'OR');
INSERT INTO cities VALUES ('Gilchrist', 'TX'):
INSERT INTO cities VALUES ('Gilcrest', 'CO');
INSERT INTO cities VALUES ('Gildford', 'MT');
INSERT INTO cities VALUES ('Gile', 'WI');
INSERT INTO cities VALUES ('Gilead', 'NE');
INSERT INTO cities VALUES ('Gilford', 'MI'):
INSERT INTO cities VALUES ('Gilford', 'NH');
INSERT INTO cities VALUES ('Gill', 'CO');
INSERT INTO cities VALUES ('Gill', 'MA');
INSERT INTO cities VALUES ('Gillespie', 'IL');
INSERT INTO cities VALUES ('Gillett', 'AR');
INSERT INTO cities VALUES ('Gillett', 'PA');
```

```
INSERT INTO cities VALUES ('Gillett', 'TX');
INSERT INTO cities VALUES ('Gillett', 'WI'):
INSERT INTO cities VALUES ('Gillett Grove', 'IA');
INSERT INTO cities VALUES ('Gillette', 'NJ'):
INSERT INTO cities VALUES ('Gillette', 'WY'):
INSERT INTO cities VALUES ('Gillham', 'AR');
INSERT INTO cities VALUES ('Gilliam', 'LA');
INSERT INTO cities VALUES ('Gilliam', 'MO');
INSERT INTO cities VALUES ('Gillsville', 'GA');
INSERT INTO cities VALUES ('Gilman', 'CT');
INSERT INTO cities VALUES ('Gilman', 'IA');
INSERT INTO cities VALUES ('Gilman', 'IL');
INSERT INTO cities VALUES ('Gilman', 'MN'):
INSERT INTO cities VALUES ('Gilman', 'VT');
INSERT INTO cities VALUES ('Gilman', 'WI');
INSERT INTO cities VALUES ('Gilman City', 'MO'):
INSERT INTO cities VALUES ('Gilmanton', 'NH');
INSERT INTO cities VALUES ('Gilmanton', 'WI');
INSERT INTO cities VALUES ('Gilmanton Iron Works', 'NH'):
INSERT INTO cities VALUES ('Gilmer', 'TX');
INSERT INTO cities VALUES ('Gilmore', 'AR');
INSERT INTO cities VALUES ('Gilmore City', 'IA'):
INSERT INTO cities VALUES ('Gilroy', 'CA');
INSERT INTO cities VALUES ('Gilson', 'IL');
INSERT INTO cities VALUES ('Gilsum', 'NH');
INSERT INTO cities VALUES ('Giltner', 'NE');
INSERT INTO cities VALUES ('Gipsy', 'MO'):
INSERT INTO cities VALUES ('Gipsy', 'PA');
INSERT INTO cities VALUES ('Girard', 'GA');
INSERT INTO cities VALUES ('Girard', 'IL');
INSERT INTO cities VALUES ('Girard', 'KS');
INSERT INTO cities VALUES ('Girard', 'OH');
INSERT INTO cities VALUES ('Girard', 'PA');
INSERT INTO cities VALUES ('Girard', 'TX');
INSERT INTO cities VALUES ('Girardville', 'PA'):
INSERT INTO cities VALUES ('Girdler', 'KY');
INSERT INTO cities VALUES ('Girdletree', 'MD');
INSERT INTO cities VALUES ('Girdwood', 'AK');
INSERT INTO cities VALUES ('Girvin', 'TX'):
INSERT INTO cities VALUES ('Given', 'WV');
INSERT INTO cities VALUES ('Gladbrook', 'IA');
INSERT INTO cities VALUES ('Glade', 'KS');
INSERT INTO cities VALUES ('Glade Hill', 'VA');
INSERT INTO cities VALUES ('Glade Park', 'CO');
INSERT INTO cities VALUES ('Glade Spring', 'VA');
INSERT INTO cities VALUES ('Glade Valley', 'NC');
INSERT INTO cities VALUES ('Gladeville', 'TN'):
INSERT INTO cities VALUES ('Gladewater', 'TX');
INSERT INTO cities VALUES ('Gladstone', 'IL');
INSERT INTO cities VALUES ('Gladstone', 'MI'):
INSERT INTO cities VALUES ('Gladstone', 'ND');
INSERT INTO cities VALUES ('Gladstone', 'NJ');
INSERT INTO cities VALUES ('Gladstone', 'NM');
INSERT INTO cities VALUES ('Gladstone', 'OR');
INSERT INTO cities VALUES ('Gladstone', 'VA');
INSERT INTO cities VALUES ('Gladwin', 'MI');
```

```
INSERT INTO cities VALUES ('Gladwyne', 'PA');
INSERT INTO cities VALUES ('Glady', 'WV'):
INSERT INTO cities VALUES ('Gladys', 'VA');
INSERT INTO cities VALUES ('Glandorf', 'OH'):
INSERT INTO cities VALUES ('Glasco', 'KS'):
INSERT INTO cities VALUES ('Glasco', 'NY');
INSERT INTO cities VALUES ('Glasford', 'IL');
INSERT INTO cities VALUES ('Glasgow', 'KY');
INSERT INTO cities VALUES ('Glasgow', 'MO');
INSERT INTO cities VALUES ('Glasgow', 'MT');
INSERT INTO cities VALUES ('Glasgow', 'PA');
INSERT INTO cities VALUES ('Glasgow', 'VA');
INSERT INTO cities VALUES ('Glasgow', 'WV');
INSERT INTO cities VALUES ('Glassboro', 'NJ');
INSERT INTO cities VALUES ('Glasser', 'NJ');
INSERT INTO cities VALUES ('Glassport', 'PA');
INSERT INTO cities VALUES ('Glasston', 'ND');
INSERT INTO cities VALUES ('Glastonbury', 'CT');
INSERT INTO cities VALUES ('Gleason', 'TN');
INSERT INTO cities VALUES ('Gleason', 'WI');
INSERT INTO cities VALUES ('Glen', 'MS');
INSERT INTO cities VALUES ('Glen', 'MT');
INSERT INTO cities VALUES ('Glen', 'NH');
INSERT INTO cities VALUES ('Glen', 'WV');
INSERT INTO cities VALUES ('Glen Allan', 'MS');
INSERT INTO cities VALUES ('Glen Allen', 'AL');
INSERT INTO cities VALUES ('Glen Allen', 'VA');
INSERT INTO cities VALUES ('Glen Alpine', 'NC');
INSERT INTO cities VALUES ('Glen Arbor', 'MI');
INSERT INTO cities VALUES ('Glen Arm', 'MD');
INSERT INTO cities VALUES ('Glen Aubrey', 'NY');
INSERT INTO cities VALUES ('Glen Burnie', 'MD');
INSERT INTO cities VALUES ('Glen Campbell', 'PA');
INSERT INTO cities VALUES ('Glen Carbon', 'IL');
INSERT INTO cities VALUES ('Glen Cove', 'ME'):
INSERT INTO cities VALUES ('Glen Cove', 'NY');
INSERT INTO cities VALUES ('Glen Dale', 'WV');
INSERT INTO cities VALUES ('Glen Daniel', 'WV');
INSERT INTO cities VALUES ('Glen Easton', 'WV');
INSERT INTO cities VALUES ('Glen Echo', 'MD');
INSERT INTO cities VALUES ('Glen Elder', 'KS');
INSERT INTO cities VALUES ('Glen Ellen', 'CA');
INSERT INTO cities VALUES ('Glen Ellyn', 'IL');
INSERT INTO cities VALUES ('Glen Ferris', 'WV');
INSERT INTO cities VALUES ('Glen Flora', 'TX'):
INSERT INTO cities VALUES ('Glen Flora', 'WI');
INSERT INTO cities VALUES ('Glen Fork', 'WV');
INSERT INTO cities VALUES ('Glen Gardner', 'NJ');
INSERT INTO cities VALUES ('Glen Haven', 'CO');
INSERT INTO cities VALUES ('Glen Haven', 'WI');
INSERT INTO cities VALUES ('Glen Head', 'NY');
INSERT INTO cities VALUES ('Glen Hope', 'PA');
INSERT INTO cities VALUES ('Glen Jean', 'WV');
INSERT INTO cities VALUES ('Glen Lyn', 'VA');
INSERT INTO cities VALUES ('Glen Lyon', 'PA');
INSERT INTO cities VALUES ('Glen Mills', 'PA');
```

```
INSERT INTO cities VALUES ('Glen Oaks', 'NY');
INSERT INTO cities VALUES ('Glen Richev', 'PA'):
INSERT INTO cities VALUES ('Glen Riddle Lima', 'PA');
INSERT INTO cities VALUES ('Glen Ridge', 'NJ');
INSERT INTO cities VALUES ('Glen Rock', 'NJ'):
INSERT INTO cities VALUES ('Glen Rock', 'PA');
INSERT INTO cities VALUES ('Glen Rogers', 'WV');
INSERT INTO cities VALUES ('Glen Rose', 'TX');
INSERT INTO cities VALUES ('Glen Saint Mary', 'FL');
INSERT INTO cities VALUES ('Glen Spey', 'NY');
INSERT INTO cities VALUES ('Glen Ullin', 'ND');
INSERT INTO cities VALUES ('Glen White', 'WV');
INSERT INTO cities VALUES ('Glen Wild', 'NY');
INSERT INTO cities VALUES ('Glen Wilton', 'VA');
INSERT INTO cities VALUES ('Glenallen', 'MO'):
INSERT INTO cities VALUES ('Glenarm', 'IL');
INSERT INTO cities VALUES ('Glenbeulah', 'WI');
INSERT INTO cities VALUES ('Glenbrook', 'NV');
INSERT INTO cities VALUES ('Glenburn', 'ND');
INSERT INTO cities VALUES ('Glencliff', 'NH');
INSERT INTO cities VALUES ('Glencoe', 'AR');
INSERT INTO cities VALUES ('Glencoe', 'CA'):
INSERT INTO cities VALUES ('Glencoe', 'IL');
INSERT INTO cities VALUES ('Glencoe', 'KY'):
INSERT INTO cities VALUES ('Glencoe', 'MN');
INSERT INTO cities VALUES ('Glencoe', 'MO');
INSERT INTO cities VALUES ('Glencoe', 'NM'):
INSERT INTO cities VALUES ('Glencoe', 'OH'):
INSERT INTO cities VALUES ('Glencoe', 'OK');
INSERT INTO cities VALUES ('Glencross', 'SD');
INSERT INTO cities VALUES ('Glendale', 'AZ');
INSERT INTO cities VALUES ('Glendale', 'CA');
INSERT INTO cities VALUES ('Glendale', 'KY');
INSERT INTO cities VALUES ('Glendale', 'MA');
INSERT INTO cities VALUES ('Glendale', 'OR');
INSERT INTO cities VALUES ('Glendale', 'RI'):
INSERT INTO cities VALUES ('Glendale', 'SC');
INSERT INTO cities VALUES ('Glendale', 'UT');
INSERT INTO cities VALUES ('Glendale Heights', 'IL'):
INSERT INTO cities VALUES ('Glendale Luke Afb', 'AZ');
INSERT INTO cities VALUES ('Glendale Springs', 'NC');
INSERT INTO cities VALUES ('Glendive', 'MT');
INSERT INTO cities VALUES ('Glendo', 'WY');
INSERT INTO cities VALUES ('Glendora', 'CA');
INSERT INTO cities VALUES ('Glendora', 'MS'):
INSERT INTO cities VALUES ('Glendora', 'NJ');
INSERT INTO cities VALUES ('Gleneden Beach', 'OR');
INSERT INTO cities VALUES ('Glenelg', 'MD');
INSERT INTO cities VALUES ('Glenfield', 'ND');
INSERT INTO cities VALUES ('Glenfield', 'NY');
INSERT INTO cities VALUES ('Glenford', 'NY');
INSERT INTO cities VALUES ('Glenford', 'OH');
INSERT INTO cities VALUES ('Glengary', 'WV');
INSERT INTO cities VALUES ('Glenham', 'NY');
INSERT INTO cities VALUES ('Glenham', 'SD');
INSERT INTO cities VALUES ('Glenhaven', 'CA');
```

```
INSERT INTO cities VALUES ('Glenmont', 'NY');
INSERT INTO cities VALUES ('Glenmont', 'OH'):
INSERT INTO cities VALUES ('Glenmoore', 'PA');
INSERT INTO cities VALUES ('Glenmora', 'LA');
INSERT INTO cities VALUES ('Glenn', 'CA'):
INSERT INTO cities VALUES ('Glenn', 'GA');
INSERT INTO cities VALUES ('Glenn', 'MI');
INSERT INTO cities VALUES ('Glenn Dale', 'MD');
INSERT INTO cities VALUES ('Glennallen', 'AK');
INSERT INTO cities VALUES ('Glennie', 'MI');
INSERT INTO cities VALUES ('Glenns Ferry', 'ID');
INSERT INTO cities VALUES ('Glennville', 'CA');
INSERT INTO cities VALUES ('Glennville', 'GA');
INSERT INTO cities VALUES ('Glenolden', 'PA');
INSERT INTO cities VALUES ('Glenoma', 'WA');
INSERT INTO cities VALUES ('Glenpool', 'OK'):
INSERT INTO cities VALUES ('Glenrock', 'WY');
INSERT INTO cities VALUES ('Glens Falls', 'NY');
INSERT INTO cities VALUES ('Glens Fork', 'KY'):
INSERT INTO cities VALUES ('Glenshaw', 'PA');
INSERT INTO cities VALUES ('Glenside', 'PA');
INSERT INTO cities VALUES ('Glentana', 'MT');
INSERT INTO cities VALUES ('Glenview', 'IL');
INSERT INTO cities VALUES ('Glenview', 'KY');
INSERT INTO cities VALUES ('Glenvil', 'NE');
INSERT INTO cities VALUES ('Glenville', 'MN');
INSERT INTO cities VALUES ('Glenville', 'NC'):
INSERT INTO cities VALUES ('Glenville', 'PA'):
INSERT INTO cities VALUES ('Glenville', 'WV');
INSERT INTO cities VALUES ('Glenwood', 'AL');
INSERT INTO cities VALUES ('Glenwood', 'AR');
INSERT INTO cities VALUES ('Glenwood', 'FL');
INSERT INTO cities VALUES ('Glenwood', 'GA');
INSERT INTO cities VALUES ('Glenwood', 'IA');
INSERT INTO cities VALUES ('Glenwood', 'IL'):
INSERT INTO cities VALUES ('Glenwood', 'IN'):
INSERT INTO cities VALUES ('Glenwood', 'MD');
INSERT INTO cities VALUES ('Glenwood', 'MN');
INSERT INTO cities VALUES ('Glenwood', 'MO'):
INSERT INTO cities VALUES ('Glenwood', 'NC');
INSERT INTO cities VALUES ('Glenwood', 'NJ');
INSERT INTO cities VALUES ('Glenwood', 'NM');
INSERT INTO cities VALUES ('Glenwood', 'NY');
INSERT INTO cities VALUES ('Glenwood', 'UT');
INSERT INTO cities VALUES ('Glenwood', 'WA'):
INSERT INTO cities VALUES ('Glenwood', 'WV');
INSERT INTO cities VALUES ('Glenwood City', 'WI');
INSERT INTO cities VALUES ('Glenwood Landing', 'NY');
INSERT INTO cities VALUES ('Glenwood Springs', 'CO');
INSERT INTO cities VALUES ('Glidden', 'IA');
INSERT INTO cities VALUES ('Glidden', 'TX');
INSERT INTO cities VALUES ('Glidden', 'WI');
INSERT INTO cities VALUES ('Glide', 'OR');
INSERT INTO cities VALUES ('Globe', 'AZ');
INSERT INTO cities VALUES ('Glorieta', 'NM');
INSERT INTO cities VALUES ('Gloster', 'LA');
```

```
INSERT INTO cities VALUES ('Gloster', 'MS');
INSERT INTO cities VALUES ('Gloucester', 'MA'):
INSERT INTO cities VALUES ('Gloucester', 'NC');
INSERT INTO cities VALUES ('Gloucester', 'VA');
INSERT INTO cities VALUES ('Gloucester City', 'NJ'):
INSERT INTO cities VALUES ('Gloucester Point', 'VA');
INSERT INTO cities VALUES ('Glouster', 'OH');
INSERT INTO cities VALUES ('Glover', 'VT');
INSERT INTO cities VALUES ('Gloversville', 'NY');
INSERT INTO cities VALUES ('Gloverville', 'SC');
INSERT INTO cities VALUES ('Glyndon', 'MD');
INSERT INTO cities VALUES ('Glyndon', 'MN');
INSERT INTO cities VALUES ('Glynn', 'LA'):
INSERT INTO cities VALUES ('Gnadenhutten', 'OH');
INSERT INTO cities VALUES ('Gober', 'TX'):
INSERT INTO cities VALUES ('Gobler', 'MO');
INSERT INTO cities VALUES ('Gobles', 'MI');
INSERT INTO cities VALUES ('Goddard', 'KS');
INSERT INTO cities VALUES ('Godfrey', 'IL');
INSERT INTO cities VALUES ('Godley', 'TX');
INSERT INTO cities VALUES ('Godwin', 'NC');
INSERT INTO cities VALUES ('Goehner', 'NE'):
INSERT INTO cities VALUES ('Goessel', 'KS');
INSERT INTO cities VALUES ('Goetzville', 'MI'):
INSERT INTO cities VALUES ('Goff', 'KS');
INSERT INTO cities VALUES ('Goffstown', 'NH');
INSERT INTO cities VALUES ('Golconda', 'IL'):
INSERT INTO cities VALUES ('Golconda', 'NV');
INSERT INTO cities VALUES ('Gold Bar', 'WA');
INSERT INTO cities VALUES ('Gold Beach', 'OR');
INSERT INTO cities VALUES ('Gold Creek', 'MT');
INSERT INTO cities VALUES ('Gold Hill', 'NC');
INSERT INTO cities VALUES ('Gold Hill', 'OR');
INSERT INTO cities VALUES ('Gold Run', 'CA'):
INSERT INTO cities VALUES ('Golden', 'CO'):
INSERT INTO cities VALUES ('Golden', 'IL'):
INSERT INTO cities VALUES ('Golden', 'MO');
INSERT INTO cities VALUES ('Golden', 'MS');
INSERT INTO cities VALUES ('Golden', 'OK'):
INSERT INTO cities VALUES ('Golden', 'TX');
INSERT INTO cities VALUES ('Golden City', 'MO');
INSERT INTO cities VALUES ('Golden Eagle', 'IL');
INSERT INTO cities VALUES ('Golden Gate', 'IL');
INSERT INTO cities VALUES ('Golden Meadow', 'LA');
INSERT INTO cities VALUES ('Golden Valley', 'AZ');
INSERT INTO cities VALUES ('Golden Valley', 'ND');
INSERT INTO cities VALUES ('Goldendale', 'WA');
INSERT INTO cities VALUES ('Goldenrod', 'FL');
INSERT INTO cities VALUES ('Goldens Bridge', 'NY');
INSERT INTO cities VALUES ('Goldfield', 'IA');
INSERT INTO cities VALUES ('Goldfield', 'NV');
INSERT INTO cities VALUES ('Goldonna', 'LA');
INSERT INTO cities VALUES ('Goldsboro', 'MD');
INSERT INTO cities VALUES ('Goldsboro', 'NC');
INSERT INTO cities VALUES ('Goldsboro', 'TX');
INSERT INTO cities VALUES ('Goldsmith', 'IN');
```

```
INSERT INTO cities VALUES ('Goldsmith', 'TX');
INSERT INTO cities VALUES ('Goldston', 'NC'):
INSERT INTO cities VALUES ('Goldthwaite', 'TX');
INSERT INTO cities VALUES ('Goldvein', 'VA'):
INSERT INTO cities VALUES ('Goleta', 'CA'):
INSERT INTO cities VALUES ('Golf', 'IL');
INSERT INTO cities VALUES ('Goliad', 'TX');
INSERT INTO cities VALUES ('Goltry', 'OK');
INSERT INTO cities VALUES ('Golva', 'ND');
INSERT INTO cities VALUES ('Gomer', 'OH');
INSERT INTO cities VALUES ('Gonvick', 'MN');
INSERT INTO cities VALUES ('Gonzales', 'CA');
INSERT INTO cities VALUES ('Gonzales', 'LA');
INSERT INTO cities VALUES ('Gonzales', 'TX');
INSERT INTO cities VALUES ('Gonzalez', 'FL'):
INSERT INTO cities VALUES ('Goochland', 'VA');
INSERT INTO cities VALUES ('Good Hart', 'MI');
INSERT INTO cities VALUES ('Good Hope', 'GA');
INSERT INTO cities VALUES ('Good Hope', 'IL');
INSERT INTO cities VALUES ('Good Thunder', 'MN');
INSERT INTO cities VALUES ('Goode', 'VA');
INSERT INTO cities VALUES ('Goodell', 'IA');
INSERT INTO cities VALUES ('Goodells', 'MI');
INSERT INTO cities VALUES ('Goodfellow Afb', 'TX'):
INSERT INTO cities VALUES ('Goodfield', 'IL');
INSERT INTO cities VALUES ('Goodhue', 'MN');
INSERT INTO cities VALUES ('Gooding', 'ID'):
INSERT INTO cities VALUES ('Goodland', 'FL');
INSERT INTO cities VALUES ('Goodland', 'IN');
INSERT INTO cities VALUES ('Goodland', 'KS');
INSERT INTO cities VALUES ('Goodland', 'MN');
INSERT INTO cities VALUES ('Goodlettsville', 'TN');
INSERT INTO cities VALUES ('Goodman', 'MO');
INSERT INTO cities VALUES ('Goodman', 'MS');
INSERT INTO cities VALUES ('Goodman', 'WI');
INSERT INTO cities VALUES ('Goodnews Bay', 'AK'):
INSERT INTO cities VALUES ('Goodrich', 'MI');
INSERT INTO cities VALUES ('Goodrich', 'ND');
INSERT INTO cities VALUES ('Goodrich', 'TX');
INSERT INTO cities VALUES ('Goodridge', 'MN');
INSERT INTO cities VALUES ('Goodspring', 'TN');
INSERT INTO cities VALUES ('Goodsprings', 'AL');
INSERT INTO cities VALUES ('Goodview', 'VA');
INSERT INTO cities VALUES ('Goodville', 'PA');
INSERT INTO cities VALUES ('Goodwater', 'AL'):
INSERT INTO cities VALUES ('Goodway', 'AL');
INSERT INTO cities VALUES ('Goodwell', 'OK');
INSERT INTO cities VALUES ('Goodwin', 'AR');
INSERT INTO cities VALUES ('Goodwin', 'SD');
INSERT INTO cities VALUES ('Goodwine', 'IL');
INSERT INTO cities VALUES ('Goodyear', 'AZ');
INSERT INTO cities VALUES ('Goodyears Bar', 'CA');
INSERT INTO cities VALUES ('Goose Creek', 'SC');
INSERT INTO cities VALUES ('Goose Lake', 'IA');
INSERT INTO cities VALUES ('Goose Prairie', 'WA');
INSERT INTO cities VALUES ('Goose Rock', 'KY');
```

```
INSERT INTO cities VALUES ('Gordo', 'AL');
INSERT INTO cities VALUES ('Gordon', 'AL'):
INSERT INTO cities VALUES ('Gordon', 'GA');
INSERT INTO cities VALUES ('Gordon', 'KY'):
INSERT INTO cities VALUES ('Gordon', 'NE'):
INSERT INTO cities VALUES ('Gordon', 'PA');
INSERT INTO cities VALUES ('Gordon', 'TX');
INSERT INTO cities VALUES ('Gordon', 'WI');
INSERT INTO cities VALUES ('Gordon', 'WV');
INSERT INTO cities VALUES ('Gordonsville', 'TN');
INSERT INTO cities VALUES ('Gordonsville', 'VA');
INSERT INTO cities VALUES ('Gordonville', 'MO');
INSERT INTO cities VALUES ('Gordonville', 'PA'):
INSERT INTO cities VALUES ('Gordonville', 'TX');
INSERT INTO cities VALUES ('Gore', 'OK');
INSERT INTO cities VALUES ('Gore', 'VA'):
INSERT INTO cities VALUES ('Gore Springs', 'MS');
INSERT INTO cities VALUES ('Goree', 'TX');
INSERT INTO cities VALUES ('Goreville', 'IL');
INSERT INTO cities VALUES ('Gorham', 'IL');
INSERT INTO cities VALUES ('Gorham', 'KS');
INSERT INTO cities VALUES ('Gorham', 'ME'):
INSERT INTO cities VALUES ('Gorham', 'NH');
INSERT INTO cities VALUES ('Gorham', 'NY'):
INSERT INTO cities VALUES ('Gorin', 'MO');
INSERT INTO cities VALUES ('Gorman', 'TX');
INSERT INTO cities VALUES ('Gormania', 'WV');
INSERT INTO cities VALUES ('Gorum', 'LA'):
INSERT INTO cities VALUES ('Goshen', 'AL');
INSERT INTO cities VALUES ('Goshen', 'AR');
INSERT INTO cities VALUES ('Goshen', 'CA');
INSERT INTO cities VALUES ('Goshen', 'CT');
INSERT INTO cities VALUES ('Goshen', 'IN');
INSERT INTO cities VALUES ('Goshen', 'KY'):
INSERT INTO cities VALUES ('Goshen', 'MA');
INSERT INTO cities VALUES ('Goshen', 'NH'):
INSERT INTO cities VALUES ('Goshen', 'NJ');
INSERT INTO cities VALUES ('Goshen', 'NY');
INSERT INTO cities VALUES ('Goshen', 'OH'):
INSERT INTO cities VALUES ('Goshen', 'UT');
INSERT INTO cities VALUES ('Goshen', 'VA'):
INSERT INTO cities VALUES ('Gosnell', 'AR');
INSERT INTO cities VALUES ('Gosport', 'IN');
INSERT INTO cities VALUES ('Gotebo', 'OK');
INSERT INTO cities VALUES ('Gotha', 'FL'):
INSERT INTO cities VALUES ('Gotham', 'WI');
INSERT INTO cities VALUES ('Gothenburg', 'NE');
INSERT INTO cities VALUES ('Gough', 'GA');
INSERT INTO cities VALUES ('Gould', 'AR');
INSERT INTO cities VALUES ('Gould', 'OK');
INSERT INTO cities VALUES ('Gould City', 'MI');
INSERT INTO cities VALUES ('Gouldbusk', 'TX');
INSERT INTO cities VALUES ('Gouldsboro', 'ME');
INSERT INTO cities VALUES ('Gouldsboro', 'PA');
INSERT INTO cities VALUES ('Gouverneur', 'NY');
INSERT INTO cities VALUES ('Gove', 'KS');
```

```
INSERT INTO cities VALUES ('Government Camp', 'OR');
INSERT INTO cities VALUES ('Gowanda', 'NY'):
INSERT INTO cities VALUES ('Gowen', 'MI');
INSERT INTO cities VALUES ('Gowen', 'OK');
INSERT INTO cities VALUES ('Gower', 'MO'):
INSERT INTO cities VALUES ('Gowrie', 'IA');
INSERT INTO cities VALUES ('Grabill', 'IN');
INSERT INTO cities VALUES ('Grace', 'ID');
INSERT INTO cities VALUES ('Grace', 'MS');
INSERT INTO cities VALUES ('Grace City', 'ND');
INSERT INTO cities VALUES ('Gracemont', 'OK');
INSERT INTO cities VALUES ('Graceville', 'FL');
INSERT INTO cities VALUES ('Graceville', 'MN');
INSERT INTO cities VALUES ('Gracewood', 'GA');
INSERT INTO cities VALUES ('Gracey', 'KY');
INSERT INTO cities VALUES ('Grady', 'AL'):
INSERT INTO cities VALUES ('Grady', 'AR');
INSERT INTO cities VALUES ('Grady', 'NM');
INSERT INTO cities VALUES ('Gradyville', 'KY');
INSERT INTO cities VALUES ('Gradyville', 'PA');
INSERT INTO cities VALUES ('Graettinger', 'IA');
INSERT INTO cities VALUES ('Graff', 'MO'):
INSERT INTO cities VALUES ('Graford', 'TX');
INSERT INTO cities VALUES ('Grafton', 'IA'):
INSERT INTO cities VALUES ('Grafton', 'IL');
INSERT INTO cities VALUES ('Grafton', 'MA');
INSERT INTO cities VALUES ('Grafton', 'ND');
INSERT INTO cities VALUES ('Grafton', 'NE'):
INSERT INTO cities VALUES ('Grafton', 'NH');
INSERT INTO cities VALUES ('Grafton', 'NY');
INSERT INTO cities VALUES ('Grafton', 'OH');
INSERT INTO cities VALUES ('Grafton', 'VT');
INSERT INTO cities VALUES ('Grafton', 'WI');
INSERT INTO cities VALUES ('Grafton', 'WV'):
INSERT INTO cities VALUES ('Graham', 'AL');
INSERT INTO cities VALUES ('Graham', 'FL'):
INSERT INTO cities VALUES ('Graham', 'KY');
INSERT INTO cities VALUES ('Graham', 'MO');
INSERT INTO cities VALUES ('Graham', 'NC'):
INSERT INTO cities VALUES ('Graham', 'OK');
INSERT INTO cities VALUES ('Graham', 'TX'):
INSERT INTO cities VALUES ('Graham', 'WA');
INSERT INTO cities VALUES ('Grahamsville', 'NY');
INSERT INTO cities VALUES ('Grahn', 'KY');
INSERT INTO cities VALUES ('Grain Valley', 'MO'):
INSERT INTO cities VALUES ('Grainfield', 'KS');
INSERT INTO cities VALUES ('Grambling', 'LA');
INSERT INTO cities VALUES ('Gramercy', 'LA');
INSERT INTO cities VALUES ('Gramling', 'SC');
INSERT INTO cities VALUES ('Grammer', 'IN');
INSERT INTO cities VALUES ('Grampian', 'PA');
INSERT INTO cities VALUES ('Granada', 'CO');
INSERT INTO cities VALUES ('Granada', 'MN');
INSERT INTO cities VALUES ('Granada Hills', 'CA');
INSERT INTO cities VALUES ('Granbury', 'TX');
INSERT INTO cities VALUES ('Granby', 'CO');
```

```
INSERT INTO cities VALUES ('Granby', 'CT');
INSERT INTO cities VALUES ('Granby', 'MA'):
INSERT INTO cities VALUES ('Granby', 'MO');
INSERT INTO cities VALUES ('Granby', 'VT');
INSERT INTO cities VALUES ('Grand Bay', 'AL'):
INSERT INTO cities VALUES ('Grand Blanc', 'MI');
INSERT INTO cities VALUES ('Grand Cane', 'LA');
INSERT INTO cities VALUES ('Grand Canyon', 'AZ');
INSERT INTO cities VALUES ('Grand Chain', 'IL');
INSERT INTO cities VALUES ('Grand Chenier', 'LA');
INSERT INTO cities VALUES ('Grand Coteau', 'LA');
INSERT INTO cities VALUES ('Grand Coulee', 'WA');
INSERT INTO cities VALUES ('Grand Forks', 'ND');
INSERT INTO cities VALUES ('Grand Forks Afb', 'ND');
INSERT INTO cities VALUES ('Grand Gorge', 'NY'):
INSERT INTO cities VALUES ('Grand Haven', 'MI'):
INSERT INTO cities VALUES ('Grand Island', 'FL');
INSERT INTO cities VALUES ('Grand Island', 'NE');
INSERT INTO cities VALUES ('Grand Island', 'NY');
INSERT INTO cities VALUES ('Grand Isle', 'LA');
INSERT INTO cities VALUES ('Grand Isle', 'ME');
INSERT INTO cities VALUES ('Grand Isle', 'VT');
INSERT INTO cities VALUES ('Grand Junction', 'CO');
INSERT INTO cities VALUES ('Grand Junction', 'IA'):
INSERT INTO cities VALUES ('Grand Junction', 'MI');
INSERT INTO cities VALUES ('Grand Junction', 'TN');
INSERT INTO cities VALUES ('Grand Lake', 'CO'):
INSERT INTO cities VALUES ('Grand Lake Stream', 'ME');
INSERT INTO cities VALUES ('Grand Ledge', 'MI');
INSERT INTO cities VALUES ('Grand Marais', 'MI');
INSERT INTO cities VALUES ('Grand Marais', 'MN');
INSERT INTO cities VALUES ('Grand Marsh', 'WI');
INSERT INTO cities VALUES ('Grand Meadow', 'MN');
INSERT INTO cities VALUES ('Grand Mound', 'IA');
INSERT INTO cities VALUES ('Grand Portage', 'MN');
INSERT INTO cities VALUES ('Grand Prairie', 'TX'):
INSERT INTO cities VALUES ('Grand Rapids', 'MI');
INSERT INTO cities VALUES ('Grand Rapids', 'MN');
INSERT INTO cities VALUES ('Grand Rapids', 'OH'):
INSERT INTO cities VALUES ('Grand Ridge', 'FL');
INSERT INTO cities VALUES ('Grand Ridge', 'IL');
INSERT INTO cities VALUES ('Grand River', 'IA');
INSERT INTO cities VALUES ('Grand River', 'OH');
INSERT INTO cities VALUES ('Grand Rivers', 'KY');
INSERT INTO cities VALUES ('Grand Ronde', 'OR');
INSERT INTO cities VALUES ('Grand Saline', 'TX');
INSERT INTO cities VALUES ('Grand Terrace', 'CA');
INSERT INTO cities VALUES ('Grand Tower', 'IL');
INSERT INTO cities VALUES ('Grand Valley', 'PA');
INSERT INTO cities VALUES ('Grand View', 'ID');
INSERT INTO cities VALUES ('Grand View', 'WI');
INSERT INTO cities VALUES ('Grandfalls', 'TX');
INSERT INTO cities VALUES ('Grandfield', 'OK');
INSERT INTO cities VALUES ('Grandin', 'FL');
INSERT INTO cities VALUES ('Grandin', 'MO');
INSERT INTO cities VALUES ('Grandin', 'ND');
```

```
INSERT INTO cities VALUES ('Grandview', 'IA');
INSERT INTO cities VALUES ('Grandview', 'IN'):
INSERT INTO cities VALUES ('Grandview', 'MO');
INSERT INTO cities VALUES ('Grandview', 'TN');
INSERT INTO cities VALUES ('Grandview', 'TX'):
INSERT INTO cities VALUES ('Grandview', 'WA');
INSERT INTO cities VALUES ('Grandville', 'MI');
INSERT INTO cities VALUES ('Grandy', 'MN');
INSERT INTO cities VALUES ('Grandy', 'NC');
INSERT INTO cities VALUES ('Granger', 'IA');
INSERT INTO cities VALUES ('Granger', 'IN');
INSERT INTO cities VALUES ('Granger', 'MO');
INSERT INTO cities VALUES ('Granger', 'TX'):
INSERT INTO cities VALUES ('Granger', 'WA');
INSERT INTO cities VALUES ('Granger', 'WY'):
INSERT INTO cities VALUES ('Grangeville', 'ID');
INSERT INTO cities VALUES ('Granite', 'CO');
INSERT INTO cities VALUES ('Granite', 'OK');
INSERT INTO cities VALUES ('Granite Bay', 'CA');
INSERT INTO cities VALUES ('Granite Canon', 'WY');
INSERT INTO cities VALUES ('Granite City', 'IL');
INSERT INTO cities VALUES ('Granite Falls', 'MN');
INSERT INTO cities VALUES ('Granite Falls', 'NC');
INSERT INTO cities VALUES ('Granite Falls', 'WA');
INSERT INTO cities VALUES ('Granite Quarry', 'NC');
INSERT INTO cities VALUES ('Granite Springs', 'NY');
INSERT INTO cities VALUES ('Graniteville', 'SC'):
INSERT INTO cities VALUES ('Graniteville', 'VT');
INSERT INTO cities VALUES ('Grannis', 'AR');
INSERT INTO cities VALUES ('Grant', 'AL');
INSERT INTO cities VALUES ('Grant', 'CO');
INSERT INTO cities VALUES ('Grant', 'FL');
INSERT INTO cities VALUES ('Grant', 'IA');
INSERT INTO cities VALUES ('Grant', 'LA');
INSERT INTO cities VALUES ('Grant', 'MI');
INSERT INTO cities VALUES ('Grant', 'NE'):
INSERT INTO cities VALUES ('Grant', 'OK');
INSERT INTO cities VALUES ('Grant City', 'MO');
INSERT INTO cities VALUES ('Grant Park', 'IL'):
INSERT INTO cities VALUES ('Grant Town', 'WV');
INSERT INTO cities VALUES ('Grantham', 'NH');
INSERT INTO cities VALUES ('Grantham', 'PA');
INSERT INTO cities VALUES ('Granton', 'WI');
INSERT INTO cities VALUES ('Grants', 'NM');
INSERT INTO cities VALUES ('Grants Pass', 'OR'):
INSERT INTO cities VALUES ('Grantsboro', 'NC');
INSERT INTO cities VALUES ('Grantsburg', 'IL');
INSERT INTO cities VALUES ('Grantsburg', 'IN');
INSERT INTO cities VALUES ('Grantsburg', 'WI');
INSERT INTO cities VALUES ('Grantsdale', 'MT');
INSERT INTO cities VALUES ('Grantsville', 'MD');
INSERT INTO cities VALUES ('Grantsville', 'UT');
INSERT INTO cities VALUES ('Grantsville', 'WV');
INSERT INTO cities VALUES ('Grantville', 'GA');
INSERT INTO cities VALUES ('Grantville', 'KS');
INSERT INTO cities VALUES ('Grantville', 'PA');
```

```
INSERT INTO cities VALUES ('Granville', 'IA');
INSERT INTO cities VALUES ('Granville', 'IL'):
INSERT INTO cities VALUES ('Granville', 'MA');
INSERT INTO cities VALUES ('Granville', 'ND');
INSERT INTO cities VALUES ('Granville', 'NY'):
INSERT INTO cities VALUES ('Granville', 'OH');
INSERT INTO cities VALUES ('Granville', 'PA');
INSERT INTO cities VALUES ('Granville', 'TN');
INSERT INTO cities VALUES ('Granville', 'VT');
INSERT INTO cities VALUES ('Granville', 'WV');
INSERT INTO cities VALUES ('Granville Summit', 'PA');
INSERT INTO cities VALUES ('Grapeland', 'TX');
INSERT INTO cities VALUES ('Grapeview', 'WA'):
INSERT INTO cities VALUES ('Grapeville', 'PA');
INSERT INTO cities VALUES ('Grapevine', 'AR'):
INSERT INTO cities VALUES ('Grapevine', 'TX'):
INSERT INTO cities VALUES ('Grasonville', 'MD');
INSERT INTO cities VALUES ('Grass Creek', 'IN');
INSERT INTO cities VALUES ('Grass Lake', 'MI');
INSERT INTO cities VALUES ('Grass Range', 'MT');
INSERT INTO cities VALUES ('Grass Valley', 'CA');
INSERT INTO cities VALUES ('Grass Valley', 'OR');
INSERT INTO cities VALUES ('Grassflat', 'PA');
INSERT INTO cities VALUES ('Grasston', 'MN'):
INSERT INTO cities VALUES ('Grassy Butte', 'ND');
INSERT INTO cities VALUES ('Grassy Creek', 'NC');
INSERT INTO cities VALUES ('Grassy Meadows', 'WV');
INSERT INTO cities VALUES ('Gratiot', 'OH'):
INSERT INTO cities VALUES ('Gratiot', 'WI');
INSERT INTO cities VALUES ('Gratis', 'OH');
INSERT INTO cities VALUES ('Graton', 'CA');
INSERT INTO cities VALUES ('Gratz', 'PA');
INSERT INTO cities VALUES ('Gravel Switch', 'KY');
INSERT INTO cities VALUES ('Gravelly', 'AR');
INSERT INTO cities VALUES ('Graves Mill', 'VA');
INSERT INTO cities VALUES ('Gravette', 'AR'):
INSERT INTO cities VALUES ('Gravity', 'IA');
INSERT INTO cities VALUES ('Gravois Mills', 'MO');
INSERT INTO cities VALUES ('Grawn', 'MI'):
INSERT INTO cities VALUES ('Gray', 'GA');
INSERT INTO cities VALUES ('Gray', 'IA');
INSERT INTO cities VALUES ('Gray', 'KY');
INSERT INTO cities VALUES ('Gray', 'LA');
INSERT INTO cities VALUES ('Gray', 'ME');
INSERT INTO cities VALUES ('Gray', 'PA');
INSERT INTO cities VALUES ('Gray Court', 'SC');
INSERT INTO cities VALUES ('Gray Hawk', 'KY');
INSERT INTO cities VALUES ('Gray Mountain', 'AZ');
INSERT INTO cities VALUES ('Gray Summit', 'MO');
INSERT INTO cities VALUES ('Grayland', 'WA');
INSERT INTO cities VALUES ('Grayling', 'AK');
INSERT INTO cities VALUES ('Grayling', 'MI');
INSERT INTO cities VALUES ('Graymont', 'IL');
INSERT INTO cities VALUES ('Grayridge', 'MO');
INSERT INTO cities VALUES ('Grays Knob', 'KY');
INSERT INTO cities VALUES ('Grays River', 'WA');
```

```
INSERT INTO cities VALUES ('Grayslake', 'IL');
INSERT INTO cities VALUES ('Gravson', 'GA'):
INSERT INTO cities VALUES ('Grayson', 'KY');
INSERT INTO cities VALUES ('Grayson', 'LA');
INSERT INTO cities VALUES ('Gravsville', 'AL'):
INSERT INTO cities VALUES ('Graysville', 'GA');
INSERT INTO cities VALUES ('Graysville', 'IN');
INSERT INTO cities VALUES ('Graysville', 'OH');
INSERT INTO cities VALUES ('Graysville', 'PA');
INSERT INTO cities VALUES ('Graysville', 'TN');
INSERT INTO cities VALUES ('Graytown', 'OH');
INSERT INTO cities VALUES ('Grayville', 'IL');
INSERT INTO cities VALUES ('Great Barrington', 'MA');
INSERT INTO cities VALUES ('Great Bend', 'KS');
INSERT INTO cities VALUES ('Great Bend', 'NY'):
INSERT INTO cities VALUES ('Great Bend', 'PA'):
INSERT INTO cities VALUES ('Great Cacapon', 'WV');
INSERT INTO cities VALUES ('Great Falls', 'MT');
INSERT INTO cities VALUES ('Great Falls', 'SC');
INSERT INTO cities VALUES ('Great Falls', 'VA');
INSERT INTO cities VALUES ('Great Lakes', 'IL');
INSERT INTO cities VALUES ('Great Meadows', 'NJ');
INSERT INTO cities VALUES ('Great Mills', 'MD');
INSERT INTO cities VALUES ('Great Neck', 'NY'):
INSERT INTO cities VALUES ('Great River', 'NY');
INSERT INTO cities VALUES ('Great Valley', 'NY');
INSERT INTO cities VALUES ('Greeley', 'CO'):
INSERT INTO cities VALUES ('Greeley', 'IA'):
INSERT INTO cities VALUES ('Greeley', 'KS');
INSERT INTO cities VALUES ('Greeley', 'NE');
INSERT INTO cities VALUES ('Greeley', 'PA');
INSERT INTO cities VALUES ('Greeleyville', 'SC');
INSERT INTO cities VALUES ('Green', 'KS');
INSERT INTO cities VALUES ('Green', 'OH'):
INSERT INTO cities VALUES ('Green Bank', 'WV');
INSERT INTO cities VALUES ('Green Bay', 'VA'):
INSERT INTO cities VALUES ('Green Bay', 'WI');
INSERT INTO cities VALUES ('Green Camp', 'OH');
INSERT INTO cities VALUES ('Green Castle', 'MO'):
INSERT INTO cities VALUES ('Green City', 'MO');
INSERT INTO cities VALUES ('Green Cove Springs', 'FL');
INSERT INTO cities VALUES ('Green Creek', 'NJ');
INSERT INTO cities VALUES ('Green Forest', 'AR');
INSERT INTO cities VALUES ('Green Harbor', 'MA');
INSERT INTO cities VALUES ('Green Isle', 'MN'):
INSERT INTO cities VALUES ('Green Lake', 'WI');
INSERT INTO cities VALUES ('Green Lane', 'PA');
INSERT INTO cities VALUES ('Green Mountain', 'NC');
INSERT INTO cities VALUES ('Green Mountain Falls', 'CO');
INSERT INTO cities VALUES ('Green Pond', 'AL');
INSERT INTO cities VALUES ('Green Pond', 'SC');
INSERT INTO cities VALUES ('Green Ridge', 'MO');
INSERT INTO cities VALUES ('Green River', 'UT');
INSERT INTO cities VALUES ('Green River', 'WY');
INSERT INTO cities VALUES ('Green Road', 'KY');
INSERT INTO cities VALUES ('Green Sea', 'SC');
```

```
INSERT INTO cities VALUES ('Green Spring', 'WV');
INSERT INTO cities VALUES ('Green Springs', 'OH'):
INSERT INTO cities VALUES ('Green Sulphur Springs', 'WV');
INSERT INTO cities VALUES ('Green Valley', 'AZ');
INSERT INTO cities VALUES ('Green Valley', 'IL'):
INSERT INTO cities VALUES ('Green Valley', 'WI');
INSERT INTO cities VALUES ('Green Valley Lake', 'CA');
INSERT INTO cities VALUES ('Green Village', 'NJ');
INSERT INTO cities VALUES ('Greenacres', 'WA');
INSERT INTO cities VALUES ('Greenback', 'TN');
INSERT INTO cities VALUES ('Greenbackville', 'VA');
INSERT INTO cities VALUES ('Greenbank', 'WA');
INSERT INTO cities VALUES ('Greenbelt', 'MD'):
INSERT INTO cities VALUES ('Greenbrae', 'CA');
INSERT INTO cities VALUES ('Greenbrier', 'AR');
INSERT INTO cities VALUES ('Greenbrier', 'TN');
INSERT INTO cities VALUES ('Greenbush', 'MA');
INSERT INTO cities VALUES ('Greenbush', 'ME');
INSERT INTO cities VALUES ('Greenbush', 'MI');
INSERT INTO cities VALUES ('Greenbush', 'MN');
INSERT INTO cities VALUES ('Greenbush', 'VA');
INSERT INTO cities VALUES ('Greenbush', 'WI');
INSERT INTO cities VALUES ('Greencastle', 'IN');
INSERT INTO cities VALUES ('Greencastle', 'PA');
INSERT INTO cities VALUES ('Greencreek', 'ID');
INSERT INTO cities VALUES ('Greendale', 'WI');
INSERT INTO cities VALUES ('Greendell', 'NJ');
INSERT INTO cities VALUES ('Greene', 'IA'):
INSERT INTO cities VALUES ('Greene', 'ME');
INSERT INTO cities VALUES ('Greene', 'NY');
INSERT INTO cities VALUES ('Greene', 'RI');
INSERT INTO cities VALUES ('Greeneville', 'TN');
INSERT INTO cities VALUES ('Greenfield', 'CA');
INSERT INTO cities VALUES ('Greenfield', 'IA');
INSERT INTO cities VALUES ('Greenfield', 'IL');
INSERT INTO cities VALUES ('Greenfield', 'IN');
INSERT INTO cities VALUES ('Greenfield', 'MA');
INSERT INTO cities VALUES ('Greenfield', 'MO');
INSERT INTO cities VALUES ('Greenfield', 'NH');
INSERT INTO cities VALUES ('Greenfield', 'OH');
INSERT INTO cities VALUES ('Greenfield', 'OK');
INSERT INTO cities VALUES ('Greenfield', 'TN');
INSERT INTO cities VALUES ('Greenfield Center', 'NY');
INSERT INTO cities VALUES ('Greenfield Park', 'NY');
INSERT INTO cities VALUES ('Greenford', 'OH'):
INSERT INTO cities VALUES ('Greenhurst', 'NY');
INSERT INTO cities VALUES ('Greenland', 'AR');
INSERT INTO cities VALUES ('Greenland', 'MI');
INSERT INTO cities VALUES ('Greenland', 'NH');
INSERT INTO cities VALUES ('Greenlawn', 'NY');
INSERT INTO cities VALUES ('Greenleaf', 'ID');
INSERT INTO cities VALUES ('Greenleaf', 'KS');
INSERT INTO cities VALUES ('Greenleaf', 'WI');
INSERT INTO cities VALUES ('Greenock', 'PA');
INSERT INTO cities VALUES ('Greenport', 'NY');
INSERT INTO cities VALUES ('Greens Farms', 'CT');
```

```
INSERT INTO cities VALUES ('Greens Fork', 'IN');
INSERT INTO cities VALUES ('Greensboro', 'AL'):
INSERT INTO cities VALUES ('Greensboro', 'FL');
INSERT INTO cities VALUES ('Greensboro', 'GA');
INSERT INTO cities VALUES ('Greensboro', 'IN'):
INSERT INTO cities VALUES ('Greensboro', 'MD');
INSERT INTO cities VALUES ('Greensboro', 'NC');
INSERT INTO cities VALUES ('Greensboro', 'PA');
INSERT INTO cities VALUES ('Greensboro', 'VT');
INSERT INTO cities VALUES ('Greensboro Bend', 'VT');
INSERT INTO cities VALUES ('Greensburg', 'IN');
INSERT INTO cities VALUES ('Greensburg', 'KS');
INSERT INTO cities VALUES ('Greensburg', 'KY');
INSERT INTO cities VALUES ('Greensburg', 'LA');
INSERT INTO cities VALUES ('Greensburg', 'PA');
INSERT INTO cities VALUES ('Greentop', 'MO'):
INSERT INTO cities VALUES ('Greentown', 'IN');
INSERT INTO cities VALUES ('Greentown', 'OH');
INSERT INTO cities VALUES ('Greentown', 'PA');
INSERT INTO cities VALUES ('Greenup', 'IL');
INSERT INTO cities VALUES ('Greenup', 'KY');
INSERT INTO cities VALUES ('Greenvale', 'NY'):
INSERT INTO cities VALUES ('Greenview', 'CA');
INSERT INTO cities VALUES ('Greenview', 'IL'):
INSERT INTO cities VALUES ('Greenville', 'AL');
INSERT INTO cities VALUES ('Greenville', 'CA');
INSERT INTO cities VALUES ('Greenville', 'FL'):
INSERT INTO cities VALUES ('Greenville', 'GA');
INSERT INTO cities VALUES ('Greenville', 'IA');
INSERT INTO cities VALUES ('Greenville', 'IL');
INSERT INTO cities VALUES ('Greenville', 'IN');
INSERT INTO cities VALUES ('Greenville', 'KY');
INSERT INTO cities VALUES ('Greenville', 'ME');
INSERT INTO cities VALUES ('Greenville', 'MI'):
INSERT INTO cities VALUES ('Greenville', 'MO');
INSERT INTO cities VALUES ('Greenville', 'MS'):
INSERT INTO cities VALUES ('Greenville', 'NC');
INSERT INTO cities VALUES ('Greenville', 'NH');
INSERT INTO cities VALUES ('Greenville', 'NY');
INSERT INTO cities VALUES ('Greenville', 'OH');
INSERT INTO cities VALUES ('Greenville', 'PA');
INSERT INTO cities VALUES ('Greenville', 'RI');
INSERT INTO cities VALUES ('Greenville', 'SC');
INSERT INTO cities VALUES ('Greenville', 'TX');
INSERT INTO cities VALUES ('Greenville', 'UT'):
INSERT INTO cities VALUES ('Greenville', 'VA');
INSERT INTO cities VALUES ('Greenville', 'WI');
INSERT INTO cities VALUES ('Greenville', 'WV');
INSERT INTO cities VALUES ('Greenville Junction', 'ME');
INSERT INTO cities VALUES ('Greenwald', 'MN');
INSERT INTO cities VALUES ('Greenway', 'AR');
INSERT INTO cities VALUES ('Greenway', 'VA');
INSERT INTO cities VALUES ('Greenwell Springs', 'LA');
INSERT INTO cities VALUES ('Greenwich', 'CT');
INSERT INTO cities VALUES ('Greenwich', 'KS');
INSERT INTO cities VALUES ('Greenwich', 'NJ');
```

```
INSERT INTO cities VALUES ('Greenwich', 'NY');
INSERT INTO cities VALUES ('Greenwich', 'OH'):
INSERT INTO cities VALUES ('Greenwich', 'UT');
INSERT INTO cities VALUES ('Greenwood', 'AR'):
INSERT INTO cities VALUES ('Greenwood', 'CA'):
INSERT INTO cities VALUES ('Greenwood', 'DE');
INSERT INTO cities VALUES ('Greenwood', 'FL');
INSERT INTO cities VALUES ('Greenwood', 'IN');
INSERT INTO cities VALUES ('Greenwood', 'LA');
INSERT INTO cities VALUES ('Greenwood', 'ME');
INSERT INTO cities VALUES ('Greenwood', 'MO');
INSERT INTO cities VALUES ('Greenwood', 'MS');
INSERT INTO cities VALUES ('Greenwood', 'NE'):
INSERT INTO cities VALUES ('Greenwood', 'NY');
INSERT INTO cities VALUES ('Greenwood', 'SC'):
INSERT INTO cities VALUES ('Greenwood', 'TX'):
INSERT INTO cities VALUES ('Greenwood', 'VA');
INSERT INTO cities VALUES ('Greenwood', 'WI');
INSERT INTO cities VALUES ('Greenwood Lake', 'NY');
INSERT INTO cities VALUES ('Greenwood Springs', 'MS');
INSERT INTO cities VALUES ('Greer', 'AZ');
INSERT INTO cities VALUES ('Greer', 'SC');
INSERT INTO cities VALUES ('Gregory', 'AR');
INSERT INTO cities VALUES ('Gregory', 'MI'):
INSERT INTO cities VALUES ('Gregory', 'SD');
INSERT INTO cities VALUES ('Gregory', 'TX');
INSERT INTO cities VALUES ('Greig', 'NY');
INSERT INTO cities VALUES ('Grelton', 'OH'):
INSERT INTO cities VALUES ('Grenada', 'CA');
INSERT INTO cities VALUES ('Grenada', 'MS');
INSERT INTO cities VALUES ('Grenloch', 'NJ');
INSERT INTO cities VALUES ('Grenola', 'KS');
INSERT INTO cities VALUES ('Grenora', 'ND');
INSERT INTO cities VALUES ('Grenville', 'NM'):
INSERT INTO cities VALUES ('Grenville', 'SD');
INSERT INTO cities VALUES ('Gresham', 'NE'):
INSERT INTO cities VALUES ('Gresham', 'OR');
INSERT INTO cities VALUES ('Gresham', 'SC');
INSERT INTO cities VALUES ('Gresham', 'WI');
INSERT INTO cities VALUES ('Grethel', 'KY');
INSERT INTO cities VALUES ('Gretna', 'FL');
INSERT INTO cities VALUES ('Gretna', 'LA');
INSERT INTO cities VALUES ('Gretna', 'NE');
INSERT INTO cities VALUES ('Gretna', 'VA');
INSERT INTO cities VALUES ('Grey Eagle', 'MN'):
INSERT INTO cities VALUES ('Greybull', 'WY');
INSERT INTO cities VALUES ('Greycliff', 'MT');
INSERT INTO cities VALUES ('Greystone Park', 'NJ');
INSERT INTO cities VALUES ('Gridley', 'CA');
INSERT INTO cities VALUES ('Gridley', 'IL');
INSERT INTO cities VALUES ('Gridley', 'KS');
INSERT INTO cities VALUES ('Griffin', 'GA');
INSERT INTO cities VALUES ('Griffin', 'IN');
INSERT INTO cities VALUES ('Griffith', 'IN');
INSERT INTO cities VALUES ('Griffithsville', 'WV');
INSERT INTO cities VALUES ('Griffithville', 'AR');
```

```
INSERT INTO cities VALUES ('Grifton', 'NC');
INSERT INTO cities VALUES ('Griggsville', 'IL'):
INSERT INTO cities VALUES ('Grimes', 'CA');
INSERT INTO cities VALUES ('Grimes', 'IA');
INSERT INTO cities VALUES ('Grimesland', 'NC'):
INSERT INTO cities VALUES ('Grimsley', 'TN');
INSERT INTO cities VALUES ('Grimstead', 'VA');
INSERT INTO cities VALUES ('Grindstone', 'PA');
INSERT INTO cities VALUES ('Grinnell', 'IA');
INSERT INTO cities VALUES ('Grinnell', 'KS');
INSERT INTO cities VALUES ('Grissom Arb', 'IN');
INSERT INTO cities VALUES ('Griswold', 'IA');
INSERT INTO cities VALUES ('Grizzly Flats', 'CA'):
INSERT INTO cities VALUES ('Groesbeck', 'TX');
INSERT INTO cities VALUES ('Groom', 'TX');
INSERT INTO cities VALUES ('Grosse Ile', 'MI'):
INSERT INTO cities VALUES ('Grosse Pointe', 'MI');
INSERT INTO cities VALUES ('Grosse Tete', 'LA');
INSERT INTO cities VALUES ('Grosvenor Dale', 'CT');
INSERT INTO cities VALUES ('Groton', 'CT');
INSERT INTO cities VALUES ('Groton', 'MA');
INSERT INTO cities VALUES ('Groton', 'NY'):
INSERT INTO cities VALUES ('Groton', 'SD');
INSERT INTO cities VALUES ('Groton', 'VT');
INSERT INTO cities VALUES ('Grottoes', 'VA');
INSERT INTO cities VALUES ('Grouse Creek', 'UT');
INSERT INTO cities VALUES ('Grove', 'OK'):
INSERT INTO cities VALUES ('Grove City', 'MN');
INSERT INTO cities VALUES ('Grove City', 'OH');
INSERT INTO cities VALUES ('Grove City', 'PA');
INSERT INTO cities VALUES ('Grove Hill', 'AL');
INSERT INTO cities VALUES ('Groveland', 'CA');
INSERT INTO cities VALUES ('Groveland', 'FL');
INSERT INTO cities VALUES ('Groveland', 'IL');
INSERT INTO cities VALUES ('Groveland', 'MA');
INSERT INTO cities VALUES ('Groveland', 'NY'):
INSERT INTO cities VALUES ('Groveoak', 'AL');
INSERT INTO cities VALUES ('Groveport', 'OH');
INSERT INTO cities VALUES ('Grover', 'CO'):
INSERT INTO cities VALUES ('Grover', 'MO');
INSERT INTO cities VALUES ('Grover', 'NC');
INSERT INTO cities VALUES ('Grover', 'PA');
INSERT INTO cities VALUES ('Grover', 'SC');
INSERT INTO cities VALUES ('Grover', 'WY');
INSERT INTO cities VALUES ('Grover Beach', 'CA'):
INSERT INTO cities VALUES ('Grover Hill', 'OH');
INSERT INTO cities VALUES ('Grovertown', 'IN');
INSERT INTO cities VALUES ('Groves', 'TX');
INSERT INTO cities VALUES ('Grovespring', 'MO');
INSERT INTO cities VALUES ('Groveton', 'TX');
INSERT INTO cities VALUES ('Grovetown', 'GA');
INSERT INTO cities VALUES ('Grubbs', 'AR');
INSERT INTO cities VALUES ('Grubville', 'MO');
INSERT INTO cities VALUES ('Gruetli Laager', 'TN');
INSERT INTO cities VALUES ('Grulla', 'TX');
INSERT INTO cities VALUES ('Grundy', 'VA');
```

```
INSERT INTO cities VALUES ('Grundy Center', 'IA');
INSERT INTO cities VALUES ('Gruver', 'IA'):
INSERT INTO cities VALUES ('Gruver', 'TX');
INSERT INTO cities VALUES ('Grygla', 'MN');
INSERT INTO cities VALUES ('Guadalupe', 'CA'):
INSERT INTO cities VALUES ('Guadalupita', 'NM');
INSERT INTO cities VALUES ('Gualala', 'CA');
INSERT INTO cities VALUES ('Guanica', 'PR');
INSERT INTO cities VALUES ('Guasti', 'CA');
INSERT INTO cities VALUES ('Guatay', 'CA');
INSERT INTO cities VALUES ('Guayama', 'PR');
INSERT INTO cities VALUES ('Guayanilla', 'PR');
INSERT INTO cities VALUES ('Guaynabo', 'PR');
INSERT INTO cities VALUES ('Guerneville', 'CA');
INSERT INTO cities VALUES ('Guernsey', 'IA');
INSERT INTO cities VALUES ('Guernsey', 'WY');
INSERT INTO cities VALUES ('Guerra', 'TX');
INSERT INTO cities VALUES ('Gueydan', 'LA');
INSERT INTO cities VALUES ('Guffey', 'CO');
INSERT INTO cities VALUES ('Guide Rock', 'NE');
INSERT INTO cities VALUES ('Guild', 'NH');
INSERT INTO cities VALUES ('Guild', 'TN');
INSERT INTO cities VALUES ('Guilderland', 'NY');
INSERT INTO cities VALUES ('Guilderland Center', 'NY'):
INSERT INTO cities VALUES ('Guildhall', 'VT');
INSERT INTO cities VALUES ('Guilford', 'CT');
INSERT INTO cities VALUES ('Guilford', 'IN'):
INSERT INTO cities VALUES ('Guilford', 'ME');
INSERT INTO cities VALUES ('Guilford', 'MO');
INSERT INTO cities VALUES ('Guilford', 'NY');
INSERT INTO cities VALUES ('Guin', 'AL');
INSERT INTO cities VALUES ('Guinda', 'CA');
INSERT INTO cities VALUES ('Guion', 'AR');
INSERT INTO cities VALUES ('Gulf', 'NC'):
INSERT INTO cities VALUES ('Gulf Breeze', 'FL');
INSERT INTO cities VALUES ('Gulf Hammock', 'FL'):
INSERT INTO cities VALUES ('Gulf Shores', 'AL');
INSERT INTO cities VALUES ('Gulfport', 'MS');
INSERT INTO cities VALUES ('Gulliver', 'MI'):
INSERT INTO cities VALUES ('Gully', 'MN');
INSERT INTO cities VALUES ('Gulston', 'KY');
INSERT INTO cities VALUES ('Gum Spring', 'VA');
INSERT INTO cities VALUES ('Gunlock', 'KY');
INSERT INTO cities VALUES ('Gunlock', 'UT');
INSERT INTO cities VALUES ('Gunnison', 'CO'):
INSERT INTO cities VALUES ('Gunnison', 'MS');
INSERT INTO cities VALUES ('Gunnison', 'UT');
INSERT INTO cities VALUES ('Gunpowder', 'MD');
INSERT INTO cities VALUES ('Gunter', 'TX');
INSERT INTO cities VALUES ('Guntersville', 'AL');
INSERT INTO cities VALUES ('Guntown', 'MS');
INSERT INTO cities VALUES ('Gurabo', 'PR');
INSERT INTO cities VALUES ('Gurdon', 'AR');
INSERT INTO cities VALUES ('Gurley', 'AL');
INSERT INTO cities VALUES ('Gurley', 'NE');
INSERT INTO cities VALUES ('Gurnee', 'IL');
```

```
INSERT INTO cities VALUES ('Gustavus', 'AK');
INSERT INTO cities VALUES ('Gustine', 'CA'):
INSERT INTO cities VALUES ('Gustine', 'TX');
INSERT INTO cities VALUES ('Guston', 'KY');
INSERT INTO cities VALUES ('Guthrie', 'KY'):
INSERT INTO cities VALUES ('Guthrie', 'OK');
INSERT INTO cities VALUES ('Guthrie', 'TX');
INSERT INTO cities VALUES ('Guthrie Center', 'IA');
INSERT INTO cities VALUES ('Guttenberg', 'IA');
INSERT INTO cities VALUES ('Guy', 'AR');
INSERT INTO cities VALUES ('Guy', 'TX');
INSERT INTO cities VALUES ('Guymon', 'OK');
INSERT INTO cities VALUES ('Guys', 'TN');
INSERT INTO cities VALUES ('Guys Mills', 'PA');
INSERT INTO cities VALUES ('Guysville', 'OH');
INSERT INTO cities VALUES ('Guyton', 'GA'):
INSERT INTO cities VALUES ('Gwinn', 'MI');
INSERT INTO cities VALUES ('Gwinner', 'ND');
INSERT INTO cities VALUES ('Gwynedd', 'PA');
INSERT INTO cities VALUES ('Gwynedd Valley', 'PA');
INSERT INTO cities VALUES ('Gwynn', 'VA');
INSERT INTO cities VALUES ('Gwynn Oak', 'MD');
INSERT INTO cities VALUES ('Gwynneville', 'IN');
INSERT INTO cities VALUES ('Gypsum', 'CO'):
INSERT INTO cities VALUES ('Gypsum', 'KS');
INSERT INTO cities VALUES ('Gypsum', 'OH');
INSERT INTO cities VALUES ('Gypsy', 'WV'):
INSERT INTO cities VALUES ('Hachita', 'NM');
INSERT INTO cities VALUES ('Hacienda Heights', 'CA');
INSERT INTO cities VALUES ('Hackberry', 'AZ');
INSERT INTO cities VALUES ('Hackberry', 'LA');
INSERT INTO cities VALUES ('Hackensack', 'MN');
INSERT INTO cities VALUES ('Hackensack', 'NJ');
INSERT INTO cities VALUES ('Hacker Valley', 'WV');
INSERT INTO cities VALUES ('Hackett', 'AR');
INSERT INTO cities VALUES ('Hackettstown', 'NJ'):
INSERT INTO cities VALUES ('Hackleburg', 'AL');
INSERT INTO cities VALUES ('Hacksneck', 'VA');
INSERT INTO cities VALUES ('Hadar', 'NE'):
INSERT INTO cities VALUES ('Haddam', 'CT');
INSERT INTO cities VALUES ('Haddam', 'KS');
INSERT INTO cities VALUES ('Haddock', 'GA');
INSERT INTO cities VALUES ('Haddon Heights', 'NJ');
INSERT INTO cities VALUES ('Haddon Township', 'NJ');
INSERT INTO cities VALUES ('Haddonfield', 'NJ');
INSERT INTO cities VALUES ('Hadensville', 'VA');
INSERT INTO cities VALUES ('Hadley', 'MA');
INSERT INTO cities VALUES ('Hadley', 'MI');
INSERT INTO cities VALUES ('Hadley', 'NY');
INSERT INTO cities VALUES ('Hadley', 'PA');
INSERT INTO cities VALUES ('Hadlyme', 'CT');
INSERT INTO cities VALUES ('Hagaman', 'NY');
INSERT INTO cities VALUES ('Hagan', 'GA');
INSERT INTO cities VALUES ('Hagar Shores', 'MI');
INSERT INTO cities VALUES ('Hagarstown', 'IL');
INSERT INTO cities VALUES ('Hagarville', 'AR');
```

```
INSERT INTO cities VALUES ('Hager City', 'WI');
INSERT INTO cities VALUES ('Hagerhill', 'KY'):
INSERT INTO cities VALUES ('Hagerman', 'ID');
INSERT INTO cities VALUES ('Hagerman', 'NM'):
INSERT INTO cities VALUES ('Hagerstown', 'IN'):
INSERT INTO cities VALUES ('Hagerstown', 'MD');
INSERT INTO cities VALUES ('Hague', 'ND');
INSERT INTO cities VALUES ('Hague', 'NY');
INSERT INTO cities VALUES ('Hague', 'VA');
INSERT INTO cities VALUES ('Hahira', 'GA');
INSERT INTO cities VALUES ('Hahnville', 'LA');
INSERT INTO cities VALUES ('Haigler', 'NE');
INSERT INTO cities VALUES ('Haiku', 'HI'):
INSERT INTO cities VALUES ('Hailesboro', 'NY');
INSERT INTO cities VALUES ('Hailey', 'ID'):
INSERT INTO cities VALUES ('Haileyville', 'OK'):
INSERT INTO cities VALUES ('Haines', 'AK');
INSERT INTO cities VALUES ('Haines', 'OR');
INSERT INTO cities VALUES ('Haines City', 'FL');
INSERT INTO cities VALUES ('Haines Falls', 'NY');
INSERT INTO cities VALUES ('Hainesport', 'NJ');
INSERT INTO cities VALUES ('Hakalau', 'HI');
INSERT INTO cities VALUES ('Halbur', 'IA');
INSERT INTO cities VALUES ('Halcottsville', 'NY');
INSERT INTO cities VALUES ('Hale', 'MI');
INSERT INTO cities VALUES ('Hale', 'MO');
INSERT INTO cities VALUES ('Hale Center', 'TX');
INSERT INTO cities VALUES ('Haledon', 'NJ');
INSERT INTO cities VALUES ('Haleiwa', 'HI');
INSERT INTO cities VALUES ('Hales Corners', 'WI');
INSERT INTO cities VALUES ('Halethorpe', 'MD');
INSERT INTO cities VALUES ('Haleyville', 'AL');
INSERT INTO cities VALUES ('Half Moon Bay', 'CA');
INSERT INTO cities VALUES ('Half Way', 'MO');
INSERT INTO cities VALUES ('Halfway', 'OR');
INSERT INTO cities VALUES ('Halifax', 'MA'):
INSERT INTO cities VALUES ('Halifax', 'NC');
INSERT INTO cities VALUES ('Halifax', 'PA');
INSERT INTO cities VALUES ('Halifax', 'VA'):
INSERT INTO cities VALUES ('Hall', 'MT');
INSERT INTO cities VALUES ('Hall', 'NY');
INSERT INTO cities VALUES ('Hall Summit', 'LA');
INSERT INTO cities VALUES ('Hallam', 'NE');
INSERT INTO cities VALUES ('Hallandale', 'FL');
INSERT INTO cities VALUES ('Halleck', 'NV'):
INSERT INTO cities VALUES ('Hallett', 'OK');
INSERT INTO cities VALUES ('Hallettsville', 'TX');
INSERT INTO cities VALUES ('Halliday', 'ND');
INSERT INTO cities VALUES ('Hallie', 'KY');
INSERT INTO cities VALUES ('Hallieford', 'VA');
INSERT INTO cities VALUES ('Hallock', 'MN');
INSERT INTO cities VALUES ('Hallowell', 'ME');
INSERT INTO cities VALUES ('Halls', 'TN');
INSERT INTO cities VALUES ('Hallsboro', 'NC');
INSERT INTO cities VALUES ('Hallstead', 'PA');
INSERT INTO cities VALUES ('Hallsville', 'MO');
```

```
INSERT INTO cities VALUES ('Hallsville', 'OH');
INSERT INTO cities VALUES ('Hallsville', 'TX'):
INSERT INTO cities VALUES ('Halltown', 'MO');
INSERT INTO cities VALUES ('Halltown', 'WV');
INSERT INTO cities VALUES ('Hallwood', 'VA'):
INSERT INTO cities VALUES ('Halma', 'MN');
INSERT INTO cities VALUES ('Halsey', 'NE');
INSERT INTO cities VALUES ('Halsey', 'OR');
INSERT INTO cities VALUES ('Halstad', 'MN');
INSERT INTO cities VALUES ('Halstead', 'KS');
INSERT INTO cities VALUES ('Haltom City', 'TX');
INSERT INTO cities VALUES ('Hambleton', 'WV');
INSERT INTO cities VALUES ('Hamburg', 'AR');
INSERT INTO cities VALUES ('Hamburg', 'IA');
INSERT INTO cities VALUES ('Hamburg', 'IL');
INSERT INTO cities VALUES ('Hamburg', 'LA');
INSERT INTO cities VALUES ('Hamburg', 'MI');
INSERT INTO cities VALUES ('Hamburg', 'MN');
INSERT INTO cities VALUES ('Hamburg', 'NJ');
INSERT INTO cities VALUES ('Hamburg', 'NY');
INSERT INTO cities VALUES ('Hamburg', 'PA');
INSERT INTO cities VALUES ('Hamden', 'CT');
INSERT INTO cities VALUES ('Hamden', 'NY');
INSERT INTO cities VALUES ('Hamden', 'OH');
INSERT INTO cities VALUES ('Hamel', 'IL');
INSERT INTO cities VALUES ('Hamel', 'MN');
INSERT INTO cities VALUES ('Hamer', 'ID');
INSERT INTO cities VALUES ('Hamer', 'SC');
INSERT INTO cities VALUES ('Hamersville', 'OH');
INSERT INTO cities VALUES ('Hamill', 'SD');
INSERT INTO cities VALUES ('Hamilton', 'AL');
INSERT INTO cities VALUES ('Hamilton', 'CO');
INSERT INTO cities VALUES ('Hamilton', 'GA');
INSERT INTO cities VALUES ('Hamilton', 'IA');
INSERT INTO cities VALUES ('Hamilton', 'IL');
INSERT INTO cities VALUES ('Hamilton', 'IN');
INSERT INTO cities VALUES ('Hamilton', 'KS');
INSERT INTO cities VALUES ('Hamilton', 'MA');
INSERT INTO cities VALUES ('Hamilton', 'MI'):
INSERT INTO cities VALUES ('Hamilton', 'MO');
INSERT INTO cities VALUES ('Hamilton', 'MS');
INSERT INTO cities VALUES ('Hamilton', 'MT');
INSERT INTO cities VALUES ('Hamilton', 'NC');
INSERT INTO cities VALUES ('Hamilton', 'ND');
INSERT INTO cities VALUES ('Hamilton', 'NY'):
INSERT INTO cities VALUES ('Hamilton', 'OH');
INSERT INTO cities VALUES ('Hamilton', 'PA');
INSERT INTO cities VALUES ('Hamilton', 'TX');
INSERT INTO cities VALUES ('Hamilton', 'VA');
INSERT INTO cities VALUES ('Hamilton', 'WA');
INSERT INTO cities VALUES ('Hamilton City', 'CA');
INSERT INTO cities VALUES ('Hamler', 'OH');
INSERT INTO cities VALUES ('Hamlet', 'IN');
INSERT INTO cities VALUES ('Hamlet', 'NC');
INSERT INTO cities VALUES ('Hamlin', 'IA');
INSERT INTO cities VALUES ('Hamlin', 'NY');
```

```
INSERT INTO cities VALUES ('Hamlin', 'PA');
INSERT INTO cities VALUES ('Hamlin', 'TX'):
INSERT INTO cities VALUES ('Hamlin', 'WV');
INSERT INTO cities VALUES ('Hammett', 'ID'):
INSERT INTO cities VALUES ('Hammon', 'OK'):
INSERT INTO cities VALUES ('Hammond', 'IL');
INSERT INTO cities VALUES ('Hammond', 'IN');
INSERT INTO cities VALUES ('Hammond', 'LA');
INSERT INTO cities VALUES ('Hammond', 'MT');
INSERT INTO cities VALUES ('Hammond', 'NY');
INSERT INTO cities VALUES ('Hammond', 'OR');
INSERT INTO cities VALUES ('Hammond', 'WI');
INSERT INTO cities VALUES ('Hammondsport', 'NY'):
INSERT INTO cities VALUES ('Hammondsville', 'OH');
INSERT INTO cities VALUES ('Hammonton', 'NJ');
INSERT INTO cities VALUES ('Hampden', 'MA');
INSERT INTO cities VALUES ('Hampden', 'ME');
INSERT INTO cities VALUES ('Hampden', 'ND');
INSERT INTO cities VALUES ('Hampden Sydney', 'VA');
INSERT INTO cities VALUES ('Hampshire', 'IL');
INSERT INTO cities VALUES ('Hampshire', 'TN');
INSERT INTO cities VALUES ('Hampstead', 'MD');
INSERT INTO cities VALUES ('Hampstead', 'NC');
INSERT INTO cities VALUES ('Hampstead', 'NH');
INSERT INTO cities VALUES ('Hampton', 'AR');
INSERT INTO cities VALUES ('Hampton', 'CT');
INSERT INTO cities VALUES ('Hampton', 'FL');
INSERT INTO cities VALUES ('Hampton', 'GA');
INSERT INTO cities VALUES ('Hampton', 'IA');
INSERT INTO cities VALUES ('Hampton', 'IL');
INSERT INTO cities VALUES ('Hampton', 'KY');
INSERT INTO cities VALUES ('Hampton', 'MN');
INSERT INTO cities VALUES ('Hampton', 'NE');
INSERT INTO cities VALUES ('Hampton', 'NH');
INSERT INTO cities VALUES ('Hampton', 'NJ');
INSERT INTO cities VALUES ('Hampton', 'NY'):
INSERT INTO cities VALUES ('Hampton', 'SC');
INSERT INTO cities VALUES ('Hampton', 'TN');
INSERT INTO cities VALUES ('Hampton', 'VA'):
INSERT INTO cities VALUES ('Hampton Bays', 'NY');
INSERT INTO cities VALUES ('Hampton Falls', 'NH');
INSERT INTO cities VALUES ('Hamptonville', 'NC');
INSERT INTO cities VALUES ('Hamshire', 'TX');
INSERT INTO cities VALUES ('Hamtramck', 'MI');
INSERT INTO cities VALUES ('Hana', 'HI'):
INSERT INTO cities VALUES ('Hanalei', 'HI');
INSERT INTO cities VALUES ('Hanamaulu', 'HI');
INSERT INTO cities VALUES ('Hanapepe', 'HI');
INSERT INTO cities VALUES ('Hanceville', 'AL');
INSERT INTO cities VALUES ('Hancock', 'IA');
INSERT INTO cities VALUES ('Hancock', 'MD');
INSERT INTO cities VALUES ('Hancock', 'ME');
INSERT INTO cities VALUES ('Hancock', 'MI');
INSERT INTO cities VALUES ('Hancock', 'MN');
INSERT INTO cities VALUES ('Hancock', 'NH');
INSERT INTO cities VALUES ('Hancock', 'NY');
```

```
INSERT INTO cities VALUES ('Hancock', 'VT');
INSERT INTO cities VALUES ('Hancock', 'WI'):
INSERT INTO cities VALUES ('Hancocks Bridge', 'NJ');
INSERT INTO cities VALUES ('Handley', 'WV');
INSERT INTO cities VALUES ('Hanford', 'CA'):
INSERT INTO cities VALUES ('Hankamer', 'TX');
INSERT INTO cities VALUES ('Hankins', 'NY');
INSERT INTO cities VALUES ('Hankinson', 'ND');
INSERT INTO cities VALUES ('Hanksville', 'UT');
INSERT INTO cities VALUES ('Hanley Falls', 'MN');
INSERT INTO cities VALUES ('Hanlontown', 'IA');
INSERT INTO cities VALUES ('Hanna', 'IN');
INSERT INTO cities VALUES ('Hanna', 'OK'):
INSERT INTO cities VALUES ('Hanna', 'UT');
INSERT INTO cities VALUES ('Hanna', 'WY');
INSERT INTO cities VALUES ('Hanna City', 'IL'):
INSERT INTO cities VALUES ('Hannacroix', 'NY');
INSERT INTO cities VALUES ('Hannaford', 'ND');
INSERT INTO cities VALUES ('Hannah', 'ND');
INSERT INTO cities VALUES ('Hannastown', 'PA');
INSERT INTO cities VALUES ('Hannawa Falls', 'NY');
INSERT INTO cities VALUES ('Hannibal', 'MO');
INSERT INTO cities VALUES ('Hannibal', 'NY');
INSERT INTO cities VALUES ('Hannibal', 'OH');
INSERT INTO cities VALUES ('Hannibal', 'WI');
INSERT INTO cities VALUES ('Hanover', 'CT');
INSERT INTO cities VALUES ('Hanover', 'IL'):
INSERT INTO cities VALUES ('Hanover', 'IN');
INSERT INTO cities VALUES ('Hanover', 'KS');
INSERT INTO cities VALUES ('Hanover', 'MA');
INSERT INTO cities VALUES ('Hanover', 'MD');
INSERT INTO cities VALUES ('Hanover', 'ME');
INSERT INTO cities VALUES ('Hanover', 'MI');
INSERT INTO cities VALUES ('Hanover', 'MN');
INSERT INTO cities VALUES ('Hanover', 'NH');
INSERT INTO cities VALUES ('Hanover', 'NM');
INSERT INTO cities VALUES ('Hanover', 'PA');
INSERT INTO cities VALUES ('Hanover', 'VA');
INSERT INTO cities VALUES ('Hanover', 'WI'):
INSERT INTO cities VALUES ('Hanover', 'WV');
INSERT INTO cities VALUES ('Hanover Park', 'IL');
INSERT INTO cities VALUES ('Hanoverton', 'OH');
INSERT INTO cities VALUES ('Hansboro', 'ND');
INSERT INTO cities VALUES ('Hanscom Afb', 'MA');
INSERT INTO cities VALUES ('Hansen', 'ID'):
INSERT INTO cities VALUES ('Hansford', 'WV');
INSERT INTO cities VALUES ('Hanska', 'MN');
INSERT INTO cities VALUES ('Hanson', 'KY');
INSERT INTO cities VALUES ('Hanson', 'MA');
INSERT INTO cities VALUES ('Hanston', 'KS');
INSERT INTO cities VALUES ('Hansville', 'WA');
INSERT INTO cities VALUES ('Happy', 'KY');
INSERT INTO cities VALUES ('Happy', 'TX');
INSERT INTO cities VALUES ('Happy Camp', 'CA');
INSERT INTO cities VALUES ('Happy Jack', 'AZ');
INSERT INTO cities VALUES ('Happy Valley', 'OR');
```

```
INSERT INTO cities VALUES ('Haralson', 'GA');
INSERT INTO cities VALUES ('Harbert', 'MI'):
INSERT INTO cities VALUES ('Harbeson', 'DE');
INSERT INTO cities VALUES ('Harbinger', 'NC'):
INSERT INTO cities VALUES ('Harbor Beach', 'MI'):
INSERT INTO cities VALUES ('Harbor City', 'CA');
INSERT INTO cities VALUES ('Harbor Springs', 'MI');
INSERT INTO cities VALUES ('Harbor View', 'OH');
INSERT INTO cities VALUES ('Harborcreek', 'PA');
INSERT INTO cities VALUES ('Harborside', 'ME');
INSERT INTO cities VALUES ('Harborton', 'VA');
INSERT INTO cities VALUES ('Harcourt', 'IA');
INSERT INTO cities VALUES ('Hardaway', 'AL'):
INSERT INTO cities VALUES ('Hardburly', 'KY');
INSERT INTO cities VALUES ('Hardeeville', 'SC');
INSERT INTO cities VALUES ('Hardenville', 'MO');
INSERT INTO cities VALUES ('Hardesty', 'OK');
INSERT INTO cities VALUES ('Hardin', 'IL');
INSERT INTO cities VALUES ('Hardin', 'KY'):
INSERT INTO cities VALUES ('Hardin', 'MO');
INSERT INTO cities VALUES ('Hardin', 'MT');
INSERT INTO cities VALUES ('Hardin', 'TX');
INSERT INTO cities VALUES ('Hardinsburg', 'IN');
INSERT INTO cities VALUES ('Hardinsburg', 'KY'):
INSERT INTO cities VALUES ('Hardtner', 'KS');
INSERT INTO cities VALUES ('Hardwick', 'GA');
INSERT INTO cities VALUES ('Hardwick', 'MA'):
INSERT INTO cities VALUES ('Hardwick', 'MN'):
INSERT INTO cities VALUES ('Hardwick', 'VT');
INSERT INTO cities VALUES ('Hardy', 'AR');
INSERT INTO cities VALUES ('Hardy', 'IA');
INSERT INTO cities VALUES ('Hardy', 'KY');
INSERT INTO cities VALUES ('Hardy', 'NE');
INSERT INTO cities VALUES ('Hardy', 'VA');
INSERT INTO cities VALUES ('Hardyville', 'KY');
INSERT INTO cities VALUES ('Hardyville', 'VA');
INSERT INTO cities VALUES ('Harford', 'NY');
INSERT INTO cities VALUES ('Harford', 'PA');
INSERT INTO cities VALUES ('Hargill', 'TX'):
INSERT INTO cities VALUES ('Harker Heights', 'TX');
INSERT INTO cities VALUES ('Harkers Island', 'NC');
INSERT INTO cities VALUES ('Harlan', 'IA');
INSERT INTO cities VALUES ('Harlan', 'IN');
INSERT INTO cities VALUES ('Harlan', 'KY');
INSERT INTO cities VALUES ('Harleigh', 'PA'):
INSERT INTO cities VALUES ('Harlem', 'GA');
INSERT INTO cities VALUES ('Harlem', 'MT');
INSERT INTO cities VALUES ('Harlem Springs', 'OH');
INSERT INTO cities VALUES ('Harleton', 'TX');
INSERT INTO cities VALUES ('Harleysville', 'PA');
INSERT INTO cities VALUES ('Harleyville', 'SC');
INSERT INTO cities VALUES ('Harlingen', 'TX');
INSERT INTO cities VALUES ('Harlowton', 'MT');
INSERT INTO cities VALUES ('Harman', 'WV');
INSERT INTO cities VALUES ('Harmans', 'MD');
INSERT INTO cities VALUES ('Harmon', 'IL');
```

```
INSERT INTO cities VALUES ('Harmonsburg', 'PA');
INSERT INTO cities VALUES ('Harmony', 'CA'):
INSERT INTO cities VALUES ('Harmony', 'IN');
INSERT INTO cities VALUES ('Harmony', 'ME');
INSERT INTO cities VALUES ('Harmony', 'MN'):
INSERT INTO cities VALUES ('Harmony', 'NC');
INSERT INTO cities VALUES ('Harmony', 'PA');
INSERT INTO cities VALUES ('Harmony', 'RI');
INSERT INTO cities VALUES ('Harned', 'KY');
INSERT INTO cities VALUES ('Harold', 'KY');
INSERT INTO cities VALUES ('Harper', 'IA');
INSERT INTO cities VALUES ('Harper', 'KS');
INSERT INTO cities VALUES ('Harper', 'OR'):
INSERT INTO cities VALUES ('Harper', 'TX');
INSERT INTO cities VALUES ('Harper', 'WV');
INSERT INTO cities VALUES ('Harper Woods', 'MI');
INSERT INTO cities VALUES ('Harpers Ferry', 'IA');
INSERT INTO cities VALUES ('Harpers Ferry', 'WV');
INSERT INTO cities VALUES ('Harpersfield', 'NY');
INSERT INTO cities VALUES ('Harpersville', 'AL');
INSERT INTO cities VALUES ('Harperville', 'MS');
INSERT INTO cities VALUES ('Harpster', 'OH');
INSERT INTO cities VALUES ('Harpswell', 'ME');
INSERT INTO cities VALUES ('Harpursville', 'NY'):
INSERT INTO cities VALUES ('Harrah', 'OK');
INSERT INTO cities VALUES ('Harrah', 'WA');
INSERT INTO cities VALUES ('Harrell', 'AR'):
INSERT INTO cities VALUES ('Harrells', 'NC');
INSERT INTO cities VALUES ('Harrellsville', 'NC');
INSERT INTO cities VALUES ('Harriet', 'AR');
INSERT INTO cities VALUES ('Harrietta', 'MI');
INSERT INTO cities VALUES ('Harriman', 'NY');
INSERT INTO cities VALUES ('Harriman', 'TN');
INSERT INTO cities VALUES ('Harrington', 'DE');
INSERT INTO cities VALUES ('Harrington', 'ME');
INSERT INTO cities VALUES ('Harrington', 'WA');
INSERT INTO cities VALUES ('Harrington Park', 'NJ');
INSERT INTO cities VALUES ('Harris', 'IA');
INSERT INTO cities VALUES ('Harris', 'MI');
INSERT INTO cities VALUES ('Harris', 'MN');
INSERT INTO cities VALUES ('Harris', 'MO');
INSERT INTO cities VALUES ('Harris', 'NC');
INSERT INTO cities VALUES ('Harris', 'NY');
INSERT INTO cities VALUES ('Harrisburg', 'AR');
INSERT INTO cities VALUES ('Harrisburg', 'IL'):
INSERT INTO cities VALUES ('Harrisburg', 'MO');
INSERT INTO cities VALUES ('Harrisburg', 'NC');
INSERT INTO cities VALUES ('Harrisburg', 'NE');
INSERT INTO cities VALUES ('Harrisburg', 'OH');
INSERT INTO cities VALUES ('Harrisburg', 'OR');
INSERT INTO cities VALUES ('Harrisburg', 'PA');
INSERT INTO cities VALUES ('Harrisburg', 'SD');
INSERT INTO cities VALUES ('Harrison', 'AR');
INSERT INTO cities VALUES ('Harrison', 'GA');
INSERT INTO cities VALUES ('Harrison', 'ID');
INSERT INTO cities VALUES ('Harrison', 'ME');
```

```
INSERT INTO cities VALUES ('Harrison', 'MI');
INSERT INTO cities VALUES ('Harrison', 'MT'):
INSERT INTO cities VALUES ('Harrison', 'NE');
INSERT INTO cities VALUES ('Harrison', 'NJ');
INSERT INTO cities VALUES ('Harrison', 'NY'):
INSERT INTO cities VALUES ('Harrison', 'OH');
INSERT INTO cities VALUES ('Harrison', 'SD');
INSERT INTO cities VALUES ('Harrison', 'TN');
INSERT INTO cities VALUES ('Harrison City', 'PA');
INSERT INTO cities VALUES ('Harrison Township', 'MI');
INSERT INTO cities VALUES ('Harrison Valley', 'PA');
INSERT INTO cities VALUES ('Harrisonburg', 'LA');
INSERT INTO cities VALUES ('Harrisonburg', 'VA');
INSERT INTO cities VALUES ('Harrisonville', 'MO');
INSERT INTO cities VALUES ('Harrisonville', 'NJ');
INSERT INTO cities VALUES ('Harrisonville', 'PA');
INSERT INTO cities VALUES ('Harriston', 'MS');
INSERT INTO cities VALUES ('Harristown', 'IL');
INSERT INTO cities VALUES ('Harrisville', 'MI');
INSERT INTO cities VALUES ('Harrisville', 'MS');
INSERT INTO cities VALUES ('Harrisville', 'NH');
INSERT INTO cities VALUES ('Harrisville', 'NY');
INSERT INTO cities VALUES ('Harrisville', 'OH');
INSERT INTO cities VALUES ('Harrisville', 'PA'):
INSERT INTO cities VALUES ('Harrisville', 'RI');
INSERT INTO cities VALUES ('Harrisville', 'WV');
INSERT INTO cities VALUES ('Harrod', 'OH'):
INSERT INTO cities VALUES ('Harrods Creek', 'KY');
INSERT INTO cities VALUES ('Harrodsburg', 'IN');
INSERT INTO cities VALUES ('Harrodsburg', 'KY');
INSERT INTO cities VALUES ('Harrogate', 'TN');
INSERT INTO cities VALUES ('Harrold', 'SD');
INSERT INTO cities VALUES ('Harrold', 'TX');
INSERT INTO cities VALUES ('Harsens Island', 'MI');
INSERT INTO cities VALUES ('Harshaw', 'WI');
INSERT INTO cities VALUES ('Hart', 'MI'):
INSERT INTO cities VALUES ('Hart', 'TX');
INSERT INTO cities VALUES ('Hartfield', 'VA');
INSERT INTO cities VALUES ('Hartford', 'AL'):
INSERT INTO cities VALUES ('Hartford', 'AR');
INSERT INTO cities VALUES ('Hartford', 'CT');
INSERT INTO cities VALUES ('Hartford', 'IA');
INSERT INTO cities VALUES ('Hartford', 'IL');
INSERT INTO cities VALUES ('Hartford', 'KS');
INSERT INTO cities VALUES ('Hartford', 'KY'):
INSERT INTO cities VALUES ('Hartford', 'MI');
INSERT INTO cities VALUES ('Hartford', 'NY');
INSERT INTO cities VALUES ('Hartford', 'OH');
INSERT INTO cities VALUES ('Hartford', 'SD');
INSERT INTO cities VALUES ('Hartford', 'TN');
INSERT INTO cities VALUES ('Hartford', 'VT');
INSERT INTO cities VALUES ('Hartford', 'WI');
INSERT INTO cities VALUES ('Hartford', 'WV');
INSERT INTO cities VALUES ('Hartford City', 'IN');
INSERT INTO cities VALUES ('Hartington', 'NE');
INSERT INTO cities VALUES ('Hartland', 'ME');
```

```
INSERT INTO cities VALUES ('Hartland', 'MI');
INSERT INTO cities VALUES ('Hartland', 'MN'):
INSERT INTO cities VALUES ('Hartland', 'VT');
INSERT INTO cities VALUES ('Hartland', 'WI'):
INSERT INTO cities VALUES ('Hartland Four Corners', 'VT'):
INSERT INTO cities VALUES ('Hartleton', 'PA');
INSERT INTO cities VALUES ('Hartley', 'IA');
INSERT INTO cities VALUES ('Hartley', 'TX');
INSERT INTO cities VALUES ('Hartline', 'WA');
INSERT INTO cities VALUES ('Hartly', 'DE');
INSERT INTO cities VALUES ('Hartman', 'AR');
INSERT INTO cities VALUES ('Hartman', 'CO');
INSERT INTO cities VALUES ('Harts', 'WV');
INSERT INTO cities VALUES ('Hartsburg', 'IL');
INSERT INTO cities VALUES ('Hartsburg', 'MO'):
INSERT INTO cities VALUES ('Hartsdale', 'NY');
INSERT INTO cities VALUES ('Hartsel', 'CO');
INSERT INTO cities VALUES ('Hartselle', 'AL');
INSERT INTO cities VALUES ('Hartsfield', 'GA');
INSERT INTO cities VALUES ('Hartshorn', 'MO');
INSERT INTO cities VALUES ('Hartshorne', 'OK');
INSERT INTO cities VALUES ('Hartstown', 'PA');
INSERT INTO cities VALUES ('Hartsville', 'IN');
INSERT INTO cities VALUES ('Hartsville', 'SC'):
INSERT INTO cities VALUES ('Hartsville', 'TN');
INSERT INTO cities VALUES ('Hartville', 'MO');
INSERT INTO cities VALUES ('Hartville', 'OH');
INSERT INTO cities VALUES ('Hartville', 'WY');
INSERT INTO cities VALUES ('Hartwell', 'GA');
INSERT INTO cities VALUES ('Hartwick', 'IA');
INSERT INTO cities VALUES ('Hartwick', 'NY');
INSERT INTO cities VALUES ('Hartwood', 'VA');
INSERT INTO cities VALUES ('Harvard', 'ID');
INSERT INTO cities VALUES ('Harvard', 'IL');
INSERT INTO cities VALUES ('Harvard', 'MA');
INSERT INTO cities VALUES ('Harvard', 'NE'):
INSERT INTO cities VALUES ('Harvel', 'IL');
INSERT INTO cities VALUES ('Harvest', 'AL');
INSERT INTO cities VALUES ('Harvey', 'AR');
INSERT INTO cities VALUES ('Harvey', 'IA');
INSERT INTO cities VALUES ('Harvey', 'IL');
INSERT INTO cities VALUES ('Harvey', 'LA');
INSERT INTO cities VALUES ('Harvey', 'ND');
INSERT INTO cities VALUES ('Harveys Lake', 'PA');
INSERT INTO cities VALUES ('Harveysburg', 'OH'):
INSERT INTO cities VALUES ('Harveyville', 'KS');
INSERT INTO cities VALUES ('Harviell', 'MO');
INSERT INTO cities VALUES ('Harwich', 'MA');
INSERT INTO cities VALUES ('Harwich Port', 'MA');
INSERT INTO cities VALUES ('Harwick', 'PA');
INSERT INTO cities VALUES ('Harwinton', 'CT');
INSERT INTO cities VALUES ('Harwood', 'MD');
INSERT INTO cities VALUES ('Harwood', 'MO');
INSERT INTO cities VALUES ('Harwood', 'ND');
INSERT INTO cities VALUES ('Harwood', 'TX');
INSERT INTO cities VALUES ('Harwood Heights', 'IL');
```

```
INSERT INTO cities VALUES ('Hasbrouck Heights', 'NJ');
INSERT INTO cities VALUES ('Haskell', 'NJ'):
INSERT INTO cities VALUES ('Haskell', 'OK');
INSERT INTO cities VALUES ('Haskell', 'TX'):
INSERT INTO cities VALUES ('Haskins', 'OH'):
INSERT INTO cities VALUES ('Haslet', 'TX');
INSERT INTO cities VALUES ('Haslett', 'MI');
INSERT INTO cities VALUES ('Hassell', 'NC');
INSERT INTO cities VALUES ('Hastings', 'FL');
INSERT INTO cities VALUES ('Hastings', 'IA');
INSERT INTO cities VALUES ('Hastings', 'MI');
INSERT INTO cities VALUES ('Hastings', 'MN');
INSERT INTO cities VALUES ('Hastings', 'NE'):
INSERT INTO cities VALUES ('Hastings', 'NY');
INSERT INTO cities VALUES ('Hastings', 'OK'):
INSERT INTO cities VALUES ('Hastings', 'PA'):
INSERT INTO cities VALUES ('Hastings On Hudson', 'NY');
INSERT INTO cities VALUES ('Hasty', 'AR');
INSERT INTO cities VALUES ('Hasty', 'CO');
INSERT INTO cities VALUES ('Haswell', 'CO');
INSERT INTO cities VALUES ('Hat Creek', 'CA');
INSERT INTO cities VALUES ('Hatboro', 'PA');
INSERT INTO cities VALUES ('Hatch', 'NM');
INSERT INTO cities VALUES ('Hatch', 'UT'):
INSERT INTO cities VALUES ('Hatchechubbee', 'AL');
INSERT INTO cities VALUES ('Hatfield', 'AR');
INSERT INTO cities VALUES ('Hatfield', 'IN'):
INSERT INTO cities VALUES ('Hatfield', 'MA'):
INSERT INTO cities VALUES ('Hatfield', 'MO');
INSERT INTO cities VALUES ('Hatfield', 'PA');
INSERT INTO cities VALUES ('Hathaway', 'MT');
INSERT INTO cities VALUES ('Hathaway Pines', 'CA');
INSERT INTO cities VALUES ('Hathorne', 'MA');
INSERT INTO cities VALUES ('Hatillo', 'PR'):
INSERT INTO cities VALUES ('Hatley', 'WI');
INSERT INTO cities VALUES ('Hatteras', 'NC');
INSERT INTO cities VALUES ('Hattiesburg', 'MS');
INSERT INTO cities VALUES ('Hattieville', 'AR');
INSERT INTO cities VALUES ('Hatton', 'ND'):
INSERT INTO cities VALUES ('Haubstadt', 'IN');
INSERT INTO cities VALUES ('Haugan', 'MT');
INSERT INTO cities VALUES ('Haugen', 'WI');
INSERT INTO cities VALUES ('Haughton', 'LA');
INSERT INTO cities VALUES ('Hauppauge', 'NY');
INSERT INTO cities VALUES ('Hauula', 'HI'):
INSERT INTO cities VALUES ('Havana', 'AR');
INSERT INTO cities VALUES ('Havana', 'FL');
INSERT INTO cities VALUES ('Havana', 'IL');
INSERT INTO cities VALUES ('Havana', 'KS');
INSERT INTO cities VALUES ('Havana', 'ND');
INSERT INTO cities VALUES ('Havelock', 'IA');
INSERT INTO cities VALUES ('Havelock', 'NC');
INSERT INTO cities VALUES ('Haven', 'KS');
INSERT INTO cities VALUES ('Havensville', 'KS');
INSERT INTO cities VALUES ('Haverford', 'PA');
INSERT INTO cities VALUES ('Haverhill', 'IA');
```

```
INSERT INTO cities VALUES ('Haverhill', 'MA');
INSERT INTO cities VALUES ('Haverhill', 'NH'):
INSERT INTO cities VALUES ('Haverhill', 'OH');
INSERT INTO cities VALUES ('Haverstraw', 'NY'):
INSERT INTO cities VALUES ('Havertown', 'PA'):
INSERT INTO cities VALUES ('Haviland', 'KS');
INSERT INTO cities VALUES ('Haviland', 'OH');
INSERT INTO cities VALUES ('Havre', 'MT');
INSERT INTO cities VALUES ('Havre De Grace', 'MD');
INSERT INTO cities VALUES ('Haw River', 'NC');
INSERT INTO cities VALUES ('Hawaii National Park', 'HI');
INSERT INTO cities VALUES ('Hawaiian Gardens', 'CA');
INSERT INTO cities VALUES ('Hawarden', 'IA'):
INSERT INTO cities VALUES ('Hawesville', 'KY');
INSERT INTO cities VALUES ('Hawi', 'HI'):
INSERT INTO cities VALUES ('Hawk Point', 'MO'):
INSERT INTO cities VALUES ('Hawk Run', 'PA');
INSERT INTO cities VALUES ('Hawk Springs', 'WY');
INSERT INTO cities VALUES ('Hawkeye', 'IA');
INSERT INTO cities VALUES ('Hawkins', 'TX');
INSERT INTO cities VALUES ('Hawkins', 'WI');
INSERT INTO cities VALUES ('Hawkinsville', 'GA');
INSERT INTO cities VALUES ('Hawks', 'MI');
INSERT INTO cities VALUES ('Hawley', 'MN'):
INSERT INTO cities VALUES ('Hawley', 'PA');
INSERT INTO cities VALUES ('Hawley', 'TX');
INSERT INTO cities VALUES ('Hawleyville', 'CT'):
INSERT INTO cities VALUES ('Haworth', 'NJ');
INSERT INTO cities VALUES ('Haworth', 'OK');
INSERT INTO cities VALUES ('Hawthorn', 'PA');
INSERT INTO cities VALUES ('Hawthorne', 'CA');
INSERT INTO cities VALUES ('Hawthorne', 'FL');
INSERT INTO cities VALUES ('Hawthorne', 'NJ');
INSERT INTO cities VALUES ('Hawthorne', 'NV');
INSERT INTO cities VALUES ('Hawthorne', 'NY');
INSERT INTO cities VALUES ('Hawthorne', 'WI'):
INSERT INTO cities VALUES ('Haxtun', 'CO');
INSERT INTO cities VALUES ('Hay', 'WA');
INSERT INTO cities VALUES ('Hay Springs', 'NE');
INSERT INTO cities VALUES ('Hayden', 'AL');
INSERT INTO cities VALUES ('Hayden', 'AZ');
INSERT INTO cities VALUES ('Hayden', 'CO');
INSERT INTO cities VALUES ('Hayden', 'ID');
INSERT INTO cities VALUES ('Hayden', 'IN');
INSERT INTO cities VALUES ('Haydenville', 'MA');
INSERT INTO cities VALUES ('Haydenville', 'OH');
INSERT INTO cities VALUES ('Hayes', 'LA');
INSERT INTO cities VALUES ('Hayes', 'SD');
INSERT INTO cities VALUES ('Hayes', 'VA');
INSERT INTO cities VALUES ('Hayes Center', 'NE');
INSERT INTO cities VALUES ('Hayesville', 'IA');
INSERT INTO cities VALUES ('Hayesville', 'NC');
INSERT INTO cities VALUES ('Hayesville', 'OH');
INSERT INTO cities VALUES ('Hayfield', 'MN');
INSERT INTO cities VALUES ('Hayfork', 'CA');
INSERT INTO cities VALUES ('Haymarket', 'VA');
```

```
INSERT INTO cities VALUES ('Haynes', 'AR');
INSERT INTO cities VALUES ('Havnesville', 'LA'):
INSERT INTO cities VALUES ('Haynesville', 'VA');
INSERT INTO cities VALUES ('Hayneville', 'AL');
INSERT INTO cities VALUES ('Havs', 'KS'):
INSERT INTO cities VALUES ('Hays', 'MT');
INSERT INTO cities VALUES ('Hays', 'NC');
INSERT INTO cities VALUES ('Haysi', 'VA');
INSERT INTO cities VALUES ('Haysville', 'KS');
INSERT INTO cities VALUES ('Hayti', 'MO');
INSERT INTO cities VALUES ('Hayti', 'SD');
INSERT INTO cities VALUES ('Hayward', 'CA');
INSERT INTO cities VALUES ('Hayward', 'MN'):
INSERT INTO cities VALUES ('Hayward', 'WI');
INSERT INTO cities VALUES ('Haywood', 'VA');
INSERT INTO cities VALUES ('Haywood', 'WV');
INSERT INTO cities VALUES ('Hazard', 'KY');
INSERT INTO cities VALUES ('Hazard', 'NE');
INSERT INTO cities VALUES ('Hazel', 'KY');
INSERT INTO cities VALUES ('Hazel', 'SD');
INSERT INTO cities VALUES ('Hazel Crest', 'IL');
INSERT INTO cities VALUES ('Hazel Green', 'AL');
INSERT INTO cities VALUES ('Hazel Green', 'KY');
INSERT INTO cities VALUES ('Hazel Green', 'WI');
INSERT INTO cities VALUES ('Hazel Hurst', 'PA');
INSERT INTO cities VALUES ('Hazel Park', 'MI');
INSERT INTO cities VALUES ('Hazelhurst', 'WI');
INSERT INTO cities VALUES ('Hazelton', 'ID');
INSERT INTO cities VALUES ('Hazelton', 'KS');
INSERT INTO cities VALUES ('Hazelton', 'ND');
INSERT INTO cities VALUES ('Hazelwood', 'MO');
INSERT INTO cities VALUES ('Hazelwood', 'NC');
INSERT INTO cities VALUES ('Hazen', 'AR');
INSERT INTO cities VALUES ('Hazen', 'ND');
INSERT INTO cities VALUES ('Hazlehurst', 'GA');
INSERT INTO cities VALUES ('Hazlehurst', 'MS'):
INSERT INTO cities VALUES ('Hazlet', 'NJ');
INSERT INTO cities VALUES ('Hazleton', 'IA');
INSERT INTO cities VALUES ('Hazleton', 'IN');
INSERT INTO cities VALUES ('Hazleton', 'PA');
INSERT INTO cities VALUES ('Head Waters', 'VA');
INSERT INTO cities VALUES ('Headland', 'AL');
INSERT INTO cities VALUES ('Headrick', 'OK');
INSERT INTO cities VALUES ('Heafford Junction', 'WI');
INSERT INTO cities VALUES ('Healdsburg', 'CA'):
INSERT INTO cities VALUES ('Healdton', 'OK');
INSERT INTO cities VALUES ('Healy', 'AK');
INSERT INTO cities VALUES ('Healy', 'KS');
INSERT INTO cities VALUES ('Hearne', 'TX');
INSERT INTO cities VALUES ('Heart Butte', 'MT');
INSERT INTO cities VALUES ('Heartwell', 'NE');
INSERT INTO cities VALUES ('Heaters', 'WV');
INSERT INTO cities VALUES ('Heath', 'MA');
INSERT INTO cities VALUES ('Heath', 'OH');
INSERT INTO cities VALUES ('Heath Springs', 'SC');
INSERT INTO cities VALUES ('Heathsville', 'VA');
```

```
INSERT INTO cities VALUES ('Heavener', 'OK');
INSERT INTO cities VALUES ('Hebbronville', 'TX'):
INSERT INTO cities VALUES ('Heber', 'AZ');
INSERT INTO cities VALUES ('Heber', 'CA'):
INSERT INTO cities VALUES ('Heber City', 'UT'):
INSERT INTO cities VALUES ('Heber Springs', 'AR');
INSERT INTO cities VALUES ('Hebo', 'OR');
INSERT INTO cities VALUES ('Hebron', 'CT');
INSERT INTO cities VALUES ('Hebron', 'IL');
INSERT INTO cities VALUES ('Hebron', 'IN');
INSERT INTO cities VALUES ('Hebron', 'KY');
INSERT INTO cities VALUES ('Hebron', 'MD');
INSERT INTO cities VALUES ('Hebron', 'ME');
INSERT INTO cities VALUES ('Hebron', 'ND');
INSERT INTO cities VALUES ('Hebron', 'NE'):
INSERT INTO cities VALUES ('Hebron', 'NH');
INSERT INTO cities VALUES ('Hebron', 'OH');
INSERT INTO cities VALUES ('Hecker', 'IL');
INSERT INTO cities VALUES ('Hecla', 'SD'):
INSERT INTO cities VALUES ('Hector', 'AR');
INSERT INTO cities VALUES ('Hector', 'MN');
INSERT INTO cities VALUES ('Hector', 'NY');
INSERT INTO cities VALUES ('Hedgesville', 'WV');
INSERT INTO cities VALUES ('Hedley', 'TX'):
INSERT INTO cities VALUES ('Hedrick', 'IA');
INSERT INTO cities VALUES ('Heflin', 'AL');
INSERT INTO cities VALUES ('Heflin', 'LA'):
INSERT INTO cities VALUES ('Hegins', 'PA');
INSERT INTO cities VALUES ('Heidelberg', 'KY');
INSERT INTO cities VALUES ('Heidelberg', 'MS');
INSERT INTO cities VALUES ('Heidenheimer', 'TX');
INSERT INTO cities VALUES ('Heidrick', 'KY');
INSERT INTO cities VALUES ('Heilwood', 'PA');
INSERT INTO cities VALUES ('Heiskell', 'TN');
INSERT INTO cities VALUES ('Heislerville', 'NJ');
INSERT INTO cities VALUES ('Heisson', 'WA'):
INSERT INTO cities VALUES ('Helen', 'GA');
INSERT INTO cities VALUES ('Helen', 'MD');
INSERT INTO cities VALUES ('Helen', 'WV');
INSERT INTO cities VALUES ('Helena', 'AL');
INSERT INTO cities VALUES ('Helena', 'AR');
INSERT INTO cities VALUES ('Helena', 'GA');
INSERT INTO cities VALUES ('Helena', 'MO');
INSERT INTO cities VALUES ('Helena', 'MT');
INSERT INTO cities VALUES ('Helena', 'NY'):
INSERT INTO cities VALUES ('Helena', 'OH');
INSERT INTO cities VALUES ('Helena', 'OK');
INSERT INTO cities VALUES ('Helendale', 'CA');
INSERT INTO cities VALUES ('Helenville', 'WI');
INSERT INTO cities VALUES ('Helenwood', 'TN');
INSERT INTO cities VALUES ('Helix', 'OR');
INSERT INTO cities VALUES ('Hellertown', 'PA');
INSERT INTO cities VALUES ('Hellier', 'KY');
INSERT INTO cities VALUES ('Helm', 'CA');
INSERT INTO cities VALUES ('Helmetta', 'NJ');
INSERT INTO cities VALUES ('Helmsburg', 'IN');
```

```
INSERT INTO cities VALUES ('Helmville', 'MT');
INSERT INTO cities VALUES ('Helotes', 'TX'):
INSERT INTO cities VALUES ('Helper', 'UT');
INSERT INTO cities VALUES ('Helton', 'KY'):
INSERT INTO cities VALUES ('Heltonville', 'IN'):
INSERT INTO cities VALUES ('Helvetia', 'WV');
INSERT INTO cities VALUES ('Hematite', 'MO');
INSERT INTO cities VALUES ('Hemet', 'CA');
INSERT INTO cities VALUES ('Hemingford', 'NE');
INSERT INTO cities VALUES ('Hemingway', 'SC');
INSERT INTO cities VALUES ('Hemlock', 'IN');
INSERT INTO cities VALUES ('Hemlock', 'MI');
INSERT INTO cities VALUES ('Hemlock', 'NY');
INSERT INTO cities VALUES ('Hemphill', 'TX');
INSERT INTO cities VALUES ('Hemphill', 'WV');
INSERT INTO cities VALUES ('Hempstead', 'NY');
INSERT INTO cities VALUES ('Hempstead', 'TX');
INSERT INTO cities VALUES ('Henagar', 'AL');
INSERT INTO cities VALUES ('Henderson', 'AR');
INSERT INTO cities VALUES ('Henderson', 'CO');
INSERT INTO cities VALUES ('Henderson', 'IA');
INSERT INTO cities VALUES ('Henderson', 'IL');
INSERT INTO cities VALUES ('Henderson', 'KY');
INSERT INTO cities VALUES ('Henderson', 'MD');
INSERT INTO cities VALUES ('Henderson', 'MI');
INSERT INTO cities VALUES ('Henderson', 'MN');
INSERT INTO cities VALUES ('Henderson', 'NC'):
INSERT INTO cities VALUES ('Henderson', 'NE');
INSERT INTO cities VALUES ('Henderson', 'NV');
INSERT INTO cities VALUES ('Henderson', 'NY');
INSERT INTO cities VALUES ('Henderson', 'TN');
INSERT INTO cities VALUES ('Henderson', 'TX');
INSERT INTO cities VALUES ('Henderson', 'WV');
INSERT INTO cities VALUES ('Henderson Harbor', 'NY');
INSERT INTO cities VALUES ('Hendersonville', 'NC');
INSERT INTO cities VALUES ('Hendersonville', 'PA');
INSERT INTO cities VALUES ('Hendersonville', 'TN');
INSERT INTO cities VALUES ('Hendley', 'NE');
INSERT INTO cities VALUES ('Hendricks', 'MN');
INSERT INTO cities VALUES ('Hendricks', 'WV');
INSERT INTO cities VALUES ('Hendrix', 'OK');
INSERT INTO cities VALUES ('Hendrum', 'MN');
INSERT INTO cities VALUES ('Henefer', 'UT');
INSERT INTO cities VALUES ('Henlawson', 'WV');
INSERT INTO cities VALUES ('Henley', 'MO'):
INSERT INTO cities VALUES ('Hennepin', 'IL');
INSERT INTO cities VALUES ('Hennepin', 'OK');
INSERT INTO cities VALUES ('Hennessey', 'OK');
INSERT INTO cities VALUES ('Henniker', 'NH');
INSERT INTO cities VALUES ('Henning', 'IL');
INSERT INTO cities VALUES ('Henning', 'MN');
INSERT INTO cities VALUES ('Henning', 'TN');
INSERT INTO cities VALUES ('Henrico', 'NC');
INSERT INTO cities VALUES ('Henrietta', 'MO');
INSERT INTO cities VALUES ('Henrietta', 'NC');
INSERT INTO cities VALUES ('Henrietta', 'NY');
```

```
INSERT INTO cities VALUES ('Henrietta', 'TX');
INSERT INTO cities VALUES ('Henriette', 'MN'):
INSERT INTO cities VALUES ('Henrieville', 'UT');
INSERT INTO cities VALUES ('Henry', 'IL');
INSERT INTO cities VALUES ('Henry', 'SD'):
INSERT INTO cities VALUES ('Henry', 'TN');
INSERT INTO cities VALUES ('Henry', 'VA');
INSERT INTO cities VALUES ('Henryetta', 'OK');
INSERT INTO cities VALUES ('Henryville', 'IN');
INSERT INTO cities VALUES ('Henryville', 'PA');
INSERT INTO cities VALUES ('Hensel', 'ND');
INSERT INTO cities VALUES ('Hensley', 'AR');
INSERT INTO cities VALUES ('Hensley', 'WV');
INSERT INTO cities VALUES ('Hensonville', 'NY');
INSERT INTO cities VALUES ('Hephzibah', 'GA'):
INSERT INTO cities VALUES ('Hepler', 'KS'):
INSERT INTO cities VALUES ('Heppner', 'OR');
INSERT INTO cities VALUES ('Hepzibah', 'WV');
INSERT INTO cities VALUES ('Herald', 'CA');
INSERT INTO cities VALUES ('Herbster', 'WI');
INSERT INTO cities VALUES ('Herculaneum', 'MO');
INSERT INTO cities VALUES ('Hercules', 'CA');
INSERT INTO cities VALUES ('Hereford', 'AZ');
INSERT INTO cities VALUES ('Hereford', 'CO'):
INSERT INTO cities VALUES ('Hereford', 'OR');
INSERT INTO cities VALUES ('Hereford', 'PA');
INSERT INTO cities VALUES ('Hereford', 'TX'):
INSERT INTO cities VALUES ('Herington', 'KS');
INSERT INTO cities VALUES ('Herkimer', 'NY');
INSERT INTO cities VALUES ('Herlong', 'CA');
INSERT INTO cities VALUES ('Herman', 'MN');
INSERT INTO cities VALUES ('Herman', 'NE');
INSERT INTO cities VALUES ('Herman', 'PA');
INSERT INTO cities VALUES ('Hermann', 'MO');
INSERT INTO cities VALUES ('Hermansville', 'MI');
INSERT INTO cities VALUES ('Hermanville', 'MS'):
INSERT INTO cities VALUES ('Herminie', 'PA');
INSERT INTO cities VALUES ('Hermiston', 'OR');
INSERT INTO cities VALUES ('Hermitage', 'AR'):
INSERT INTO cities VALUES ('Hermitage', 'MO');
INSERT INTO cities VALUES ('Hermitage', 'PA');
INSERT INTO cities VALUES ('Hermitage', 'TN');
INSERT INTO cities VALUES ('Hermleigh', 'TX');
INSERT INTO cities VALUES ('Hermon', 'NY');
INSERT INTO cities VALUES ('Hermosa', 'SD'):
INSERT INTO cities VALUES ('Hermosa Beach', 'CA');
INSERT INTO cities VALUES ('Hernandez', 'NM');
INSERT INTO cities VALUES ('Hernando', 'FL');
INSERT INTO cities VALUES ('Hernando', 'MS');
INSERT INTO cities VALUES ('Herndon', 'KS');
INSERT INTO cities VALUES ('Herndon', 'KY');
INSERT INTO cities VALUES ('Herndon', 'PA');
INSERT INTO cities VALUES ('Herndon', 'VA');
INSERT INTO cities VALUES ('Herndon', 'WV');
INSERT INTO cities VALUES ('Hernshaw', 'WV');
INSERT INTO cities VALUES ('Herod', 'IL');
```

```
INSERT INTO cities VALUES ('Heron', 'MT');
INSERT INTO cities VALUES ('Heron Lake', 'MN'):
INSERT INTO cities VALUES ('Herreid', 'SD');
INSERT INTO cities VALUES ('Herrick', 'IL'):
INSERT INTO cities VALUES ('Herrick', 'SD'):
INSERT INTO cities VALUES ('Herrick Center', 'PA');
INSERT INTO cities VALUES ('Herriman', 'UT');
INSERT INTO cities VALUES ('Herrin', 'IL');
INSERT INTO cities VALUES ('Herron', 'MI');
INSERT INTO cities VALUES ('Herscher', 'IL');
INSERT INTO cities VALUES ('Hersey', 'MI');
INSERT INTO cities VALUES ('Hershey', 'NE');
INSERT INTO cities VALUES ('Hershey', 'PA'):
INSERT INTO cities VALUES ('Hertel', 'WI');
INSERT INTO cities VALUES ('Hertford', 'NC'):
INSERT INTO cities VALUES ('Hesperia', 'CA'):
INSERT INTO cities VALUES ('Hesperia', 'MI');
INSERT INTO cities VALUES ('Hesperus', 'CO');
INSERT INTO cities VALUES ('Hessel', 'MI'):
INSERT INTO cities VALUES ('Hessmer', 'LA');
INSERT INTO cities VALUES ('Hesston', 'KS');
INSERT INTO cities VALUES ('Hesston', 'PA'):
INSERT INTO cities VALUES ('Hestand', 'KY');
INSERT INTO cities VALUES ('Hester', 'LA'):
INSERT INTO cities VALUES ('Heth', 'AR');
INSERT INTO cities VALUES ('Hettick', 'IL');
INSERT INTO cities VALUES ('Hettinger', 'ND');
INSERT INTO cities VALUES ('Heuvelton', 'NY'):
INSERT INTO cities VALUES ('Hewett', 'WV');
INSERT INTO cities VALUES ('Hewitt', 'MN');
INSERT INTO cities VALUES ('Hewitt', 'NJ');
INSERT INTO citie
INSERT INTO cities VALUES ('Hingham', 'WI');
INSERT INTO cities VALUES ('Hinkle', 'KY'):
INSERT INTO cities VALUES ('Hinkley', 'CA');
INSERT INTO cities VALUES ('Hinsdale', 'IL');
INSERT INTO cities VALUES ('Hinsdale', 'MA');
INSERT INTO cities VALUES ('Hinsdale', 'MT');
INSERT INTO cities VALUES ('Hinsdale', 'NH');
INSERT INTO cities VALUES ('Hinsdale', 'NY');
INSERT INTO cities VALUES ('Hinton', 'IA');
INSERT INTO cities VALUES ('Hinton', 'OK');
INSERT INTO cities VALUES ('Hinton', 'VA');
INSERT INTO cities VALUES ('Hinton', 'WV');
INSERT INTO cities VALUES ('Hiram', 'GA'):
INSERT INTO cities VALUES ('Hiram', 'ME');
INSERT INTO cities VALUES ('Hiram', 'OH'):
INSERT INTO cities VALUES ('Hiseville', 'KY');
INSERT INTO cities VALUES ('Hitchcock', 'OK');
INSERT INTO cities VALUES ('Hitchcock', 'SD');
INSERT INTO cities VALUES ('Hitchcock', 'TX');
INSERT INTO cities VALUES ('Hitchins', 'KY');
INSERT INTO cities VALUES ('Hitchita', 'OK');
INSERT INTO cities VALUES ('Hitterdal', 'MN');
INSERT INTO cities VALUES ('Hiwasse', 'AR');
INSERT INTO cities VALUES ('Hiwassee', 'VA');
```

```
INSERT INTO cities VALUES ('Hixson', 'TN');
INSERT INTO cities VALUES ('Hixton', 'WI'):
INSERT INTO cities VALUES ('Ho Ho Kus', 'NJ');
INSERT INTO cities VALUES ('Hoagland', 'IN'):
INSERT INTO cities VALUES ('Hobart', 'IN'):
INSERT INTO cities VALUES ('Hobart', 'NY');
INSERT INTO cities VALUES ('Hobart', 'OK');
INSERT INTO cities VALUES ('Hobart', 'WA');
INSERT INTO cities VALUES ('Hobbs', 'IN');
INSERT INTO cities VALUES ('Hobbs', 'NM');
INSERT INTO cities VALUES ('Hobbsville', 'NC');
INSERT INTO cities VALUES ('Hobe Sound', 'FL');
INSERT INTO cities VALUES ('Hobgood', 'NC');
INSERT INTO cities VALUES ('Hoboken', 'GA');
INSERT INTO cities VALUES ('Hoboken', 'NJ'):
INSERT INTO cities VALUES ('Hobson', 'MT');
INSERT INTO cities VALUES ('Hobson', 'TX');
INSERT INTO cities VALUES ('Hobucken', 'NC');
INSERT INTO cities VALUES ('Hochheim', 'TX');
INSERT INTO cities VALUES ('Hockessin', 'DE');
INSERT INTO cities VALUES ('Hockingport', 'OH');
INSERT INTO cities VALUES ('Hockley', 'TX');
INSERT INTO cities VALUES ('Hodge', 'LA');
INSERT INTO cities VALUES ('Hodgen', 'OK');
INSERT INTO cities VALUES ('Hodgenville', 'KY');
INSERT INTO cities VALUES ('Hodges', 'AL');
INSERT INTO cities VALUES ('Hodges', 'SC'):
INSERT INTO cities VALUES ('Hoehne', 'CO'):
INSERT INTO cities VALUES ('Hoffman', 'IL');
INSERT INTO cities VALUES ('Hoffman', 'MN');
INSERT INTO cities VALUES ('Hoffman', 'NC');
INSERT INTO cities VALUES ('Hoffman Estates', 'IL');
INSERT INTO cities VALUES ('Hoffmeister', 'NY');
INSERT INTO cities VALUES ('Hogansburg', 'NY');
INSERT INTO cities VALUES ('Hogansville', 'GA');
INSERT INTO cities VALUES ('Hogeland', 'MT');
INSERT INTO cities VALUES ('Hohenwald', 'TN');
INSERT INTO cities VALUES ('Hoisington', 'KS');
INSERT INTO cities VALUES ('Hokah', 'MN'):
INSERT INTO cities VALUES ('Holabird', 'SD');
INSERT INTO cities VALUES ('Holbrook', 'AZ');
INSERT INTO cities VALUES ('Holbrook', 'ID');
INSERT INTO cities VALUES ('Holbrook', 'MA');
INSERT INTO cities VALUES ('Holbrook', 'NE');
INSERT INTO cities VALUES ('Holbrook', 'NY'):
INSERT INTO cities VALUES ('Holbrook', 'PA');
INSERT INTO cities VALUES ('Holcomb', 'IL'):
INSERT INTO cities VALUES ('Holcomb', 'KS');
INSERT INTO cities VALUES ('Holcomb', 'MO');
INSERT INTO cities VALUES ('Holcomb', 'MS');
INSERT INTO cities VALUES ('Holcombe', 'WI');
INSERT INTO cities VALUES ('Holden', 'LA');
INSERT INTO cities VALUES ('Holden', 'MA');
INSERT INTO cities VALUES ('Holden', 'ME');
INSERT INTO cities VALUES ('Holden', 'MO');
INSERT INTO cities VALUES ('Holden', 'UT');
```

```
INSERT INTO cities VALUES ('Holden', 'WV');
INSERT INTO cities VALUES ('Holdenville', 'OK'):
INSERT INTO cities VALUES ('Holder', 'FL');
INSERT INTO cities VALUES ('Holderness', 'NH');
INSERT INTO cities VALUES ('Holdingford', 'MN'):
INSERT INTO cities VALUES ('Holdrege', 'NE');
INSERT INTO cities VALUES ('Holgate', 'OH');
INSERT INTO cities VALUES ('Holicong', 'PA');
INSERT INTO cities VALUES ('Holiday', 'FL');
INSERT INTO cities VALUES ('Holladay', 'TN');
INSERT INTO cities VALUES ('Holland', 'IA');
INSERT INTO cities VALUES ('Holland', 'IN');
INSERT INTO cities VALUES ('Holland', 'KY');
INSERT INTO cities VALUES ('Holland', 'MA');
INSERT INTO cities VALUES ('Holland', 'MI'):
INSERT INTO cities VALUES ('Holland', 'MN');
INSERT INTO cities VALUES ('Holland', 'MO');
INSERT INTO cities VALUES ('Holland', 'NY');
INSERT INTO cities VALUES ('Holland', 'OH');
INSERT INTO cities VALUES ('Holland', 'TX');
INSERT INTO cities VALUES ('Holland Patent', 'NY');
INSERT INTO cities VALUES ('Hollandale', 'MN'):
INSERT INTO cities VALUES ('Hollandale', 'MS');
INSERT INTO cities VALUES ('Hollandale', 'WI');
INSERT INTO cities VALUES ('Hollansburg', 'OH');
INSERT INTO cities VALUES ('Hollenberg', 'KS');
INSERT INTO cities VALUES ('Holley', 'NY');
INSERT INTO cities VALUES ('Holliday', 'MO');
INSERT INTO cities VALUES ('Holliday', 'TX');
INSERT INTO cities VALUES ('Hollidaysburg', 'PA');
INSERT INTO cities VALUES ('Hollins', 'AL');
INSERT INTO cities VALUES ('Hollis', 'NH');
INSERT INTO cities VALUES ('Hollis', 'NY');
INSERT INTO cities VALUES ('Hollis', 'OK'):
INSERT INTO cities VALUES ('Hollis Center', 'ME');
INSERT INTO cities VALUES ('Hollister', 'CA');
INSERT INTO cities VALUES ('Hollister', 'FL');
INSERT INTO cities VALUES ('Hollister', 'MO');
INSERT INTO cities VALUES ('Hollister', 'NC'):
INSERT INTO cities VALUES ('Hollister', 'OK');
INSERT INTO cities VALUES ('Holliston', 'MA');
INSERT INTO cities VALUES ('Holloman Air Force Base', 'NM');
INSERT INTO cities VALUES ('Hollow Rock', 'TN');
INSERT INTO cities VALUES ('Holloway', 'MN');
INSERT INTO cities VALUES ('Holloway', 'OH'):
INSERT INTO cities VALUES ('Hollowville', 'NY');
INSERT INTO cities VALUES ('Hollsopple', 'PA');
INSERT INTO cities VALUES ('Holly', 'CO');
INSERT INTO cities VALUES ('Holly', 'MI');
INSERT INTO cities VALUES ('Holly Bluff', 'MS');
INSERT INTO cities VALUES ('Holly Grove', 'AR');
INSERT INTO cities VALUES ('Holly Hill', 'SC');
INSERT INTO cities VALUES ('Holly Pond', 'AL');
INSERT INTO cities VALUES ('Holly Ridge', 'MS');
INSERT INTO cities VALUES ('Holly Ridge', 'NC');
INSERT INTO cities VALUES ('Holly Springs', 'GA');
```

```
INSERT INTO cities VALUES ('Holly Springs', 'MS');
INSERT INTO cities VALUES ('Holly Springs', 'NC'):
INSERT INTO cities VALUES ('Hollytree', 'AL');
INSERT INTO cities VALUES ('Hollywood', 'AL'):
INSERT INTO cities VALUES ('Hollywood', 'FL'):
INSERT INTO cities VALUES ('Hollywood', 'MD');
INSERT INTO cities VALUES ('Hollywood', 'SC');
INSERT INTO cities VALUES ('Holman', 'NM');
INSERT INTO cities VALUES ('Holmdel', 'NJ');
INSERT INTO cities VALUES ('Holmen', 'WI');
INSERT INTO cities VALUES ('Holmes', 'NY');
INSERT INTO cities VALUES ('Holmes', 'PA');
INSERT INTO cities VALUES ('Holmes Beach', 'FL'):
INSERT INTO cities VALUES ('Holmes City', 'MN');
INSERT INTO cities VALUES ('Holmes Mill', 'KY'):
INSERT INTO cities VALUES ('Holmesville', 'OH'):
INSERT INTO cities VALUES ('Holstein', 'IA');
INSERT INTO cities VALUES ('Holstein', 'NE');
INSERT INTO cities VALUES ('Holt', 'CA'):
INSERT INTO cities VALUES ('Holt', 'FL');
INSERT INTO cities VALUES ('Holt', 'MI');
INSERT INTO cities VALUES ('Holt', 'MO'):
INSERT INTO cities VALUES ('Holton', 'IN');
INSERT INTO cities VALUES ('Holton', 'KS'):
INSERT INTO cities VALUES ('Holton', 'MI');
INSERT INTO cities VALUES ('Holts Summit', 'MO');
INSERT INTO cities VALUES ('Holtsville', 'NY'):
INSERT INTO cities VALUES ('Holtville', 'CA'):
INSERT INTO cities VALUES ('Holtwood', 'PA');
INSERT INTO cities VALUES ('Holualoa', 'HI');
INSERT INTO cities VALUES ('Holy City', 'CA');
INSERT INTO cities VALUES ('Holy Cross', 'AK');
INSERT INTO cities VALUES ('Holy Cross', 'IA');
INSERT INTO cities VALUES ('Holy Trinity', 'AL');
INSERT INTO cities VALUES ('Holyoke', 'CO');
INSERT INTO cities VALUES ('Holyoke', 'MA');
INSERT INTO cities VALUES ('Holyoke', 'MN');
INSERT INTO cities VALUES ('Holyrood', 'KS');
INSERT INTO cities VALUES ('Home', 'KS');
INSERT INTO cities VALUES ('Home', 'PA');
INSERT INTO cities VALUES ('Homedale', 'ID');
INSERT INTO cities VALUES ('Homelake', 'CO');
INSERT INTO cities VALUES ('Homeland', 'CA');
INSERT INTO cities VALUES ('Homeland', 'FL');
INSERT INTO cities VALUES ('Homer', 'AK'):
INSERT INTO cities VALUES ('Homer', 'GA');
INSERT INTO cities VALUES ('Homer', 'IL');
INSERT INTO cities VALUES ('Homer', 'IN');
INSERT INTO cities VALUES ('Homer', 'LA');
INSERT INTO cities VALUES ('Homer', 'MI'):
INSERT INTO cities VALUES ('Homer', 'MN');
INSERT INTO cities VALUES ('Homer', 'NE');
INSERT INTO cities VALUES ('Homer', 'NY');
INSERT INTO cities VALUES ('Homer', 'OH');
INSERT INTO cities VALUES ('Homer City', 'PA');
INSERT INTO cities VALUES ('Homer Glen', 'IL');
```

```
INSERT INTO cities VALUES ('Homerville', 'GA');
INSERT INTO cities VALUES ('Homerville', 'OH'):
INSERT INTO cities VALUES ('Homestead', 'FL');
INSERT INTO cities VALUES ('Homestead', 'IA'):
INSERT INTO cities VALUES ('Homestead', 'MT'):
INSERT INTO cities VALUES ('Homestead', 'PA');
INSERT INTO cities VALUES ('Hometown', 'IL');
INSERT INTO cities VALUES ('Hometown', 'WV');
INSERT INTO cities VALUES ('Homewood', 'CA');
INSERT INTO cities VALUES ('Homewood', 'IL');
INSERT INTO cities VALUES ('Homeworth', 'OH');
INSERT INTO cities VALUES ('Hominy', 'OK');
INSERT INTO cities VALUES ('Homosassa', 'FL'):
INSERT INTO cities VALUES ('Homosassa Springs', 'FL'):
INSERT INTO cities VALUES ('Honaker', 'VA'):
INSERT INTO cities VALUES ('Honaunau', 'HI'):
INSERT INTO cities VALUES ('Hondo', 'NM');
INSERT INTO cities VALUES ('Hondo', 'TX');
INSERT INTO cities VALUES ('Honea Path', 'SC');
INSERT INTO cities VALUES ('Honeoye', 'NY');
INSERT INTO cities VALUES ('Honeoye Falls', 'NY');
INSERT INTO cities VALUES ('Honesdale', 'PA');
INSERT INTO cities VALUES ('Honey Brook', 'PA');
INSERT INTO cities VALUES ('Honey Creek', 'IA'):
INSERT INTO cities VALUES ('Honey Creek', 'WI');
INSERT INTO cities VALUES ('Honey Grove', 'PA');
INSERT INTO cities VALUES ('Honey Grove', 'TX'):
INSERT INTO cities VALUES ('Honeydew', 'CA');
INSERT INTO cities VALUES ('Honeyville', 'UT');
INSERT INTO cities VALUES ('Honokaa', 'HI');
INSERT INTO cities VALUES ('Honolulu', 'HI');
INSERT INTO cities VALUES ('Honomu', 'HI');
INSERT INTO cities VALUES ('Honor', 'MI');
INSERT INTO cities VALUES ('Honoraville', 'AL'):
INSERT INTO cities VALUES ('Hood', 'CA');
INSERT INTO cities VALUES ('Hood', 'VA');
INSERT INTO cities VALUES ('Hood River', 'OR');
INSERT INTO cities VALUES ('Hoodsport', 'WA');
INSERT INTO cities VALUES ('Hooker', 'OK'):
INSERT INTO cities VALUES ('Hookerton', 'NC');
INSERT INTO cities VALUES ('Hooks', 'TX');
INSERT INTO cities VALUES ('Hooksett', 'NH');
INSERT INTO cities VALUES ('Hookstown', 'PA');
INSERT INTO cities VALUES ('Hoolehua', 'HI');
INSERT INTO cities VALUES ('Hoonah', 'AK'):
INSERT INTO cities VALUES ('Hoopa', 'CA');
INSERT INTO cities VALUES ('Hooper', 'CO');
INSERT INTO cities VALUES ('Hooper', 'NE');
INSERT INTO cities VALUES ('Hooper', 'UT');
INSERT INTO cities VALUES ('Hooper', 'WA');
INSERT INTO cities VALUES ('Hooper Bay', 'AK');
INSERT INTO cities VALUES ('Hoopeston', 'IL');
INSERT INTO cities VALUES ('Hoople', 'ND');
INSERT INTO cities VALUES ('Hooppole', 'IL');
INSERT INTO cities VALUES ('Hoosick', 'NY');
INSERT INTO cities VALUES ('Hoosick Falls', 'NY');
```

```
INSERT INTO cities VALUES ('Hooven', 'OH');
INSERT INTO cities VALUES ('Hooversville', 'PA'):
INSERT INTO cities VALUES ('Hop Bottom', 'PA');
INSERT INTO cities VALUES ('Hopatcong', 'NJ');
INSERT INTO cities VALUES ('Hope', 'AK'):
INSERT INTO cities VALUES ('Hope', 'AR');
INSERT INTO cities VALUES ('Hope', 'ID');
INSERT INTO cities VALUES ('Hope', 'IN');
INSERT INTO cities VALUES ('Hope', 'KS');
INSERT INTO cities VALUES ('Hope', 'KY');
INSERT INTO cities VALUES ('Hope', 'ME');
INSERT INTO cities VALUES ('Hope', 'MI');
INSERT INTO cities VALUES ('Hope', 'MN'):
INSERT INTO cities VALUES ('Hope', 'ND');
INSERT INTO cities VALUES ('Hope', 'NJ');
INSERT INTO cities VALUES ('Hope', 'NM'):
INSERT INTO cities VALUES ('Hope', 'RI');
INSERT INTO cities VALUES ('Hope Hull', 'AL');
INSERT INTO cities VALUES ('Hope Mills', 'NC');
INSERT INTO cities VALUES ('Hope Valley', 'RI');
INSERT INTO cities VALUES ('Hopedale', 'IL');
INSERT INTO cities VALUES ('Hopedale', 'MA');
INSERT INTO cities VALUES ('Hopedale', 'OH');
INSERT INTO cities VALUES ('Hopeland', 'PA'):
INSERT INTO cities VALUES ('Hopeton', 'OK');
INSERT INTO cities VALUES ('Hopewell', 'NJ');
INSERT INTO cities VALUES ('Hopewell', 'OH');
INSERT INTO cities VALUES ('Hopewell', 'PA');
INSERT INTO cities VALUES ('Hopewell', 'VA');
INSERT INTO cities VALUES ('Hopewell Junction', 'NY');
INSERT INTO cities VALUES ('Hopkins', 'MI');
INSERT INTO cities VALUES ('Hopkins', 'MN');
INSERT INTO cities VALUES ('Hopkins', 'MO');
INSERT INTO cities VALUES ('Hopkins', 'SC');
INSERT INTO cities VALUES ('Hopkins Park', 'IL');
INSERT INTO cities VALUES ('Hopkinsville', 'KY');
INSERT INTO cities VALUES ('Hopkinton', 'IA');
INSERT INTO cities VALUES ('Hopkinton', 'MA');
INSERT INTO cities VALUES ('Hopkinton', 'RI'):
INSERT INTO cities VALUES ('Hopland', 'CA');
INSERT INTO cities VALUES ('Hopwood', 'PA');
INSERT INTO cities VALUES ('Hoquiam', 'WA');
INSERT INTO cities VALUES ('Horace', 'ND');
INSERT INTO cities VALUES ('Horatio', 'AR');
INSERT INTO cities VALUES ('Horatio', 'SC');
INSERT INTO cities VALUES ('Hordville', 'NE');
INSERT INTO cities VALUES ('Horicon', 'WI');
INSERT INTO cities VALUES ('Hormigueros', 'PR');
INSERT INTO cities VALUES ('Horn Lake', 'MS');
INSERT INTO cities VALUES ('Hornbeak', 'TN');
INSERT INTO cities VALUES ('Hornbeck', 'LA');
INSERT INTO cities VALUES ('Hornbrook', 'CA');
INSERT INTO cities VALUES ('Hornell', 'NY');
INSERT INTO cities VALUES ('Horner', 'WV');
INSERT INTO cities VALUES ('Hornersville', 'MO');
INSERT INTO cities VALUES ('Hornick', 'IA');
```

```
INSERT INTO cities VALUES ('Hornitos', 'CA');
INSERT INTO cities VALUES ('Hornsby', 'TN'):
INSERT INTO cities VALUES ('Horntown', 'VA');
INSERT INTO cities VALUES ('Horse Branch', 'KY');
INSERT INTO cities VALUES ('Horse Cave', 'KY'):
INSERT INTO cities VALUES ('Horse Creek', 'WY');
INSERT INTO cities VALUES ('Horse Shoe', 'NC');
INSERT INTO cities VALUES ('Horseheads', 'NY');
INSERT INTO cities VALUES ('Horsepen', 'VA');
INSERT INTO cities VALUES ('Horseshoe Bay', 'TX');
INSERT INTO cities VALUES ('Horseshoe Beach', 'FL');
INSERT INTO cities VALUES ('Horseshoe Bend', 'AR');
INSERT INTO cities VALUES ('Horseshoe Bend', 'ID'):
INSERT INTO cities VALUES ('Horsham', 'PA');
INSERT INTO cities VALUES ('Hortense', 'GA');
INSERT INTO cities VALUES ('Horton', 'AL'):
INSERT INTO cities VALUES ('Horton', 'KS');
INSERT INTO cities VALUES ('Horton', 'MI');
INSERT INTO cities VALUES ('Hortonville', 'NY');
INSERT INTO cities VALUES ('Hortonville', 'WI');
INSERT INTO cities VALUES ('Hoschton', 'GA');
INSERT INTO cities VALUES ('Hosford', 'FL');
INSERT INTO cities VALUES ('Hoskins', 'NE');
INSERT INTO cities VALUES ('Hoskinston', 'KY'):
INSERT INTO cities VALUES ('Hosmer', 'SD');
INSERT INTO cities VALUES ('Hospers', 'IA');
INSERT INTO cities VALUES ('Hosston', 'LA');
INSERT INTO cities VALUES ('Hostetter', 'PA');
INSERT INTO cities VALUES ('Hot Springs', 'MT');
INSERT INTO cities VALUES ('Hot Springs', 'NC');
INSERT INTO cities VALUES ('Hot Springs', 'SD');
INSERT INTO cities VALUES ('Hot Springs', 'VA');
INSERT INTO cities VALUES ('Hot Springs National Park', 'AR');
INSERT INTO cities VALUES ('Hot Springs Village', 'AR');
INSERT INTO cities VALUES ('Hot Sulphur Springs', 'CO');
INSERT INTO cities VALUES ('Hotchkiss', 'CO'):
INSERT INTO cities VALUES ('Hotevilla', 'AZ');
INSERT INTO cities VALUES ('Houck', 'AZ');
INSERT INTO cities VALUES ('Houghton', 'IA');
INSERT INTO cities VALUES ('Houghton', 'MI');
INSERT INTO cities VALUES ('Houghton', 'NY');
INSERT INTO cities VALUES ('Houghton', 'SD');
INSERT INTO cities VALUES ('Houghton Lake', 'MI');
INSERT INTO cities VALUES ('Houghton Lake Heights', 'MI');
INSERT INTO cities VALUES ('Houlka', 'MS'):
INSERT INTO cities VALUES ('Houlton', 'ME');
INSERT INTO cities VALUES ('Houlton', 'WI');
INSERT INTO cities VALUES ('Houma', 'LA');
INSERT INTO cities VALUES ('Housatonic', 'MA');
INSERT INTO cities VALUES ('House', 'NM');
INSERT INTO cities VALUES ('House Springs', 'MO');
INSERT INTO cities VALUES ('Houston', 'AK');
INSERT INTO cities VALUES ('Houston', 'AL');
INSERT INTO cities VALUES ('Houston', 'AR');
INSERT INTO cities VALUES ('Houston', 'DE');
INSERT INTO cities VALUES ('Houston', 'MN');
```

```
INSERT INTO cities VALUES ('Houston', 'MO');
INSERT INTO cities VALUES ('Houston', 'MS'):
INSERT INTO cities VALUES ('Houston', 'OH');
INSERT INTO cities VALUES ('Houston', 'PA');
INSERT INTO cities VALUES ('Houston', 'TX'):
INSERT INTO cities VALUES ('Houstonia', 'MO');
INSERT INTO cities VALUES ('Houtzdale', 'PA');
INSERT INTO cities VALUES ('Hoven', 'SD');
INSERT INTO cities VALUES ('Hovland', 'MN');
INSERT INTO cities VALUES ('Howard', 'CO');
INSERT INTO cities VALUES ('Howard', 'GA');
INSERT INTO cities VALUES ('Howard', 'KS');
INSERT INTO cities VALUES ('Howard', 'OH'):
INSERT INTO cities VALUES ('Howard', 'PA');
INSERT INTO cities VALUES ('Howard', 'SD'):
INSERT INTO cities VALUES ('Howard Beach', 'NY');
INSERT INTO cities VALUES ('Howard City', 'MI');
INSERT INTO cities VALUES ('Howard Lake', 'MN');
INSERT INTO cities VALUES ('Howardsville', 'VA'):
INSERT INTO cities VALUES ('Howe', 'ID');
INSERT INTO cities VALUES ('Howe', 'IN');
INSERT INTO cities VALUES ('Howe', 'OK'):
INSERT INTO cities VALUES ('Howe', 'TX');
INSERT INTO cities VALUES ('Howell', 'MI'):
INSERT INTO cities VALUES ('Howell', 'NJ');
INSERT INTO cities VALUES ('Howell', 'UT');
INSERT INTO cities VALUES ('Howells', 'NE');
INSERT INTO cities VALUES ('Howells', 'NY'):
INSERT INTO cities VALUES ('Howes', 'SD');
INSERT INTO cities VALUES ('Howes Cave', 'NY');
INSERT INTO cities VALUES ('Howey In The Hills', 'FL');
INSERT INTO cities VALUES ('Howland', 'ME');
INSERT INTO cities VALUES ('Hoxie', 'AR');
INSERT INTO cities VALUES ('Hoxie', 'KS');
INSERT INTO cities VALUES ('Hoyleton', 'IL');
INSERT INTO cities VALUES ('Hoyt', 'KS'):
INSERT INTO cities VALUES ('Hoyt', 'OK');
INSERT INTO cities VALUES ('Hoyt Lakes', 'MN');
INSERT INTO cities VALUES ('Hoytville', 'OH'):
INSERT INTO cities VALUES ('Huachuca City', 'AZ');
INSERT INTO cities VALUES ('Hualapai', 'AZ');
INSERT INTO cities VALUES ('Hubbard', 'IA');
INSERT INTO cities VALUES ('Hubbard', 'NE');
INSERT INTO cities VALUES ('Hubbard', 'OH');
INSERT INTO cities VALUES ('Hubbard', 'OR');
INSERT INTO cities VALUES ('Hubbard', 'TX');
INSERT INTO cities VALUES ('Hubbard Lake', 'MI');
INSERT INTO cities VALUES ('Hubbardston', 'MA');
INSERT INTO cities VALUES ('Hubbardston', 'MI');
INSERT INTO cities VALUES ('Hubbardsville', 'NY');
INSERT INTO cities VALUES ('Hubbell', 'MI');
INSERT INTO cities VALUES ('Hubbell', 'NE');
INSERT INTO cities VALUES ('Hubert', 'NC');
INSERT INTO cities VALUES ('Hubertus', 'WI');
INSERT INTO cities VALUES ('Huddleston', 'VA');
INSERT INTO cities VALUES ('Huddy', 'KY');
```

```
INSERT INTO cities VALUES ('Hudgins', 'VA');
INSERT INTO cities VALUES ('Hudson', 'CO'):
INSERT INTO cities VALUES ('Hudson', 'FL');
INSERT INTO cities VALUES ('Hudson', 'IA'):
INSERT INTO cities VALUES ('Hudson', 'IL'):
INSERT INTO cities VALUES ('Hudson', 'IN');
INSERT INTO cities VALUES ('Hudson', 'KS');
INSERT INTO cities VALUES ('Hudson', 'KY');
INSERT INTO cities VALUES ('Hudson', 'MA');
INSERT INTO cities VALUES ('Hudson', 'ME');
INSERT INTO cities VALUES ('Hudson', 'MI');
INSERT INTO cities VALUES ('Hudson', 'NC');
INSERT INTO cities VALUES ('Hudson', 'NH'):
INSERT INTO cities VALUES ('Hudson', 'NY');
INSERT INTO cities VALUES ('Hudson', 'OH'):
INSERT INTO cities VALUES ('Hudson', 'SD'):
INSERT INTO cities VALUES ('Hudson', 'WI');
INSERT INTO cities VALUES ('Hudson', 'WY');
INSERT INTO cities VALUES ('Hudson Falls', 'NY');
INSERT INTO cities VALUES ('Hudsonville', 'MI');
INSERT INTO cities VALUES ('Huey', 'IL');
INSERT INTO cities VALUES ('Hueysville', 'KY');
INSERT INTO cities VALUES ('Huffman', 'TX');
INSERT INTO cities VALUES ('Hufsmith', 'TX');
INSERT INTO cities VALUES ('Huger', 'SC');
INSERT INTO cities VALUES ('Huggins', 'MO');
INSERT INTO cities VALUES ('Hughes', 'AK'):
INSERT INTO cities VALUES ('Hughes', 'AR');
INSERT INTO cities VALUES ('Hughes Springs', 'TX');
INSERT INTO cities VALUES ('Hugheston', 'WV');
INSERT INTO cities VALUES ('Hughesville', 'MD');
INSERT INTO cities VALUES ('Hughesville', 'MO');
INSERT INTO cities VALUES ('Hughesville', 'PA');
INSERT INTO cities VALUES ('Hughson', 'CA');
INSERT INTO cities VALUES ('Hughsonville', 'NY');
INSERT INTO cities VALUES ('Hugo', 'CO'):
INSERT INTO cities VALUES ('Hugo', 'MN');
INSERT INTO cities VALUES ('Hugo', 'OK');
INSERT INTO cities VALUES ('Hugoton', 'KS'):
INSERT INTO cities VALUES ('Huguenot', 'NY');
INSERT INTO cities VALUES ('Hulbert', 'MI');
INSERT INTO cities VALUES ('Hulbert', 'OK');
INSERT INTO cities VALUES ('Hulen', 'KY');
INSERT INTO cities VALUES ('Hulett', 'WY');
INSERT INTO cities VALUES ('Huletts Landing', 'NY'):
INSERT INTO cities VALUES ('Hull', 'GA');
INSERT INTO cities VALUES ('Hull', 'IA');
INSERT INTO cities VALUES ('Hull', 'IL');
INSERT INTO cities VALUES ('Hull', 'MA');
INSERT INTO cities VALUES ('Hull', 'TX');
INSERT INTO cities VALUES ('Hulls Cove', 'ME');
INSERT INTO cities VALUES ('Humacao', 'PR');
INSERT INTO cities VALUES ('Humansville', 'MO');
INSERT INTO cities VALUES ('Humarock', 'MA');
INSERT INTO cities VALUES ('Humbird', 'WI');
INSERT INTO cities VALUES ('Humble', 'TX');
```

```
INSERT INTO cities VALUES ('Humboldt', 'AZ');
INSERT INTO cities VALUES ('Humboldt', 'IA'):
INSERT INTO cities VALUES ('Humboldt', 'IL');
INSERT INTO cities VALUES ('Humboldt', 'KS'):
INSERT INTO cities VALUES ('Humboldt', 'MN'):
INSERT INTO cities VALUES ('Humboldt', 'NE');
INSERT INTO cities VALUES ('Humboldt', 'SD');
INSERT INTO cities VALUES ('Humboldt', 'TN');
INSERT INTO cities VALUES ('Hume', 'CA');
INSERT INTO cities VALUES ('Hume', 'IL');
INSERT INTO cities VALUES ('Hume', 'MO');
INSERT INTO cities VALUES ('Hume', 'NY');
INSERT INTO cities VALUES ('Hume', 'VA');
INSERT INTO cities VALUES ('Humeston', 'IA');
INSERT INTO cities VALUES ('Hummels Wharf', 'PA'):
INSERT INTO cities VALUES ('Hummelstown', 'PA');
INSERT INTO cities VALUES ('Humnoke', 'AR');
INSERT INTO cities VALUES ('Humphrey', 'AR');
INSERT INTO cities VALUES ('Humphrey', 'NE');
INSERT INTO cities VALUES ('Humphreys', 'MO');
INSERT INTO cities VALUES ('Humptulips', 'WA');
INSERT INTO cities VALUES ('Hundred', 'WV');
INSERT INTO cities VALUES ('Hungerford', 'TX');
INSERT INTO cities VALUES ('Hungry Horse', 'MT'):
INSERT INTO cities VALUES ('Hunker', 'PA');
INSERT INTO cities VALUES ('Hunlock Creek', 'PA');
INSERT INTO cities VALUES ('Hunnewell', 'MO'):
INSERT INTO cities VALUES ('Hunt', 'NY');
INSERT INTO cities VALUES ('Hunt', 'TX');
INSERT INTO cities VALUES ('Hunt Valley', 'MD');
INSERT INTO cities VALUES ('Hunter', 'AR');
INSERT INTO cities VALUES ('Hunter', 'KS');
INSERT INTO cities VALUES ('Hunter', 'ND');
INSERT INTO cities VALUES ('Hunter', 'NY');
INSERT INTO cities VALUES ('Hunter', 'OK');
INSERT INTO cities VALUES ('Hunters', 'WA');
INSERT INTO cities VALUES ('Huntersville', 'NC');
INSERT INTO cities VALUES ('Huntertown', 'IN');
INSERT INTO cities VALUES ('Huntingburg', 'IN');
INSERT INTO cities VALUES ('Huntingdon', 'PA');
INSERT INTO cities VALUES ('Huntingdon', 'TN');
INSERT INTO cities VALUES ('Huntingdon Valley', 'PA');
INSERT INTO cities VALUES ('Huntington', 'AR');
INSERT INTO cities VALUES ('Huntington', 'IN');
INSERT INTO cities VALUES ('Huntington', 'MA');
INSERT INTO cities VALUES ('Huntington', 'NY');
INSERT INTO cities VALUES ('Huntington', 'OR');
INSERT INTO cities VALUES ('Huntington', 'TX');
INSERT INTO cities VALUES ('Huntington', 'UT');
INSERT INTO cities VALUES ('Huntington', 'VT');
INSERT INTO cities VALUES ('Huntington', 'WV');
INSERT INTO cities VALUES ('Huntington Beach', 'CA');
INSERT INTO cities VALUES ('Huntington Mills', 'PA');
INSERT INTO cities VALUES ('Huntington Park', 'CA');
INSERT INTO cities VALUES ('Huntington Station', 'NY');
INSERT INTO cities VALUES ('Huntington Woods', 'MI');
```

```
INSERT INTO cities VALUES ('Huntingtown', 'MD');
INSERT INTO cities VALUES ('Huntland', 'TN'):
INSERT INTO cities VALUES ('Huntley', 'IL');
INSERT INTO cities VALUES ('Huntley', 'MN');
INSERT INTO cities VALUES ('Huntley', 'MT'):
INSERT INTO cities VALUES ('Huntley', 'WY');
INSERT INTO cities VALUES ('Huntly', 'VA');
INSERT INTO cities VALUES ('Huntsburg', 'OH');
INSERT INTO cities VALUES ('Huntsville', 'AL');
INSERT INTO cities VALUES ('Huntsville', 'AR');
INSERT INTO cities VALUES ('Huntsville', 'IL');
INSERT INTO cities VALUES ('Huntsville', 'MO');
INSERT INTO cities VALUES ('Huntsville', 'OH'):
INSERT INTO cities VALUES ('Huntsville', 'TN');
INSERT INTO cities VALUES ('Huntsville', 'TX'):
INSERT INTO cities VALUES ('Huntsville', 'UT');
INSERT INTO cities VALUES ('Hurdland', 'MO');
INSERT INTO cities VALUES ('Hurdle Mills', 'NC');
INSERT INTO cities VALUES ('Hurdsfield', 'ND');
INSERT INTO cities VALUES ('Hurlburt Field', 'FL');
INSERT INTO cities VALUES ('Hurley', 'MO');
INSERT INTO cities VALUES ('Hurley', 'MS');
INSERT INTO cities VALUES ('Hurley', 'NM');
INSERT INTO cities VALUES ('Hurley', 'NY'):
INSERT INTO cities VALUES ('Hurley', 'SD');
INSERT INTO cities VALUES ('Hurley', 'VA');
INSERT INTO cities VALUES ('Hurley', 'WI');
INSERT INTO cities VALUES ('Hurleyville', 'NY');
INSERT INTO cities VALUES ('Hurlock', 'MD');
INSERT INTO cities VALUES ('Huron', 'CA');
INSERT INTO cities VALUES ('Huron', 'IN');
INSERT INTO cities VALUES ('Huron', 'OH');
INSERT INTO cities VALUES ('Huron', 'SD');
INSERT INTO cities VALUES ('Huron', 'TN');
INSERT INTO cities VALUES ('Hurricane', 'UT');
INSERT INTO cities VALUES ('Hurricane', 'WV');
INSERT INTO cities VALUES ('Hurricane Mills', 'TN');
INSERT INTO cities VALUES ('Hurst', 'IL');
INSERT INTO cities VALUES ('Hurst', 'TX'):
INSERT INTO cities VALUES ('Hurt', 'VA');
INSERT INTO cities VALUES ('Hurtsboro', 'AL');
INSERT INTO cities VALUES ('Huslia', 'AK');
INSERT INTO cities VALUES ('Huson', 'MT');
INSERT INTO cities VALUES ('Husser', 'LA');
INSERT INTO cities VALUES ('Hustisford', 'WI'):
INSERT INTO cities VALUES ('Hustle', 'VA');
INSERT INTO cities VALUES ('Hustler', 'WI');
INSERT INTO cities VALUES ('Huston', 'ID');
INSERT INTO cities VALUES ('Hustontown', 'PA');
INSERT INTO cities VALUES ('Hustonville', 'KY');
INSERT INTO cities VALUES ('Husum', 'WA');
INSERT INTO cities VALUES ('Hutchins', 'TX');
INSERT INTO cities VALUES ('Hutchinson', 'KS');
INSERT INTO cities VALUES ('Hutchinson', 'MN');
INSERT INTO cities VALUES ('Hutchinson', 'PA');
INSERT INTO cities VALUES ('Hutsonville', 'IL');
```

```
INSERT INTO cities VALUES ('Huttig', 'AR');
INSERT INTO cities VALUES ('Hutto', 'TX'):
INSERT INTO cities VALUES ('Huttonsville', 'WV');
INSERT INTO cities VALUES ('Huxford', 'AL'):
INSERT INTO cities VALUES ('Huxley', 'IA'):
INSERT INTO cities VALUES ('Hyampom', 'CA');
INSERT INTO cities VALUES ('Hyannis', 'MA');
INSERT INTO cities VALUES ('Hyannis', 'NE');
INSERT INTO cities VALUES ('Hyannis Port', 'MA');
INSERT INTO cities VALUES ('Hyattsville', 'MD');
INSERT INTO cities VALUES ('Hyattville', 'WY');
INSERT INTO cities VALUES ('Hydaburg', 'AK');
INSERT INTO cities VALUES ('Hyde', 'PA');
INSERT INTO cities VALUES ('Hyde Park', 'MA');
INSERT INTO cities VALUES ('Hyde Park', 'NY'):
INSERT INTO cities VALUES ('Hyde Park', 'PA'):
INSERT INTO cities VALUES ('Hyde Park', 'UT');
INSERT INTO cities VALUES ('Hyde Park', 'VT');
INSERT INTO cities VALUES ('Hyden', 'KY');
INSERT INTO cities VALUES ('Hyder', 'AK');
INSERT INTO cities VALUES ('Hydes', 'MD');
INSERT INTO cities VALUES ('Hydesville', 'CA');
INSERT INTO cities VALUES ('Hydetown', 'PA');
INSERT INTO cities VALUES ('Hydeville', 'VT'):
INSERT INTO cities VALUES ('Hydro', 'OK');
INSERT INTO cities VALUES ('Hye', 'TX');
INSERT INTO cities VALUES ('Hygiene', 'CO'):
INSERT INTO cities VALUES ('Hymera', 'IN');
INSERT INTO cities VALUES ('Hyndman', 'PA');
INSERT INTO cities VALUES ('Hyner', 'PA');
INSERT INTO cities VALUES ('Hyrum', 'UT');
INSERT INTO cities VALUES ('Hysham', 'MT');
INSERT INTO cities VALUES ('Iaeger', 'WV');
INSERT INTO cities VALUES ('Ibapah', 'UT');
INSERT INTO cities VALUES ('Iberia', 'MO');
INSERT INTO cities VALUES ('Iberia', 'OH');
INSERT INTO cities VALUES ('Icard', 'NC');
INSERT INTO cities VALUES ('Ickesburg', 'PA');
INSERT INTO cities VALUES ('Ida', 'AR'):
INSERT INTO cities VALUES ('Ida', 'LA');
INSERT INTO cities VALUES ('Ida', 'MI');
INSERT INTO cities VALUES ('Ida Grove', 'IA');
INSERT INTO cities VALUES ('Idabel', 'OK');
INSERT INTO cities VALUES ('Idaho City', 'ID');
INSERT INTO cities VALUES ('Idaho Falls', 'ID');
INSERT INTO cities VALUES ('Idaho Springs', 'CO');
INSERT INTO cities VALUES ('Idalia', 'CO');
INSERT INTO cities VALUES ('Idalou', 'TX');
INSERT INTO cities VALUES ('Idamay', 'WV');
INSERT INTO cities VALUES ('Idanha', 'OR');
INSERT INTO cities VALUES ('Idaville', 'IN');
INSERT INTO cities VALUES ('Idaville', 'PA');
INSERT INTO cities VALUES ('Ideal', 'GA');
INSERT INTO cities VALUES ('Ideal', 'SD');
INSERT INTO cities VALUES ('Ider', 'AL');
INSERT INTO cities VALUES ('Idledale', 'CO');
```

```
INSERT INTO cities VALUES ('Idlewild', 'MI');
INSERT INTO cities VALUES ('Idlewild', 'TN'):
INSERT INTO cities VALUES ('Idleyld Park', 'OR');
INSERT INTO cities VALUES ('Idyllwild', 'CA');
INSERT INTO cities VALUES ('Ignacio', 'CO'):
INSERT INTO cities VALUES ('Igo', 'CA');
INSERT INTO cities VALUES ('Ihlen', 'MN');
INSERT INTO cities VALUES ('Ijamsville', 'MD');
INSERT INTO cities VALUES ('Ikes Fork', 'WV');
INSERT INTO cities VALUES ('Ila', 'GA');
INSERT INTO cities VALUES ('Ilfeld', 'NM');
INSERT INTO cities VALUES ('Iliamna', 'AK');
INSERT INTO cities VALUES ('Iliff', 'CO'):
INSERT INTO cities VALUES ('Ilion', 'NY');
INSERT INTO cities VALUES ('Illinois City', 'IL'):
INSERT INTO cities VALUES ('Illiopolis', 'IL'):
INSERT INTO cities VALUES ('Ilwaco', 'WA');
INSERT INTO cities VALUES ('Imbler', 'OR');
INSERT INTO cities VALUES ('Imboden', 'AR');
INSERT INTO cities VALUES ('Imlay', 'NV');
INSERT INTO cities VALUES ('Imlay City', 'MI');
INSERT INTO cities VALUES ('Imlaystown', 'NJ');
INSERT INTO cities VALUES ('Imler', 'PA');
INSERT INTO cities VALUES ('Immaculata', 'PA'):
INSERT INTO cities VALUES ('Immokalee', 'FL');
INSERT INTO cities VALUES ('Imnaha', 'OR');
INSERT INTO cities VALUES ('Imogene', 'IA'):
INSERT INTO cities VALUES ('Imperial', 'CA');
INSERT INTO cities VALUES ('Imperial', 'MO');
INSERT INTO cities VALUES ('Imperial', 'NE');
INSERT INTO cities VALUES ('Imperial', 'PA');
INSERT INTO cities VALUES ('Imperial', 'TX');
INSERT INTO cities VALUES ('Imperial Beach', 'CA');
INSERT INTO cities VALUES ('Ina', 'IL'):
INSERT INTO cities VALUES ('Inavale', 'NE');
INSERT INTO cities VALUES ('Inchelium', 'WA');
INSERT INTO cities VALUES ('Incline Village', 'NV');
INSERT INTO cities VALUES ('Independence', 'CA');
INSERT INTO cities VALUES ('Independence', 'IA'):
INSERT INTO cities VALUES ('Independence', 'KS');
INSERT INTO cities VALUES ('Independence', 'KY');
INSERT INTO cities VALUES ('Independence', 'LA');
INSERT INTO cities VALUES ('Independence', 'MO');
INSERT INTO cities VALUES ('Independence', 'MS');
INSERT INTO cities VALUES ('Independence', 'OH'):
INSERT INTO cities VALUES ('Independence', 'OR');
INSERT INTO cities VALUES ('Independence', 'VA');
INSERT INTO cities VALUES ('Independence', 'WI');
INSERT INTO cities VALUES ('Independence', 'WV');
INSERT INTO cities VALUES ('Index', 'WA');
INSERT INTO cities VALUES ('Indiahoma', 'OK');
INSERT INTO cities VALUES ('Indialantic', 'FL');
INSERT INTO cities VALUES ('Indian', 'AK');
INSERT INTO cities VALUES ('Indian Head', 'MD');
INSERT INTO cities VALUES ('Indian Head', 'PA');
INSERT INTO cities VALUES ('Indian Hills', 'CO');
```

```
INSERT INTO cities VALUES ('Indian Lake', 'NY');
INSERT INTO cities VALUES ('Indian Lake Estates', 'FL'):
INSERT INTO cities VALUES ('Indian Mound', 'TN');
INSERT INTO cities VALUES ('Indian River', 'MI');
INSERT INTO cities VALUES ('Indian Rocks Beach', 'FL'):
INSERT INTO cities VALUES ('Indian Springs', 'NV');
INSERT INTO cities VALUES ('Indian Trail', 'NC');
INSERT INTO cities VALUES ('Indian Valley', 'ID');
INSERT INTO cities VALUES ('Indian Valley', 'VA');
INSERT INTO cities VALUES ('Indian Wells', 'AZ');
INSERT INTO cities VALUES ('Indian Wells', 'CA');
INSERT INTO cities VALUES ('Indiana', 'PA');
INSERT INTO cities VALUES ('Indianapolis', 'IN'):
INSERT INTO cities VALUES ('Indianola', 'IA');
INSERT INTO cities VALUES ('Indianola', 'IL'):
INSERT INTO cities VALUES ('Indianola', 'MS');
INSERT INTO cities VALUES ('Indianola', 'NE');
INSERT INTO cities VALUES ('Indianola', 'OK');
INSERT INTO cities VALUES ('Indianola', 'PA');
INSERT INTO cities VALUES ('Indianola', 'WA');
INSERT INTO cities VALUES ('Indiantown', 'FL');
INSERT INTO cities VALUES ('Indio', 'CA');
INSERT INTO cities VALUES ('Indore', 'WV');
INSERT INTO cities VALUES ('Industry', 'IL'):
INSERT INTO cities VALUES ('Industry', 'PA');
INSERT INTO cities VALUES ('Industry', 'TX');
INSERT INTO cities VALUES ('Inez', 'KY');
INSERT INTO cities VALUES ('Inez', 'TX');
INSERT INTO cities VALUES ('Ingalls', 'IN');
INSERT INTO cities VALUES ('Ingalls', 'KS');
INSERT INTO cities VALUES ('Ingalls', 'MI');
INSERT INTO cities VALUES ('Inglefield', 'IN');
INSERT INTO cities VALUES ('Ingleside', 'IL');
INSERT INTO cities VALUES ('Ingleside', 'MD');
INSERT INTO cities VALUES ('Ingleside', 'TX');
INSERT INTO cities VALUES ('Inglewood', 'CA');
INSERT INTO cities VALUES ('Inglis', 'FL');
INSERT INTO cities VALUES ('Ingomar', 'MT');
INSERT INTO cities VALUES ('Ingomar', 'PA');
INSERT INTO cities VALUES ('Ingraham', 'IL');
INSERT INTO cities VALUES ('Ingram', 'KY');
INSERT INTO cities VALUES ('Ingram', 'TX');
INSERT INTO cities VALUES ('Inkom', 'ID');
INSERT INTO cities VALUES ('Inkster', 'MI');
INSERT INTO cities VALUES ('Inkster', 'ND'):
INSERT INTO cities VALUES ('Inland', 'NE');
INSERT INTO cities VALUES ('Inlet', 'NY');
INSERT INTO cities VALUES ('Inman', 'KS');
INSERT INTO cities VALUES ('Inman', 'NE');
INSERT INTO cities VALUES ('Inman', 'SC');
INSERT INTO cities VALUES ('Innis', 'LA');
INSERT INTO cities VALUES ('Inola', 'OK');
INSERT INTO cities VALUES ('Institute', 'WV');
INSERT INTO cities VALUES ('Intercession City', 'FL');
INSERT INTO cities VALUES ('Intercourse', 'PA');
INSERT INTO cities VALUES ('Interior', 'SD');
```

```
INSERT INTO cities VALUES ('Interlachen', 'FL');
INSERT INTO cities VALUES ('Interlaken', 'NY'):
INSERT INTO cities VALUES ('Interlochen', 'MI');
INSERT INTO cities VALUES ('International Falls', 'MN'):
INSERT INTO cities VALUES ('Intervale', 'NH'):
INSERT INTO cities VALUES ('Inver Grove Heights', 'MN');
INSERT INTO cities VALUES ('Inverness', 'CA');
INSERT INTO cities VALUES ('Inverness', 'FL');
INSERT INTO cities VALUES ('Inverness', 'MS');
INSERT INTO cities VALUES ('Inverness', 'MT');
INSERT INTO cities VALUES ('Inwood', 'IA');
INSERT INTO cities VALUES ('Inwood', 'NY');
INSERT INTO cities VALUES ('Inwood', 'WV');
INSERT INTO cities VALUES ('Inyokern', 'CA');
INSERT INTO cities VALUES ('Iola', 'KS'):
INSERT INTO cities VALUES ('Iola', 'TX'):
INSERT INTO cities VALUES ('Iola', 'WI');
INSERT INTO cities VALUES ('Iona', 'ID');
INSERT INTO cities VALUES ('Iona', 'MN');
INSERT INTO cities VALUES ('Ione', 'CA');
INSERT INTO cities VALUES ('Ione', 'OR');
INSERT INTO cities VALUES ('Ione', 'WA');
INSERT INTO cities VALUES ('Ionia', 'IA');
INSERT INTO cities VALUES ('Ionia', 'MI');
INSERT INTO cities VALUES ('Ionia', 'MO');
INSERT INTO cities VALUES ('Ionia', 'NY');
INSERT INTO cities VALUES ('Iota', 'LA'):
INSERT INTO cities VALUES ('Iowa', 'LA');
INSERT INTO cities VALUES ('Iowa City', 'IA');
INSERT INTO cities VALUES ('Iowa Falls', 'IA');
INSERT INTO cities VALUES ('Iowa Park', 'TX');
INSERT INTO cities VALUES ('Ipava', 'IL');
INSERT INTO cities VALUES ('Ipswich', 'MA');
INSERT INTO cities VALUES ('Ipswich', 'SD'):
INSERT INTO cities VALUES ('Ira', 'IA');
INSERT INTO cities VALUES ('Ira', 'TX');
INSERT INTO cities VALUES ('Iraan', 'TX');
INSERT INTO cities VALUES ('Irasburg', 'VT');
INSERT INTO cities VALUES ('Iredell', 'TX'):
INSERT INTO cities VALUES ('Ireland', 'IN');
INSERT INTO cities VALUES ('Ireland', 'WV');
INSERT INTO cities VALUES ('Irene', 'SD');
INSERT INTO cities VALUES ('Irene', 'TX');
INSERT INTO cities VALUES ('Ireton', 'IA');
INSERT INTO cities VALUES ('Irma', 'WI'):
INSERT INTO cities VALUES ('Irmo', 'SC');
INSERT INTO cities VALUES ('Iron', 'MN');
INSERT INTO cities VALUES ('Iron Belt', 'WI');
INSERT INTO cities VALUES ('Iron City', 'GA');
INSERT INTO cities VALUES ('Iron City', 'TN');
INSERT INTO cities VALUES ('Iron Gate', 'VA');
INSERT INTO cities VALUES ('Iron Mountain', 'MI');
INSERT INTO cities VALUES ('Iron Ridge', 'WI');
INSERT INTO cities VALUES ('Iron River', 'MI');
INSERT INTO cities VALUES ('Iron River', 'WI');
INSERT INTO cities VALUES ('Iron Springs', 'AZ');
```

```
INSERT INTO cities VALUES ('Iron Station', 'NC');
INSERT INTO cities VALUES ('Irondale', 'MO'):
INSERT INTO cities VALUES ('Irondale', 'OH');
INSERT INTO cities VALUES ('Ironia', 'NJ'):
INSERT INTO cities VALUES ('Irons', 'MI'):
INSERT INTO cities VALUES ('Ironside', 'OR');
INSERT INTO cities VALUES ('Ironsides', 'MD');
INSERT INTO cities VALUES ('Ironton', 'MN');
INSERT INTO cities VALUES ('Ironton', 'MO');
INSERT INTO cities VALUES ('Ironton', 'OH');
INSERT INTO cities VALUES ('Ironwood', 'MI');
INSERT INTO cities VALUES ('Iroquois', 'IL');
INSERT INTO cities VALUES ('Iroquois', 'SD'):
INSERT INTO cities VALUES ('Irrigon', 'OR');
INSERT INTO cities VALUES ('Irvine', 'CA'):
INSERT INTO cities VALUES ('Irvine', 'KY'):
INSERT INTO cities VALUES ('Irvine', 'PA');
INSERT INTO cities VALUES ('Irving', 'IL');
INSERT INTO cities VALUES ('Irving', 'NY');
INSERT INTO cities VALUES ('Irving', 'TX');
INSERT INTO cities VALUES ('Irvington', 'AL');
INSERT INTO cities VALUES ('Irvington', 'IL');
INSERT INTO cities VALUES ('Irvington', 'KY');
INSERT INTO cities VALUES ('Irvington', 'NJ'):
INSERT INTO cities VALUES ('Irvington', 'NY');
INSERT INTO cities VALUES ('Irvington', 'VA');
INSERT INTO cities VALUES ('Irvona', 'PA'):
INSERT INTO cities VALUES ('Irwin', 'IA'):
INSERT INTO cities VALUES ('Irwin', 'ID');
INSERT INTO cities VALUES ('Irwin', 'OH');
INSERT INTO cities VALUES ('Irwin', 'PA');
INSERT INTO cities VALUES ('Irwinton', 'GA');
INSERT INTO cities VALUES ('Irwinville', 'GA');
INSERT INTO cities VALUES ('Isaban', 'WV'):
INSERT INTO cities VALUES ('Isabel', 'KS');
INSERT INTO cities VALUES ('Isabel', 'SD');
INSERT INTO cities VALUES ('Isabela', 'PR');
INSERT INTO cities VALUES ('Isabella', 'MN');
INSERT INTO cities VALUES ('Isabella', 'MO'):
INSERT INTO cities VALUES ('Isabella', 'OK');
INSERT INTO cities VALUES ('Isabella', 'PA');
INSERT INTO cities VALUES ('Isanti', 'MN');
INSERT INTO cities VALUES ('Iselin', 'NJ');
INSERT INTO cities VALUES ('Ishpeming', 'MI');
INSERT INTO cities VALUES ('Islamorada', 'FL'):
INSERT INTO cities VALUES ('Island', 'KY');
INSERT INTO cities VALUES ('Island City', 'KY');
INSERT INTO cities VALUES ('Island Falls', 'ME');
INSERT INTO cities VALUES ('Island Grove', 'FL');
INSERT INTO cities VALUES ('Island Heights', 'NJ');
INSERT INTO cities VALUES ('Island Lake', 'IL');
INSERT INTO cities VALUES ('Island Park', 'ID');
INSERT INTO cities VALUES ('Island Park', 'NY');
INSERT INTO cities VALUES ('Island Pond', 'VT');
INSERT INTO cities VALUES ('Islandia', 'NY');
INSERT INTO cities VALUES ('Islandton', 'SC');
```

```
INSERT INTO cities VALUES ('Isle', 'MN');
INSERT INTO cities VALUES ('Isle Au Haut', 'ME'):
INSERT INTO cities VALUES ('Isle La Motte', 'VT');
INSERT INTO cities VALUES ('Isle Of Palms', 'SC');
INSERT INTO cities VALUES ('Isle Of Springs', 'ME'):
INSERT INTO cities VALUES ('Isle Of Wight', 'VA');
INSERT INTO cities VALUES ('Isle Saint George', 'OH');
INSERT INTO cities VALUES ('Islesboro', 'ME');
INSERT INTO cities VALUES ('Islesford', 'ME');
INSERT INTO cities VALUES ('Isleta', 'NM');
INSERT INTO cities VALUES ('Isleton', 'CA');
INSERT INTO cities VALUES ('Islip', 'NY');
INSERT INTO cities VALUES ('Islip Terrace', 'NY');
INSERT INTO cities VALUES ('Ismay', 'MT');
INSERT INTO cities VALUES ('Isola', 'MS'):
INSERT INTO cities VALUES ('Isom', 'KY'):
INSERT INTO cities VALUES ('Isonville', 'KY');
INSERT INTO cities VALUES ('Issaquah', 'WA');
INSERT INTO cities VALUES ('Issue', 'MD');
INSERT INTO cities VALUES ('Istachatta', 'FL');
INSERT INTO cities VALUES ('Italy', 'TX');
INSERT INTO cities VALUES ('Itasca', 'IL');
INSERT INTO cities VALUES ('Itasca', 'TX');
INSERT INTO cities VALUES ('Ithaca', 'MI'):
INSERT INTO cities VALUES ('Ithaca', 'NE');
INSERT INTO cities VALUES ('Ithaca', 'NY');
INSERT INTO cities VALUES ('Itmann', 'WV');
INSERT INTO cities VALUES ('Itta Bena', 'MS'):
INSERT INTO cities VALUES ('Iuka', 'IL');
INSERT INTO cities VALUES ('Iuka', 'KS');
INSERT INTO cities VALUES ('Iuka', 'MS');
INSERT INTO cities VALUES ('Iva', 'SC');
INSERT INTO cities VALUES ('Ivan', 'AR');
INSERT INTO cities VALUES ('Ivanhoe', 'CA'):
INSERT INTO cities VALUES ('Ivanhoe', 'MN');
INSERT INTO cities VALUES ('Ivanhoe', 'NC'):
INSERT INTO cities VALUES ('Ivanhoe', 'TX');
INSERT INTO cities VALUES ('Ivanhoe', 'VA');
INSERT INTO cities VALUES ('Ivel', 'KY'):
INSERT INTO cities VALUES ('Ivesdale', 'IL');
INSERT INTO cities VALUES ('Ivins', 'UT');
INSERT INTO cities VALUES ('Ivor', 'VA');
INSERT INTO cities VALUES ('Ivoryton', 'CT');
INSERT INTO cities VALUES ('Ivy', 'VA');
INSERT INTO cities VALUES ('Ivydale', 'WV'):
INSERT INTO cities VALUES ('Ixonia', 'WI');
INSERT INTO cities VALUES ('Jachin', 'AL');
INSERT INTO cities VALUES ('Jack', 'AL');
INSERT INTO cities VALUES ('Jackhorn', 'KY');
INSERT INTO cities VALUES ('Jackman', 'ME');
INSERT INTO cities VALUES ('Jackpot', 'NV');
INSERT INTO cities VALUES ('Jacks Creek', 'TN');
INSERT INTO cities VALUES ('Jacksboro', 'TN');
INSERT INTO cities VALUES ('Jacksboro', 'TX');
INSERT INTO cities VALUES ('Jackson', 'AL');
INSERT INTO cities VALUES ('Jackson', 'CA');
```

```
INSERT INTO cities VALUES ('Jackson', 'GA');
INSERT INTO cities VALUES ('Jackson', 'KY'):
INSERT INTO cities VALUES ('Jackson', 'LA');
INSERT INTO cities VALUES ('Jackson', 'MI'):
INSERT INTO cities VALUES ('Jackson', 'MN'):
INSERT INTO cities VALUES ('Jackson', 'MO');
INSERT INTO cities VALUES ('Jackson', 'MS');
INSERT INTO cities VALUES ('Jackson', 'MT');
INSERT INTO cities VALUES ('Jackson', 'NC');
INSERT INTO cities VALUES ('Jackson', 'NE');
INSERT INTO cities VALUES ('Jackson', 'NH');
INSERT INTO cities VALUES ('Jackson', 'NJ');
INSERT INTO cities VALUES ('Jackson', 'OH'):
INSERT INTO cities VALUES ('Jackson', 'PA');
INSERT INTO cities VALUES ('Jackson', 'SC'):
INSERT INTO cities VALUES ('Jackson', 'TN');
INSERT INTO cities VALUES ('Jackson', 'WI');
INSERT INTO cities VALUES ('Jackson', 'WY');
INSERT INTO cities VALUES ('Jackson Center', 'OH');
INSERT INTO cities VALUES ('Jackson Center', 'PA');
INSERT INTO cities VALUES ('Jackson Heights', 'NY');
INSERT INTO cities VALUES ('Jackson Springs', 'NC');
INSERT INTO cities VALUES ('Jacksonboro', 'SC');
INSERT INTO cities VALUES ('Jacksonburg', 'WV');
INSERT INTO cities VALUES ('Jacksonport', 'AR');
INSERT INTO cities VALUES ('Jacksons Gap', 'AL');
INSERT INTO cities VALUES ('Jacksontown', 'OH'):
INSERT INTO cities VALUES ('Jacksonville', 'AL');
INSERT INTO cities VALUES ('Jacksonville', 'AR');
INSERT INTO cities VALUES ('Jacksonville', 'FL');
INSERT INTO cities VALUES ('Jacksonville', 'GA');
INSERT INTO cities VALUES ('Jacksonville', 'IL');
INSERT INTO cities VALUES ('Jacksonville', 'MO');
INSERT INTO cities VALUES ('Jacksonville', 'NC');
INSERT INTO cities VALUES ('Jacksonville', 'NY');
INSERT INTO cities VALUES ('Jacksonville', 'OH');
INSERT INTO cities VALUES ('Jacksonville', 'OR');
INSERT INTO cities VALUES ('Jacksonville', 'TX');
INSERT INTO cities VALUES ('Jacksonville', 'VT'):
INSERT INTO cities VALUES ('Jacksonville Beach', 'FL');
INSERT INTO cities VALUES ('Jacob', 'IL');
INSERT INTO cities VALUES ('Jacobs Creek', 'PA');
INSERT INTO cities VALUES ('Jacobsburg', 'OH');
INSERT INTO cities VALUES ('Jacobson', 'MN');
INSERT INTO cities VALUES ('Jacumba', 'CA');
INSERT INTO cities VALUES ('Jadwin', 'MO');
INSERT INTO cities VALUES ('Jaffrey', 'NH');
INSERT INTO cities VALUES ('Jakin', 'GA');
INSERT INTO cities VALUES ('Jal', 'NM');
INSERT INTO cities VALUES ('Jamaica', 'IA');
INSERT INTO cities VALUES ('Jamaica', 'NY');
INSERT INTO cities VALUES ('Jamaica', 'VA');
INSERT INTO cities VALUES ('Jamaica', 'VT');
INSERT INTO cities VALUES ('Jamaica Plain', 'MA');
INSERT INTO cities VALUES ('James City', 'PA');
INSERT INTO cities VALUES ('James Creek', 'PA');
```

```
INSERT INTO cities VALUES ('Jameson', 'MO');
INSERT INTO cities VALUES ('Jamesport', 'MO'):
INSERT INTO cities VALUES ('Jamesport', 'NY');
INSERT INTO cities VALUES ('Jamestown', 'CA');
INSERT INTO cities VALUES ('Jamestown', 'CO'):
INSERT INTO cities VALUES ('Jamestown', 'IN');
INSERT INTO cities VALUES ('Jamestown', 'KS');
INSERT INTO cities VALUES ('Jamestown', 'KY');
INSERT INTO cities VALUES ('Jamestown', 'LA');
INSERT INTO cities VALUES ('Jamestown', 'MI');
INSERT INTO cities VALUES ('Jamestown', 'MO');
INSERT INTO cities VALUES ('Jamestown', 'NC');
INSERT INTO cities VALUES ('Jamestown', 'ND');
INSERT INTO cities VALUES ('Jamestown', 'NM');
INSERT INTO cities VALUES ('Jamestown', 'NY'):
INSERT INTO cities VALUES ('Jamestown', 'OH');
INSERT INTO cities VALUES ('Jamestown', 'PA');
INSERT INTO cities VALUES ('Jamestown', 'RI');
INSERT INTO cities VALUES ('Jamestown', 'SC');
INSERT INTO cities VALUES ('Jamestown', 'TN');
INSERT INTO cities VALUES ('Jamestown', 'VA');
INSERT INTO cities VALUES ('Jamesville', 'NC');
INSERT INTO cities VALUES ('Jamesville', 'NY');
INSERT INTO cities VALUES ('Jamesville', 'VA');
INSERT INTO cities VALUES ('Jamieson', 'OR');
INSERT INTO cities VALUES ('Jamison', 'PA');
INSERT INTO cities VALUES ('Jamul', 'CA'):
INSERT INTO cities VALUES ('Jane Lew', 'WV');
INSERT INTO cities VALUES ('Janesville', 'CA');
INSERT INTO cities VALUES ('Janesville', 'IA');
INSERT INTO cities VALUES ('Janesville', 'IL');
INSERT INTO cities VALUES ('Janesville', 'MN');
INSERT INTO cities VALUES ('Janesville', 'WI');
INSERT INTO cities VALUES ('Jansen', 'NE'):
INSERT INTO cities VALUES ('Jarales', 'NM');
INSERT INTO cities VALUES ('Jarbidge', 'NV'):
INSERT INTO cities VALUES ('Jaroso', 'CO');
INSERT INTO cities VALUES ('Jarratt', 'VA');
INSERT INTO cities VALUES ('Jarreau', 'LA'):
INSERT INTO cities VALUES ('Jarrell', 'TX');
INSERT INTO cities VALUES ('Jarrettsville', 'MD');
INSERT INTO cities VALUES ('Jarvisburg', 'NC');
INSERT INTO cities VALUES ('Jasonville', 'IN');
INSERT INTO cities VALUES ('Jasper', 'AL');
INSERT INTO cities VALUES ('Jasper', 'AR'):
INSERT INTO cities VALUES ('Jasper', 'FL');
INSERT INTO cities VALUES ('Jasper', 'GA');
INSERT INTO cities VALUES ('Jasper', 'IN');
INSERT INTO cities VALUES ('Jasper', 'MI');
INSERT INTO cities VALUES ('Jasper', 'MN');
INSERT INTO cities VALUES ('Jasper', 'MO');
INSERT INTO cities VALUES ('Jasper', 'NY');
INSERT INTO cities VALUES ('Jasper', 'OH');
INSERT INTO cities VALUES ('Jasper', 'TN');
INSERT INTO cities VALUES ('Jasper', 'TX');
INSERT INTO cities VALUES ('Java', 'SD');
```

```
INSERT INTO cities VALUES ('Java', 'VA');
INSERT INTO cities VALUES ('Java Center', 'NY'):
INSERT INTO cities VALUES ('Java Village', 'NY');
INSERT INTO cities VALUES ('Jay', 'FL');
INSERT INTO cities VALUES ('Jav', 'ME'):
INSERT INTO cities VALUES ('Jay', 'NY');
INSERT INTO cities VALUES ('Jay', 'OK');
INSERT INTO cities VALUES ('Jay Em', 'WY');
INSERT INTO cities VALUES ('Jayess', 'MS');
INSERT INTO cities VALUES ('Jayton', 'TX');
INSERT INTO cities VALUES ('Jayuya', 'PR');
INSERT INTO cities VALUES ('Jean', 'NV');
INSERT INTO cities VALUES ('Jeanerette', 'LA');
INSERT INTO cities VALUES ('Jeannette', 'PA');
INSERT INTO cities VALUES ('Jeddo', 'MI'):
INSERT INTO cities VALUES ('Jeff', 'KY'):
INSERT INTO cities VALUES ('Jeffers', 'MN');
INSERT INTO cities VALUES ('Jefferson', 'AL');
INSERT INTO cities VALUES ('Jefferson', 'AR');
INSERT INTO cities VALUES ('Jefferson', 'CO');
INSERT INTO cities VALUES ('Jefferson', 'GA');
INSERT INTO cities VALUES ('Jefferson', 'IA');
INSERT INTO cities VALUES ('Jefferson', 'MA');
INSERT INTO cities VALUES ('Jefferson', 'MD'):
INSERT INTO cities VALUES ('Jefferson', 'ME');
INSERT INTO cities VALUES ('Jefferson', 'NC');
INSERT INTO cities VALUES ('Jefferson', 'NH');
INSERT INTO cities VALUES ('Jefferson', 'NY'):
INSERT INTO cities VALUES ('Jefferson', 'OH');
INSERT INTO cities VALUES ('Jefferson', 'OR');
INSERT INTO cities VALUES ('Jefferson', 'PA');
INSERT INTO cities VALUES ('Jefferson', 'SC');
INSERT INTO cities VALUES ('Jefferson', 'SD');
INSERT INTO cities VALUES ('Jefferson', 'TX');
INSERT INTO cities VALUES ('Jefferson', 'WI');
INSERT INTO cities VALUES ('Jefferson City', 'MO'):
INSERT INTO cities VALUES ('Jefferson City', 'MT');
INSERT INTO cities VALUES ('Jefferson City', 'TN');
INSERT INTO cities VALUES ('Jefferson Valley', 'NY'):
INSERT INTO cities VALUES ('Jeffersonton', 'VA');
INSERT INTO cities VALUES ('Jeffersonville', 'GA');
INSERT INTO cities VALUES ('Jeffersonville', 'IN');
INSERT INTO cities VALUES ('Jeffersonville', 'KY');
INSERT INTO cities VALUES ('Jeffersonville', 'NY');
INSERT INTO cities VALUES ('Jeffersonville', 'OH'):
INSERT INTO cities VALUES ('Jeffersonville', 'VT');
INSERT INTO cities VALUES ('Jeffrey', 'WV');
INSERT INTO cities VALUES ('Jeffrey City', 'WY');
INSERT INTO cities VALUES ('Jekyll Island', 'GA');
INSERT INTO cities VALUES ('Jellico', 'TN');
INSERT INTO cities VALUES ('Jelm', 'WY');
INSERT INTO cities VALUES ('Jemez Pueblo', 'NM');
INSERT INTO cities VALUES ('Jemez Springs', 'NM');
INSERT INTO cities VALUES ('Jemison', 'AL');
INSERT INTO cities VALUES ('Jena', 'LA');
INSERT INTO cities VALUES ('Jenera', 'OH');
```

```
INSERT INTO cities VALUES ('Jenison', 'MI');
INSERT INTO cities VALUES ('Jenkinjones', 'WV'):
INSERT INTO cities VALUES ('Jenkins', 'KY');
INSERT INTO cities VALUES ('Jenkins', 'MN');
INSERT INTO cities VALUES ('Jenkins Bridge', 'VA'):
INSERT INTO cities VALUES ('Jenkinsburg', 'GA');
INSERT INTO cities VALUES ('Jenkinsville', 'SC');
INSERT INTO cities VALUES ('Jenkintown', 'PA');
INSERT INTO cities VALUES ('Jenks', 'OK');
INSERT INTO cities VALUES ('Jenner', 'CA');
INSERT INTO cities VALUES ('Jenners', 'PA');
INSERT INTO cities VALUES ('Jennerstown', 'PA');
INSERT INTO cities VALUES ('Jennings', 'FL');
INSERT INTO cities VALUES ('Jennings', 'KS');
INSERT INTO cities VALUES ('Jennings', 'LA'):
INSERT INTO cities VALUES ('Jennings', 'OK'):
INSERT INTO cities VALUES ('Jensen', 'UT');
INSERT INTO cities VALUES ('Jensen Beach', 'FL');
INSERT INTO cities VALUES ('Jeremiah', 'KY'):
INSERT INTO cities VALUES ('Jericho', 'NY');
INSERT INTO cities VALUES ('Jericho', 'VT');
INSERT INTO cities VALUES ('Jerico Springs', 'MO');
INSERT INTO cities VALUES ('Jermyn', 'PA');
INSERT INTO cities VALUES ('Jermyn', 'TX'):
INSERT INTO cities VALUES ('Jerome', 'AZ');
INSERT INTO cities VALUES ('Jerome', 'ID');
INSERT INTO cities VALUES ('Jerome', 'MI');
INSERT INTO cities VALUES ('Jerome', 'MO'):
INSERT INTO cities VALUES ('Jerome', 'PA');
INSERT INTO cities VALUES ('Jeromesville', 'OH');
INSERT INTO cities VALUES ('Jerry City', 'OH');
INSERT INTO cities VALUES ('Jersey', 'AR');
INSERT INTO cities VALUES ('Jersey', 'GA');
INSERT INTO cities VALUES ('Jersey', 'VA'):
INSERT INTO cities VALUES ('Jersey City', 'NJ');
INSERT INTO cities VALUES ('Jersey Mills', 'PA');
INSERT INTO cities VALUES ('Jersey Shore', 'PA');
INSERT INTO cities VALUES ('Jerseyville', 'IL');
INSERT INTO cities VALUES ('Jerusalem', 'AR');
INSERT INTO cities VALUES ('Jerusalem', 'OH');
INSERT INTO cities VALUES ('Jesse', 'WV');
INSERT INTO cities VALUES ('Jessie', 'ND');
INSERT INTO cities VALUES ('Jessieville', 'AR');
INSERT INTO cities VALUES ('Jessup', 'MD');
INSERT INTO cities VALUES ('Jessup', 'PA'):
INSERT INTO cities VALUES ('Jesup', 'GA');
INSERT INTO cities VALUES ('Jesup', 'IA');
INSERT INTO cities VALUES ('Jet', 'OK');
INSERT INTO cities VALUES ('Jetersville', 'VA');
INSERT INTO cities VALUES ('Jetmore', 'KS');
INSERT INTO cities VALUES ('Jetson', 'KY');
INSERT INTO cities VALUES ('Jewell', 'GA');
INSERT INTO cities VALUES ('Jewell', 'IA');
INSERT INTO cities VALUES ('Jewell', 'KS');
INSERT INTO cities VALUES ('Jewell', 'OH');
INSERT INTO cities VALUES ('Jewell Ridge', 'VA');
```

```
INSERT INTO cities VALUES ('Jewett', 'IL');
INSERT INTO cities VALUES ('Jewett', 'NY'):
INSERT INTO cities VALUES ('Jewett', 'OH');
INSERT INTO cities VALUES ('Jewett', 'TX'):
INSERT INTO cities VALUES ('Jewett City', 'CT'):
INSERT INTO cities VALUES ('Jigger', 'LA');
INSERT INTO cities VALUES ('Jim Falls', 'WI');
INSERT INTO cities VALUES ('Jim Thorpe', 'PA');
INSERT INTO cities VALUES ('Joanna', 'SC');
INSERT INTO cities VALUES ('Joaquin', 'TX');
INSERT INTO cities VALUES ('Jobstown', 'NJ');
INSERT INTO cities VALUES ('Joelton', 'TN');
INSERT INTO cities VALUES ('Joes', 'CO');
INSERT INTO cities VALUES ('Joffre', 'PA');
INSERT INTO cities VALUES ('Johannesburg', 'CA'):
INSERT INTO cities VALUES ('Johannesburg', 'MI'):
INSERT INTO cities VALUES ('John Day', 'OR');
INSERT INTO cities VALUES ('Johns Island', 'SC');
INSERT INTO cities VALUES ('Johnsburg', 'NY');
INSERT INTO cities VALUES ('Johnson', 'AR');
INSERT INTO cities VALUES ('Johnson', 'KS');
INSERT INTO cities VALUES ('Johnson', 'NE'):
INSERT INTO cities VALUES ('Johnson', 'NY');
INSERT INTO cities VALUES ('Johnson', 'VT');
INSERT INTO cities VALUES ('Johnson City', 'NY');
INSERT INTO cities VALUES ('Johnson City', 'TN');
INSERT INTO cities VALUES ('Johnson City', 'TX');
INSERT INTO cities VALUES ('Johnson Creek', 'WI');
INSERT INTO cities VALUES ('Johnsonburg', 'NJ');
INSERT INTO cities VALUES ('Johnsonburg', 'PA');
INSERT INTO cities VALUES ('Johnsonville', 'IL');
INSERT INTO cities VALUES ('Johnsonville', 'NY');
INSERT INTO cities VALUES ('Johnsonville', 'SC');
INSERT INTO cities VALUES ('Johnston', 'IA'):
INSERT INTO cities VALUES ('Johnston', 'RI');
INSERT INTO cities VALUES ('Johnston', 'SC');
INSERT INTO cities VALUES ('Johnston City', 'IL');
INSERT INTO cities VALUES ('Johnstown', 'CO');
INSERT INTO cities VALUES ('Johnstown', 'NE'):
INSERT INTO cities VALUES ('Johnstown', 'NY');
INSERT INTO cities VALUES ('Johnstown', 'OH');
INSERT INTO cities VALUES ('Johnstown', 'PA');
INSERT INTO cities VALUES ('Joice', 'IA');
INSERT INTO cities VALUES ('Joiner', 'AR');
INSERT INTO cities VALUES ('Joinerville', 'TX'):
INSERT INTO cities VALUES ('Joliet', 'IL');
INSERT INTO cities VALUES ('Joliet', 'MT');
INSERT INTO cities VALUES ('Jolley', 'IA');
INSERT INTO cities VALUES ('Jolo', 'WV');
INSERT INTO cities VALUES ('Jolon', 'CA');
INSERT INTO cities VALUES ('Jonancy', 'KY');
INSERT INTO cities VALUES ('Jonas Ridge', 'NC');
INSERT INTO cities VALUES ('Jones', 'AL');
INSERT INTO cities VALUES ('Jones', 'LA');
INSERT INTO cities VALUES ('Jones', 'MI');
INSERT INTO cities VALUES ('Jones', 'OK');
```

```
INSERT INTO cities VALUES ('Jones Mill', 'AR');
INSERT INTO cities VALUES ('Jones Mills', 'PA'):
INSERT INTO cities VALUES ('Jonesboro', 'AR');
INSERT INTO cities VALUES ('Jonesboro', 'GA');
INSERT INTO cities VALUES ('Jonesboro', 'IL'):
INSERT INTO cities VALUES ('Jonesboro', 'IN');
INSERT INTO cities VALUES ('Jonesboro', 'LA');
INSERT INTO cities VALUES ('Jonesboro', 'ME');
INSERT INTO cities VALUES ('Jonesboro', 'TX');
INSERT INTO cities VALUES ('Jonesborough', 'TN');
INSERT INTO cities VALUES ('Jonesburg', 'MO');
INSERT INTO cities VALUES ('Jonesport', 'ME');
INSERT INTO cities VALUES ('Jonestown', 'MS');
INSERT INTO cities VALUES ('Jonestown', 'PA');
INSERT INTO cities VALUES ('Jonesville', 'IN'):
INSERT INTO cities VALUES ('Jonesville', 'KY'):
INSERT INTO cities VALUES ('Jonesville', 'LA');
INSERT INTO cities VALUES ('Jonesville', 'MI');
INSERT INTO cities VALUES ('Jonesville', 'NC');
INSERT INTO cities VALUES ('Jonesville', 'SC');
INSERT INTO cities VALUES ('Jonesville', 'TX');
INSERT INTO cities VALUES ('Jonesville', 'VA');
INSERT INTO cities VALUES ('Jonesville', 'VT');
INSERT INTO cities VALUES ('Joplin', 'MO'):
INSERT INTO cities VALUES ('Joplin', 'MT');
INSERT INTO cities VALUES ('Joppa', 'AL');
INSERT INTO cities VALUES ('Joppa', 'IL'):
INSERT INTO cities VALUES ('Joppa', 'MD');
INSERT INTO cities VALUES ('Jordan', 'MN');
INSERT INTO cities VALUES ('Jordan', 'MT');
INSERT INTO cities VALUES ('Jordan', 'NY');
INSERT INTO cities VALUES ('Jordan Valley', 'OR');
INSERT INTO cities VALUES ('Jordanville', 'NY');
INSERT INTO cities VALUES ('Joseph', 'OR');
INSERT INTO cities VALUES ('Joseph', 'UT');
INSERT INTO cities VALUES ('Joseph City', 'AZ');
INSERT INTO cities VALUES ('Josephine', 'PA');
INSERT INTO cities VALUES ('Josephine', 'TX');
INSERT INTO cities VALUES ('Josephine', 'WV');
INSERT INTO cities VALUES ('Joshua', 'TX');
INSERT INTO cities VALUES ('Joshua Tree', 'CA');
INSERT INTO cities VALUES ('Jourdanton', 'TX');
INSERT INTO cities VALUES ('Joy', 'IL');
INSERT INTO cities VALUES ('Joyce', 'LA');
INSERT INTO cities VALUES ('Joyce', 'WA');
INSERT INTO cities VALUES ('Juana Diaz', 'PR');
INSERT INTO cities VALUES ('Jud', 'ND');
INSERT INTO cities VALUES ('Juda', 'WI');
INSERT INTO cities VALUES ('Judith Gap', 'MT');
INSERT INTO cities VALUES ('Judson', 'IN');
INSERT INTO cities VALUES ('Judson', 'TX');
INSERT INTO cities VALUES ('Judsonia', 'AR');
INSERT INTO cities VALUES ('Julesburg', 'CO');
INSERT INTO cities VALUES ('Juliaetta', 'ID');
INSERT INTO cities VALUES ('Julian', 'CA');
INSERT INTO cities VALUES ('Julian', 'NC');
```

```
INSERT INTO cities VALUES ('Julian', 'NE');
INSERT INTO cities VALUES ('Julian', 'PA'):
INSERT INTO cities VALUES ('Julian', 'WV');
INSERT INTO cities VALUES ('Juliette', 'GA'):
INSERT INTO cities VALUES ('Juliustown', 'NJ'):
INSERT INTO cities VALUES ('Jump River', 'WI');
INSERT INTO cities VALUES ('Jumping Branch', 'WV');
INSERT INTO cities VALUES ('Juncos', 'PR');
INSERT INTO cities VALUES ('Junction', 'IL');
INSERT INTO cities VALUES ('Junction', 'TX');
INSERT INTO cities VALUES ('Junction', 'UT');
INSERT INTO cities VALUES ('Junction City', 'AR');
INSERT INTO cities VALUES ('Junction City', 'CA'):
INSERT INTO cities VALUES ('Junction City', 'GA');
INSERT INTO cities VALUES ('Junction City', 'KS'):
INSERT INTO cities VALUES ('Junction City', 'KY'):
INSERT INTO cities VALUES ('Junction City', 'OH');
INSERT INTO cities VALUES ('Junction City', 'OR');
INSERT INTO cities VALUES ('Junction City', 'WI');
INSERT INTO cities VALUES ('June Lake', 'CA');
INSERT INTO cities VALUES ('Juneau', 'AK');
INSERT INTO cities VALUES ('Juneau', 'WI'):
INSERT INTO cities VALUES ('Junedale', 'PA');
INSERT INTO cities VALUES ('Juniata', 'NE'):
INSERT INTO cities VALUES ('Junior', 'WV');
INSERT INTO cities VALUES ('Juntura', 'OR');
INSERT INTO cities VALUES ('Jupiter', 'FL'):
INSERT INTO cities VALUES ('Justice', 'IL');
INSERT INTO cities VALUES ('Justice', 'WV');
INSERT INTO cities VALUES ('Justiceburg', 'TX');
INSERT INTO cities VALUES ('Justin', 'TX');
INSERT INTO cities VALUES ('Kaaawa', 'HI');
INSERT INTO cities VALUES ('Kabetogama', 'MN');
INSERT INTO cities VALUES ('Kadoka', 'SD');
INSERT INTO cities VALUES ('Kahlotus', 'WA');
INSERT INTO cities VALUES ('Kahoka', 'MO'):
INSERT INTO cities VALUES ('Kahuku', 'HI');
INSERT INTO cities VALUES ('Kahului', 'HI');
INSERT INTO cities VALUES ('Kaibeto', 'AZ');
INSERT INTO cities VALUES ('Kailua', 'HI');
INSERT INTO cities VALUES ('Kailua Kona', 'HI');
INSERT INTO cities VALUES ('Kaiser', 'MO');
INSERT INTO cities VALUES ('Kake', 'AK');
INSERT INTO cities VALUES ('Kaktovik', 'AK');
INSERT INTO cities VALUES ('Kalaheo', 'HI'):
INSERT INTO cities VALUES ('Kalama', 'WA');
INSERT INTO cities VALUES ('Kalamazoo', 'MI');
INSERT INTO cities VALUES ('Kalaupapa', 'HI');
INSERT INTO cities VALUES ('Kaleva', 'MI');
INSERT INTO cities VALUES ('Kalida', 'OH');
INSERT INTO cities VALUES ('Kalispell', 'MT');
INSERT INTO cities VALUES ('Kalkaska', 'MI');
INSERT INTO cities VALUES ('Kalona', 'IA');
INSERT INTO cities VALUES ('Kalskag', 'AK');
INSERT INTO cities VALUES ('Kaltag', 'AK');
INSERT INTO cities VALUES ('Kamas', 'UT');
```

```
INSERT INTO cities VALUES ('Kamay', 'TX');
INSERT INTO cities VALUES ('Kamiah', 'ID'):
INSERT INTO cities VALUES ('Kampsville', 'IL');
INSERT INTO cities VALUES ('Kamrar', 'IA');
INSERT INTO cities VALUES ('Kamuela', 'HI'):
INSERT INTO cities VALUES ('Kanab', 'UT');
INSERT INTO cities VALUES ('Kanaranzi', 'MN');
INSERT INTO cities VALUES ('Kanarraville', 'UT');
INSERT INTO cities VALUES ('Kanawha', 'IA');
INSERT INTO cities VALUES ('Kanawha Falls', 'WV');
INSERT INTO cities VALUES ('Kanawha Head', 'WV');
INSERT INTO cities VALUES ('Kandiyohi', 'MN');
INSERT INTO cities VALUES ('Kane', 'IL'):
INSERT INTO cities VALUES ('Kane', 'PA');
INSERT INTO cities VALUES ('Kaneohe', 'HI'):
INSERT INTO cities VALUES ('Kaneville', 'IL'):
INSERT INTO cities VALUES ('Kankakee', 'IL');
INSERT INTO cities VALUES ('Kannapolis', 'NC');
INSERT INTO cities VALUES ('Kanona', 'NY');
INSERT INTO cities VALUES ('Kanopolis', 'KS');
INSERT INTO cities VALUES ('Kanorado', 'KS');
INSERT INTO cities VALUES ('Kanosh', 'UT');
INSERT INTO cities VALUES ('Kansas', 'AL');
INSERT INTO cities VALUES ('Kansas', 'IL'):
INSERT INTO cities VALUES ('Kansas', 'OH');
INSERT INTO cities VALUES ('Kansas', 'OK');
INSERT INTO cities VALUES ('Kansas City', 'KS');
INSERT INTO cities VALUES ('Kansas City', 'MO');
INSERT INTO cities VALUES ('Kansasville', 'WI');
INSERT INTO cities VALUES ('Kantner', 'PA');
INSERT INTO cities VALUES ('Kapaa', 'HI');
INSERT INTO cities VALUES ('Kapaau', 'HI');
INSERT INTO cities VALUES ('Kaplan', 'LA');
INSERT INTO cities VALUES ('Kapolei', 'HI');
INSERT INTO cities VALUES ('Kapowsin', 'WA');
INSERT INTO cities VALUES ('Karbers Ridge', 'IL'):
INSERT INTO cities VALUES ('Karlsruhe', 'ND');
INSERT INTO cities VALUES ('Karlstad', 'MN');
INSERT INTO cities VALUES ('Karluk', 'AK'):
INSERT INTO cities VALUES ('Karnack', 'TX');
INSERT INTO cities VALUES ('Karnak', 'IL');
INSERT INTO cities VALUES ('Karnes City', 'TX');
INSERT INTO cities VALUES ('Karns City', 'PA');
INSERT INTO cities VALUES ('Karthaus', 'PA');
INSERT INTO cities VALUES ('Karval', 'CO'):
INSERT INTO cities VALUES ('Kasbeer', 'IL');
INSERT INTO cities VALUES ('Kasigluk', 'AK');
INSERT INTO cities VALUES ('Kasilof', 'AK');
INSERT INTO cities VALUES ('Kasota', 'MN');
INSERT INTO cities VALUES ('Kasson', 'MN');
INSERT INTO cities VALUES ('Kathleen', 'FL');
INSERT INTO cities VALUES ('Kathleen', 'GA');
INSERT INTO cities VALUES ('Kathryn', 'ND');
INSERT INTO cities VALUES ('Katonah', 'NY');
INSERT INTO cities VALUES ('Kattskill Bay', 'NY');
INSERT INTO cities VALUES ('Katy', 'TX');
```

```
INSERT INTO cities VALUES ('Kaufman', 'TX');
INSERT INTO cities VALUES ('Kaukauna', 'WI'):
INSERT INTO cities VALUES ('Kaumakani', 'HI');
INSERT INTO cities VALUES ('Kaunakakai', 'HI'):
INSERT INTO cities VALUES ('Kauneonga Lake', 'NY'):
INSERT INTO cities VALUES ('Kaw City', 'OK');
INSERT INTO cities VALUES ('Kaweah', 'CA');
INSERT INTO cities VALUES ('Kawkawlin', 'MI');
INSERT INTO cities VALUES ('Kaycee', 'WY');
INSERT INTO cities VALUES ('Kayenta', 'AZ');
INSERT INTO cities VALUES ('Kaylor', 'SD');
INSERT INTO cities VALUES ('Kaysville', 'UT');
INSERT INTO cities VALUES ('Keaau', 'HI'):
INSERT INTO cities VALUES ('Kealakekua', 'HI');
INSERT INTO cities VALUES ('Kealia', 'HI'):
INSERT INTO cities VALUES ('Keams Canyon', 'AZ'):
INSERT INTO cities VALUES ('Keansburg', 'NJ');
INSERT INTO cities VALUES ('Kearney', 'MO');
INSERT INTO cities VALUES ('Kearney', 'NE');
INSERT INTO cities VALUES ('Kearneysville', 'WV');
INSERT INTO cities VALUES ('Kearny', 'AZ');
INSERT INTO cities VALUES ('Kearny', 'NJ');
INSERT INTO cities VALUES ('Kearsarge', 'MI');
INSERT INTO cities VALUES ('Kearsarge', 'NH'):
INSERT INTO cities VALUES ('Keasbey', 'NJ');
INSERT INTO cities VALUES ('Keatchie', 'LA');
INSERT INTO cities VALUES ('Keaton', 'KY');
INSERT INTO cities VALUES ('Keauhou', 'HI');
INSERT INTO cities VALUES ('Keavy', 'KY');
INSERT INTO cities VALUES ('Kechi', 'KS');
INSERT INTO cities VALUES ('Keedysville', 'MD');
INSERT INTO cities VALUES ('Keego Harbor', 'MI');
INSERT INTO cities VALUES ('Keeler', 'CA');
INSERT INTO cities VALUES ('Keeling', 'VA');
INSERT INTO cities VALUES ('Keen Mountain', 'VA');
INSERT INTO cities VALUES ('Keene', 'CA'):
INSERT INTO cities VALUES ('Keene', 'KY');
INSERT INTO cities VALUES ('Keene', 'ND');
INSERT INTO cities VALUES ('Keene', 'NH'):
INSERT INTO cities VALUES ('Keene', 'NY');
INSERT INTO cities VALUES ('Keene', 'OH');
INSERT INTO cities VALUES ('Keene', 'TX');
INSERT INTO cities VALUES ('Keene', 'VA');
INSERT INTO cities VALUES ('Keene Valley', 'NY');
INSERT INTO cities VALUES ('Keenes', 'IL'):
INSERT INTO cities VALUES ('Keenesburg', 'CO');
INSERT INTO cities VALUES ('Keensburg', 'IL');
INSERT INTO cities VALUES ('Keeseville', 'NY');
INSERT INTO cities VALUES ('Keewatin', 'MN');
INSERT INTO cities VALUES ('Keezletown', 'VA');
INSERT INTO cities VALUES ('Kegley', 'WV');
INSERT INTO cities VALUES ('Keiser', 'AR');
INSERT INTO cities VALUES ('Keisterville', 'PA');
INSERT INTO cities VALUES ('Keithsburg', 'IL');
INSERT INTO cities VALUES ('Keithville', 'LA');
INSERT INTO cities VALUES ('Keizer', 'OR');
```

```
INSERT INTO cities VALUES ('Kekaha', 'HI');
INSERT INTO cities VALUES ('Kelayres', 'PA'):
INSERT INTO cities VALUES ('Keldron', 'SD');
INSERT INTO cities VALUES ('Kelford', 'NC'):
INSERT INTO cities VALUES ('Kell', 'IL'):
INSERT INTO cities VALUES ('Keller', 'TX');
INSERT INTO cities VALUES ('Keller', 'VA');
INSERT INTO cities VALUES ('Keller', 'WA');
INSERT INTO cities VALUES ('Kellerman', 'AL');
INSERT INTO cities VALUES ('Kellerton', 'IA');
INSERT INTO cities VALUES ('Kelley', 'IA');
INSERT INTO cities VALUES ('Kelleys Island', 'OH');
INSERT INTO cities VALUES ('Kelliher', 'MN');
INSERT INTO cities VALUES ('Kellnersville', 'WI');
INSERT INTO cities VALUES ('Kellogg', 'IA'):
INSERT INTO cities VALUES ('Kellogg', 'ID'):
INSERT INTO cities VALUES ('Kellogg', 'MN');
INSERT INTO cities VALUES ('Kelly', 'LA');
INSERT INTO cities VALUES ('Kelly', 'NC');
INSERT INTO cities VALUES ('Kelly', 'WY');
INSERT INTO cities VALUES ('Kellysville', 'WV');
INSERT INTO cities VALUES ('Kellyton', 'AL');
INSERT INTO cities VALUES ('Kellyville', 'OK');
INSERT INTO cities VALUES ('Kelseyville', 'CA'):
INSERT INTO cities VALUES ('Kelso', 'MO');
INSERT INTO cities VALUES ('Kelso', 'TN');
INSERT INTO cities VALUES ('Kelso', 'WA');
INSERT INTO cities VALUES ('Kelton', 'PA'):
INSERT INTO cities VALUES ('Kemah', 'TX');
INSERT INTO cities VALUES ('Kemblesville', 'PA');
INSERT INTO cities VALUES ('Kemmerer', 'WY');
INSERT INTO cities VALUES ('Kemp', 'OK');
INSERT INTO cities VALUES ('Kemp', 'TX');
INSERT INTO cities VALUES ('Kempner', 'TX');
INSERT INTO cities VALUES ('Kempton', 'IL');
INSERT INTO cities VALUES ('Kempton', 'IN'):
INSERT INTO cities VALUES ('Kempton', 'PA');
INSERT INTO cities VALUES ('Kenai', 'AK');
INSERT INTO cities VALUES ('Kenansville', 'FL'):
INSERT INTO cities VALUES ('Kenansville', 'NC');
INSERT INTO cities VALUES ('Kenbridge', 'VA');
INSERT INTO cities VALUES ('Kendalia', 'TX');
INSERT INTO cities VALUES ('Kendall', 'KS');
INSERT INTO cities VALUES ('Kendall', 'MI');
INSERT INTO cities VALUES ('Kendall', 'NY'):
INSERT INTO cities VALUES ('Kendall', 'WI');
INSERT INTO cities VALUES ('Kendall Park', 'NJ');
INSERT INTO cities VALUES ('Kendallville', 'IN');
INSERT INTO cities VALUES ('Kendleton', 'TX');
INSERT INTO cities VALUES ('Kendrick', 'ID');
INSERT INTO cities VALUES ('Kenduskeag', 'ME');
INSERT INTO cities VALUES ('Kenedy', 'TX');
INSERT INTO cities VALUES ('Kenefic', 'OK');
INSERT INTO cities VALUES ('Kenesaw', 'NE');
INSERT INTO cities VALUES ('Kenilworth', 'IL');
INSERT INTO cities VALUES ('Kenilworth', 'NJ');
```

```
INSERT INTO cities VALUES ('Kenilworth', 'UT');
INSERT INTO cities VALUES ('Kenly', 'NC'):
INSERT INTO cities VALUES ('Kenmare', 'ND');
INSERT INTO cities VALUES ('Kenmore', 'WA'):
INSERT INTO cities VALUES ('Kenna', 'NM'):
INSERT INTO cities VALUES ('Kenna', 'WV');
INSERT INTO cities VALUES ('Kennan', 'WI');
INSERT INTO cities VALUES ('Kennard', 'IN');
INSERT INTO cities VALUES ('Kennard', 'NE');
INSERT INTO cities VALUES ('Kennard', 'TX');
INSERT INTO cities VALUES ('Kennebec', 'SD');
INSERT INTO cities VALUES ('Kennebunk', 'ME');
INSERT INTO cities VALUES ('Kennebunkport', 'ME');
INSERT INTO cities VALUES ('Kennedale', 'TX');
INSERT INTO cities VALUES ('Kennedy', 'AL'):
INSERT INTO cities VALUES ('Kennedy', 'MN');
INSERT INTO cities VALUES ('Kennedy', 'NY');
INSERT INTO cities VALUES ('Kennedyville', 'MD');
INSERT INTO cities VALUES ('Kenner', 'LA');
INSERT INTO cities VALUES ('Kennerdell', 'PA');
INSERT INTO cities VALUES ('Kennesaw', 'GA');
INSERT INTO cities VALUES ('Kenneth', 'MN');
INSERT INTO cities VALUES ('Kennett', 'MO');
INSERT INTO cities VALUES ('Kennett Square', 'PA'):
INSERT INTO cities VALUES ('Kennewick', 'WA');
INSERT INTO cities VALUES ('Kenney', 'IL');
INSERT INTO cities VALUES ('Kenney', 'TX');
INSERT INTO cities VALUES ('Keno', 'OR');
INSERT INTO cities VALUES ('Kenosha', 'WI');
INSERT INTO cities VALUES ('Kenova', 'WV');
INSERT INTO cities VALUES ('Kenoza Lake', 'NY');
INSERT INTO cities VALUES ('Kensal', 'ND');
INSERT INTO cities VALUES ('Kensett', 'AR');
INSERT INTO cities VALUES ('Kensett', 'IA');
INSERT INTO cities VALUES ('Kensington', 'KS');
INSERT INTO cities VALUES ('Kensington', 'MD');
INSERT INTO cities VALUES ('Kensington', 'MN');
INSERT INTO cities VALUES ('Kensington', 'OH');
INSERT INTO cities VALUES ('Kent', 'AL');
INSERT INTO cities VALUES ('Kent', 'CT');
INSERT INTO cities VALUES ('Kent', 'IL');
INSERT INTO cities VALUES ('Kent', 'MN');
INSERT INTO cities VALUES ('Kent', 'NY');
INSERT INTO cities VALUES ('Kent', 'OH');
INSERT INTO cities VALUES ('Kent', 'OR'):
INSERT INTO cities VALUES ('Kent', 'PA');
INSERT INTO cities VALUES ('Kent', 'WA');
INSERT INTO cities VALUES ('Kent City', 'MI');
INSERT INTO cities VALUES ('Kentfield', 'CA');
INSERT INTO cities VALUES ('Kentland', 'IN');
INSERT INTO cities VALUES ('Kenton', 'DE');
INSERT INTO cities VALUES ('Kenton', 'KY');
INSERT INTO cities VALUES ('Kenton', 'OH');
INSERT INTO cities VALUES ('Kenton', 'OK');
INSERT INTO cities VALUES ('Kenton', 'TN');
INSERT INTO cities VALUES ('Kents Hill', 'ME');
```

```
INSERT INTO cities VALUES ('Kents Store', 'VA');
INSERT INTO cities VALUES ('Kentwood', 'LA'):
INSERT INTO cities VALUES ('Kenvil', 'NJ');
INSERT INTO cities VALUES ('Kenvir', 'KY');
INSERT INTO cities VALUES ('Kenwood', 'CA'):
INSERT INTO cities VALUES ('Kenyon', 'MN');
INSERT INTO cities VALUES ('Kenyon', 'RI');
INSERT INTO cities VALUES ('Keo', 'AR');
INSERT INTO cities VALUES ('Keokee', 'VA');
INSERT INTO cities VALUES ('Keokuk', 'IA');
INSERT INTO cities VALUES ('Keosauqua', 'IA');
INSERT INTO cities VALUES ('Keota', 'IA');
INSERT INTO cities VALUES ('Keota', 'OK'):
INSERT INTO cities VALUES ('Kerby', 'OR');
INSERT INTO cities VALUES ('Kerens', 'TX'):
INSERT INTO cities VALUES ('Kerens', 'WV');
INSERT INTO cities VALUES ('Kerhonkson', 'NY');
INSERT INTO cities VALUES ('Kerkhoven', 'MN');
INSERT INTO cities VALUES ('Kerman', 'CA');
INSERT INTO cities VALUES ('Kermit', 'TX');
INSERT INTO cities VALUES ('Kermit', 'WV');
INSERT INTO cities VALUES ('Kernersville', 'NC'):
INSERT INTO cities VALUES ('Kernville', 'CA');
INSERT INTO cities VALUES ('Kerr', 'OH');
INSERT INTO cities VALUES ('Kerrick', 'MN');
INSERT INTO cities VALUES ('Kerrick', 'TX');
INSERT INTO cities VALUES ('Kerrville', 'TX');
INSERT INTO cities VALUES ('Kersey', 'CO');
INSERT INTO cities VALUES ('Kersey', 'PA');
INSERT INTO cities VALUES ('Kershaw', 'SC');
INSERT INTO cities VALUES ('Keshena', 'WI');
INSERT INTO cities VALUES ('Keslers Cross Lanes', 'WV');
INSERT INTO cities VALUES ('Kesley', 'IA');
INSERT INTO cities VALUES ('Keswick', 'IA'):
INSERT INTO cities VALUES ('Keswick', 'VA');
INSERT INTO cities VALUES ('Ketchikan', 'AK'):
INSERT INTO cities VALUES ('Ketchum', 'ID');
INSERT INTO cities VALUES ('Ketchum', 'OK');
INSERT INTO cities VALUES ('Kettle Falls', 'WA');
INSERT INTO cities VALUES ('Kettle Island', 'KY');
INSERT INTO cities VALUES ('Kettle River', 'MN');
INSERT INTO cities VALUES ('Kettleman City', 'CA');
INSERT INTO cities VALUES ('Kettlersville', 'OH');
INSERT INTO cities VALUES ('Keuka Park', 'NY');
INSERT INTO cities VALUES ('Kevil', 'KY'):
INSERT INTO cities VALUES ('Kevin', 'MT');
INSERT INTO cities VALUES ('Kew Gardens', 'NY');
INSERT INTO cities VALUES ('Kewadin', 'MI');
INSERT INTO cities VALUES ('Kewanee', 'IL');
INSERT INTO cities VALUES ('Kewanee', 'MO');
INSERT INTO cities VALUES ('Kewanna', 'IN');
INSERT INTO cities VALUES ('Kewaskum', 'WI');
INSERT INTO cities VALUES ('Kewaunee', 'WI');
INSERT INTO cities VALUES ('Key Biscayne', 'FL');
INSERT INTO cities VALUES ('Key Colony Beach', 'FL');
INSERT INTO cities VALUES ('Key Largo', 'FL');
```

```
INSERT INTO cities VALUES ('Key West', 'FL');
INSERT INTO cities VALUES ('Keyes', 'CA');
INSERT INTO cities VALUES ('Keyes', 'OK');
INSERT INTO cities VALUES ('Keyesport', 'IL');
INSERT INTO cities VALUES ('Keymar', 'MD'):
INSERT INTO cities VALUES ('Keyport', 'NJ');
INSERT INTO cities VALUES ('Keyport', 'WA');
INSERT INTO cities VALUES ('Keyser', 'WV');
INSERT INTO cities VALUES ('Keystone', 'IA');
INSERT INTO cities VALUES ('Keystone', 'IN');
INSERT INTO cities VALUES ('Keystone', 'NE');
INSERT INTO cities VALUES ('Keystone', 'SD');
INSERT INTO cities VALUES ('Keystone Heights', 'FL'):
INSERT INTO cities VALUES ('Keysville', 'GA');
INSERT INTO cities VALUES ('Keysville', 'VA');
INSERT INTO cities VALUES ('Keytesville', 'MO'):
INSERT INTO cities VALUES ('Kiahsville', 'WV');
INSERT INTO cities VALUES ('Kiamesha Lake', 'NY');
INSERT INTO cities VALUES ('Kiamichi Christian Mission', 'OK');
INSERT INTO cities VALUES ('Kiana', 'AK');
INSERT INTO cities VALUES ('Kidder', 'MO');
INSERT INTO cities VALUES ('Kidron', 'OH'):
INSERT INTO cities VALUES ('Kiefer', 'OK');
INSERT INTO cities VALUES ('Kiel', 'WI');
INSERT INTO cities VALUES ('Kieler', 'WI');
INSERT INTO cities VALUES ('Kiester', 'MN');
INSERT INTO cities VALUES ('Kihei', 'HI');
INSERT INTO cities VALUES ('Kila', 'MT'):
INSERT INTO cities VALUES ('Kilauea', 'HI');
INSERT INTO cities VALUES ('Kilbourne', 'IL');
INSERT INTO cities VALUES ('Kilbourne', 'LA');
INSERT INTO cities VALUES ('Kilbourne', 'OH');
INSERT INTO cities VALUES ('Kildare', 'TX');
INSERT INTO cities VALUES ('Kilgore', 'NE'):
INSERT INTO cities VALUES ('Kilgore', 'TX');
INSERT INTO cities VALUES ('Kilkenny', 'MN');
INSERT INTO cities VALUES ('Kill Buck', 'NY');
INSERT INTO cities VALUES ('Kill Devil Hills', 'NC');
INSERT INTO cities VALUES ('Killarney', 'FL'):
INSERT INTO cities VALUES ('Killawog', 'NY');
INSERT INTO cities VALUES ('Killbuck', 'OH');
INSERT INTO cities VALUES ('Killdeer', 'ND');
INSERT INTO cities VALUES ('Killduff', 'IA');
INSERT INTO cities VALUES ('Killeen', 'TX');
INSERT INTO cities VALUES ('Killen', 'AL');
INSERT INTO cities VALUES ('Killington', 'VT');
INSERT INTO cities VALUES ('Killingworth', 'CT');
INSERT INTO cities VALUES ('Kilmarnock', 'VA');
INSERT INTO cities VALUES ('Kilmichael', 'MS');
INSERT INTO cities VALUES ('Kiln', 'MS');
INSERT INTO cities VALUES ('Kim', 'CO');
INSERT INTO cities VALUES ('Kimball', 'MN');
INSERT INTO cities VALUES ('Kimball', 'NE');
INSERT INTO cities VALUES ('Kimball', 'SD');
INSERT INTO cities VALUES ('Kimball', 'WV');
INSERT INTO cities VALUES ('Kimballton', 'IA');
```

```
INSERT INTO cities VALUES ('Kimberling City', 'MO');
INSERT INTO cities VALUES ('Kimberly', 'AL');
INSERT INTO cities VALUES ('Kimberly', 'ID');
INSERT INTO cities VALUES ('Kimberly', 'OR');
INSERT INTO cities VALUES ('Kimberly', 'WI'):
INSERT INTO cities VALUES ('Kimberly', 'WV');
INSERT INTO cities VALUES ('Kimberton', 'PA');
INSERT INTO cities VALUES ('Kimbolton', 'OH');
INSERT INTO cities VALUES ('Kimmell', 'IN');
INSERT INTO cities VALUES ('Kimmswick', 'MO');
INSERT INTO cities VALUES ('Kimper', 'KY');
INSERT INTO cities VALUES ('Kinards', 'SC');
INSERT INTO cities VALUES ('Kincaid', 'IL'):
INSERT INTO cities VALUES ('Kincaid', 'KS');
INSERT INTO cities VALUES ('Kincaid', 'WV');
INSERT INTO cities VALUES ('Kincheloe', 'MI');
INSERT INTO cities VALUES ('Kinde', 'MI');
INSERT INTO cities VALUES ('Kinder', 'LA');
INSERT INTO cities VALUES ('Kinderhook', 'IL');
INSERT INTO cities VALUES ('Kinderhook', 'NY');
INSERT INTO cities VALUES ('Kindred', 'ND');
INSERT INTO cities VALUES ('King', 'NC');
INSERT INTO cities VALUES ('King', 'WI');
INSERT INTO cities VALUES ('King And Queen Court House', 'VA');
INSERT INTO cities VALUES ('King City', 'CA');
INSERT INTO cities VALUES ('King City', 'MO');
INSERT INTO cities VALUES ('King Cove', 'AK'):
INSERT INTO cities VALUES ('King Ferry', 'NY');
INSERT INTO cities VALUES ('King George', 'VA');
INSERT INTO cities VALUES ('King Hill', 'ID');
INSERT INTO cities VALUES ('King Of Prussia', 'PA');
INSERT INTO cities VALUES ('King Salmon', 'AK');
INSERT INTO cities VALUES ('King William', 'VA');
INSERT INTO cities VALUES ('Kingdom City', 'MO');
INSERT INTO cities VALUES ('Kingfield', 'ME');
INSERT INTO cities VALUES ('Kingfisher', 'OK');
INSERT INTO cities VALUES ('Kingman', 'AZ');
INSERT INTO cities VALUES ('Kingman', 'IN');
INSERT INTO cities VALUES ('Kingman', 'KS');
INSERT INTO cities VALUES ('Kingman', 'ME');
INSERT INTO cities VALUES ('Kingmont', 'WV');
INSERT INTO cities VALUES ('Kings Bay', 'GA');
INSERT INTO cities VALUES ('Kings Beach', 'CA');
INSERT INTO cities VALUES ('Kings Canyon National Pk', 'CA');
INSERT INTO cities VALUES ('Kings Mills', 'OH');
INSERT INTO cities VALUES ('Kings Mountain', 'KY');
INSERT INTO cities VALUES ('Kings Mountain', 'NC');
INSERT INTO cities VALUES ('Kings Park', 'NY');
INSERT INTO cities VALUES ('Kingsburg', 'CA');
INSERT INTO cities VALUES ('Kingsbury', 'IN');
INSERT INTO cities VALUES ('Kingsbury', 'TX');
INSERT INTO cities VALUES ('Kingsford', 'MI');
INSERT INTO cities VALUES ('Kingsford Heights', 'IN');
INSERT INTO cities VALUES ('Kingsland', 'AR');
INSERT INTO cities VALUES ('Kingsland', 'GA');
INSERT INTO cities VALUES ('Kingsland', 'TX');
```

```
INSERT INTO cities VALUES ('Kingsley', 'IA');
INSERT INTO cities VALUES ('Kingsley', 'MI');
INSERT INTO cities VALUES ('Kingsley', 'PA');
INSERT INTO cities VALUES ('Kingsport', 'TN');
INSERT INTO cities VALUES ('Kingston', 'AR'):
INSERT INTO cities VALUES ('Kingston', 'GA');
INSERT INTO cities VALUES ('Kingston', 'ID');
INSERT INTO cities VALUES ('Kingston', 'IL');
INSERT INTO cities VALUES ('Kingston', 'MA');
INSERT INTO cities VALUES ('Kingston', 'MI');
INSERT INTO cities VALUES ('Kingston', 'MO');
INSERT INTO cities VALUES ('Kingston', 'NH');
INSERT INTO cities VALUES ('Kingston', 'NJ'):
INSERT INTO cities VALUES ('Kingston', 'NY');
INSERT INTO cities VALUES ('Kingston', 'OH');
INSERT INTO cities VALUES ('Kingston', 'OK');
INSERT INTO cities VALUES ('Kingston', 'PA');
INSERT INTO cities VALUES ('Kingston', 'RI');
INSERT INTO cities VALUES ('Kingston', 'TN');
INSERT INTO cities VALUES ('Kingston', 'UT');
INSERT INTO cities VALUES ('Kingston', 'WA');
INSERT INTO cities VALUES ('Kingston', 'WI');
INSERT INTO cities VALUES ('Kingston Mines', 'IL');
INSERT INTO cities VALUES ('Kingston Springs', 'TN'):
INSERT INTO cities VALUES ('Kingstree', 'SC');
INSERT INTO cities VALUES ('Kingsville', 'MD');
INSERT INTO cities VALUES ('Kingsville', 'MO'):
INSERT INTO cities VALUES ('Kingsville', 'OH');
INSERT INTO cities VALUES ('Kingsville', 'TX');
INSERT INTO cities VALUES ('Kingwood', 'TX');
INSERT INTO cities VALUES ('Kingwood', 'WV');
INSERT INTO cities VALUES ('Kinmundy', 'IL');
INSERT INTO cities VALUES ('Kinnear', 'WY');
INSERT INTO cities VALUES ('Kinney', 'MN');
INSERT INTO cities VALUES ('Kinross', 'MI');
INSERT INTO cities VALUES ('Kinsale', 'VA'):
INSERT INTO cities VALUES ('Kinsey', 'MT');
INSERT INTO cities VALUES ('Kinsley', 'KS');
INSERT INTO cities VALUES ('Kinsman', 'IL'):
INSERT INTO cities VALUES ('Kinsman', 'OH');
INSERT INTO cities VALUES ('Kinston', 'AL');
INSERT INTO cities VALUES ('Kinston', 'NC');
INSERT INTO cities VALUES ('Kinta', 'OK');
INSERT INTO cities VALUES ('Kintnersville', 'PA');
INSERT INTO cities VALUES ('Kintyre', 'ND'):
INSERT INTO cities VALUES ('Kinzers', 'PA');
INSERT INTO cities VALUES ('Kiowa', 'CO');
INSERT INTO cities VALUES ('Kiowa', 'KS');
INSERT INTO cities VALUES ('Kiowa', 'OK');
INSERT INTO cities VALUES ('Kipling', 'NC');
INSERT INTO cities VALUES ('Kipling', 'OH');
INSERT INTO cities VALUES ('Kipnuk', 'AK');
INSERT INTO cities VALUES ('Kipton', 'OH');
INSERT INTO cities VALUES ('Kirby', 'AR');
INSERT INTO cities VALUES ('Kirby', 'OH');
INSERT INTO cities VALUES ('Kirby', 'WY');
```

```
INSERT INTO cities VALUES ('Kirbyville', 'MO');
INSERT INTO cities VALUES ('Kirbvville', 'TX'):
INSERT INTO cities VALUES ('Kirk', 'CO');
INSERT INTO cities VALUES ('Kirkersville', 'OH'):
INSERT INTO cities VALUES ('Kirkland', 'AZ'):
INSERT INTO cities VALUES ('Kirkland', 'IL');
INSERT INTO cities VALUES ('Kirkland', 'WA');
INSERT INTO cities VALUES ('Kirklin', 'IN');
INSERT INTO cities VALUES ('Kirkman', 'IA');
INSERT INTO cities VALUES ('Kirksey', 'KY');
INSERT INTO cities VALUES ('Kirksville', 'MO');
INSERT INTO cities VALUES ('Kirkville', 'IA');
INSERT INTO cities VALUES ('Kirkville', 'NY');
INSERT INTO cities VALUES ('Kirkwood', 'CA');
INSERT INTO cities VALUES ('Kirkwood', 'DE'):
INSERT INTO cities VALUES ('Kirkwood', 'IL');
INSERT INTO cities VALUES ('Kirkwood', 'NY');
INSERT INTO cities VALUES ('Kirkwood', 'PA');
INSERT INTO cities VALUES ('Kiron', 'IA');
INSERT INTO cities VALUES ('Kirtland', 'NM');
INSERT INTO cities VALUES ('Kirtland Afb', 'NM');
INSERT INTO cities VALUES ('Kirvin', 'TX'):
INSERT INTO cities VALUES ('Kirwin', 'KS');
INSERT INTO cities VALUES ('Kismet', 'KS'):
INSERT INTO cities VALUES ('Kissee Mills', 'MO');
INSERT INTO cities VALUES ('Kissimmee', 'FL');
INSERT INTO cities VALUES ('Kistler', 'WV');
INSERT INTO cities VALUES ('Kit Carson', 'CA');
INSERT INTO cities VALUES ('Kit Carson', 'CO');
INSERT INTO cities VALUES ('Kite', 'GA');
INSERT INTO cities VALUES ('Kite', 'KY');
INSERT INTO cities VALUES ('Kittanning', 'PA');
INSERT INTO cities VALUES ('Kittery', 'ME');
INSERT INTO cities VALUES ('Kittery Point', 'ME'):
INSERT INTO cities VALUES ('Kittitas', 'WA');
INSERT INTO cities VALUES ('Kittredge', 'CO'):
INSERT INTO cities VALUES ('Kittrell', 'NC');
INSERT INTO cities VALUES ('Kitts Hill', 'OH');
INSERT INTO cities VALUES ('Kitty Hawk', 'NC'):
INSERT INTO cities VALUES ('Kitzmiller', 'MD');
INSERT INTO cities VALUES ('Kivalina', 'AK');
INSERT INTO cities VALUES ('Klamath', 'CA');
INSERT INTO cities VALUES ('Klamath Falls', 'OR');
INSERT INTO cities VALUES ('Klamath River', 'CA');
INSERT INTO cities VALUES ('Klawock', 'AK'):
INSERT INTO cities VALUES ('Kleinfeltersville', 'PA');
INSERT INTO cities VALUES ('Klemme', 'IA');
INSERT INTO cities VALUES ('Klickitat', 'WA');
INSERT INTO cities VALUES ('Klingerstown', 'PA');
INSERT INTO cities VALUES ('Klondike', 'TX');
INSERT INTO cities VALUES ('Knapp', 'WI');
INSERT INTO cities VALUES ('Kneeland', 'CA');
INSERT INTO cities VALUES ('Knickerbocker', 'TX');
INSERT INTO cities VALUES ('Knierim', 'IA');
INSERT INTO cities VALUES ('Knife River', 'MN');
INSERT INTO cities VALUES ('Knifley', 'KY');
```

```
INSERT INTO cities VALUES ('Knightdale', 'NC');
INSERT INTO cities VALUES ('Knights Landing', 'CA'):
INSERT INTO cities VALUES ('Knightsen', 'CA');
INSERT INTO cities VALUES ('Knightstown', 'IN');
INSERT INTO cities VALUES ('Knightsville', 'IN'):
INSERT INTO cities VALUES ('Knippa', 'TX');
INSERT INTO cities VALUES ('Knob Lick', 'KY');
INSERT INTO cities VALUES ('Knob Lick', 'MO');
INSERT INTO cities VALUES ('Knob Noster', 'MO');
INSERT INTO cities VALUES ('Knobel', 'AR');
INSERT INTO cities VALUES ('Knott', 'TX');
INSERT INTO cities VALUES ('Knotts Island', 'NC');
INSERT INTO cities VALUES ('Knowlesville', 'NY');
INSERT INTO cities VALUES ('Knox', 'IN');
INSERT INTO cities VALUES ('Knox', 'ND');
INSERT INTO cities VALUES ('Knox', 'NY');
INSERT INTO cities VALUES ('Knox', 'PA');
INSERT INTO cities VALUES ('Knox City', 'MO');
INSERT INTO cities VALUES ('Knox City', 'TX');
INSERT INTO cities VALUES ('Knox Dale', 'PA');
INSERT INTO cities VALUES ('Knoxboro', 'NY');
INSERT INTO cities VALUES ('Knoxville', 'AL');
INSERT INTO cities VALUES ('Knoxville', 'AR');
INSERT INTO cities VALUES ('Knoxville', 'GA'):
INSERT INTO cities VALUES ('Knoxville', 'IA');
INSERT INTO cities VALUES ('Knoxville', 'IL');
INSERT INTO cities VALUES ('Knoxville', 'MD');
INSERT INTO cities VALUES ('Knoxville', 'PA');
INSERT INTO cities VALUES ('Knoxville', 'TN');
INSERT INTO cities VALUES ('Kobuk', 'AK');
INSERT INTO cities VALUES ('Kodak', 'TN');
INSERT INTO cities VALUES ('Kodiak', 'AK');
INSERT INTO cities VALUES ('Koeltztown', 'MO');
INSERT INTO cities VALUES ('Kohler', 'WI');
INSERT INTO cities VALUES ('Kokomo', 'IN');
INSERT INTO cities VALUES ('Kokomo', 'MS'):
INSERT INTO cities VALUES ('Koleen', 'IN');
INSERT INTO cities VALUES ('Koloa', 'HI');
INSERT INTO cities VALUES ('Konawa', 'OK'):
INSERT INTO cities VALUES ('Kongiganak', 'AK');
INSERT INTO cities VALUES ('Koosharem', 'UT');
INSERT INTO cities VALUES ('Kooskia', 'ID');
INSERT INTO cities VALUES ('Kootenai', 'ID');
INSERT INTO cities VALUES ('Koppel', 'PA');
INSERT INTO cities VALUES ('Kopperl', 'TX');
INSERT INTO cities VALUES ('Kopperston', 'WV');
INSERT INTO cities VALUES ('Korbel', 'CA');
INSERT INTO cities VALUES ('Kosciusko', 'MS');
INSERT INTO cities VALUES ('Koshkonong', 'MO');
INSERT INTO cities VALUES ('Kosse', 'TX');
INSERT INTO cities VALUES ('Kossuth', 'PA');
INSERT INTO cities VALUES ('Kotlik', 'AK');
INSERT INTO cities VALUES ('Kotzebue', 'AK');
INSERT INTO cities VALUES ('Kountze', 'TX');
INSERT INTO cities VALUES ('Kouts', 'IN');
INSERT INTO cities VALUES ('Koyuk', 'AK');
```

```
INSERT INTO cities VALUES ('Koyukuk', 'AK');
INSERT INTO cities VALUES ('Kraemer', 'LA'):
INSERT INTO cities VALUES ('Krakow', 'WI');
INSERT INTO cities VALUES ('Kramer', 'ND'):
INSERT INTO cities VALUES ('Kranzburg', 'SD'):
INSERT INTO cities VALUES ('Kreamer', 'PA');
INSERT INTO cities VALUES ('Krebs', 'OK');
INSERT INTO cities VALUES ('Kremlin', 'MT');
INSERT INTO cities VALUES ('Kremlin', 'OK');
INSERT INTO cities VALUES ('Kremmling', 'CO');
INSERT INTO cities VALUES ('Kresgeville', 'PA');
INSERT INTO cities VALUES ('Kress', 'TX');
INSERT INTO cities VALUES ('Krotz Springs', 'LA');
INSERT INTO cities VALUES ('Krum', 'TX');
INSERT INTO cities VALUES ('Krypton', 'KY'):
INSERT INTO cities VALUES ('Kualapuu', 'HI'):
INSERT INTO cities VALUES ('Kula', 'HI');
INSERT INTO cities VALUES ('Kulm', 'ND');
INSERT INTO cities VALUES ('Kulpmont', 'PA');
INSERT INTO cities VALUES ('Kulpsville', 'PA');
INSERT INTO cities VALUES ('Kuna', 'ID');
INSERT INTO cities VALUES ('Kunia', 'HI'):
INSERT INTO cities VALUES ('Kunkle', 'OH');
INSERT INTO cities VALUES ('Kunkletown', 'PA');
INSERT INTO cities VALUES ('Kure Beach', 'NC');
INSERT INTO cities VALUES ('Kurten', 'TX');
INSERT INTO cities VALUES ('Kurthwood', 'LA'):
INSERT INTO cities VALUES ('Kurtistown', 'HI');
INSERT INTO cities VALUES ('Kurtz', 'IN');
INSERT INTO cities VALUES ('Kuttawa', 'KY');
INSERT INTO cities VALUES ('Kutztown', 'PA');
INSERT INTO cities VALUES ('Kwethluk', 'AK');
INSERT INTO cities VALUES ('Kwigillingok', 'AK');
INSERT INTO cities VALUES ('Kyburz', 'CA');
INSERT INTO cities VALUES ('Kykotsmovi Village', 'AZ');
INSERT INTO cities VALUES ('Kyle', 'SD'):
INSERT INTO cities VALUES ('Kyle', 'TX');
INSERT INTO cities VALUES ('Kyle', 'WV');
INSERT INTO cities VALUES ('Kylertown', 'PA');
INSERT INTO cities VALUES ('Kyles Ford', 'TN');
INSERT INTO cities VALUES ('La Barge', 'WY');
INSERT INTO cities VALUES ('La Belle', 'MO');
INSERT INTO cities VALUES ('La Belle', 'PA');
INSERT INTO cities VALUES ('La Blanca', 'TX');
INSERT INTO cities VALUES ('La Canada Flintridge', 'CA');
INSERT INTO cities VALUES ('La Center', 'KY');
INSERT INTO cities VALUES ('La Center', 'WA');
INSERT INTO cities VALUES ('La Conner', 'WA');
INSERT INTO cities VALUES ('La Coste', 'TX');
INSERT INTO cities VALUES ('La Crescent', 'MN');
INSERT INTO cities VALUES ('La Crescenta', 'CA');
INSERT INTO cities VALUES ('La Crosse', 'FL');
INSERT INTO cities VALUES ('La Crosse', 'IN');
INSERT INTO cities VALUES ('La Crosse', 'KS');
INSERT INTO cities VALUES ('La Crosse', 'VA');
INSERT INTO cities VALUES ('La Crosse', 'WI');
```

```
INSERT INTO cities VALUES ('La Farge', 'WI');
INSERT INTO cities VALUES ('La Fargeville', 'NY'):
INSERT INTO cities VALUES ('La Fayette', 'GA');
INSERT INTO cities VALUES ('La Fayette', 'IL');
INSERT INTO cities VALUES ('La Favette', 'KY'):
INSERT INTO cities VALUES ('La Fayette', 'NY');
INSERT INTO cities VALUES ('La Feria', 'TX');
INSERT INTO cities VALUES ('La Follette', 'TN');
INSERT INTO cities VALUES ('La Fontaine', 'IN');
INSERT INTO cities VALUES ('La France', 'SC');
INSERT INTO cities VALUES ('La Grande', 'OR');
INSERT INTO cities VALUES ('La Grande', 'WA');
INSERT INTO cities VALUES ('La Grange', 'AR'):
INSERT INTO cities VALUES ('La Grange', 'CA');
INSERT INTO cities VALUES ('La Grange', 'IL'):
INSERT INTO cities VALUES ('La Grange', 'KY');
INSERT INTO cities VALUES ('La Grange', 'MO');
INSERT INTO cities VALUES ('La Grange', 'NC');
INSERT INTO cities VALUES ('La Grange', 'TN');
INSERT INTO cities VALUES ('La Grange', 'TX');
INSERT INTO cities VALUES ('La Grange Park', 'IL');
INSERT INTO cities VALUES ('La Habra', 'CA');
INSERT INTO cities VALUES ('La Harpe', 'IL');
INSERT INTO cities VALUES ('La Harpe', 'KS');
INSERT INTO cities VALUES ('La Honda', 'CA');
INSERT INTO cities VALUES ('La Jara', 'CO');
INSERT INTO cities VALUES ('La Jara', 'NM');
INSERT INTO cities VALUES ('La Jolla', 'CA'):
INSERT INTO cities VALUES ('La Jose', 'PA');
INSERT INTO cities VALUES ('La Joya', 'NM');
INSERT INTO cities VALUES ('La Joya', 'TX');
INSERT INTO cities VALUES ('La Junta', 'CO');
INSERT INTO cities VALUES ('La Loma', 'NM');
INSERT INTO cities VALUES ('La Luz', 'NM');
INSERT INTO cities VALUES ('La Madera', 'NM');
INSERT INTO cities VALUES ('La Marque', 'TX'):
INSERT INTO cities VALUES ('La Mesa', 'CA');
INSERT INTO cities VALUES ('La Mesa', 'NM');
INSERT INTO cities VALUES ('La Mirada', 'CA'):
INSERT INTO cities VALUES ('La Moille', 'IL');
INSERT INTO cities VALUES ('La Monte', 'MO');
INSERT INTO cities VALUES ('La Motte', 'IA');
INSERT INTO cities VALUES ('La Palma', 'CA');
INSERT INTO cities VALUES ('La Pine', 'OR');
INSERT INTO cities VALUES ('La Place', 'IL'):
INSERT INTO cities VALUES ('La Place', 'LA');
INSERT INTO cities VALUES ('La Plata', 'MD');
INSERT INTO cities VALUES ('La Plata', 'MO');
INSERT INTO cities VALUES ('La Plata', 'NM');
INSERT INTO cities VALUES ('La Plata', 'PR');
INSERT INTO cities VALUES ('La Plume', 'PA');
INSERT INTO cities VALUES ('La Pointe', 'WI');
INSERT INTO cities VALUES ('La Porte', 'IN');
INSERT INTO cities VALUES ('La Porte', 'TX');
INSERT INTO cities VALUES ('La Porte City', 'IA');
INSERT INTO cities VALUES ('La Prairie', 'IL');
```

```
INSERT INTO cities VALUES ('La Pryor', 'TX');
INSERT INTO cities VALUES ('La Puente', 'CA'):
INSERT INTO cities VALUES ('La Push', 'WA');
INSERT INTO cities VALUES ('La Quinta', 'CA'):
INSERT INTO cities VALUES ('La Rose', 'IL'):
INSERT INTO cities VALUES ('La Rue', 'OH');
INSERT INTO cities VALUES ('La Russell', 'MO');
INSERT INTO cities VALUES ('La Sal', 'UT');
INSERT INTO cities VALUES ('La Salle', 'CO');
INSERT INTO cities VALUES ('La Salle', 'IL');
INSERT INTO cities VALUES ('La Salle', 'MI');
INSERT INTO cities VALUES ('La Salle', 'MN');
INSERT INTO cities VALUES ('La Salle', 'TX');
INSERT INTO cities VALUES ('La Valle', 'WI');
INSERT INTO cities VALUES ('La Vergne', 'TN'):
INSERT INTO cities VALUES ('La Verkin', 'UT');
INSERT INTO cities VALUES ('La Verne', 'CA');
INSERT INTO cities VALUES ('La Vernia', 'TX');
INSERT INTO cities VALUES ('La Veta', 'CO');
INSERT INTO cities VALUES ('La Villa', 'TX');
INSERT INTO cities VALUES ('La Vista', 'NE');
INSERT INTO cities VALUES ('La Ward', 'TX');
INSERT INTO cities VALUES ('Labadie', 'MO');
INSERT INTO cities VALUES ('Labadieville', 'LA'):
INSERT INTO cities VALUES ('Labelle', 'FL');
INSERT INTO cities VALUES ('Labolt', 'SD');
INSERT INTO cities VALUES ('Lac Du Flambeau', 'WI'):
INSERT INTO cities VALUES ('Lacarne', 'OH');
INSERT INTO cities VALUES ('Lacassine', 'LA');
INSERT INTO cities VALUES ('Lacey', 'WA');
INSERT INTO cities VALUES ('Lacey Spring', 'VA');
INSERT INTO cities VALUES ('Laceys Spring', 'AL');
INSERT INTO cities VALUES ('Laceyville', 'PA');
INSERT INTO cities VALUES ('Lachine', 'MI'):
INSERT INTO cities VALUES ('Lackawaxen', 'PA');
INSERT INTO cities VALUES ('Lackey', 'KY'):
INSERT INTO cities VALUES ('Lackey', 'VA');
INSERT INTO cities VALUES ('Laclede', 'ID');
INSERT INTO cities VALUES ('Laclede', 'MO');
INSERT INTO cities VALUES ('Lacombe', 'LA');
INSERT INTO cities VALUES ('Lacon', 'IL');
INSERT INTO cities VALUES ('Lacona', 'IA');
INSERT INTO cities VALUES ('Lacona', 'NY');
INSERT INTO cities VALUES ('Laconia', 'IN');
INSERT INTO cities VALUES ('Laconia', 'NH');
INSERT INTO cities VALUES ('Laconia', 'TN');
INSERT INTO cities VALUES ('Lacoochee', 'FL'):
INSERT INTO cities VALUES ('Lacota', 'MI');
INSERT INTO cities VALUES ('Lacrosse', 'WA');
INSERT INTO cities VALUES ('Lacygne', 'KS');
INSERT INTO cities VALUES ('Ladd', 'IL');
INSERT INTO cities VALUES ('Laddonia', 'MO');
INSERT INTO cities VALUES ('Ladera Ranch', 'CA');
INSERT INTO cities VALUES ('Ladiesburg', 'MD');
INSERT INTO cities VALUES ('Ladoga', 'IN');
INSERT INTO cities VALUES ('Ladonia', 'TX');
```

```
INSERT INTO cities VALUES ('Ladora', 'IA');
INSERT INTO cities VALUES ('Ladson', 'SC'):
INSERT INTO cities VALUES ('Lady Lake', 'FL');
INSERT INTO cities VALUES ('Ladys Island', 'SC'):
INSERT INTO cities VALUES ('Ladysmith', 'VA'):
INSERT INTO cities VALUES ('Ladysmith', 'WI');
INSERT INTO cities VALUES ('Lafayette', 'AL');
INSERT INTO cities VALUES ('Lafayette', 'CA');
INSERT INTO cities VALUES ('Lafayette', 'CO');
INSERT INTO cities VALUES ('Lafayette', 'IN');
INSERT INTO cities VALUES ('Lafayette', 'LA');
INSERT INTO cities VALUES ('Lafayette', 'MN');
INSERT INTO cities VALUES ('Lafayette', 'NJ'):
INSERT INTO cities VALUES ('Lafayette', 'OH');
INSERT INTO cities VALUES ('Lafayette', 'OR'):
INSERT INTO cities VALUES ('Lafayette', 'TN');
INSERT INTO cities VALUES ('Lafayette Hill', 'PA');
INSERT INTO cities VALUES ('Lafe', 'AR');
INSERT INTO cities VALUES ('Lafferty', 'OH');
INSERT INTO cities VALUES ('Lafitte', 'LA');
INSERT INTO cities VALUES ('Lafox', 'IL');
INSERT INTO cities VALUES ('Lagrange', 'GA');
INSERT INTO cities VALUES ('Lagrange', 'IN');
INSERT INTO cities VALUES ('Lagrange', 'ME'):
INSERT INTO cities VALUES ('Lagrange', 'OH');
INSERT INTO cities VALUES ('Lagrange', 'WY');
INSERT INTO cities VALUES ('Lagrangeville', 'NY');
INSERT INTO cities VALUES ('Lagro', 'IN');
INSERT INTO cities VALUES ('Laguna', 'NM');
INSERT INTO cities VALUES ('Laguna Beach', 'CA');
INSERT INTO cities VALUES ('Laguna Hills', 'CA');
INSERT INTO cities VALUES ('Laguna Niguel', 'CA');
INSERT INTO cities VALUES ('Laguna Park', 'TX');
INSERT INTO cities VALUES ('Laguna Woods', 'CA');
INSERT INTO cities VALUES ('Lagunitas', 'CA');
INSERT INTO cities VALUES ('Lahaina', 'HI'):
INSERT INTO cities VALUES ('Lahaska', 'PA');
INSERT INTO cities VALUES ('Lahmansville', 'WV');
INSERT INTO cities VALUES ('Lahoma', 'OK'):
INSERT INTO cities VALUES ('Laie', 'HI');
INSERT INTO cities VALUES ('Laings', 'OH');
INSERT INTO cities VALUES ('Laingsburg', 'MI');
INSERT INTO cities VALUES ('Laird Hill', 'TX');
INSERT INTO cities VALUES ('Lairdsville', 'PA');
INSERT INTO cities VALUES ('Lajas', 'PR'):
INSERT INTO cities VALUES ('Lake', 'MI');
INSERT INTO cities VALUES ('Lake', 'MS');
INSERT INTO cities VALUES ('Lake', 'WV');
INSERT INTO cities VALUES ('Lake Alfred', 'FL');
INSERT INTO cities VALUES ('Lake Andes', 'SD');
INSERT INTO cities VALUES ('Lake Ann', 'MI');
INSERT INTO cities VALUES ('Lake Ariel', 'PA');
INSERT INTO cities VALUES ('Lake Arrowhead', 'CA');
INSERT INTO cities VALUES ('Lake Arthur', 'LA');
INSERT INTO cities VALUES ('Lake Arthur', 'NM');
INSERT INTO cities VALUES ('Lake Benton', 'MN');
```

```
INSERT INTO cities VALUES ('Lake Bluff', 'IL');
INSERT INTO cities VALUES ('Lake Bronson', 'MN'):
INSERT INTO cities VALUES ('Lake Butler', 'FL');
INSERT INTO cities VALUES ('Lake Charles', 'LA'):
INSERT INTO cities VALUES ('Lake Cicott', 'IN'):
INSERT INTO cities VALUES ('Lake City', 'AR');
INSERT INTO cities VALUES ('Lake City', 'CA');
INSERT INTO cities VALUES ('Lake City', 'CO');
INSERT INTO cities VALUES ('Lake City', 'FL');
INSERT INTO cities VALUES ('Lake City', 'IA');
INSERT INTO cities VALUES ('Lake City', 'KS');
INSERT INTO cities VALUES ('Lake City', 'MI');
INSERT INTO cities VALUES ('Lake City', 'MN');
INSERT INTO cities VALUES ('Lake City', 'PA');
INSERT INTO cities VALUES ('Lake City', 'SC');
INSERT INTO cities VALUES ('Lake City', 'SD'):
INSERT INTO cities VALUES ('Lake City', 'TN');
INSERT INTO cities VALUES ('Lake Clear', 'NY');
INSERT INTO cities VALUES ('Lake Como', 'FL');
INSERT INTO cities VALUES ('Lake Como', 'PA');
INSERT INTO cities VALUES ('Lake Cormorant', 'MS');
INSERT INTO cities VALUES ('Lake Creek', 'TX');
INSERT INTO cities VALUES ('Lake Crystal', 'MN');
INSERT INTO cities VALUES ('Lake Dallas', 'TX'):
INSERT INTO cities VALUES ('Lake Delton', 'WI');
INSERT INTO cities VALUES ('Lake Elmo', 'MN');
INSERT INTO cities VALUES ('Lake Elmore', 'VT');
INSERT INTO cities VALUES ('Lake Elsinore', 'CA');
INSERT INTO cities VALUES ('Lake Forest', 'CA');
INSERT INTO cities VALUES ('Lake Forest', 'IL');
INSERT INTO cities VALUES ('Lake Fork', 'ID');
INSERT INTO cities VALUES ('Lake Fork', 'IL');
INSERT INTO cities VALUES ('Lake Geneva', 'FL');
INSERT INTO cities VALUES ('Lake Geneva', 'WI');
INSERT INTO cities VALUES ('Lake George', 'CO');
INSERT INTO cities VALUES ('Lake George', 'MI');
INSERT INTO cities VALUES ('Lake George', 'MN');
INSERT INTO cities VALUES ('Lake George', 'NY');
INSERT INTO cities VALUES ('Lake Grove', 'NY'):
INSERT INTO cities VALUES ('Lake Hamilton', 'FL');
INSERT INTO cities VALUES ('Lake Harbor', 'FL');
INSERT INTO cities VALUES ('Lake Harmony', 'PA');
INSERT INTO cities VALUES ('Lake Havasu City', 'AZ');
INSERT INTO cities VALUES ('Lake Helen', 'FL');
INSERT INTO cities VALUES ('Lake Hiawatha', 'NJ');
INSERT INTO cities VALUES ('Lake Hill', 'NY');
INSERT INTO cities VALUES ('Lake Hopatcong', 'NJ');
INSERT INTO cities VALUES ('Lake Hubert', 'MN');
INSERT INTO cities VALUES ('Lake Hughes', 'CA');
INSERT INTO cities VALUES ('Lake Huntington', 'NY');
INSERT INTO cities VALUES ('Lake In The Hills', 'IL');
INSERT INTO cities VALUES ('Lake Isabella', 'CA');
INSERT INTO cities VALUES ('Lake Jackson', 'TX');
INSERT INTO cities VALUES ('Lake Junaluska', 'NC');
INSERT INTO cities VALUES ('Lake Katrine', 'NY');
INSERT INTO cities VALUES ('Lake Leelanau', 'MI');
```

```
INSERT INTO cities VALUES ('Lake Lillian', 'MN');
INSERT INTO cities VALUES ('Lake Linden', 'MI'):
INSERT INTO cities VALUES ('Lake Lure', 'NC');
INSERT INTO cities VALUES ('Lake Luzerne', 'NY');
INSERT INTO cities VALUES ('Lake Lvnn', 'PA'):
INSERT INTO cities VALUES ('Lake Mary', 'FL');
INSERT INTO cities VALUES ('Lake Mc Donald', 'MT');
INSERT INTO cities VALUES ('Lake Mills', 'IA');
INSERT INTO cities VALUES ('Lake Mills', 'WI');
INSERT INTO cities VALUES ('Lake Milton', 'OH');
INSERT INTO cities VALUES ('Lake Minchumina', 'AK');
INSERT INTO cities VALUES ('Lake Monroe', 'FL');
INSERT INTO cities VALUES ('Lake Montezuma', 'AZ');
INSERT INTO cities VALUES ('Lake Nebagamon', 'WI');
INSERT INTO cities VALUES ('Lake Norden', 'SD'):
INSERT INTO cities VALUES ('Lake Odessa', 'MI'):
INSERT INTO cities VALUES ('Lake Orion', 'MI');
INSERT INTO cities VALUES ('Lake Oswego', 'OR');
INSERT INTO cities VALUES ('Lake Ozark', 'MO');
INSERT INTO cities VALUES ('Lake Panasoffkee', 'FL');
INSERT INTO cities VALUES ('Lake Park', 'GA');
INSERT INTO cities VALUES ('Lake Park', 'IA');
INSERT INTO cities VALUES ('Lake Park', 'MN');
INSERT INTO cities VALUES ('Lake Peekskill', 'NY');
INSERT INTO cities VALUES ('Lake Placid', 'FL');
INSERT INTO cities VALUES ('Lake Placid', 'NY');
INSERT INTO cities VALUES ('Lake Pleasant', 'MA');
INSERT INTO cities VALUES ('Lake Pleasant', 'NY');
INSERT INTO cities VALUES ('Lake Powell', 'UT');
INSERT INTO cities VALUES ('Lake Preston', 'SD');
INSERT INTO cities VALUES ('Lake Providence', 'LA');
INSERT INTO cities VALUES ('Lake Saint Louis', 'MO');
INSERT INTO cities VALUES ('Lake Spring', 'MO');
INSERT INTO cities VALUES ('Lake Station', 'IN');
INSERT INTO cities VALUES ('Lake Stevens', 'WA');
INSERT INTO cities VALUES ('Lake Tomahawk', 'WI'):
INSERT INTO cities VALUES ('Lake Toxaway', 'NC');
INSERT INTO cities VALUES ('Lake View', 'IA');
INSERT INTO cities VALUES ('Lake View', 'NY');
INSERT INTO cities VALUES ('Lake View', 'SC');
INSERT INTO cities VALUES ('Lake Villa', 'IL');
INSERT INTO cities VALUES ('Lake Village', 'AR');
INSERT INTO cities VALUES ('Lake Village', 'IN');
INSERT INTO cities VALUES ('Lake Waccamaw', 'NC');
INSERT INTO cities VALUES ('Lake Wales', 'FL');
INSERT INTO cities VALUES ('Lake Wilson', 'MN');
INSERT INTO cities VALUES ('Lake Winola', 'PA');
INSERT INTO cities VALUES ('Lake Worth', 'FL');
INSERT INTO cities VALUES ('Lake Zurich', 'IL');
INSERT INTO cities VALUES ('Lakebay', 'WA');
INSERT INTO cities VALUES ('Lakefield', 'MN');
INSERT INTO cities VALUES ('Lakehead', 'CA');
INSERT INTO cities VALUES ('Lakehills', 'TX');
INSERT INTO cities VALUES ('Lakehurst', 'NJ');
INSERT INTO cities VALUES ('Lakeland', 'FL');
INSERT INTO cities VALUES ('Lakeland', 'GA');
```

```
INSERT INTO cities VALUES ('Lakeland', 'LA');
INSERT INTO cities VALUES ('Lakeland', 'MI'):
INSERT INTO cities VALUES ('Lakeland', 'MN');
INSERT INTO cities VALUES ('Lakemont', 'GA');
INSERT INTO cities VALUES ('Lakemont', 'NY'):
INSERT INTO cities VALUES ('Lakemore', 'OH');
INSERT INTO cities VALUES ('Lakeport', 'CA');
INSERT INTO cities VALUES ('Lakeshore', 'CA');
INSERT INTO cities VALUES ('Lakeshore', 'MS');
INSERT INTO cities VALUES ('Lakeside', 'AZ');
INSERT INTO cities VALUES ('Lakeside', 'CA');
INSERT INTO cities VALUES ('Lakeside', 'CT');
INSERT INTO cities VALUES ('Lakeside', 'MI');
INSERT INTO cities VALUES ('Lakeside', 'MT');
INSERT INTO cities VALUES ('Lakeside', 'NE'):
INSERT INTO cities VALUES ('Lakeside', 'OR'):
INSERT INTO cities VALUES ('Lakeside Marblehead', 'OH');
INSERT INTO cities VALUES ('Laketon', 'IN');
INSERT INTO cities VALUES ('Laketown', 'UT');
INSERT INTO cities VALUES ('Lakeview', 'AR');
INSERT INTO cities VALUES ('Lakeview', 'MI');
INSERT INTO cities VALUES ('Lakeview', 'NC');
INSERT INTO cities VALUES ('Lakeview', 'OH');
INSERT INTO cities VALUES ('Lakeview', 'OR');
INSERT INTO cities VALUES ('Lakeview', 'TX');
INSERT INTO cities VALUES ('Lakeville', 'CT');
INSERT INTO cities VALUES ('Lakeville', 'IN'):
INSERT INTO cities VALUES ('Lakeville', 'MA');
INSERT INTO cities VALUES ('Lakeville', 'MI');
INSERT INTO cities VALUES ('Lakeville', 'MN');
INSERT INTO cities VALUES ('Lakeville', 'NY');
INSERT INTO cities VALUES ('Lakeville', 'OH');
INSERT INTO cities VALUES ('Lakeville', 'PA');
INSERT INTO cities VALUES ('Lakewood', 'CA'):
INSERT INTO cities VALUES ('Lakewood', 'IL');
INSERT INTO cities VALUES ('Lakewood', 'NJ');
INSERT INTO cities VALUES ('Lakewood', 'NM');
INSERT INTO cities VALUES ('Lakewood', 'NY');
INSERT INTO cities VALUES ('Lakewood', 'OH'):
INSERT INTO cities VALUES ('Lakewood', 'PA');
INSERT INTO cities VALUES ('Lakewood', 'WA');
INSERT INTO cities VALUES ('Lakewood', 'WI');
INSERT INTO cities VALUES ('Lakin', 'KS');
INSERT INTO cities VALUES ('Lakota', 'IA');
INSERT INTO cities VALUES ('Lakota', 'ND'):
INSERT INTO cities VALUES ('Lamar', 'AR');
INSERT INTO cities VALUES ('Lamar', 'CO');
INSERT INTO cities VALUES ('Lamar', 'IN');
INSERT INTO cities VALUES ('Lamar', 'MO');
INSERT INTO cities VALUES ('Lamar', 'MS');
INSERT INTO cities VALUES ('Lamar', 'OK');
INSERT INTO cities VALUES ('Lamar', 'PA');
INSERT INTO cities VALUES ('Lamar', 'SC');
INSERT INTO cities VALUES ('Lamartine', 'PA');
INSERT INTO cities VALUES ('Lambert', 'MS');
INSERT INTO cities VALUES ('Lambert', 'MT');
```

```
INSERT INTO cities VALUES ('Lambert Lake', 'ME');
INSERT INTO cities VALUES ('Lamberton', 'MN'):
INSERT INTO cities VALUES ('Lambertville', 'MI');
INSERT INTO cities VALUES ('Lambertville', 'NJ'):
INSERT INTO cities VALUES ('Lambrook', 'AR'):
INSERT INTO cities VALUES ('Lambsburg', 'VA');
INSERT INTO cities VALUES ('Lame Deer', 'MT');
INSERT INTO cities VALUES ('Lamesa', 'TX');
INSERT INTO cities VALUES ('Lamoille', 'NV');
INSERT INTO cities VALUES ('Lamona', 'WA');
INSERT INTO cities VALUES ('Lamoni', 'IA');
INSERT INTO cities VALUES ('Lamont', 'CA');
INSERT INTO cities VALUES ('Lamont', 'FL'):
INSERT INTO cities VALUES ('Lamont', 'IA');
INSERT INTO cities VALUES ('Lamont', 'KS'):
INSERT INTO cities VALUES ('Lamont', 'MI');
INSERT INTO cities VALUES ('Lamont', 'OK');
INSERT INTO cities VALUES ('Lamont', 'WA');
INSERT INTO cities VALUES ('Lamoure', 'ND');
INSERT INTO cities VALUES ('Lampasas', 'TX');
INSERT INTO cities VALUES ('Lampe', 'MO');
INSERT INTO cities VALUES ('Lampeter', 'PA');
INSERT INTO cities VALUES ('Lamy', 'NM');
INSERT INTO cities VALUES ('Lanagan', 'MO');
INSERT INTO cities VALUES ('Lanai City', 'HI');
INSERT INTO cities VALUES ('Lanark', 'IL');
INSERT INTO cities VALUES ('Lanark', 'WV');
INSERT INTO cities VALUES ('Lanark Village', 'FL');
INSERT INTO cities VALUES ('Lancaster', 'CA');
INSERT INTO cities VALUES ('Lancaster', 'IL');
INSERT INTO cities VALUES ('Lancaster', 'KS');
INSERT INTO cities VALUES ('Lancaster', 'KY');
INSERT INTO cities VALUES ('Lancaster', 'MA');
INSERT INTO cities VALUES ('Lancaster', 'MN');
INSERT INTO cities VALUES ('Lancaster', 'MO');
INSERT INTO cities VALUES ('Lancaster', 'NH');
INSERT INTO cities VALUES ('Lancaster', 'NY');
INSERT INTO cities VALUES ('Lancaster', 'OH');
INSERT INTO cities VALUES ('Lancaster', 'PA'):
INSERT INTO cities VALUES ('Lancaster', 'SC');
INSERT INTO cities VALUES ('Lancaster', 'TN'):
INSERT INTO cities VALUES ('Lancaster', 'TX');
INSERT INTO cities VALUES ('Lancaster', 'VA');
INSERT INTO cities VALUES ('Lancaster', 'WI');
INSERT INTO cities VALUES ('Lance Creek', 'WY');
INSERT INTO cities VALUES ('Lancing', 'TN');
INSERT INTO cities VALUES ('Land O Lakes', 'FL');
INSERT INTO cities VALUES ('Land O Lakes', 'WI');
INSERT INTO cities VALUES ('Landenberg', 'PA');
INSERT INTO cities VALUES ('Lander', 'WY');
INSERT INTO cities VALUES ('Landers', 'CA');
INSERT INTO cities VALUES ('Landing', 'NJ');
INSERT INTO cities VALUES ('Landingville', 'PA');
INSERT INTO cities VALUES ('Landis', 'NC');
INSERT INTO cities VALUES ('Landisburg', 'PA');
INSERT INTO cities VALUES ('Landisville', 'NJ');
```

```
INSERT INTO cities VALUES ('Landisville', 'PA');
INSERT INTO cities VALUES ('Lando', 'SC'):
INSERT INTO cities VALUES ('Landrum', 'SC');
INSERT INTO cities VALUES ('Lane', 'IL'):
INSERT INTO cities VALUES ('Lane', 'KS'):
INSERT INTO cities VALUES ('Lane', 'OK');
INSERT INTO cities VALUES ('Lane', 'SC');
INSERT INTO cities VALUES ('Lane', 'SD');
INSERT INTO cities VALUES ('Lane City', 'TX');
INSERT INTO cities VALUES ('Laneburg', 'AR');
INSERT INTO cities VALUES ('Lanesboro', 'IA');
INSERT INTO cities VALUES ('Lanesboro', 'MA');
INSERT INTO cities VALUES ('Lanesboro', 'MN'):
INSERT INTO cities VALUES ('Lanesboro', 'PA');
INSERT INTO cities VALUES ('Lanesville', 'IN'):
INSERT INTO cities VALUES ('Lanesville', 'NY'):
INSERT INTO cities VALUES ('Lanett', 'AL');
INSERT INTO cities VALUES ('Laneview', 'VA');
INSERT INTO cities VALUES ('Laneville', 'TX');
INSERT INTO cities VALUES ('Lanexa', 'VA');
INSERT INTO cities VALUES ('Langdon', 'ND');
INSERT INTO cities VALUES ('Langeloth', 'PA');
INSERT INTO cities VALUES ('Langford', 'SD');
INSERT INTO cities VALUES ('Langhorne', 'PA'):
INSERT INTO cities VALUES ('Langley', 'AR');
INSERT INTO cities VALUES ('Langley', 'KY');
INSERT INTO cities VALUES ('Langley', 'OK');
INSERT INTO cities VALUES ('Langley', 'SC');
INSERT INTO cities VALUES ('Langley', 'WA');
INSERT INTO cities VALUES ('Langlois', 'OR');
INSERT INTO cities VALUES ('Langston', 'AL');
INSERT INTO cities VALUES ('Langston', 'OK');
INSERT INTO cities VALUES ('Langsville', 'OH');
INSERT INTO cities VALUES ('Langtry', 'TX');
INSERT INTO cities VALUES ('Langworthy', 'IA');
INSERT INTO cities VALUES ('Lanham', 'MD'):
INSERT INTO cities VALUES ('Lankin', 'ND');
INSERT INTO cities VALUES ('Lannon', 'WI');
INSERT INTO cities VALUES ('Lanoka Harbor', 'NJ');
INSERT INTO cities VALUES ('Lansdale', 'PA');
INSERT INTO cities VALUES ('Lansdowne', 'PA');
INSERT INTO cities VALUES ('Lanse', 'MI');
INSERT INTO cities VALUES ('Lanse', 'PA');
INSERT INTO cities VALUES ('Lansford', 'ND');
INSERT INTO cities VALUES ('Lansford', 'PA'):
INSERT INTO cities VALUES ('Lansing', 'IA');
INSERT INTO cities VALUES ('Lansing', 'IL');
INSERT INTO cities VALUES ('Lansing', 'KS');
INSERT INTO cities VALUES ('Lansing', 'MI');
INSERT INTO cities VALUES ('Lansing', 'MN');
INSERT INTO cities VALUES ('Lansing', 'NC');
INSERT INTO cities VALUES ('Lansing', 'NY');
INSERT INTO cities VALUES ('Lansing', 'OH');
INSERT INTO cities VALUES ('Lansing', 'WV');
INSERT INTO cities VALUES ('Lantry', 'SD');
INSERT INTO cities VALUES ('Laona', 'WI');
```

```
INSERT INTO cities VALUES ('Laotto', 'IN');
INSERT INTO cities VALUES ('Lapaz', 'IN'):
INSERT INTO cities VALUES ('Lapeer', 'MI');
INSERT INTO cities VALUES ('Lapel', 'IN');
INSERT INTO cities VALUES ('Lapine', 'AL'):
INSERT INTO cities VALUES ('Lapoint', 'UT');
INSERT INTO cities VALUES ('Laporte', 'CO');
INSERT INTO cities VALUES ('Laporte', 'MN');
INSERT INTO cities VALUES ('Laporte', 'PA');
INSERT INTO cities VALUES ('Lapwai', 'ID');
INSERT INTO cities VALUES ('Laquey', 'MO');
INSERT INTO cities VALUES ('Laramie', 'WY');
INSERT INTO cities VALUES ('Larchmont', 'NY'):
INSERT INTO cities VALUES ('Larchwood', 'IA');
INSERT INTO cities VALUES ('Laredo', 'MO');
INSERT INTO cities VALUES ('Laredo', 'TX'):
INSERT INTO cities VALUES ('Lares', 'PR');
INSERT INTO cities VALUES ('Largo', 'FL');
INSERT INTO cities VALUES ('Larimer', 'PA');
INSERT INTO cities VALUES ('Larimore', 'ND');
INSERT INTO cities VALUES ('Larkspur', 'CA');
INSERT INTO cities VALUES ('Larkspur', 'CO');
INSERT INTO cities VALUES ('Larned', 'KS');
INSERT INTO cities VALUES ('Larose', 'LA'):
INSERT INTO cities VALUES ('Larrabee', 'IA');
INSERT INTO cities VALUES ('Larsen', 'WI');
INSERT INTO cities VALUES ('Larsen Bay', 'AK'):
INSERT INTO cities VALUES ('Larslan', 'MT');
INSERT INTO cities VALUES ('Larue', 'TX');
INSERT INTO cities VALUES ('Larwill', 'IN');
INSERT INTO cities VALUES ('Las Animas', 'CO');
INSERT INTO cities VALUES ('Las Cruces', 'NM');
INSERT INTO cities VALUES ('Las Marias', 'PR');
INSERT INTO cities VALUES ('Las Piedras', 'PR');
INSERT INTO cities VALUES ('Las Vegas', 'NM');
INSERT INTO cities VALUES ('Las Vegas', 'NV');
INSERT INTO cities VALUES ('Lasara', 'TX');
INSERT INTO cities VALUES ('Lascassas', 'TN');
INSERT INTO cities VALUES ('Lashmeet', 'WV'):
INSERT INTO cities VALUES ('Lastrup', 'MN');
INSERT INTO cities VALUES ('Latah', 'WA');
INSERT INTO cities VALUES ('Latexo', 'TX');
INSERT INTO cities VALUES ('Latham', 'IL');
INSERT INTO cities VALUES ('Latham', 'KS');
INSERT INTO cities VALUES ('Latham', 'MO');
INSERT INTO cities VALUES ('Latham', 'NY');
INSERT INTO cities VALUES ('Latham', 'OH');
INSERT INTO cities VALUES ('Lathrop', 'CA');
INSERT INTO cities VALUES ('Lathrop', 'MO');
INSERT INTO cities VALUES ('Latimer', 'IA');
INSERT INTO cities VALUES ('Laton', 'CA');
INSERT INTO cities VALUES ('Latonia', 'KY');
INSERT INTO cities VALUES ('Latrobe', 'PA');
INSERT INTO cities VALUES ('Latta', 'SC');
INSERT INTO cities VALUES ('Lattimer Mines', 'PA');
INSERT INTO cities VALUES ('Lattimore', 'NC');
```

```
INSERT INTO cities VALUES ('Latty', 'OH');
INSERT INTO cities VALUES ('Lauderdale', 'MS'):
INSERT INTO cities VALUES ('Laughlin', 'NV');
INSERT INTO cities VALUES ('Laughlin A F B', 'TX');
INSERT INTO cities VALUES ('Laughlintown', 'PA'):
INSERT INTO cities VALUES ('Laupahoehoe', 'HI');
INSERT INTO cities VALUES ('Laura', 'IL');
INSERT INTO cities VALUES ('Laura', 'OH');
INSERT INTO cities VALUES ('Laurel', 'DE');
INSERT INTO cities VALUES ('Laurel', 'FL');
INSERT INTO cities VALUES ('Laurel', 'IA');
INSERT INTO cities VALUES ('Laurel', 'IN');
INSERT INTO cities VALUES ('Laurel', 'MD'):
INSERT INTO cities VALUES ('Laurel', 'MS');
INSERT INTO cities VALUES ('Laurel', 'MT'):
INSERT INTO cities VALUES ('Laurel', 'NE'):
INSERT INTO cities VALUES ('Laurel', 'NY');
INSERT INTO cities VALUES ('Laurel Bloomery', 'TN');
INSERT INTO cities VALUES ('Laurel Fork', 'VA');
INSERT INTO cities VALUES ('Laurel Hill', 'FL');
INSERT INTO cities VALUES ('Laurel Hill', 'NC');
INSERT INTO cities VALUES ('Laurel Springs', 'NC');
INSERT INTO cities VALUES ('Laurelton', 'PA');
INSERT INTO cities VALUES ('Laurelville', 'OH'):
INSERT INTO cities VALUES ('Laurens', 'IA');
INSERT INTO cities VALUES ('Laurens', 'NY');
INSERT INTO cities VALUES ('Laurens', 'SC'):
INSERT INTO cities VALUES ('Laurie', 'MO'):
INSERT INTO cities VALUES ('Laurier', 'WA');
INSERT INTO cities VALUES ('Laurinburg', 'NC');
INSERT INTO cities VALUES ('Laurys Station', 'PA');
INSERT INTO cities VALUES ('Lava Hot Springs', 'ID');
INSERT INTO cities VALUES ('Lavaca', 'AR');
INSERT INTO cities VALUES ('Lavalette', 'WV');
INSERT INTO cities VALUES ('Lavallette', 'NJ');
INSERT INTO cities VALUES ('Laveen', 'AZ'):
INSERT INTO cities VALUES ('Lavelle', 'PA');
INSERT INTO cities VALUES ('Laverne', 'OK');
INSERT INTO cities VALUES ('Lavina', 'MT'):
INSERT INTO cities VALUES ('Lavinia', 'TN');
INSERT INTO cities VALUES ('Lavon', 'TX');
INSERT INTO cities VALUES ('Lavonia', 'GA');
INSERT INTO cities VALUES ('Lawai', 'HI');
INSERT INTO cities VALUES ('Lawler', 'IA');
INSERT INTO cities VALUES ('Lawley', 'AL');
INSERT INTO cities VALUES ('Lawn', 'PA');
INSERT INTO cities VALUES ('Lawn', 'TX');
INSERT INTO cities VALUES ('Lawndale', 'CA');
INSERT INTO cities VALUES ('Lawndale', 'IL');
INSERT INTO cities VALUES ('Lawndale', 'NC');
INSERT INTO cities VALUES ('Lawnside', 'NJ');
INSERT INTO cities VALUES ('Lawrence', 'KS');
INSERT INTO cities VALUES ('Lawrence', 'MA');
INSERT INTO cities VALUES ('Lawrence', 'MI');
INSERT INTO cities VALUES ('Lawrence', 'MS');
INSERT INTO cities VALUES ('Lawrence', 'NE');
```

```
INSERT INTO cities VALUES ('Lawrence', 'NY');
INSERT INTO cities VALUES ('Lawrence', 'PA'):
INSERT INTO cities VALUES ('Lawrenceburg', 'IN');
INSERT INTO cities VALUES ('Lawrenceburg', 'KY');
INSERT INTO cities VALUES ('Lawrenceburg', 'TN'):
INSERT INTO cities VALUES ('Lawrenceville', 'GA');
INSERT INTO cities VALUES ('Lawrenceville', 'IL');
INSERT INTO cities VALUES ('Lawrenceville', 'NY');
INSERT INTO cities VALUES ('Lawrenceville', 'PA');
INSERT INTO cities VALUES ('Lawrenceville', 'VA');
INSERT INTO cities VALUES ('Lawson', 'AR');
INSERT INTO cities VALUES ('Lawson', 'MO');
INSERT INTO cities VALUES ('Lawsonville', 'NC'):
INSERT INTO cities VALUES ('Lawtell', 'LA');
INSERT INTO cities VALUES ('Lawtey', 'FL'):
INSERT INTO cities VALUES ('Lawton', 'IA'):
INSERT INTO cities VALUES ('Lawton', 'MI');
INSERT INTO cities VALUES ('Lawton', 'ND');
INSERT INTO cities VALUES ('Lawton', 'OK');
INSERT INTO cities VALUES ('Lawton', 'PA');
INSERT INTO cities VALUES ('Lawtons', 'NY');
INSERT INTO cities VALUES ('Layland', 'WV');
INSERT INTO cities VALUES ('Layton', 'NJ');
INSERT INTO cities VALUES ('Layton', 'UT');
INSERT INTO cities VALUES ('Laytonville', 'CA');
INSERT INTO cities VALUES ('Lazbuddie', 'TX');
INSERT INTO cities VALUES ('Lazear', 'CO');
INSERT INTO cities VALUES ('Le Center', 'MN');
INSERT INTO cities VALUES ('Le Claire', 'IA');
INSERT INTO cities VALUES ('Le Grand', 'CA');
INSERT INTO cities VALUES ('Le Grand', 'IA');
INSERT INTO cities VALUES ('Le Mars', 'IA');
INSERT INTO cities VALUES ('Le Raysville', 'PA');
INSERT INTO cities VALUES ('Le Roy', 'IL');
INSERT INTO cities VALUES ('Le Roy', 'KS');
INSERT INTO cities VALUES ('Le Roy', 'MN');
INSERT INTO cities VALUES ('Le Roy', 'NY');
INSERT INTO cities VALUES ('Le Roy', 'WV');
INSERT INTO cities VALUES ('Le Sueur', 'MN');
INSERT INTO cities VALUES ('Leachville', 'AR');
INSERT INTO cities VALUES ('Lead', 'SD');
INSERT INTO cities VALUES ('Lead Hill', 'AR');
INSERT INTO cities VALUES ('Leadore', 'ID');
INSERT INTO cities VALUES ('Leadville', 'CO');
INSERT INTO cities VALUES ('Leadwood', 'MO'):
INSERT INTO cities VALUES ('Leaf River', 'IL');
INSERT INTO cities VALUES ('League City', 'TX');
INSERT INTO cities VALUES ('Leakesville', 'MS');
INSERT INTO cities VALUES ('Leakey', 'TX');
INSERT INTO cities VALUES ('Leamington', 'UT');
INSERT INTO cities VALUES ('Leander', 'TX');
INSERT INTO cities VALUES ('Leary', 'GA');
INSERT INTO cities VALUES ('Leasburg', 'MO');
INSERT INTO cities VALUES ('Leasburg', 'NC');
INSERT INTO cities VALUES ('Leavenworth', 'IN');
INSERT INTO cities VALUES ('Leavenworth', 'KS');
```

```
INSERT INTO cities VALUES ('Leavenworth', 'WA');
INSERT INTO cities VALUES ('Leavittsburg', 'OH'):
INSERT INTO cities VALUES ('Leawood', 'KS');
INSERT INTO cities VALUES ('Lebam', 'WA'):
INSERT INTO cities VALUES ('Lebanon', 'CT'):
INSERT INTO cities VALUES ('Lebanon', 'GA');
INSERT INTO cities VALUES ('Lebanon', 'IL');
INSERT INTO cities VALUES ('Lebanon', 'IN');
INSERT INTO cities VALUES ('Lebanon', 'KS');
INSERT INTO cities VALUES ('Lebanon', 'KY');
INSERT INTO cities VALUES ('Lebanon', 'ME');
INSERT INTO cities VALUES ('Lebanon', 'MO');
INSERT INTO cities VALUES ('Lebanon', 'NE'):
INSERT INTO cities VALUES ('Lebanon', 'NH');
INSERT INTO cities VALUES ('Lebanon', 'NJ'):
INSERT INTO cities VALUES ('Lebanon', 'OH');
INSERT INTO cities VALUES ('Lebanon', 'OK');
INSERT INTO cities VALUES ('Lebanon', 'OR');
INSERT INTO cities VALUES ('Lebanon', 'PA'):
INSERT INTO cities VALUES ('Lebanon', 'SD');
INSERT INTO cities VALUES ('Lebanon', 'TN');
INSERT INTO cities VALUES ('Lebanon', 'VA');
INSERT INTO cities VALUES ('Lebanon', 'WI');
INSERT INTO cities VALUES ('Lebanon Junction', 'KY');
INSERT INTO cities VALUES ('Lebeau', 'LA');
INSERT INTO cities VALUES ('Lebec', 'CA');
INSERT INTO cities VALUES ('Leblanc', 'LA');
INSERT INTO cities VALUES ('Lebo', 'KS'):
INSERT INTO cities VALUES ('Leburn', 'KY');
INSERT INTO cities VALUES ('Lecanto', 'FL');
INSERT INTO cities VALUES ('Leck Kill', 'PA');
INSERT INTO cities VALUES ('Leckrone', 'PA');
INSERT INTO cities VALUES ('Lecompte', 'LA');
INSERT INTO cities VALUES ('Lecompton', 'KS');
INSERT INTO cities VALUES ('Lecontes Mills', 'PA');
INSERT INTO cities VALUES ('Ledbetter', 'KY'):
INSERT INTO cities VALUES ('Ledbetter', 'TX');
INSERT INTO cities VALUES ('Lederach', 'PA');
INSERT INTO cities VALUES ('Ledger', 'MT'):
INSERT INTO cities VALUES ('Ledgewood', 'NJ');
INSERT INTO cities VALUES ('Ledyard', 'CT');
INSERT INTO cities VALUES ('Ledyard', 'IA');
INSERT INTO cities VALUES ('Lee', 'FL');
INSERT INTO cities VALUES ('Lee', 'IL');
INSERT INTO cities VALUES ('Lee', 'MA'):
INSERT INTO cities VALUES ('Lee', 'ME');
INSERT INTO cities VALUES ('Lee', 'NH');
INSERT INTO cities VALUES ('Lee Center', 'IL');
INSERT INTO cities VALUES ('Lee Center', 'NY');
INSERT INTO cities VALUES ('Lee Vining', 'CA');
INSERT INTO cities VALUES ('Leechburg', 'PA');
INSERT INTO cities VALUES ('Leedey', 'OK');
INSERT INTO cities VALUES ('Leeds', 'AL');
INSERT INTO cities VALUES ('Leeds', 'MA');
INSERT INTO cities VALUES ('Leeds', 'ME');
INSERT INTO cities VALUES ('Leeds', 'ND');
```

```
INSERT INTO cities VALUES ('Leeds', 'NY');
INSERT INTO cities VALUES ('Leeds', 'UT'):
INSERT INTO cities VALUES ('Leeds Point', 'NJ');
INSERT INTO cities VALUES ('Leeper', 'PA');
INSERT INTO cities VALUES ('Lees Creek', 'OH'):
INSERT INTO cities VALUES ('Lees Summit', 'MO');
INSERT INTO cities VALUES ('Leesburg', 'AL');
INSERT INTO cities VALUES ('Leesburg', 'FL');
INSERT INTO cities VALUES ('Leesburg', 'GA');
INSERT INTO cities VALUES ('Leesburg', 'IN');
INSERT INTO cities VALUES ('Leesburg', 'NJ');
INSERT INTO cities VALUES ('Leesburg', 'OH');
INSERT INTO cities VALUES ('Leesburg', 'TX'):
INSERT INTO cities VALUES ('Leesburg', 'VA');
INSERT INTO cities VALUES ('Leesport', 'PA'):
INSERT INTO cities VALUES ('Leesville', 'LA'):
INSERT INTO cities VALUES ('Leesville', 'OH');
INSERT INTO cities VALUES ('Leesville', 'SC');
INSERT INTO cities VALUES ('Leesville', 'TX');
INSERT INTO cities VALUES ('Leeton', 'MO');
INSERT INTO cities VALUES ('Leetonia', 'OH');
INSERT INTO cities VALUES ('Leetsdale', 'PA');
INSERT INTO cities VALUES ('Leflore', 'OK');
INSERT INTO cities VALUES ('Lefor', 'ND');
INSERT INTO cities VALUES ('Lefors', 'TX');
INSERT INTO cities VALUES ('Left Hand', 'WV');
INSERT INTO cities VALUES ('Leggett', 'CA'):
INSERT INTO cities VALUES ('Leggett', 'TX');
INSERT INTO cities VALUES ('Lehi', 'UT');
INSERT INTO cities VALUES ('Lehigh', 'IA');
INSERT INTO cities VALUES ('Lehigh', 'KS');
INSERT INTO cities VALUES ('Lehigh', 'OK');
INSERT INTO cities VALUES ('Lehigh Acres', 'FL');
INSERT INTO cities VALUES ('Lehigh Valley', 'PA');
INSERT INTO cities VALUES ('Lehighton', 'PA');
INSERT INTO cities VALUES ('Lehman', 'PA');
INSERT INTO cities VALUES ('Lehr', 'ND');
INSERT INTO cities VALUES ('Leicester', 'MA');
INSERT INTO cities VALUES ('Leicester', 'NC'):
INSERT INTO cities VALUES ('Leicester', 'NY');
INSERT INTO cities VALUES ('Leigh', 'NE');
INSERT INTO cities VALUES ('Leighton', 'AL');
INSERT INTO cities VALUES ('Leighton', 'IA');
INSERT INTO cities VALUES ('Leipsic', 'OH');
INSERT INTO cities VALUES ('Leisenring', 'PA'):
INSERT INTO cities VALUES ('Leitchfield', 'KY');
INSERT INTO cities VALUES ('Leiter', 'WY');
INSERT INTO cities VALUES ('Leiters Ford', 'IN');
INSERT INTO cities VALUES ('Leivasy', 'WV');
INSERT INTO cities VALUES ('Lejunior', 'KY');
INSERT INTO cities VALUES ('Leland', 'IA');
INSERT INTO cities VALUES ('Leland', 'IL');
INSERT INTO cities VALUES ('Leland', 'MI');
INSERT INTO cities VALUES ('Leland', 'MS');
INSERT INTO cities VALUES ('Leland', 'NC');
INSERT INTO cities VALUES ('Lelia Lake', 'TX');
```

```
INSERT INTO cities VALUES ('Lemasters', 'PA');
INSERT INTO cities VALUES ('Lemhi', 'ID'):
INSERT INTO cities VALUES ('Leming', 'TX');
INSERT INTO cities VALUES ('Lemitar', 'NM'):
INSERT INTO cities VALUES ('Lemmon', 'SD'):
INSERT INTO cities VALUES ('Lemon Cove', 'CA');
INSERT INTO cities VALUES ('Lemon Grove', 'CA');
INSERT INTO cities VALUES ('Lemon Springs', 'NC');
INSERT INTO cities VALUES ('Lemont', 'IL');
INSERT INTO cities VALUES ('Lemont', 'PA');
INSERT INTO cities VALUES ('Lemont Furnace', 'PA');
INSERT INTO cities VALUES ('Lemoore', 'CA');
INSERT INTO cities VALUES ('Lemoyne', 'NE');
INSERT INTO cities VALUES ('Lemoyne', 'OH');
INSERT INTO cities VALUES ('Lemoyne', 'PA'):
INSERT INTO cities VALUES ('Lempster', 'NH');
INSERT INTO cities VALUES ('Lena', 'IL');
INSERT INTO cities VALUES ('Lena', 'LA');
INSERT INTO cities VALUES ('Lena', 'MS');
INSERT INTO cities VALUES ('Lena', 'WI');
INSERT INTO cities VALUES ('Lenapah', 'OK');
INSERT INTO cities VALUES ('Lenexa', 'KS');
INSERT INTO cities VALUES ('Lengby', 'MN');
INSERT INTO cities VALUES ('Lenhartsville', 'PA');
INSERT INTO cities VALUES ('Lenni', 'PA');
INSERT INTO cities VALUES ('Lennon', 'MI');
INSERT INTO cities VALUES ('Lennox', 'SD');
INSERT INTO cities VALUES ('Lenoir', 'NC');
INSERT INTO cities VALUES ('Lenoir City', 'TN');
INSERT INTO cities VALUES ('Lenora', 'KS');
INSERT INTO cities VALUES ('Lenorah', 'TX');
INSERT INTO cities VALUES ('Lenore', 'ID');
INSERT INTO cities VALUES ('Lenore', 'WV');
INSERT INTO cities VALUES ('Lenox', 'AL');
INSERT INTO cities VALUES ('Lenox', 'GA');
INSERT INTO cities VALUES ('Lenox', 'IA'):
INSERT INTO cities VALUES ('Lenox', 'MA');
INSERT INTO cities VALUES ('Lenox', 'MO');
INSERT INTO cities VALUES ('Lenox', 'TN'):
INSERT INTO cities VALUES ('Lenox Dale', 'MA');
INSERT INTO cities VALUES ('Lenoxville', 'PA');
INSERT INTO cities VALUES ('Lentner', 'MO');
INSERT INTO cities VALUES ('Lenzburg', 'IL');
INSERT INTO cities VALUES ('Leo', 'IN');
INSERT INTO cities VALUES ('Leola', 'AR'):
INSERT INTO cities VALUES ('Leola', 'PA');
INSERT INTO cities VALUES ('Leola', 'SD');
INSERT INTO cities VALUES ('Leoma', 'TN');
INSERT INTO cities VALUES ('Leominster', 'MA');
INSERT INTO cities VALUES ('Leon', 'IA');
INSERT INTO cities VALUES ('Leon', 'KS');
INSERT INTO cities VALUES ('Leon', 'NY');
INSERT INTO cities VALUES ('Leon', 'OK');
INSERT INTO cities VALUES ('Leon', 'VA');
INSERT INTO cities VALUES ('Leon', 'WV');
INSERT INTO cities VALUES ('Leona', 'TX');
```

```
INSERT INTO cities VALUES ('Leonard', 'MI');
INSERT INTO cities VALUES ('Leonard', 'MN'):
INSERT INTO cities VALUES ('Leonard', 'MO');
INSERT INTO cities VALUES ('Leonard', 'ND'):
INSERT INTO cities VALUES ('Leonard', 'OK'):
INSERT INTO cities VALUES ('Leonard', 'TX');
INSERT INTO cities VALUES ('Leonardo', 'NJ');
INSERT INTO cities VALUES ('Leonardsville', 'NY');
INSERT INTO cities VALUES ('Leonardtown', 'MD');
INSERT INTO cities VALUES ('Leonardville', 'KS');
INSERT INTO cities VALUES ('Leonia', 'NJ');
INSERT INTO cities VALUES ('Leonidas', 'MI');
INSERT INTO cities VALUES ('Leonore', 'IL'):
INSERT INTO cities VALUES ('Leonville', 'LA');
INSERT INTO cities VALUES ('Leopold', 'IN'):
INSERT INTO cities VALUES ('Leopold', 'MO');
INSERT INTO cities VALUES ('Leopolis', 'WI');
INSERT INTO cities VALUES ('Leota', 'MN');
INSERT INTO cities VALUES ('Leoti', 'KS');
INSERT INTO cities VALUES ('Lepanto', 'AR');
INSERT INTO cities VALUES ('Lequire', 'OK');
INSERT INTO cities VALUES ('Lerna', 'IL'):
INSERT INTO cities VALUES ('Lerona', 'WV');
INSERT INTO cities VALUES ('Leroy', 'AL'):
INSERT INTO cities VALUES ('Leroy', 'IN');
INSERT INTO cities VALUES ('Leroy', 'MI');
INSERT INTO cities VALUES ('Leroy', 'TX');
INSERT INTO cities VALUES ('Lesage', 'WV');
INSERT INTO cities VALUES ('Leslie', 'AR');
INSERT INTO cities VALUES ('Leslie', 'GA');
INSERT INTO cities VALUES ('Leslie', 'MI');
INSERT INTO cities VALUES ('Leslie', 'MO');
INSERT INTO cities VALUES ('Leslie', 'WV');
INSERT INTO cities VALUES ('Lester', 'AL'):
INSERT INTO cities VALUES ('Lester', 'IA');
INSERT INTO cities VALUES ('Lester', 'WV');
INSERT INTO cities VALUES ('Lester Prairie', 'MN');
INSERT INTO cities VALUES ('Lesterville', 'MO');
INSERT INTO cities VALUES ('Lesterville', 'SD'):
INSERT INTO cities VALUES ('Letart', 'WV');
INSERT INTO cities VALUES ('Letcher', 'KY');
INSERT INTO cities VALUES ('Letcher', 'SD');
INSERT INTO cities VALUES ('Letha', 'ID');
INSERT INTO cities VALUES ('Letohatchee', 'AL');
INSERT INTO cities VALUES ('Letona', 'AR'):
INSERT INTO cities VALUES ('Letts', 'IA');
INSERT INTO cities VALUES ('Lettsworth', 'LA');
INSERT INTO cities VALUES ('Leupp', 'AZ');
INSERT INTO cities VALUES ('Levan', 'UT');
INSERT INTO cities VALUES ('Levant', 'KS');
INSERT INTO cities VALUES ('Levant', 'ME');
INSERT INTO cities VALUES ('Levasy', 'MO');
INSERT INTO cities VALUES ('Levelland', 'TX');
INSERT INTO cities VALUES ('Levelock', 'AK');
INSERT INTO cities VALUES ('Levels', 'WV');
INSERT INTO cities VALUES ('Leverett', 'MA');
```

```
INSERT INTO cities VALUES ('Levering', 'MI');
INSERT INTO cities VALUES ('Levittown', 'NY'):
INSERT INTO cities VALUES ('Levittown', 'PA');
INSERT INTO cities VALUES ('Lewellen', 'NE');
INSERT INTO cities VALUES ('Lewes', 'DE'):
INSERT INTO cities VALUES ('Lewis', 'CO');
INSERT INTO cities VALUES ('Lewis', 'IA');
INSERT INTO cities VALUES ('Lewis', 'IN');
INSERT INTO cities VALUES ('Lewis', 'KS');
INSERT INTO cities VALUES ('Lewis', 'NY');
INSERT INTO cities VALUES ('Lewis Center', 'OH');
INSERT INTO cities VALUES ('Lewis Run', 'PA');
INSERT INTO cities VALUES ('Lewisberry', 'PA');
INSERT INTO cities VALUES ('Lewisburg', 'KY');
INSERT INTO cities VALUES ('Lewisburg', 'OH');
INSERT INTO cities VALUES ('Lewisburg', 'PA'):
INSERT INTO cities VALUES ('Lewisburg', 'TN');
INSERT INTO cities VALUES ('Lewisburg', 'WV');
INSERT INTO cities VALUES ('Lewisport', 'KY');
INSERT INTO cities VALUES ('Lewiston', 'CA');
INSERT INTO cities VALUES ('Lewiston', 'ID');
INSERT INTO cities VALUES ('Lewiston', 'ME');
INSERT INTO cities VALUES ('Lewiston', 'MI');
INSERT INTO cities VALUES ('Lewiston', 'MN');
INSERT INTO cities VALUES ('Lewiston', 'NE');
INSERT INTO cities VALUES ('Lewiston', 'NY');
INSERT INTO cities VALUES ('Lewiston', 'UT');
INSERT INTO cities VALUES ('Lewiston Woodville', 'NC');
INSERT INTO cities VALUES ('Lewistown', 'IL');
INSERT INTO cities VALUES ('Lewistown', 'MO');
INSERT INTO cities VALUES ('Lewistown', 'MT');
INSERT INTO cities VALUES ('Lewistown', 'OH');
INSERT INTO cities VALUES ('Lewistown', 'PA');
INSERT INTO cities VALUES ('Lewisville', 'AR');
INSERT INTO cities VALUES ('Lewisville', 'ID');
INSERT INTO cities VALUES ('Lewisville', 'IN'):
INSERT INTO cities VALUES ('Lewisville', 'MN');
INSERT INTO cities VALUES ('Lewisville', 'NC');
INSERT INTO cities VALUES ('Lewisville', 'OH');
INSERT INTO cities VALUES ('Lewisville', 'PA');
INSERT INTO cities VALUES ('Lewisville', 'TX');
INSERT INTO cities VALUES ('Lexa', 'AR');
INSERT INTO cities VALUES ('Lexington', 'AL');
INSERT INTO cities VALUES ('Lexington', 'GA');
INSERT INTO cities VALUES ('Lexington', 'IL'):
INSERT INTO cities VALUES ('Lexington', 'IN');
INSERT INTO cities VALUES ('Lexington', 'KY');
INSERT INTO cities VALUES ('Lexington', 'MA');
INSERT INTO cities VALUES ('Lexington', 'MI');
INSERT INTO cities VALUES ('Lexington', 'MO');
INSERT INTO cities VALUES ('Lexington', 'MS');
INSERT INTO cities VALUES ('Lexington', 'NC');
INSERT INTO cities VALUES ('Lexington', 'NE');
INSERT INTO cities VALUES ('Lexington', 'NY');
INSERT INTO cities VALUES ('Lexington', 'OK');
INSERT INTO cities VALUES ('Lexington', 'OR');
```

```
INSERT INTO cities VALUES ('Lexington', 'SC');
INSERT INTO cities VALUES ('Lexington', 'TN'):
INSERT INTO cities VALUES ('Lexington', 'TX');
INSERT INTO cities VALUES ('Lexington', 'VA'):
INSERT INTO cities VALUES ('Lexington Park', 'MD'):
INSERT INTO cities VALUES ('Libby', 'MT');
INSERT INTO cities VALUES ('Liberal', 'KS');
INSERT INTO cities VALUES ('Liberal', 'MO');
INSERT INTO cities VALUES ('Liberty', 'IL');
INSERT INTO cities VALUES ('Liberty', 'IN');
INSERT INTO cities VALUES ('Liberty', 'KS');
INSERT INTO cities VALUES ('Liberty', 'KY');
INSERT INTO cities VALUES ('Liberty', 'ME'):
INSERT INTO cities VALUES ('Liberty', 'MO');
INSERT INTO cities VALUES ('Liberty', 'MS'):
INSERT INTO cities VALUES ('Liberty', 'NC'):
INSERT INTO cities VALUES ('Liberty', 'NE');
INSERT INTO cities VALUES ('Liberty', 'NY');
INSERT INTO cities VALUES ('Liberty', 'PA');
INSERT INTO cities VALUES ('Liberty', 'SC');
INSERT INTO cities VALUES ('Liberty', 'TN');
INSERT INTO cities VALUES ('Liberty', 'TX');
INSERT INTO cities VALUES ('Liberty', 'WV');
INSERT INTO cities VALUES ('Liberty Center', 'IA');
INSERT INTO cities VALUES ('Liberty Center', 'IN');
INSERT INTO cities VALUES ('Liberty Center', 'OH');
INSERT INTO cities VALUES ('Liberty Corner', 'NJ'):
INSERT INTO cities VALUES ('Liberty Hill', 'SC'):
INSERT INTO cities VALUES ('Liberty Hill', 'TX');
INSERT INTO cities VALUES ('Liberty Lake', 'WA');
INSERT INTO cities VALUES ('Liberty Mills', 'IN');
INSERT INTO cities VALUES ('Libertytown', 'MD');
INSERT INTO cities VALUES ('Libertyville', 'IA');
INSERT INTO cities VALUES ('Libertyville', 'IL');
INSERT INTO cities VALUES ('Libuse', 'LA');
INSERT INTO cities VALUES ('Lick Creek', 'KY'):
INSERT INTO cities VALUES ('Licking', 'MO');
INSERT INTO cities VALUES ('Lickingville', 'PA');
INSERT INTO cities VALUES ('Lidderdale', 'IA'):
INSERT INTO cities VALUES ('Lidgerwood', 'ND');
INSERT INTO cities VALUES ('Liebenthal', 'KS');
INSERT INTO cities VALUES ('Light', 'AR');
INSERT INTO cities VALUES ('Lightfoot', 'VA');
INSERT INTO cities VALUES ('Lighthouse Point', 'FL');
INSERT INTO cities VALUES ('Lightstreet', 'PA'):
INSERT INTO cities VALUES ('Lignite', 'ND');
INSERT INTO cities VALUES ('Lignum', 'VA');
INSERT INTO cities VALUES ('Ligonier', 'IN');
INSERT INTO cities VALUES ('Ligonier', 'PA');
INSERT INTO cities VALUES ('Liguori', 'MO');
INSERT INTO cities VALUES ('Lihue', 'HI');
INSERT INTO cities VALUES ('Likely', 'CA');
INSERT INTO cities VALUES ('Lilbourn', 'MO');
INSERT INTO cities VALUES ('Lilburn', 'GA');
INSERT INTO cities VALUES ('Lilesville', 'NC');
INSERT INTO cities VALUES ('Lillian', 'AL');
```

```
INSERT INTO cities VALUES ('Lillian', 'TX');
INSERT INTO cities VALUES ('Lillie', 'LA'):
INSERT INTO cities VALUES ('Lillington', 'NC');
INSERT INTO cities VALUES ('Lilliwaup', 'WA');
INSERT INTO cities VALUES ('Lilly', 'GA'):
INSERT INTO cities VALUES ('Lilly', 'PA');
INSERT INTO cities VALUES ('Lily', 'KY');
INSERT INTO cities VALUES ('Lily Dale', 'NY');
INSERT INTO cities VALUES ('Lima', 'IL');
INSERT INTO cities VALUES ('Lima', 'MT');
INSERT INTO cities VALUES ('Lima', 'NY');
INSERT INTO cities VALUES ('Lima', 'OH');
INSERT INTO cities VALUES ('Limaville', 'OH');
INSERT INTO cities VALUES ('Lime Ridge', 'WI');
INSERT INTO cities VALUES ('Lime Springs', 'IA');
INSERT INTO cities VALUES ('Limekiln', 'PA'):
INSERT INTO cities VALUES ('Limeport', 'PA');
INSERT INTO cities VALUES ('Limerick', 'ME');
INSERT INTO cities VALUES ('Limerick', 'NY');
INSERT INTO cities VALUES ('Limestone', 'ME');
INSERT INTO cities VALUES ('Limestone', 'NY');
INSERT INTO cities VALUES ('Limestone', 'PA');
INSERT INTO cities VALUES ('Limestone', 'TN');
INSERT INTO cities VALUES ('Limington', 'ME'):
INSERT INTO cities VALUES ('Limon', 'CO');
```

38.10 Muhammad Awais

LAB 12

39 Qno1:-

- 40 Print countrycode and sum of percentage from countrylangauge, apply groupby on countrycode.
- 41 Answer:-
- 42 SELECT countrycode, SUM(PER(countrylanguage) from country language Group By(countrycode)

43 Qno2:-

- 44 Find sum of any integer column from country table.
- 45 Answer:-
- 46 Select SUM(population) from country table;

47

48 Qno3:-

- 49 Count number of records in country table
- 50 Answer:-
- 51 SELECT COUNT(records) from countrytable;

52

- 53 Qno4:-
- 54 Count Distinct (languages) from countrylanguage
- 55 Answer:-
- 56 SELECT DISTINCT(languages) from countrylanguage;

57Lab 13

- **57.1 Common Solution**
- 57.2 Abdul Haseeb Khan (SP19-BCS-001)
- **57.3** Ashfaq Rahim (SP19-BCS-003)
- **57.4 Fahad Afzal (SP19-BCS-006)**
- 57.5 Hassaan Shahnawaz (SP19-BCS-008)
- 57.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 13

Ouestion:

Select customers name, number, phone from customers table, select checknumber from payments table. Display it for all customers. [either they have made payment or they haven't include all customers].

SELECT customer, phone from customertable;

SELECT checknumber from payment;

57.7 Khanzada Haider Ali (SP19-BCS-013)

57.8 Imad Ahmad (SP19-BCS-011)

57.9 SARDAR BADAR (SP19-BCS-022)

select sum(salary) from staff;

select COUNT(position) from staff;

select COUNT(DISTINCT position)from staff;

57.10 Awais

LAB 13

Question:

Select customers name, number, phone from customers table, select checknumber from payments table. Display it for all customers. [either they have made payment or they haven't include all customers].

Answer:-

SELECT customer, phone from customertable;

SELECT checknumber from payment;

58Lab 14

- **58.1** Common Solution
- 58.2 Abdul Haseeb Khan (SP19-BCS-001)
- **58.3** Ashfaq Rahim (SP19-BCS-003)
- **58.4 Fahad Afzal (SP19-BCS-006)**

LAB 14

59 --updating 1 staff member

```
select fName,lName, salary from Staff;

update staff set fName='Mary', lName='howe' where salary = '20000';

update staff set salary='1000000' where salary=NULL;

update staff set salary=500000 where salary='10000';

insert into branch values('b051','khan', 'Atd', '1111');
```

65.1 Hassaan Shahnawaz (SP19-BCS-008)

65.2 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 14

Ono1:-

Update customer with any a particular order number (you can select any order number). UPDATE *customer*

SET $order_no = 5$;

Qno2:-

Applying union print data of orders and order details table.

Answer:-

SELECT data.customerdata from customers

UNION ALL

SELECT order.orderdata FROM orders;

65.3 Imad Ahmad (SP19-BCS-011)

Lab-14

- -- updating 1 staff member
- 67 select fName, lName, salary from Staff;
- update staff set fName='Mary', lName='howe' where salary = '20000';
- update staff set salary='1000000' where salary=NULL;
- update staff set salary=500000 where salary='10000';
- 71 insert into branch values('b051','khan', 'Atd', '1111');

71.1 Khanzada Haider Ali (SP19-BCS-013)

71.2 Sardar Badar

71.3

update staff set fName='Huzaifa', lName='Abid' where salary = '40000'; \(\text{delete from branch where branchNo='C001'; \(\text{update staff set salary='1000000'} \) where salary=NULL; \(\text{update staff set salary=500000} \) where salary='10000'; \(\text{insert into branch values('C011','Sultan street', 'ABT', '1101'} \);

71.4 Muhammad Awais

72Lab 15

- 72.1 Common Solution
- 72.2 Abdul Haseeb Khan (SP19-BCS-001)
- **72.3** Ashfaq Rahim (SP19-BCS-003)
- **72.4 Fahad Afzal (SP19-BCS-006)**

LAB 15

```
select fName,lName, telNo from Client;
update Client set fName= 'ali',lName='khan' where telNo='03004463173';
select fName,lName, telNo from Client;
select branchNo from Branch;
delete from Branch where branchNo='B001';
```

- 72.5 Hassaan Shahnawaz (SP19-BCS-008)
- 72.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 15

Qno1:-

Apply update on any country name.

Answer:

UPDATE country SET column1="England" WHERE column="Islamabad";

Ono2:-

Delete Islamabad city by applying delete query on city table with it's ID

Answer:-

DELETE FROM city

WHERE country.id = ANY (SELECT id FROM city WHERE id = 2);

Qno3:-

Try to update values for null column COMM column

Answer:-

UPDATE[city]

SET [COMM]=0

WHERE [COMM] is null;

Qno4:-

Try to update it for a specific employee whose salary is less than 1000

UPDATE employee WHERE employee<1000;

Qno5:-

Try to insert values in customers table

Answer:-

INSERT INTO city

VALUES ("Rawalpindi", "Sialkot", "Mirpur");

72.7 Khanzada Haider Ali (SP19-BCS-013)

72.8 Imad Ahmad (SP19-BCS-011)

Lab-15

update staff set fName='Imad', lName='Ahmad' where salary = '40000';

delete from branch where branchNo='C001';

update staff set salary='1000000' where salary=NULL;

update staff set salary=500000 where salary='10000';

insert into branch values('C011', 'Sultan street', 'ABT', '1101');

72.9 SARDAR BADAR

update staff set fName='Badar', lName='Saghir' where salary = '40000';

delete from branch where branchNo='b1';

update staff set salary=6600 where salary<7000;

update staff set salary=500 where salary>10000;

insert into branch values('C011',' strehtet nig', 'HRP', '2232');

72.10 Muhammad Awais

Question 1

Apply update on any country name.

Answer:-

UPDATE country SET column1="England" WHERE column="Islamabad";

Question 2

Delete Islamabad city by applying delete query on city table with it's ID Answer:-

DELETE FROM city

WHERE country.id = ANY (SELECT id FROM city WHERE id = 2);

Question 3

Try to update values for null column COMM column

Answer:-

UPDATE[city]

SET [COMM]=0

WHERE [COMM] is null;

Question 4

Try to update it for a specific employee whose salary is less than 1000 Answer:-

UPDATE employee WHERE employee<1000;

Question 5

```
Try to insert values in customers table

Answer:-
INSERT INTO city
VALUES ("Rawalpindi", "Sialkot", "Mirpur");
```

73Lab 16

- 73.1 Common Solution
- 73.2 Abdul Haseeb Khan (SP19-BCS-001)
- **73.3** Ashfaq Rahim (SP19-BCS-003)
- **73.4 Fahad Afzal (SP19-BCS-006)**

<u>LAB 16</u>

```
use DreamHome

--creating table of supplier
create table supplier(
supplier_id int not null,
supplier_name varchar,
address varchar);

ALTER TABLE supplier
ADD PRIMARY KEY (supplier_id);

--creating 2nd table
create table Items (
itemname varchar,
item_id int,
itemprice int );

--Making foreign Key
alter table Items ADD FOREIGN KEY (supplier_id) REFERENCES supplier(supplier_id);
```

73.5 Hassaan Shahnawaz (SP19-BCS-008)

73.6 Hassan Ali Jadoon (SP19-BCS-009)

Lab: 16

Qno1:-

The first column is called supplier_id which is created as a number data type (maximum 10 digits in length) and cannot contain null values.

Answer:-

CREATE TABLE suppliers(supplier_id int(10) NOT NULL);

Qno2:-

The second column is called supplier_name which is a varchar2 datatype (50 maximum characters in length) and also can not contain null values

Answer:-

CREATE TABLE suppliers(supplier_id int(10) NOT NULL, supplier_name varchar2(50) NOT NULL);

Ono3:-

The third column is called address which is a varchar2 data type but can contain null values.

Answer:-

CREATE TABLE suppliers(supplier_id int(10) NOT NULL, supplier_name varchar(50) NOT NULL, address varchar2 NOT NULL);

Ono4:-

Define the supplier_id as the primary key

Answer:-

CREATE TABLE suppliers(supplier_id NOT NULL AUTO_INCREMENT, supplier_id int(10) NOT NULL, supplier_name varchar(50) NOT NULL, address varchar2 NOT NULL, PRIMARY KEY(supplier_id);

Ono5:-

Create a second table named as Item with columns:

Answer:

CREATE TABLE Item();

Ono6:-

The first column itemname any length you want

Answer:-

CREATE TABLE Item(itemname varchar(255);

Qno7:-

The second column supplierId as foreignkey in item table

Answer:-

```
CREATE TABLE item (
itemname varchar(255),
FOREIGN KEY (supplier_id) REFERENCES Persons(supplier_id)
);
```

Qno8:-

```
The third column should be itemprice In INT
Answer:-
CREATE TABLE item (
   itemname varchar(255),
   Itemprice int NOT NULL,
   FOREIGN KEY (supplier_id) REFERENCES Persons(supplier_id)
);
74
```

74.1 Imad Ahmad (SP19-BCS-011)

Lab-16

```
create table supplier (supplier_id int(10) NOT NULL, supplier_name varchar(50) NOT NULL, address varchar(50));
alter table supplier add primary key (supplier_id);
create table Items (itemname varchar(255) NOT NULL, supplier_id int(10) NOT NULL, itemprice int(15) NOT NULL);
```

alter table Items ADD FOREIGN KEY (supplier_id) REFERENCES supplier(supplier_id);

74.2 Khanzada Haider Ali (SP19-BCS-013)

74.3 Error! Bookmark not defined. Error! Bookmark not defined.

74.4 Muhammad Awais

Question 1

75 The first column is called supplier_id which is created as a number data type (maximum 10 digits in length) and cannot contain null values.

Answer:-

CREATE TABLE suppliers(supplier id int(10) NOT NULL);

Question 2

The second column is called supplier_name which is a varchar2 datatype (50 maximum characters in length) and also can not contain null values

Answer:-

CREATE TABLE suppliers(supplier_id int(10) NOT NULL, supplier_name var-char2(50) NOT NULL);

Question 3

The third column is called address which is a varchar2 data type but can contain null values.

Answer:-

CREATE TABLE suppliers(supplier_id int(10) NOT NULL,supplier_name varchar(50) NOT NULL,address varchar2 NOT NULL);

Question 4

Define the supplier id as the primary key

Answer:-

CREATE TABLE suppliers(supplier_id NOT NULL AUTO_INCREMENT, supplier_id int(10) NOT NULL, supplier_name varchar(50) NOT NULL, address varchar2 NOT NULL, PRIMARY KEY(supplier_id);

Question 5

Create a second table named as Item with columns:

Answer:-

CREATE TABLE Item();

Question 6

The first column itemname any length you want

Answer:-

CREATE TABLE Item(itemname varchar(255);

Question 7

The second column supplierId as foreignkey in item table

```
Answer:-

CREATE TABLE item (
   itemname varchar(255),
   FOREIGN KEY (supplier_id) REFERENCES Persons(supplier_id)
);
```

Question 8

The third column should be itemprice In INT

```
Answer:-
```

```
CREATE TABLE item (
itemname varchar(255),

Itemprice int NOT NULL,

FOREIGN KEY (supplier_id) REFERENCES Persons(supplier_id)
);
```

76Lab 17

- **76.1 Common Solution**
- 76.2 Abdul Haseeb Khan (SP19-BCS-001)
- **76.3** Ashfaq Rahim (SP19-BCS-003)
- **76.4 Fahad Afzal (SP19-BCS-006)**
- 76.5 Hassaan Shahnawaz (SP19-BCS-008)
- 76.6 Hassan Ali Jadoon (SP19-BCS-009)
- 76.7 Khanzada Haider Ali (SP19-BCS-013)
- **76.8 Imad Ahmad (SP19-BCS-011)**
- 76.9 Error! Bookmark not defined. Error! Bookmark not defined.
- **76.10** Error! Bookmark not defined. Error! Bookmark not defined.

77Lab 18

- 77.1 Common Solution
- 77.2 Abdul Haseeb Khan (SP19-BCS-001)
- **77.3** Ashfaq Rahim (SP19-BCS-003)
- **77.4 Fahad Afzal (SP19-BCS-006)**
- 77.5 Hassaan Shahnawaz (SP19-BCS-008)
- 77.6 Hassan Ali Jadoon (SP19-BCS-009)
- 77.7 Khanzada Haider Ali (SP19-BCS-013)
- **77.8 Imad Ahmad (SP19-BCS-011)**
- 77.9 Error! Bookmark not defined. Error! Bookmark not defined.
- 77.10 Error! Bookmark not defined. Error! Bookmark not defined.

78Lab 19

- **78.1 Common Solution**
- 78.2 Abdul Haseeb Khan (SP19-BCS-001)
- **78.3** Ashfaq Rahim (SP19-BCS-003)
- **78.4 Fahad Afzal (SP19-BCS-006)**
- 78.5 Hassaan Shahnawaz (SP19-BCS-008)
- 78.6 Hassan Ali Jadoon (SP19-BCS-009)
- 78.7 Khanzada Haider Ali (SP19-BCS-013)
- **78.8 Imad Ahmad (SP19-BCS-011)**

79Lab 20

- **79.1 Common Solution**
- 79.2 Abdul Haseeb Khan (SP19-BCS-001)
- **79.3** Ashfaq Rahim (SP19-BCS-003)
- **79.4 Fahad Afzal (SP19-BCS-006)**
- 79.5 Hassaan Shahnawaz (SP19-BCS-008)
- 79.6 Hassan Ali Jadoon (SP19-BCS-009)
- 79.7 Khanzada Haider Ali (SP19-BCS-013)
- **79.8 Imad Ahmad (SP19-BCS-011)**