

Contents

Table of Contents

Contents.....	1
1 Common Solution.....	3
1.1 Lab 6.....	3
1.2 LAB 7.....	7
1.3 LAB 8.....	8
2 Abdul Haseeb Khan (SP19-BCS-001).....	8
2.1 Lab 6.....	8
2.2 Lab 7.....	10
2.3 Lab 8.....	11
3 Ashfaq Rahim (SP19-BCS-003).....	12
3.1 Lab 6.....	12
3.2 Lab 7.....	12
3.3 Lab.....	13
4 Fahad Afzal (SP19-BCS-006).....	13
4.1 Lab 6.....	13
4.2 Lab 7.....	13
4.3 Lab 8.....	14
5 Hassaan Shahnawaz (SP19-BCS-008).....	14
5.1 Lab 6.....	14
5.2 Lab 7.....	14
5.3 Lab 8.....	15
6 Hassan Ali Jadoon (SP19-BCS-009).....	15
6.1 Lab 6.....	15
6.2 Lab 7.....	15
6.3 Lab 8.....	16
7 Imad Ahmad (SP19-BCS-011).....	16
7.1 Lab 6.....	16
7.2 Lab 7.....	16
7.3 Lab 8.....	17
8 Khanzada Haider Ali (SP19-BCS-013).....	17
8.1 Lab 6.....	17
8.2 Lab 7.....	18
8.3 Lab 8.....	19
9 Sardar Badar Saghir (SP19-BCS-022).....	20
9.1 Lab 6.....	20

9.2 Lab 7.....	22
9.3 Lab 8.....	23
10 Muhammad Awais (SP19-BCS-033).....	24
10.1 Lab 6.....	24
10.2 Lab 7.....	25
10.3 Lab 8.....	26

1 Common Solution

1.1 Lab 6

```
-- 1. Create Database
create database DreamHome
-- 2. Set My Working Database in Query Editor
use DreamHome

-- 3. Create Tables

-- Branch
create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT
NULL, city varchar(50) NOT NULL,
postcode varchar(20) NOT NULL);

-- Staff
create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT
NULL, IName varchar(50) NOT NULL,
position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary
DECIMAL NOT NULL,
branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client
create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT
NULL, IName varchar(50) NOT NULL,
telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner
create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName
varchar(50) NOT NULL, IName varchar(50) NOT NULL,
[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent
create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street
varchar(100) NOT NULL, city varchar(50) NOT NULL,
postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent
DECIMAL NOT NULL,
ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL
References Staff(staffNo),
branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing
```

```
create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),
propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate
DateTime NOT NULL, comment varchar(200) NOT NULL)
```

-- Registration

```
create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),
branchNo varchar(20) NOT NULL References Branch(branchNo),staffNo varchar(20) NOT
NULL References Staff(staffNo),dateJoined DateTime NOT NULL)
```

-- 4.2 Multiple Rows Example

```
INSERT into Branch (branchNo, street, city, postcode)
```

VALUES

```
('B001','H#79 I-10/2','ISB','52000'),
('B002','H#78 Supply','ABT','53000'),
('B003','H#79 I-10/2','ISB','52000'),
('B004','H#78 Mandia','ABT','53000'),
('B005','H#85 Supply','ABT','53000'),
('B006','H#86 G-6','ISB','52000'),
('B007','H#895 Cantt','ABT','53000'),
('B008','H#55 Kalapul','ABT','53000'),
('B009','H#986 Beer','HAR','22620'),
('B010','H#12 Cantt','HAV','22500'),
('B011','H#565 KTS','HAR','22620'),
('B012','H#123 KTS','HAR','22620'),
('B013','H#985 F-9','ISB','52000'),
('B014','H#120 DHA','LHR','54000'),
('B015','H#76 TIP','HAR','22620'),
('B016','H#33 Baldher','HAR','22620'),
('B017','H#22 SALHAD','ABT','53000'),
('B018','H#11 HARNOL','ABT','53000'),
('B019','H#13 H-9','ISB','52000'),
('B020','H#99 FAIZABAD','RWP','44000'),
('B021','H#164 PANIAN','HAR','22620')
```

```
insert into Staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo)
```

VALUES

```
('SA9','Mary','Howe','Assistant','F','9/11/1988',20000,'B002'),
('SG14','David','Ford','Supervisor','M','11/9/1987',100000,'B003'),
('SG37','An','Beech','Assistant','F','12/8/1986',90000,'B003'),
('SG5','Susa','Brand','Manager','F','5/9/1989',120000,'B003'),
('SL21','Joh','White','Manager','M','2/12/1992',100000,'B004'),
('SL41','Julie','Lee','Assistant','F','8/3/1990',50000,'B002'),
('SP98','Akbar','Shah','Assistant Manager','M','9/8/1996',70000,'B005'),
('SK32','Mahrukh','Bibi','Customer Service','F','10/4/1994',60000,'B010'),
('SB83','Ahmad','Hassan','Clerk','M','4/6/1991',40000,'B009'),
('SR68','Hamid','Ali','Security Guard','M','9/12/1982',10000,'B007'),
('SI12','Akhtar','Rasheed','Security Officer','M','8/9/1989',50000,'B012'),
('SV56','Hajra','Khan','Customer Service','F','3/4/1992',60000,'B006'),
('ST91','Maria','Kareem','Customer Service Manager','M','1/7/1991',80000,'B008'),
('SO61','Kamran','Khan','Salesperson','M','9/2/1987',70000,'B020'),
('SQ19','Khurshid','Akram','Finance Manager','M','12/8/1982',80000,'B011'),
('SJ37','Sara','Majeed','HR Manager','F','12/6/1981',60000,'B019'),
('SD52','Parvaiz','Khan','Security Guard','M','11/12/1985',15000,'B013'),
('ST26','Bushra','Khan','Salesperson','F','5/10/1990',60000,'B017'),
```

('SN99', 'Khalid', 'Kamal', 'Security Guard', 'M', '12/12/1992', 16000, 'B014'),
('SF7', 'Mubashir', 'Naveed', 'Receptionist', 'M', '1/12/1996', 30000, 'B016'),
('SG76', 'Awais', 'Qamar', 'Operations Manager', 'M', '9/4/1988', 80000, 'B015'),
('SW84', 'Muneer', 'Zaman', 'Marketing Manager', 'M', '7/1/1992', 70000, 'B021'),
('SZ34', 'Sana', 'Khan', 'Receptionist', 'F', '5/12/1996', 50000, 'B018')

insert into Client (clientNo , fName, lName, telNo, prefType, maxRent)
VALUES

('A001', 'Imad', 'Ahmad', '03004463173', '1 bed Apartment', '5000'),
('A002', 'Akbar', 'Majeed', '03125648789', 'Shared Apartment', '6000'),
('A003', 'Farukh', 'Javed', '03468965741', 'Townhome', '70000'),
('A004', 'Imran', 'Hashmi', '03034321986', 'Bungalow', '100000'),
('A005', 'Farhat', 'Javed', '03218954219', 'Small Vacation Cottage', '80000'),
('A006', 'Sajjad', 'Babar', '03364512789', 'Multi Family home', '180000'),
('A007', 'Sidhu', 'Moosewala', '03111111111', '3 room apartment', '60000'),
('A008', 'Arshid', 'Khan', '03211236957', 'Double story house', '130000'),
('A009', 'Javed', 'Shiekh', '03489137982', 'Single Family home', '80000'),
('A010', 'Saira', 'Muneer', '03007319654', 'Villa', '500000'),
('A011', 'Poorab', 'Kumar', '03184967852', 'Shared Apartment', '9000'),
('A012', 'Faisal', 'Khan', '03467845123', 'Townhome', '75000'),
('A013', 'Abdus', 'Salam', '03096598753', 'Villa', '500000'),
('A014', 'Rab', 'Nawaz', '03416385951', 'Bungalow', '110000'),
('A015', 'Obaid', 'Sheikh', '03426284759', 'Multi Family Home', '160000'),
('A016', 'Qamar', 'Javed', '03134679169', 'Villa', '600000'),
('A017', 'Jannat', 'Mirza', '03166969969', 'Codominium', '90000'),
('A018', 'Babu', 'Rao', '03104916872', 'Shared Apartment', '15000'),
('A019', 'Sania', 'Mirza', '03451535985', 'Bungalow', '90000'),
('A020', 'Sham', 'Idrees', '03108020500', '1 bed Apartment', '5000'),
('A021', 'Javed', 'Kazmi', '03165288572', 'Single Family Home', '90000')

insert into PrivateOwner (ownerNo, fName, lName, address, telNo)
values

('K01', 'Javed', 'Aziz', 'H# 85 Mandia, ATD ', '03001245985'),
('K02', 'Sana', 'Bucha', 'H# 21 I-10, ISB', '03368754953'),
('K03', 'Ali', 'Khan', 'H#45 KTS, HAR', '03314915375'),
('K04', 'Ahmed', 'Akhtar', 'H#20 Supply, ATD', '03457296348'),
('K05', 'Kabir', 'Singh', 'H#99 Salhad, ATD', '03348719652'),
('K06', 'Parvaiz', 'Musharraf', 'H#86 G-6, ISB', '03321596548'),
('K07', 'Benazir', 'Shah', 'H#286 DHA, KAR', '03216598174'),
('K08', 'Jaan', 'Raheem', 'H#100 Cantt, LHR', '03012000563'),
('K09', 'Umar', 'Gul', 'H#91 Cantt, HAV', '03485265154'),
('K10', 'Raheem', 'Pardesi', 'H#20 H-6, ISB', '03259826547'),
('K11', 'Hubaib', 'Naeem', 'H#65 G-9, ISB', '03185400163'),
('K12', 'Qaiser', 'Khattak', 'H#156 Saddar, PEW', '03420096050'),
('K13', 'Abdullah', 'Shah', 'H#48 Topi, SWB', '03083032021'),
('K14', 'Babar', 'Khan', 'H#25 TIP, HAR', '03058574321'),
('K15', 'Rehm', 'Nawaz', 'H#87 I-4, ISB', '03065491032'),
('K16', 'Hamza', 'Akbar', 'H#152 Panian, HAR', '03024595687'),
('K17', 'Nasir', 'Khan', 'H#756 Uni road, PEW', '03461289567'),
('K18', 'Alex', 'Bhatti', 'H#301 Bahria Town, KAR', '03487006320'),
('K19', 'Hareem', 'Shah', 'H#186 Cantt, MAN', '03215906903'),
('K20', 'Waqar', 'Zaka', 'H#564 North Nazimabad, KAR', '03237506501'),
('K21', 'Aamir', 'Liaquat', 'H#487 Gulshan Iqbal, KAR', '03196585021')

insert into PropertyForRent (propertyNo, street, city, postcode, [type], rooms, rent, ownerNo, staffNo, branchNo)

values

('P01','S# 10','ISB','52000','Apartment','2','15000','K01','SA9','B010'),
('P02','S# 2','KAR','72400','Apartment','3','20000','K19','SG14','B012'),
('P03','S# 5','PEW','25000','Single Fam','4','50000','K09','SG37','B001'),
('P04','S# 1','HAV','22500','Villa','10','170000','K14','SG5','B002'),
('P05','S# 1','HAR','22620','Bungalow','4','70000','K10','SL21','B009'),
('P06','S# 2','LHR','54000','Townhome','3','40000','K03','SL41','B015'),
('P07','S# 9','SWB','23430','Single Fam','3','45000','K12','SP98','B013'),
('P08','S# 6','ATD','53000','Apartment','2','12000','K20','SK32','B003'),
('P09','S# 7','MAN','21300','Bungalow','4','60000','K07','SG76','B004'),
('P10','S# 8','ISB','52000','Condo','5','50000','K21','SG76','B018'),
('P11','S# 5','ISB','52000','2 Story','6','100000','K18','ST26','B016'),
('P12','S# 4','ATD','53000','Single Fam','4','45000','K04','SV56','B005'),
('P13','S# 5','ISB','52000','Apartment','2','18000','K13','ST91','B021'),
('P14','S# 6','KAR','72400','Townhome','3','35000','K11','SO61','B008'),
('P15','S# 9','LHR','54000','Apartment','2','16000','K15','SQ19','B014'),
('P16','S# 5','HAR','22620','Multi Fam','8','95000','K05','SJ37','B020'),
('P17','S# 3','ATD','53000','Apartment','2','10000','K17','SW84','B006'),
('P18','S# 7','ATD','53000','Townhome','4','50000','K08','ST26','B019'),
('P19','S# 4','ATD','53000','Single Fam','4','35000','K06','ST26','B011'),
('P20','S# 10','PEW','25000','2 Story','7','70000','K16','SF7','B017'),
('P21','S# 3','ISB','53000','Single Fam','3','30000','K02','SG76','B007')

insert into Viewing (clientNo, propertyNo, viewDate, comment)

values

('A013','P04','10/10/2020','Status Pending'),
('A001','P17','12/25/2018','Rented'),
('A014','P09','5/19/2019','Rented'),
('A011','P01','7/1/2019','Rented'),
('A006','P16','8/8/2020','Rented'),
('A019','P05','2/18/2018','Rented'),
('A010','P04','10/10/2020','Status Pending'),
('A020','P01','5/25/2018','Rented'),
('A007','P02','3/8/2019','Rented'),
('A017','P10','5/6/2019','Rented'),
('A002','P13','2/20/2020','Rented'),
('A021','P07','9/9/2019','Rented'),
('A009','P03','1/5/2020','Rented'),
('A015','P16','10/10/2020','Status Pending'),
('A004','P09','10/10/2020','Status Pending'),
('A008','P11','8/26/2019','Rented'),
('A018','P15','9/22/2018','Rented'),
('A003','P06','10/8/2019','Rented'),
('A016','P04','11/11/2018','Rented'),
('A012','P14','12/25/2019','Rented'),
('A005','P09','10/10/2020','Status Pending')

insert into Registration (clientNo, branchNo, staffNo, dateJoined)

values

('A001','B010','SG5','10/5/2018'),
('A002','B011','SO61','9/6/2018'),
('A003','B005','SW84','7/5/2018'),
('A004','B008','SP98','12/9/2018'),

('A005','B016','ST26','11/25/2018'),
('A006','B019','SG5','10/29/2018'),
('A007','B001','SW84','5/30/2018'),
('A008','B018','SG76','6/12/2018'),
('A009','B009','ST26','12/12/2018'),
('A010','B012','SW84','6/29/2018'),
('A011','B017','SP98','8/16/2018'),
('A012','B004','SO61','12/18/2018'),
('A013','B021','SG5','11/11/2018'),
('A014','B013','ST26','11/15/2018'),
('A015','B020','SW84','9/11/2018'),
('A016','B003','SG76','1/5/2019'),
('A017','B014','SO61','1/25/2019'),
('A018','B006','SG76','2/3/2019'),
('A019','B015','SO61','1/20/2019'),
('A020','B002','ST26','11/8/2018'),
('A021','B007','SW84','12/30/2018')

Select distinct(city) from Branch order by city desc;

1.2 LAB 7

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

ANS Select staffNo as ID, fName as FirstName, lName as LastName, [position] as Allocation, sex as Gender, DOB as Birth, salary as Wages, branchNo as Branch from Staff;

Q#4 List all clients with re-naming all its columns to synonyms.

ANS SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

Q#5 List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

ANS SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

1.3 LAB 8

2 Abdul Haseeb Khan (SP19-BCS-001)

2.1 Lab 6

LAB 6

-- 1. Create Database

create database DreamHome

-- 2. Set My Working Database in Query Editor
use DreamHome

-- 3. Create Tables

-- Branch

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street
varchar(100) NOT NULL, city varchar(50) NOT NULL,
postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName
varchar(50) NOT NULL, IName varchar(50) NOT NULL,
position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime
NOT NULL, salary DECIMAL NOT NULL,
branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName
varchar(50) NOT NULL, IName varchar(50) NOT NULL,
telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent
DECIMAL NOT NULL)


```

-- PrivateOwner
create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY,
fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,
[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent
create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY
KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,
postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT
NULL, rent DECIMAL NOT NULL,
ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo
varchar(20) NOT NULL References Staff(staffNo),
branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing
create table Viewing (clientNo varchar(20) NOT NULL References
Client(clientNo),
propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo),
viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

-- Registration
create table Registration(clientNo varchar(20) NOT NULL References
Client(clientNo),
branchNo varchar(20) NOT NULL References Branch(branchNo),staffNo
varchar(20) NOT NULL References Staff(staffNo),datejoined DateTime NOT
NULL)

insert into PropertyForRent (propertyNo, street, city, postcode, [type], rooms,
rent, ownerNo, staffNo, branchNo)
values
('P01','S# 10','ISB','52000','Apartment','2','15000','K01','SA9','B010'),
('P02','S# 2','KAR','72400','Apartment','3','20000','K19','SG14','B012'),
('P03','S# 5','PEW','25000','Single Fam','4','50000','K09','SG37','B001'),
('P04','S# 1','HAV','22500','Villa','10','170000','K14','SG5','B002'),
('P05','S# 1','HAR','22620','Bungalow','4','70000','K10','SL21','B009'),
('P06','S# 2','LHR','54000','Townhome','3','40000','K03','SL41','B015'),
('P07','S# 9','SWB','23430','Single Fam','3','45000','K12','SP98','B013'),
('P08','S# 6','ATD','53000','Apartment','2','12000','K20','SK32','B003'),
('P09','S# 7','MAN','21300','Bungalow','4','60000','K07','SG76','B004'),
('P10','S# 8','ISB','52000','Condo','5','50000','K21','SG76','B018'),
('P11','S# 5','ISB','52000','2 Story','6','100000','K18','ST26','B016')

Select distinct(city) from Branch order by city desc;

```

Reviewed by:

Fahad Afzal (SP19-BCS-006)

Comments:

Code Working. Abdul Haseeb provided data for the PropertyForRent table.

Problems:

No problem at all

Rating: 1 - 10

10

2.2 Lab 7

SOLUTION

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

ANS Select staffNo as ID, fName as FirstName, IName as LastName, [position] as Allocation, sex as Gender, DOB as DateOfBirth, salary as Wages, branchNo as Branch from Staff;

Q#4 List all clients with re-naming all its columns to synonyms.

ANS SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

Q#5 List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

ANS SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

Reviewed by:

Fahad afzal (sp19-bcs-006)

Comments:

Working

Problems:

No problem at all

Rating: 1 - 10

10

2.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

3 Ashfaq Rahim (SP19-BCS-003)

3.1 Lab 6

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

3.2 Lab 7

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

3.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

4 Fahad Afzal (SP19-BCS-006)

4.1 Lab 6

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

4.2 Lab 7

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

4.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

5 Hassaan Shahnawaz (SP19-BCS-008)

5.1 Lab 6

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

5.2 Lab 7

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

5.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

6 Hassan Ali Jadoon (SP19-BCS-009)

6.1 Lab 6

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

6.2 Lab 7

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

6.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

7 Imad Ahmad (SP19-BCS-011)

7.1 Lab 6

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

7.2 Lab 7

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

7.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10

8 Khanzada Haider Ali (SP19-BCS-013)

8.1 Lab 6

-- 1. Create Database

`create database` DreamHome

-- 2. Set My Working Database in Query Editor

`use` DreamHome

-- 3. Create Tables

-- Staff

`create table` Staff (staffNo `varchar`(20) NOT NULL `PRIMARY KEY`, fName `varchar`(50) NOT NULL, lName `varchar`(50) NOT NULL, position `varchar`(50) NOT NULL, sex `varchar`(1) NOT NULL, DOB `DateTime` NOT NULL, salary `DECIMAL` NOT NULL, branchNo `varchar`(20) NOT NULL `References` Branch(branchNo));

-- 4.2 Multiple Rows Example

`insert into` Staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo)
`VALUES`

('SA9', 'Mary', 'Howe', 'Assistant', 'F', '9/11/1988', 20000, 'B002'),
('SG14', 'David', 'Ford', 'Supervisor', 'M', '11/9/1987', 100000, 'B003'),
('SG37', 'An', 'Beech', 'Assistant', 'F', '12/8/1986', 90000, 'B003'),
('SG5', 'Susa', 'Brand', 'Manager', 'F', '5/9/1989', 120000, 'B003'),
('SL21', 'Joh', 'White', 'Manager', 'M', '2/12/1992', 100000, 'B004'),
('SL41', 'Julie', 'Lee', 'Assistant', 'F', '8/3/1990', 50000, 'B002'),
('SP98', 'Akbar', 'Shah', 'Assistant Manager', 'M', '9/8/1996', 70000, 'B005'),
('SK32', 'Mahrukh', 'Bibi', 'Customer Service', 'F', '10/4/1994', 60000, 'B010'),
('SB83', 'Ahmad', 'Hassan', 'Clerk', 'M', '4/6/1991', 40000, 'B009'),
('SR68', 'Hamid', 'Ali', 'Security Guard', 'M', '9/12/1982', 10000, 'B007'),

(*'SI12', 'Akhtar', 'Rasheed', 'Security Officer', 'M', '8/9/1989', 50000, 'B012'*),
(*'SV56', 'Hajra', 'Khan', 'Customer Service', 'F', '3/4/1992', 60000, 'B006'*),
(*'ST91', 'Maria', 'Kareem', 'Customer Service Manager', 'M', '1/7/1991', 80000, 'B008'*),
(*'SO61', 'Kamran', 'Khan', 'Salesperson', 'M', '9/2/1987', 70000, 'B020'*),
(*'SQ19', 'Khurshid', 'Akram', 'Finance Manager', 'M', '12/8/1982', 80000, 'B011'*),
(*'SJ37', 'Sara', 'Majeed', 'HR Manager', 'F', '12/6/1981', 60000, 'B019'*),
(*'SD52', 'Parvaiz', 'Khan', 'Security Guard', 'M', '11/12/1985', 15000, 'B013'*),
(*'ST26', 'Bushra', 'Khan', 'Salesperson', 'F', '5/10/1990', 60000, 'B017'*),
(*'SN99', 'Khalid', 'Kamal', 'Security Guard', 'M', '12/12/1992', 16000, 'B014'*),
(*'SF7', 'Mubashir', 'Naveed', 'Receptionist', 'M', '1/12/1996', 30000, 'B016'*),
(*'SG76', 'Awais', 'Qamar', 'Operations Manager', 'M', '9/4/1988', 80000, 'B015'*),
(*'SW84', 'Muneer', 'Zaman', 'Marketing Manager', 'M', '7/1/1992', 70000, 'B021'*),
(*'SZ34', 'Sana', 'Khan', 'Receptionist', 'F', '5/12/1996', 50000, 'B018'*)

Reviewed by:

Badar

Comments:

Nice work

Problems:

No

Rating: 1 – 10

10

8.2 Lab 7

-- lab-7

use DreamHome;

-- 1. *Print the list of postcode without any repetition*
Select distinct(postcode) from Branch;

--2. *Print all fName from Staff without repetition*
Select distinct(fName) from Staff;

--3. *List all staff with renaming all its columns in results*

**Select staffNo as Id, fName as Father, lName as Employee,
[position] as Allocation, sex as Gender,**

**DOB as Birth, salary as Wage, branchNo as Branch
from Staff;**

--4. List all clients with re-naming all its columns to synonyms.

**SELECT clientNo as StockHolderID, fName as FatherName, IName as
Name, telNo as phoneNo, prefType as Preference, maxRent as
MaximumRent FROM Client;**

--5. List all staff with a salary greater than 10,000.

SELECT salary FROM Staff where salary >10000;

--6. List all managers and supervisors.

**SELECT [position] FROM Staff Where [position] = 'Supervisor' OR
[position] = 'Manager';**

Reviewed by:.

Badar

Comments:

Great job

Problems

No:

Rating: 1 - 10

10

8.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 - 10

9 Sardar Badar Saghir (SP19-BCS-022)

9.1 Lab 6

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),
propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo),
viewDate DateTime NOT NULL, comment varchar(200) NOT NULL);

insert into viewing(clientNo, propertyNo, viewDate, comment)

values

('A013','P04','10/10/2020','Status Pending'),

('A001','P17','12/25/2018','Rented'),

('A014','P09','5/19/2019','Rented'),

('A011','P01','7/1/2019','Rented'),

('A006','P16','8/8/2020','Rented'),

('A019','P05','2/18/2018','Rented'),

('A010','P04','10/10/2020','Status Pending'),

('A020','P01','5/25/2018','Rented'),

('A007','P02','3/8/2019','Rented'),

('A017','P10','5/6/2019','Rented'),

('A002','P13','2/20/2020','Rented'),

('A021','P07','9/9/2019','Rented'),

('A009','P03','1/5/2020','Rented'),
('A015','P16','10/10/2020','Status Pending'),
('A004','P09','10/10/2020','Status Pending'),
('A008','P11','8/26/2019','Rented'),
('A018','P15','9/22/2018','Rented'),
('A003','P06','10/8/2019','Rented'),
('A016','P04','11/11/2018','Rented'),
('A012','P14','12/25/2019','Rented'),
('A005','P09','10/10/2020','Status Pending');

Reviewed by:

Muhammad Awais(SP19-BCS-033)

Comments:

Code Working: Badar Provided The Data for the for Viewing.

Problems:

No problem at all

Rating: 1 – 10

10

9.2 Lab 7

Q#1 Print the list of postcodes without any repetition

ANS Select distinct(postcode) from Branch;

Q#2 Print all fName from Staff without repetition

ANS Select distinct(fName) from Staff;

Q#3 List all staff with renaming all its columns in results

ANS Select staffNo as ID, fName as FirstName, lName as LastName, [position] as Allocation, sex as Gender, DOB as Birth, salary as Wages, branchNo as Branch from Staff;

Q#4 List all clients with re-naming all its columns to synonyms.

ANS SELECT clientNo as StakeHolderID, fName as FirstName, lName as LastName, telNo as PhoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;

Q#5 List all staff with a salary greater than 10,000.

ANS SELECT salary FROM Staff where salary >10000;

Q#6 List all managers and supervisors.

ANS SELECT [position] FROM Staff Where [position] = 'supervisor' OR [position] = 'manager';

Reviewed by:

Khanzada Haider (sp19-bcs-013)

Comments:

Working

Problems:

No problem at all

Rating: 1 – 10

10

9.3 Lab 8

--Examples

```
SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;
```

```
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;
```

```
SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;
```

```
SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';
```

```
SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';
```

```
SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;
```

```
SELECT staffNo, COUNT(salary) FROM Staff; --shwoing error that no aggregate or group clause
```

```
SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary < SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');
```

```
SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary < ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');
```

-- For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

--sorting clauses

```
SELECT fName, lName, position FROM Staff ORDER BY lName ASC;
```

```
SELECT staffNo, fName, salary FROM Staff ORDER BY staffNo DESC;
```

```
SELECT fName FROM Staff ORDER BY fName DESC;
```

--grouping clauses

```
SELECT staffNo, fName, salary FROM Staff WHERE position = 'Assistant' AND salary < 10000;
```

```
SELECT fName, salary FROM Staff WHERE sex = 'M' AND position = 'Manager';
```

```
SELECT fName, lName FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;
```

--aggregate clauses

```
SELECT COUNT(DISTINCT(propertyNo)) AS TotalProperty FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';
```

```
SELECT propertyNo AS ClientID FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';
```

```
SELECT clientNo, propertyNo FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-09';
```

Reviewed by:

Khaznada Haider (sp19-bcs-013)

Comments:

This class is pending by sir

Problems:

Pending

Rating: 1 – 10

Pending

10 Muhammad Awais (SP19-BCS-033)

10.1 Lab 6


```
create database DreamHome;
use Dreamhome;
```

-- 3. Create Tables

-- PrivateOwner

```
create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,
[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)
```

```
insert into PrivateOwner (ownerNo, fName, lName, address, telNo)
values
```

```
('K01','Javed','Aziz','H# 85 Mandia, ATD ','03001245985'),
('K02','Sana','Bucha','H# 21 I-10, ISB','03368754953'),
('K03','Ali','Khan','H#45 KTS, HAR','03314915375'),
('K04','Ahmed','Akhtar','H#20 Supply, ATD','03457296348'),
('K05','Kabir','Singh','H#99 Salhad, ATD','03348719652'),
('K06','Parvaiz','Musharraf','H#86 G-6, ISB','03321596548'),
('K07','Benazir','Shah','H#286 DHA, KAR','03216598174'),
('K08','Jaan','Raheem','H#100 Cantt, LHR','03012000563'),
('K09','Umar','Gul','H#91 Cantt, HAV','03485265154'),
('K10','Raheem','Pardesi','H#20 H-6, ISB','03259826547'),
('K11','Hubaib','Naeem','H#65 G-9, ISB','03185400163'),
('K12','Qaiser','Khattak','H#156 Saddar, PEW','03420096050'),
('K13','Abdullah','Shah','H#48 Topi, SWB','03083032021'),
('K14','Babar','Khan','H#25 TIP,HAR','03058574321'),
('K15','Rehm','Nawaz','H#87 I-4, ISB','03065491032'),
('K16','Hamza','Akbar','H#152 Panian, HAR','03024595687'),
('K17','Nasir','Khan','H#756 Uni road, PEW','03461289567'),
('K18','Alex','Bhatti','H#301 Bahria Town, KAR','03487006320'),
('K19','Hareem','Shah','H#186 Cantt, MAN','03215906903'),
('K20','Waqar','Zaka','H#564 North Nazimabad,KAR','03237506501'),
('K21','Aamir','Liaquat','H#487 Gulshan Iqbal, KAR','03196585021')
```

Reviewed by:

Badar

Comments:

He completed His part

Problems:

No

Rating: 1 – 10

10

10.2 Lab 7

use DreamHome;

1. Print the list of postcode without any repetition

Select distinct(postcode) from Branch;

2. Print all fName from Staff without repetition

Select distinct(fName) from Staff;

3. List all staff with renaming all its columns in results

**Select staffNo as IdNumber , fName as FirstName, lName as LastName, [position]
as Occupation, sex as Gender,
DOB as Birth, salary as Payment, branchNo as BranchId
from Staff;**

4. List all clients with re-naming all its columns to synonyms.

**SELECT clientNo as StockHolderID, fName as FirstName, lName as Name, telNo as
phoneNo, prefType as Preference, maxRent as MaximumRent FROM Client;**

5. List all staff with a salary greater than 10,000.

SELECT salary FROM Staff where salary >10000;

6. List all managers and supervisors.

**SELECT [position] FROM Staff Where [position] = 'Supervisor' OR [position] =
'Manager';**

Reviewed by:

Badar

Comments:

He did really good job in implementing where clause

Problems:

No

Rating: 1 – 10

10

10.3 Lab 8

Reviewed by:.

Comments:

Problems:

Rating: 1 – 10