

Practical Automation Testing Scenarios

Demo Website: <https://www.saucedemo.com/>

Username: standard_user

Password: secret_sauce

1. Login Testing

Objective: Automate the SauceDemo login page and verify successful login.

Demo URL: <https://www.saucedemo.com/>

Java Selenium Code:

```
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class LoginTest {    public static
void main(String[] args) {
    WebDriver driver = new ChromeDriver();
    try
    {
        driver.get("https://www.saucedemo.com/");
        driver.manage().window().maximize();

        driver.findElement(By.id("user-name")).sendKeys("standard_user");
        driver.findElement(By.id("password")).sendKeys("secret_sauce");
        driver.findElement(By.id("login-button")).click();

        String pageTitle = driver.findElement(By.className("title")).getText();
```

```

        if (pageTitle.equals("Products")) {
            System.out.println("PASS: Login successful");
        } else {
            System.out.println("FAIL: Login unsuccessful");
        }
    } finally {
        driver.quit();
    }
}
}
}

```

2. Invalid Login Testing

```

import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class InvalidLoginTest {    public
static void main(String[] args) {
    WebDriver driver = new ChromeDriver();

    try
    {
        driver.get("https://www.saucedemo.com/");        driver.findElement(By.id("user-
name")).sendKeys("wrong_user");
    }
}
}

```

```
driver.findElement(By.id("password")).sendKeys("wrong_password");
driver.findElement(By.id("login-button")).click();

String error = driver.findElement(By.cssSelector("[data-test='error']")).getText();

System.out.println("Error message: " + error);
System.out.println("PASS: Invalid login handled");
} finally {
driver.quit();
}
}
}
```

3. Verify Products

```
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class ProductTest {    public static
void main(String[] args) {

    WebDriver driver = new ChromeDriver();

    try {

        driver.get("https://www.saucedemo.com/");
```

```

        driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();

int products = driver.findElements(By.className("inventory_item")).size();

System.out.println("Number of products: " + products);

if (products > 0) {
    System.out.println("PASS: Products displayed");
} else {
    System.out.println("FAIL: Products not displayed");
}
} finally {
driver.quit();
}
}
}

```

4. Add Product to Cart

```

import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver; public
class AddToCartTest {    public static void
main(String[] args) {
    WebDriver driver = new ChromeDriver();

```

```

try
{
    driver.get("https://www.saucedemo.com/");

    driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();

    driver.findElement(By.id("add-to-cart-sauce-labs-backpack")).click();

    String badge = driver.findElement( By.className("shopping_cart_badge")).getText();
if (badge.equals("1")) {
        System.out.println("PASS: Product added to cart");
    } else {
        System.out.println("FAIL: Product not added");
    }
    } finally {
driver.quit();
    }
}
}

```

5. Verify Product in Cart

```
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class VerifyCartTest {    public
static void main(String[] args) {

    WebDriver driver = new ChromeDriver();

    try
    {

        driver.get("https://www.saucedemo.com/");


        driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();


        driver.findElement(By.id("add-to-cart-sauce-labs-backpack")).click();


        driver.findElement(By.className("shopping_cart_link")).click();


        String productName = driver.findElement(
By.className("inventory_item_name")).getText();


        if (productName.equals("Sauce Labs Backpack")) {
System.out.println("PASS: Product verified");

        } else {
```

```

        System.out.println("FAIL: Product verification failed");
    }
} finally {
driver.quit();
    }
}
}
}

```

6. Remove Product from Cart

```

import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class RemoveCartTest {    public
static void main(String[] args) {
    WebDriver driver = new ChromeDriver();
    try
    {
        driver.get("https://www.saucedemo.com/");

        driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();        driver.findElement(By.id("add-to-cart-
sauce-labs-backpack")).click();

```

```

driver.findElement(By.className("shopping_cart_link")).click();

driver.findElement(By.id("remove-sauce-labs-backpack")).click();

int items = driver.findElements(By.className("cart_item")).size();

if (items == 0) {
    System.out.println("PASS: Product removed");
} else {
    System.out.println("FAIL: Product still present");
}
} finally {
driver.quit();
}
}
}

```

7. Product Sorting import

```

org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver; import
org.openqa.selenium.support.ui.Select; public class
ProductSortTest {    public static void
main(String[] args) {

```

```

WebDriver driver = new ChromeDriver();

try
{
    driver.get("https://www.saucedemo.com/");

    driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();


    Select sort = new Select(driver.findElement(By.className("product_sort_container")));

    sort.selectByValue("lohi");

    System.out.println("Selected: Price (low to high)");
    System.out.println("PASS: Product sorting completed");
    } finally {
driver.quit();
    }
}
}

```

8. Product Details Testing

```

import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

```

```
public class ProductDetailsTest {  
    public static void main(String[] args) {  
        WebDriver driver = new ChromeDriver();  
        try  
        {  
            driver.get("https://www.saucedemo.com/");  
  
            driver.findElement(By.id("user-name")).sendKeys("standard_user");  
            driver.findElement(By.id("password")).sendKeys("secret_sauce");  
            driver.findElement(By.id("login-button")).click();  
  
            driver.findElement(By.id("item_4_title_link")).click();  
  
            String product = driver.findElement(By.className("inventory_details_name")).getText();  
  
            if (product.equals("Sauce Labs Backpack")) {  
                System.out.println("PASS: Product details displayed");  
            } else {  
                System.out.println("FAIL: Product details incorrect");  
            }  
        } finally {  
            driver.quit();  
        }  
    }  
}
```

```
}
```

9. Checkout Form Testing

```
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class CheckoutTest {    public
static void main(String[] args) {

    WebDriver driver = new ChromeDriver();

    try
    {

        driver.get("https://www.saucedemo.com/");        driver.findElement(By.id("user-
name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();

        driver.findElement(By.id("add-to-cart-sauce-labs-backpack")).click();
driver.findElement(By.className("shopping_cart_link")).click();

        driver.findElement(By.id("checkout")).click();
```

```

        driver.findElement(By.id("first-name")).sendKeys("MCA");
driver.findElement(By.id("last-name")).sendKeys("Student");
driver.findElement(By.id("postal-code")).sendKeys("380001");

driver.findElement(By.id("continue")).click();

String title = driver.findElement(By.className("title")).getText();

if (title.equals("Checkout: Overview")) {
    System.out.println("PASS: Checkout details accepted");
} else {
    System.out.println("FAIL: Checkout failed");
}
} finally {
driver.quit();
}
}
}
}

```

10. Complete E-Commerce Testing

```

import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDr
iver;

```

```

public class EcommerceTest {    public
static void main(String[] args) {
    WebDriver driver = new ChromeDriver();

    try
    {
        driver.get("https://www.saucedemo.com/");
driver.manage().window().maximize();

        // Login

        driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();

        // Add product
driver.findElement(
        By.id("add-to-cart-sauce-labs-backpack")).click();

        // Open cart
driver.findElement(By.className("shopping_cart_link")).click();

        // Checkout
driver.findElement(By.id("checkout")).click();        // Customer
details        driver.findElement(By.id("first-
name")).sendKeys("MCA");

```

```
driver.findElement(By.id("last-name")).sendKeys("Student");
driver.findElement(By.id("postal-code")).sendKeys("380001");

    driver.findElement(By.id("continue")).click();

    // Finish order
driver.findElement(By.id("finish")).click();

    // Verify order
String message = driver.findElement(By.className("complete-header")).getText();

if (message.equals("Thank you for your order!")) {
    System.out.println(
        "PASS: Order completed successfully");
} else {
    System.out.println(
        "FAIL: Order confirmation not found");
}
} finally {
driver.quit();
}
}
}
```

11. Logout Testing

```
import org.openqa.selenium.By; import
org.openqa.selenium.WebDriver; import
org.openqa.selenium.chrome.ChromeDriver;

public class LogoutTest {    public static
void main(String[] args) {
    WebDriver driver = new ChromeDriver();
    try
    {
        driver.get("https://www.saucedemo.com/");

        driver.findElement(By.id("user-name")).sendKeys("standard_user");
driver.findElement(By.id("password")).sendKeys("secret_sauce");
driver.findElement(By.id("login-button")).click();

        driver.findElement(By.id("react-burger-menu-btn")).click();

        driver.findElement(By.id("logout_sidebar_link")).click();

        if (driver.findElement(By.id("login-button")).isDisplayed()) {
            System.out.println("PASS: Logout successful");
        } else {
            System.out.println("FAIL: Logout failed");
        }
    }
}
```

```
    }  
    } finally {  
driver.quit();  
    }  
    }  
}
```

11(A). Logout Testing PS

```
package testing;  
  
import java.time.Duration;  
  
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.chrome.ChromeDriver;  
import org.openqa.selenium.support.ui.ExpectedConditions;  
import org.openqa.selenium.support.ui.WebDriverWait;  
  
public class ts_11_logout_testing {  
  
    public static void main(String[] args) {  
  
        WebDriver driver = new ChromeDriver();
```

```
try {  
    WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));  
  
    driver.get("https://www.saucedemo.com/");  
  
    driver.findElement(By.id("user-name")).sendKeys("standard_user");  
    driver.findElement(By.id("password")).sendKeys("secret_sauce");  
    driver.findElement(By.id("login-button")).click();  
  
    // working code :  
  
    //          wait.until(ExpectedConditions.elementToBeClickable(  
    //          By.id("react-burger-menu-btn")  
    //          )).click();  
    //  
    //          // Wait until Logout is clickable  
    //          wait.until(ExpectedConditions.elementToBeClickable(  
    //          By.id("logout_sidebar_link")  
    //          )).click();  
    //  
    //          // Check logout  
    //          wait.until(ExpectedConditions.visibilityOfElementLocated(  
    //          By.id("login-button")  
    //          ));
```

```

        if(driver.findElement(By.id("login-button")).isDisplayed()) {
            System.out.println("PASS : Logout Successfully....");
        } else {
            System.out.println("FAIL : Logout Fails....");
        }

    } finally {
        driver.quit();
    }
}
}

```

1. Addtocart.java

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class AddToCartTest {

    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        driver.get("https://www.saucedemo.com/");

        // Login
        driver.findElement(By.id("user-name"))

```

```

        .sendKeys("standard_user");

driver.findElement(By.id("password"))
    .sendKeys("secret_sauce");

driver.findElement(By.id("login-button"))
    .click();

// Add backpack
driver.findElement(
    By.id("add-to-cart-sauce-labs-backpack")
).click();

System.out.println("Product added to cart");

driver.quit();
    }
}

```

2. FirstTestingProgram.java

```

package webtesting;

/*
Launch firefox web browser
Open URL

*/
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;

public class FirstTestingProgram {

    public static void main(String[] args) {
        // TODO Auto-generated method stub
        WebDriver driver = new FirefoxDriver();

        driver.get("https://www.google.com/");

    }
}

```

```
}
```

3. Launch.java

```
package webtesting;
/*
Launch Chrome web browser
Open URL
Validate Title
Close Browser
*/

import org.openqa.selenium.WebDriver;
//import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.edge.EdgeDriver;

public class Launch {

    public static void main(String[] args) {

        //WebDriver driver = new ChromeDriver();
        WebDriver driver=new EdgeDriver();

        driver.get("https://www.facebook.com");

        String actual_title=driver.getTitle();

        if(actual_title.equals("Facebook – log in or sign up"))
        {
            System.out.println("Test Passed");
        }
        else
        {
            System.out.println("Test Failed");
        }

        driver.close();

        /*    String actual_title=driver.getTitle();
```

```

        if(actual_title.equals("Google"))
        {
            System.out.println("Test Passed");
        }
        else
        {
            System.out.println("Test Failed");
        }

        driver.close();*/

    }

}

```

4. Locatorsid.java

```

package webtesting;

import org.openqa.selenium.By;
/*
Locators
id
name
class
linktext
partiallinktext

*/
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class LocatorsId {

    public static void main(String[] args) {
        WebDriver driver=new ChromeDriver();
        driver.get("https://www.ebay.com/");
    }
}

```

```

        driver.manage().window().maximize();
        /*
        //name
        driver.findElement(By.name("")).sendKeys(args);
        //id
        driver.findElement(By.id("")).isDisplayed();
        //class
        driver.findElement(By.name("")).sendKeys(args);
        */
    //link text
    driver.findElement(By.linkText("Sporting Goods")).click();

    //partial link text
    driver.findElement(By.partialLinkText("Goods")).click();

}
}

```

5. Sauce_ecom.java

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class MultipleUserTest {

    public static void main(String[] args) {

        String[] users = {
            "standard_user",
            "locked_out_user",
            "problem_user",
            "performance_glitch_user",
            "error_user",
            "visual_user"
        };

        for (String user : users) {

```

```

WebDriver driver = new ChromeDriver();

driver.get("https://www.saucedemo.com/");

// Enter username
driver.findElement(By.id("user-name"))
    .sendKeys(user);

// Enter password
driver.findElement(By.id("password"))
    .sendKeys("secret_sauce");

// Click Login
driver.findElement(By.id("login-button"))
    .click();

// Check login result
String url = driver.getCurrentUrl();

if (url.contains("inventory.html")) {

    System.out.println(user + " : PASS");

} else {

    System.out.println(user + " : FAIL");

}

driver.quit();
}
}
}

```

6. VerifyTitle.java

```

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

```

```

public class VerifyTitle {
public static void main(String[] args) {

    WebDriver driver = new ChromeDriver();

    driver.get("https://www.google.com");

    String expectedTitle = "Google";
    String actualTitle = driver.getTitle();

    if(actualTitle.equals(expectedTitle)) {
        System.out.println("Title Verified");
    } else {
        System.out.println("Title Mismatch");
    }

    driver.quit();
}
}

```

7. completeorder.java

```

package Demo1;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.chrome.ChromeOptions;

public class completeorder {
public static void main(String[] args)throws InterruptedException {

    ChromeOptions options = new ChromeOptions();

    options.setExperimentalOption(
        "prefs",

```

```
        java.util.Map.of(
            "credentials_enable_service", false,
            "profile.password_manager_leak_detection", false
        )
    );

    WebDriver driver = new ChromeDriver(options);

    // 1. Open website
    driver.get("https://www.saucedemo.com/");
    Thread.sleep(2000);

    // 2. Login
    driver.findElement(By.id("user-name"))
        .sendKeys("standard_user");

    driver.findElement(By.id("password"))
        .sendKeys("secret_sauce");

    driver.findElement(By.id("login-button"))
        .click();

    Thread.sleep(3000);

    // 3. Add Backpack
    driver.findElement(
        By.id("add-to-cart-sauce-labs-backpack")
    ).click();

    System.out.println("Product added to cart");

    Thread.sleep(2000);

    // 4. Open Cart
    driver.findElement(
        By.id("shopping_cart_container")
    ).click();

    Thread.sleep(3000);

    // Check URL
```

```
System.out.println("Current URL: " +
    driver.getCurrentUrl());

// 5. Click Checkout
driver.findElement(
    By.id("checkout"))
).click();

Thread.sleep(3000);

// 6. Enter customer details
driver.findElement(By.id("first-name"))
    .sendKeys("Dipti");

driver.findElement(By.id("last-name"))
    .sendKeys("Bhatt");

driver.findElement(By.id("postal-code"))
    .sendKeys("380001");

Thread.sleep(2000);

// 7. Continue
driver.findElement(
    By.id("continue"))
).click();

Thread.sleep(3000);

// 8. Finish
driver.findElement(
    By.id("finish"))
).click();

Thread.sleep(3000);

// 9. Verify order
String message =
    driver.findElement(
        By.className("complete-header"))
    ).getText();
```

```

        if (message.contains("Thank you")) {
            System.out.println("ORDER PASSED");
        } else {
            System.out.println("ORDER FAILED");
        }

        Thread.sleep(2000);

        // 10. Close browser
        driver.quit();
    }
}

```

8. FlipkartAutomation.java

```

package webtesting;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

public class FlipkartAutomation {

    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();
        driver.get("https://www.flipkart.com/");
        driver.manage().window().maximize();

        WebElement searchBox=driver.findElement(By.name("q"));
        searchBox.sendKeys("iphone 15 pro max");
        searchBox.submit();

    }

}

```

9. LaunchBrowser.java

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
public class LaunchBrowser {
    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        driver.get("https://www.google.com");

        System.out.println(driver.getTitle());

        driver.quit();
    }
}
```

10. LoginValidation.java

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class LoginValidation {
    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        driver.get("https://practicetestautomation.com/practice-test-login/");

        driver.findElement(By.id("username"))
            .sendKeys("student");

        driver.findElement(By.id("password"))
            .sendKeys("Password123");
    }
}
```

```

        driver.findElement(By.id("submit"))
            .click();

        String url = driver.getCurrentUrl();

        if(url.contains("logged-in-successfully")) {
            System.out.println("Login Passed");
        } else {
            System.out.println("Login Failed");
        }

        driver.quit();
    }
}

```

11. Search.java

```

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class VerifyTitle {
    public static void main(String[] args) {
        WebDriver driver = new ChromeDriver();

        driver.get("https://www.google.com");
        String expected = "Selenium Java";

        driver.findElement(By.name("q"))
            .sendKeys(expected + Keys.ENTER);

        Thread.sleep(3000);

        String title = driver.getTitle();

        if (title.contains(expected)) {
            System.out.println("PASS");
        } else {
            System.out.println("FAIL");
        }
    }
}

```

```
}  
  
driver.quit();  
}  
}
```

12. Delay.java

```
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.chrome.ChromeDriver;  
  
public class DelayExample {  
  
    public static void main(String[] args) throws InterruptedException {  
  
        WebDriver driver = new ChromeDriver();  
  
        driver.get("https://www.google.com");  
  
        Thread.sleep(5000); // Wait for 5 seconds  
  
        driver.quit();  
    }  
}
```

13. GetTitle.java

```
package webtesting;  
  
/*  
Launch chrome web browser  
Get Title, URL and code of the page  
*/  
  
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.chrome.ChromeDriver;
```

```

public class GetTitle {

    public static void main(String[] args) {
        // TODO Auto-generated method stub

        WebDriver driver = new ChromeDriver();
        driver.get("https://www.facebook.com");

        System.out.println("Title of webpage is :" +driver.getTitle()); //
fetch title of webpage

        System.out.println("URL of webpage is : "
+driver.getCurrentUrl()); // fetch url of webpage

        System.out.println("Source Code of the page is : "
+driver.getPageSource()); // fetching source code of webpage

        System.out.println("test case passed");

    }

}

```

14. LocateById.java

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class LocateById {
    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

```

```

driver.get("https://practicetestautomation.com/practice-test-login/");

driver.findElement(By.id("username")).sendKeys("student");

// driver.findElement(By.id("password")).sendKeys("Password123");

// driver.findElement(By.id("submit")).click();

//driver.quit();
}
}

```

15. Productioncart.java

```

100%
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class productincart {

    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        driver.get("https://www.saucedemo.com/");

        // Login
        driver.findElement(By.id("user-name"))
            .sendKeys("standard_user");

        driver.findElement(By.id("password"))
            .sendKeys("secret_sauce");

        driver.findElement(By.id("login-button"))
            .click();
    }
}

```

```

// Add backpack
driver.findElement(
    By.id("add-to-cart-sauce-labs-backpack")
).click();

// Open cart
driver.findElement(By.className("shopping_cart_link"))
    .click();

// Get product name
String product =
    driver.findElement(By.className("inventory_item_name"))
        .getText();

if (product.equals("Sauce Labs Backpack")) {
    System.out.println("PASS: Product is in cart");
} else {
    System.out.println("FAIL: Product not found");
}

driver.quit();
}
}

```

16. Username_required.java

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class EmptyUsernameTest {

    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        driver.get("https://www.saucedemo.com/");
    }
}

```

```

// Leave username empty
driver.findElement(By.id("password"))
    .sendKeys("secret_sauce");

driver.findElement(By.id("login-button"))
    .click();

String error =
    driver.findElement(By.cssSelector("[data-test='error']"))
        .getText();

if (error.contains("Username is required")) {
    System.out.println("PASS");
} else {
    System.out.println("FAIL");
}

driver.quit();
}
}

```

1. Amazon – registration and login

```

package college;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;

import java.time.Duration;

public class testing {

    public static void main(String[] args) {

```

```

WebDriver driver = new ChromeDriver();
WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(15));

try {
    // 1. Open Amazon and maximize
    driver.get("https://www.amazon.in/");
    driver.manage().window().maximize();

    // 2. Click Sign In
    wait.until(ExpectedConditions.elementToBeClickable(
        By.id("nav-link-accountList"))).click();

    // Enter registered email
    wait.until(ExpectedConditions.visibilityOfElementLocated(
        By.id("ap_email"))).sendKeys("YOUR_EMAIL");

    driver.findElement(By.id("continue")).click();

    // Enter password
    wait.until(ExpectedConditions.visibilityOfElementLocated(
        By.id("ap_password"))).sendKeys("YOUR_PASSWORD");

    driver.findElement(By.id("signInSubmit")).click();

    // If OTP/CAPTCHA appears, complete it manually.

    // 3. Verify account name
    WebElement account = wait.until(
        ExpectedConditions.visibilityOfElementLocated(
            By.id("nav-link-accountList-nav-line-1")));

    if (account.getText().contains("Hello")) {
        System.out.println("Login PASS");
    } else {
        System.out.println("Login FAIL");
    }

    // 4. Search wireless mouse
    WebElement search = wait.until(
        ExpectedConditions.visibilityOfElementLocated(
            By.id("twotabsearchtextbox")));

```

```

search.sendKeys("wireless mouse");

driver.findElement(By.id("nav-search-submit-button")).click();

// Verify search results
wait.until(ExpectedConditions.visibilityOfElementLocated(
    By.cssSelector("div[data-component-type='s-search-result']")));

System.out.println("Search PASS");

// 5. Open first product
WebElement firstProduct = wait.until(
    ExpectedConditions.elementToBeClickable(
        By.cssSelector("div[data-component-type='s-search-result'] h2 a")));

firstProduct.click();

// Add to Cart
wait.until(ExpectedConditions.elementToBeClickable(
    By.id("add-to-cart-button"))).click();

System.out.println("Add to Cart PASS");

// 6. Display PASS
System.out.println("=====");
System.out.println("TEST CASE PASS");
System.out.println("=====");

} catch (Exception e) {

    System.out.println("=====");
    System.out.println("TEST CASE FAIL");
    System.out.println("Error: " + e.getMessage());
    System.out.println("=====");

} finally {

    // 7. Close browser
    driver.quit();
}
}

```

```
}
```

2. Practicsetautomation - login

```
package college;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;

public class testing {

    public static void main(String[] args) {

        WebDriver driver = new ChromeDriver();

        try {
            // 1. Launch Chrome
            driver.manage().window().maximize();

            // 2. Open login page
            driver.get("https://practicetestautomation.com/practice-test-login/");

            // 3. Validate URL and Title
            System.out.println("URL: " + driver.getCurrentUrl());
            System.out.println("Title: " + driver.getTitle());

            if (driver.getCurrentUrl().contains("practice-test-login")) {
                System.out.println("URL PASS");
            } else {
                System.out.println("URL FAIL");
            }

            // 4. Enter username
            driver.findElement(By.id("username"))
                .sendKeys("student");

            // 5. Enter password
            driver.findElement(By.id("password"))
                .sendKeys("Password123");
```

```

// 6. Click Submit
driver.findElement(By.id("submit")).click();

// 7. Verify successful login page
String currentURL = driver.getCurrentUrl();

if (currentURL.contains("logged-in-successfully")) {
    System.out.println("Login Successful");
    System.out.println("PASS");
} else {
    System.out.println("FAIL");
}

} catch (Exception e) {

    System.out.println("FAIL");
    System.out.println(e.getMessage());

} finally {

    // 8. Close browser
    driver.quit();
}
}
}

```

3. Demoblaze - registration and login

```

package college;

import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;

public class testing {

    public static void main(String[] args) throws Exception {

        WebDriver d = new ChromeDriver();
    }
}

```

```

d.manage().window().maximize();
d.get("https://www.demoblaze.com/");

String user = "student" + System.currentTimeMillis();
String pass = "123456";

// Sign Up
d.findElement(By.id("signin2")).click();
Thread.sleep(1000);

d.findElement(By.id("sign-username")).sendKeys(user);
d.findElement(By.id("sign-password")).sendKeys(pass);
d.findElement(By.xpath("//div[@id='signInModal']/button[2]")).click();

// Accept "Sign up successful" alert
Thread.sleep(1000);
d.switchTo().alert().accept();

// Login
d.findElement(By.id("login2")).click();
Thread.sleep(500);

d.findElement(By.id("loginusername")).sendKeys(user);
d.findElement(By.id("loginpassword")).sendKeys(pass);
d.findElement(By.xpath("//div[@id='logInModal']/button[2]")).click();

Thread.sleep(2000);

// PASS / FAIL
String msg = d.findElement(By.id("nameofuser")).getText();

if (msg.contains(user))
    System.out.println("PASS");
else
    System.out.println("FAIL");

d.quit();
}
}

```

4. Prestashop – shopping cart functionality

```
package college;

import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;

public class testing {

    public static void main(String[] args) throws Exception {

        WebDriver d = new ChromeDriver();
        d.manage().window().maximize();

        d.get("https://demo.prestashop.com/#/en/front");
        Thread.sleep(7000);

        System.out.println("Title: " + d.getTitle());
        System.out.println("URL: " + d.getCurrentUrl());

        // Enter shop iframe
        d.switchTo().frame(0);
        Thread.sleep(3000);

        // First product
        WebElement product = d.findElement(
            By.xpath("(//article[contains(@class,'product')]/a)[1]")
        );

        // Scroll to product
        ((JavascriptExecutor)d).executeScript(
            "arguments[0].scrollIntoView({block:'center'});", product);

        Thread.sleep(1000);
        product.click();

        Thread.sleep(3000);

        // Add to cart
        WebElement cart = d.findElement(
```

```
        By.xpath("//button[contains(@data-button-action,'add-to-cart')]")
    );

    ((JavascriptExecutor)d).executeScript(
        "arguments[0].click();", cart);

    Thread.sleep(2000);

    System.out.println("Product added");
    System.out.println("PASS");

    d.quit();
}
}
```