



○○○○

Samsung Quad Camera
Shot by ñítú

- 14) Radio button use to select one option in multiple choices
- dropdown use. scrollbar.
- 15) Radio buttons use to select one option in multiple choices
- checkbox is to select multiple options in multiple choices
- 16) Type = "date"
- 18) <input type = "Date" ... >
- 19) we can identify html5 by extension (.html)
- 20) add text-align
removed - <center> / <center>
- 21) <input type = "text" id = " >



Samsung Quad Camera
Shot by Nitú

DELL

25°C Rain 10:44 AM 9/2/2022

10) → globally attributes are id and class

-). Src, alt, width, height

-) href, target

-) style, type

-) type, id, name, placeholder etc

11) -) for html .html

-) for css .css

-) for

12) <tr> use for table row

<td> use for table data

<th> use for table data

.

13)



Samsung Quad Camera

Shot by Nitu

- 8) Generate list of all
in which we use `` tag
- g) ``
- `<ol start="1">`
- `<list> /li> . . .`
- ``
- .) Generate print name without number
and in which use `` tag
- ``
- ` fruitname`
- ` . . . `
- ``
- g) `<pre> tag`



Samsung Quad Camera
Shot by ñíñú

DELL

4) id attribute use in one tag at
provides unique id
e.g.: it is denoted by # in CSS

Class attribute use in more one
element
it is denoted by (.)

5). Ques. creating list for

``
``

6) Ques. Create table with the help of
Table tag

in which file use `<tr>`, for table
rows, `<th>` for table head, `<td>`
for table data

7) in which file use Span tag

`Ram`



Samsung Quad Camera
Shot by निति

- 1.) \rightarrow Block level element consume full line area and started with a new line
eg:- $\langle h1 \rangle / \langle h1 \rangle$
 $\langle p \rangle / \langle p \rangle$
- 2.) An inline element take only defined area
An inline element does not start on a new line.
eg:-
 $\langle a \rangle$
 $\langle b \rangle$
 $\langle input \rangle$
- 3.) \rightarrow href will hold the address of webpage with anchor tag.
- 4.) Src will hold the Path or location of image file
- 5.)
 $\langle a \rangle = \langle a \rangle$ tag define link
 $\langle img \rangle = \langle img \rangle$ tag define image on dup
 $\langle div \rangle = \langle div \rangle$ tag define contains
 $\langle pre \rangle = \langle pre \rangle$ element defines preformatted text



Samsung Quad Camera
Shot by ñíitu