

- ① inline element used to the tag
on side
- ② href - hyperlink
src - This one type of Attribute used
to the location

- ③
- <a> - anchor tag
 - - add the img in the html
 - <pre> - preformatting
 - <input> - format tag
 - <hr> - horizontal tag
 -
 - break line
 - <div> - Block level tag
 - - used to style purpose

④

```
# TOP
&
color, red)
3
```

<h1 id = "top"> This is First
page </h1>

⑤ Semantic — This type is opening
closing tag called the semantic
2 table
no semantic — only closing tag <tbody>

⑥

 name

⑦ <Table>

<tr>

<td> name </td>

<td> Address </td>

</tr>

<div style="color: red;"> Ram </div>

<p> Ram is a boy

⑧ <ol type="numeric" start="10">

④ `<input type="text">`

This

`</input>`

⑩ `<!DOCTYPE html>`

⑪ Type button - This Reload the cursor

Type Submit - Don't Reload

⑫ `<input type="date">`

⑬ `<input type="month">`

⑭

⑮ Form - This Form Tag

tr - Row

td - data

th - heading in table Tag

 - List tag

<div> - description

(16) `<input type="text">` - This is
side Take The ~~only~~

(17) ^{Radio} Button - This is only single
EX `<input type="radio button">`

checkbox - This multiple

EX `<input type="checkbox">`

(18) `<!-- -->`

(19) `<Type="button">` This only reload
The page

`<Type="submit">` This not reload

`<Type="reset">` This resets the