CAPSTONE PROJECT: BANKING SYSTEMS

1. SYSTEM REQUIREMENT SPECIFICATION:

1.1. Software Requirements:

• Operating System: macOS Monterey

• Coding language: Java

Data Base: MySQL

• Front end: browser (recent version)

1.2. Hardware Requirements:


- Personal computer with keyboard and mouse maintained with uninterrupted power supply.
- Processor: Apple M1

• Installed Memory (RAM): 8.00 GB

2. PROJECT SCOPE:

- Front-end for the bank employees who can view the various transactional details and perform the required operations.
- Front-end for the customers to be able to view their specific transactions and details. They should also be able to interact with the system and perform required transactions.
- Front-end for the Admin to view all the details of all customers and employees.

3. USE CASE DIAGRAM:



Use Case diagram is used for representing the problem statement, the actors in it, and their functionality in a behavioral manner. In the above figure and the system, there are 3 different actors:

- a) User
- b) Admin
- c) Employee

4. FLOW OF EVENTS:

Basicflow

- 4.1. Withdraw:
 - 411 User enters customer Id
 - 4.1.2. Bank Database validates the user.
 - 4.1.3. On success user can withdraw money.

4.2. Deposit:

- 4.2.1. User enters customer Id.
- 4.2.2. Bank Database validates the user.
- 4.2.3. On success user can deposit money.

4.3. View Profile

- 4.3.1. User/Admin/Employee enters Id.
- 4.3.2. Bank Database validates the user.
- 4.3.3. On success User/Admin/Employee can view profile. (They can also change their own profile detail)

4.4. View Transactions:

- 4.4.1. Admin/Employee logs in
- 4.4.2. Bank Database validates the Admin/Employee.
- 4.4.3. After successful validation, Admin/Employee can view all transaction details.

- 4.5. Show Customers:
 - 4.5.1. Admin/Employee logs in
 - 4.5.2. Bank Database validates the Admin/Employee.
 - 4.5.3. After successful validation, Admin/Employee can view all customers and their details.

AlternateRow.

4.6. If in the basic flow, the details entered by the user/admin/employee are invalid, then the user/admin/employee is informed that their login attempt has failed. The user may re-enter correct details or create a new account.


Pre-conditions:

4.7. The user must have a valid account in the bank.

• Post-conditions:


4.8. The database is modified after transaction.

5. CLASS DIAGRAM:




6. SEQUENCE DIAGRAM:

6.1. LOGIN & LOGOUT COLLABORATION DIAGRAM:



6.2. ONLINE TRANSACTION SEQUENCE



7. IDENTIFICATION OF RESPONSIBILITIES OF CLASSES:

7.1. Controllers:

	CLASS NAME: AdminController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES	
- View admin profile - Create update delete employees and customers	Service layer classes.	Admin, employee, customer models and AdminRepository, EmployeeRepository, CustomerRepository.	

CLASS NAME: BankAccountController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Contains the creation, updation, and deletion code for employees and customers done by the administrator	Service layer classes.	BankAccount, CurretnAccount, SavingsAccount models and BankAccountRepository.

CLASS NAME: BankController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Create, update, delete, and view details of the bank.	Service layer classes.	Bank model and BankService service and AddressHelper mapper class.

CLASS NAME: BranchController				
RESPONSIBILITIES	RESPONSIBILITIES DEPENDABLES DEPENDENCIES			

- C.R.U.D. for Branch	Service layer classes.	AddressHelper mapper class,
- View transactions		Branch and Customer models, and BranchService service layer.
- View customers		

CLASS NAME: CustomerController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides functionalities for users to view, update, and edit their profiles.	Service layer classes.	BankAccount, Customer, and Transaction models. BankAccountRepository and CustomerRepository.

CLASS NAME: EmployeeController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
- CRUD for customer - View employee profile details.	Service layer classes.	Bank, BankAccount, Customer, Employee, Transaction models. BankAccountRepository, CustomerRepository, and EmployeeRepository.

CLASS NAME: HomeController			
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES	
-Shows welcome screen.	Service layer classes.		

CLASS NAME: TransactionController		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Contains the deposit and withdraw functionalities for the user and the show all transactions for administrator and employees.	Service layer classes.	Transaction model and Transaction services.

7.2. DAO:

CLASS NAME: AdminDAO		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides abstract interface for implementation on AdminRepository		Admin, Customer and Transaction models.

CLASS NAME: BankAccountDAO				
RESPONSIBILITIES	RESPONSIBILITIES DEPENDABLES DEPENDENCIES			

Provides abstract	BankAccount model
interface for	
implementation on	
BankAccountRepository	

CLASS NAME: BankDAO			
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES	
Provides abstract interface for implementation on BankRepository		Bank model	

CLASS NAME: BranchDAO		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides abstract interface for implementation on BranchRepository		Branch, Customer, and Transaction models

CLASS NAME: CustomerDAO		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides abstract interface for implementation on CustomerRepository		Customer and Transaction models.

CLASS NAME: EmployeeDAO		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides abstract interface for implementation on EmployeeRepository		Bank, Employee, and Transaction models.

CLASS NAME: TransactionDAO		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Provides abstract interface for implementation on TransactionRepository		Transaction model.

7.3. Mappers:

CLASS NAME: AddressHelper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Address to a result object.	Database.	Address model.

CLASS NAME: AdminMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Admin to a result object.	Database.	Admin model.

CLASS NAME: BankMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Bank to a result object.	Database.	Bank model.

CLASS NAME: BranchMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Branch to a result object.	Database.	Branch, Customer, and Transaction model.

CLASS NAME: CurrentAccountMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES

Database.	BankAccount and
	CurrentAccount models.
	Database.

CLASS NAME: CustomerMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Customer to a result object.	Database.	Customer model.

CLASS NAME: EmployeeMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of Employee to a result object.	Database.	Employee model.

CLASS NAME: ReversalRequestsMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES

Database.	ReversalRequests model.
	Database.

CLASS NAME: SavingsAccountMapper		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Mapping of each row of SavingsAccount to a result object.	Database.	BankAccount and SavingsAccount models.

CLASS NAME: TransactionMapper			
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES	
Mapping of each row of Transaction to a result object.	Database.	Transaction and TransactionType model.	

7.4. Models:

CLASS NAME: AccountType	

Enumerator for accour	t type.	
	CLASS NAME: Address	
For setting the address	and displaying it.	
	CLASS NAME: Admin	
	CLASS NAME: Admin	
For setting and display		
For setting and display	ing Admin details.	
For setting and display		
	ing Admin details. CLASS NAME: Bank	
	ing Admin details.	
	ing Admin details. CLASS NAME: Bank	
	ing Admin details. CLASS NAME: Bank	
	ing Admin details. CLASS NAME: Bank	
	ing Admin details. CLASS NAME: Bank	
	ing Admin details. CLASS NAME: Bank	

CLASS NAME: BankAccount				
For setting and displaying bank account details of a customer like account number, customer id, branch, available balance, etc.				
	CLASS NAM	IE: Branch		
For setting and displaying branch details like branch code, bank code, manager, etc.				
	CLASS NAME: C	urrentAccount		
RESPONSIBILITIES	DEPENDABLES	DEPENDENC	CIES	
Calculates charge and interest and returns account balance of current account. BankAccount model.				
	CLASS NAME: Customer			

For setting and displaying customer details like name, address, customer id, etc.	1	
	1	
	1	
	1	
	Ш	

CLASS NAME: Employee		

CLASS NAME: ReversalRequests		
For setting and displaying date, time, request id of reversal requests.		

CLASS NAME: SavingsAccount		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
Calculates charge and interest and returns account balance of savings account.		Extends BankAccount model

CLASS NAME: Transaction		
For setting and displaying transaction details like timestamp, amount, transaction number, etc.		

CLASS NAME: TransactionType		
Enumerator for account type.		

7.5. Repository:

CLASS NAME: AdminRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For getting Admin by ID, showing Transactions and showing customers.		Admin, Customer and Transaction Mapper. Admin, Customer and Transaction models. Admin DAO.

CLASS NAME: BankAccountRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES

For creating and	SavingAccount Mapper.
showing accounts,	BankAccount models.
getting all accounts by	
Branch code, Account	BankAccount DAO.
number and ID and	
deleting a bank	
account.	

CLASS NAME: BankRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For creating Bank and viewing details by IFSC.		Bank Mapper. Bank models.
		Bank DAO.

CLASS NAME: BranchRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For creating branch,		Branch, Customer and
viewing details by		Transaction Mappers.
IFSC, showing		Branch, Customer and
Transactions,		Transaction Models.
customers and		
branches, deleting by		Branch DAO.
IFSC and updating		
Branch manager.		

CLASS NAME: CustomerRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES

For creating	Customer and Transaction
Customer, deleting	Mappers.
customer by ID,	Customer and Transaction
getting customer by	models.
Account Number, by	models.
Branch code or by ID,	Customer DAO
updating Customer by	
ID, showing	
Transactions	
TypeWise and getting	
Customer by	
branches.	

CLASS NAME: EmployeeRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For creating and deleting employees, getting employee bank, getting employee by ID, showing all employees, updating Employee and getting employee transactions.		Bank, Employee and Transaction Mappers. Bank, Employee and Transaction models. Employee DAO.

CLASS NAME: TransactionRepository		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For depositing, showing transactions, withdrawing, depositing in transactions and crediting in transactions		Transaction Mapper. Transaction Model. Transaction DAO.

7.6. Services:


CLASS NAME: BankService		
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES
For Creating Bank and Viewing The details.		Bank model. Bank Repository.

CLASS NAME: BranchService				
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES		
For creating Branch, get the branches by IFSC, deleting Branch by IFSC, updating Branch manager name and getting Customer by Branches.		Branch and Customer models. Branch and Customer Repository.		

	CLASS NAME: TransactionService				
RESPONSIBILITIES	DEPENDABLES	DEPENDENCIES			
For depositing, withdrawing and getting all the transactions.		Transaction Model. Transaction Repository.			

8. IMPLEMENTATION:









AccountNo	TransactionNo	Туре	Amount	Date
34001	14	credit	1000	28/04/2022 22:37:24
34001	15	credit	2000	29/04/2022 00:51:13
34001	16	debit	1000	29/04/2022 00:51:18
34001	17	debit	500	29/04/2022 00:51:26





Add New Branch


BranchCode	Address	Manager	HeadOffice	BankCode	Action
SBIB0000101	Rohini, Delhi, New Delhi, India, 110085	Shivam Khanna	no	SBIB	Edit
SBIB0000102	Madame Cama Road, Mumbai, Maharashtra, India, 400021	Rohan Bhatnagar	yes	SBIB	Edit
SBIB0000103	Yerwada, Pune, Maharashtra, India, 411006	Sakshi Mangal	no	SBIB	Edit
















Add New Customer

- 1	Empld	Name	Address	Action
	1	Sagar Chaurasia	Rohini, Delhi, New Delhi, India, 110085	Edit
	2	Roger Lal	Hinjewadi, Pune, Maharashtra, India, 4110010	Edit
	3	Aman Sharma	Viman Nagar, Mumbai, Maharashtra, India, 411013	Edit












Add New Bank Account

AccountNo	CustomerNo	Branch	Туре	Account Balance	
34001	1	SBIB0000101	savings	2000	
34005	3	SBIB0000101	current	2000	






TransactionNo	AccountNo	Amount	Туре	Timestamp
14	34001	1000	credit	28/04/2022 22:37:24
15	34001	2000	credit	29/04/2022 00:51:13
16	34001	1000	debit	29/04/2022 00:51:18
17	34001	500	debit	29/04/2022 00:51:26










TransactionNo	AccountNo	Amount	Type	Timestamp
14	34001	1000	credit	28/04/2022 22:37:24
15	34001	2000	credit	29/04/2022 00:51:13
16	34001	1000	debit	29/04/2022 00:51:18
17	34001	500	debit	29/04/2022 00:51:26



9. CONCLUSION:

This banking system allows customers to view, edit, and update their profile along with withdrawal and deposit of funds in their bank accounts. The system allows the employees and the administrator to view all transactions as well as customer details. The admin of the system can also create, update, or delete.

10. REFERENCES:

- **10.1.** github.com/akash-coded
- **10.2.** http://stackoverflow.com/
- **10.3.** www.youtube.com