

Use Case: User Registration

Iteration: 1

Primary Actor(s): New User

Goal in Context: Enable a new user to create an account in the platform.

Trigger: The user selects the option “sign up” or “Create an account” option in the software.

Preconditions: the user must be new, cannot have an existing registered account.

Scenario:

1. The user goes to the registration page.
2. The user enters required information, such as username, email, and password.
3. The system then verifies the provided information whether all required fields are filled and its correct.
4. If the entered information is successful, then the System creates a new user account.
5. Then the user gets a confirmation email.

Postconditions: Once the account is successfully created and verified, the user gains access to log in and utilize system services.

Exceptions:

1. If the email entered is already registered, then the system notifies the user and prevents duplicate registration.
2. if the entered credentials do not meet format requirements, an error message is displayed, prompting the user to correct them and resubmit again.

Priority: High

When available: Iteration 1

Frequency of use: One time per user,(At the very beginning)

Channel to actor: when user clicks the “Sign Up” or "Create an account" option.

Channels to secondary actors: N/A

Open issues: N/A

Use Case: User Login

Iteration: 1

Primary Actor(s): Registered User

Goal in Context: Authenticates a registered user, granting access to the system's features.

Trigger: the user selects the "Login" option.

Preconditions: The user must have a registered account.

Scenario:

1. The user goes to the login page.
2. The user enters their credentials to login (username and password).
3. The system checks the provided credentials against the stored records.
4. If the Authentication is successful, the System grants access to the user account.

Postconditions: Once the login is successful, the user is redirected to their personalized dashboard, where they can access available games, view rankings, and track game history.

Exceptions:

1. If the user enters incorrect login credentials, an error message is displayed, prompting them to try again.
2. If multiple unsuccessful login attempts occur, the system may temporarily lock the account for security reasons.

Priority: High

When available: Iteration 1

Frequency of use: Often

Channel to actor: The user enters their login credentials (ID and password) and clicks the "Login" button.

Channels to secondary actors: N/A

Open issues: N/A

Use Case: Update Profile

Iteration: 1

Primary Actor(s): Registered User

Goal in Context: Allows the users to personalize their profiles.

Trigger: The user chooses to modify their profile settings.

Preconditions: The user must have an active, registered account.

Scenario:

1. The user logs into their account and goes to their account settings.
2. The user goes to the profile section.
3. The user selects the "Edit Profile" option.
4. The user updates profile details, such as display name, profile picture, bio, and visibility of game statistics.
5. The user clicks "Save Changes" to confirm the updates.
6. The system validates the input and updates the profile in the database.
7. The user can exit the settings page.

Postconditions: the updated new profile is displayed.

Exceptions:

1. If an error occurs in the system, changes may not be saved due to a technical issue.
2. The new updated Profile may take time to reflect, causing temporary display of outdated information of the user.

Priority: Medium

When available: Iteration 1

Frequency of use: Often

Channel to actor: The user Access the settings and selecting "Edit Profile" option.

Channels to secondary actors: N/A

Open issues: N/A

Use Case: View Profile**Iteration:** 1**Primary Actor(s):** Registered User**Goal in Context:** Allow users to access and review their personal profile details.**Trigger:** The user wants to check their personal profile details.**Preconditions:** The user must have an active session and be logged in.**Scenario:**

1. The user accesses their account and navigates to the profile section.
2. The user selects the "View Public Profile" option.
3. The system retrieves and displays the user's profile details.

Postconditions: The user's profile information is correctly displayed.**Exceptions:**

1. If the User submits invalid data., the profile will not load, and an error message is shown.
2. If there is a data retrieval failure, the profile may display outdated or with incomplete information.

Priority: Low**When available:** iteration 1**Frequency of use:** Rare**Channel to actor:** The user selects the "View Profile" option.**Channels to secondary actors:** N/A**Open issues:** N/A

Use Case: Update logout

Iteration: 1

Primary Actor(s): Registered User

Goal in Context: Ensure that a logged-in user can securely log out of the system and end their session.

Trigger: The user selects the "Logout" option from the system menu.

Preconditions: The user must be logged into their account.

Scenario:

1. The user navigates to the system menu or profile settings.
2. The user selects the "Logout" option.
3. The system prompts for confirmation (optional).
4. The system terminates the user's session.
5. The user is redirected to the login page or homepage.

Postconditions:

1. The user's session has successfully ended.
2. The system prevents access to any restricted areas without logging in again.

Exceptions:

1. If a network failure occurs during logout, the session might not terminate immediately.
2. If a session timeout happens before logout, the system may automatically log out the user.
3. If the user force-closes the app/browser without logging out, the system should handle session expiration securely.

Priority: High

When Available: Iteration 1

Frequency of Use: Often

Channel to Actor: The user selects the "Logout" button from the menu.

Channels to Secondary Actors: N/A

Open Issues: N/A