

Use Case Descriptions GUI

Use case: Previous Page

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Login

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Sign Up

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Forgot Password

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Manage Profile

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Home Page

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Logout

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Add Friend

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Search Friend

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Play Games

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Select Tic Tac Toe

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Select Connect 4

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Select Checkers

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Choose Opponent

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Friend (Opponent Selection)

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: In-Game Options

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Game Chat

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Top Players

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Game History

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Quit

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Reset Password

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Delete Profile

Iteration:

Primary Actor:

Goal in context:

Preconditions:

1.

Trigger:

Scenario:

1.

Post conditions:

1.

Exceptions:

1.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Edit Profile

Iteration:

Primary Actor:

Goal in context:

Preconditions:

2.

Trigger:

Scenario:

2.

Post conditions:

2.

Exceptions:

2.

Priority:

When available:

Frequency of use:

Channel to actor:

Use case: Random (Opponent Selection)

Iteration:

Primary Actor:

Goal in context:

Preconditions:

3.

Trigger:

Scenario:

3.

Post conditions:

3.

Exceptions:

3.

Priority:

When available:

Frequency of use:

Channel to actor: