Laboratorio No. 3 PARTE 2:

Clonación controlada de un sitio web con HTTrack y análisis de exposición


Url del compañero

https://euphonious-basbousa-9af306.netlify.app/







Se crea el directorio de trabajo lab3_parte2_httrack mediante el comando mkdir, se accede a él con cd y se valida la ruta actual en el sistema usando pwd.




Se muestra la finalización del proceso de clonación con HTTrack y la posterior verificación del contenido descargado mediante el comando ls -la. En el listado se confirma la creación de los archivos y carpetas del sitio web clonado, incluyendo el archivo principal index.html, imágenes base y el directorio con el nombre del dominio.



Se ejecuta el comando tree para visualizar la estructura del sitio clonado, mostrando la organización jerárquica de las carpetas generadas, los archivos de estilos (.css), imágenes y el archivo principal index.html.




Se comprueba el funcionamiento del sitio clonado levantando un servidor local en el puerto 8080 (http://127.0.0.1:8080), donde la página carga de manera correcta en el navegador con todos sus elementos visuales y estructura intactos.



Se ejecuta el comando grep -Rni "api" . para buscar de forma recursiva cualquier mención de la palabra "api" dentro de los archivos del sitio clonado, identificando coincidencias en el archivo index.html y en la imagen de logo.



Se realizan búsquedas recursivas con el comando grep -Rni para encontrar palabras clave como "api", "fetch" y "token" en el código fuente, localizando sus apariciones y números de línea dentro del archivo index.html.



Se ejecuta el comando grep -Rni "key" . para buscar posibles claves, variables o credenciales expuestas dentro del código, encontrando coincidencias en etiquetas meta, estructuras HTML y scripts de la plataforma.

```
┌──(kali㉿kali)-[~/lab3_parte2_httrack]
└─$ grep -Rni "http" .
./index.html:1:<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
./index.html:4: <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
./index.html:120:       <meta HTTP-EQUIV="Refresh" CONTENT="0; URL=euphonious-basbousa-9af306.netlify.app
/index.html">
./hts-cache/doit.log:1:https://euphonious-basbousa-9af306.netlify.app/ -O /home/kali/lab3_parte2_httrack
+*.netlify.app/* +*.css +*.js +*.png +*.jpg +*.jpeg +*.gif -v
./hts-cache/new.txt:2:17:55:15  1534/1534      ——M-Z  404     error ('Not%20Found')   text/html       e
tag:1787693210-ssl-df   https://euphonious-basbousa-9af306.netlify.app/robots.txt             (from )
./hts-cache/new.txt:3:17:55:15  39753/39753     ——M-Z  200     added ('OK')    text/html       etag:%22f
39de757f8ecb12a8f0a849be9e9672a-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/ /home/kal
i/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/index.html (from )
./hts-cache/new.txt:4:17:55:16  373708/373708    ——M--  200     added ('OK')    image/png       etag:%223
433c2e753b4366bb198531e12e1502d-ssl%22  https://euphonious-basbousa-9af306.netlify.app/img/logo.png     /
home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/img/logo.png       (from https://eup
honious-basbousa-9af306.netlify.app/)
./hts-cache/new.txt:5:17:55:16  435/435 ——M--  200     added ('OK')    text/css        etag:%22349c042f9
397aaafff3c05797c94a7ed-ssl%22  https://euphonious-basbousa-9af306.netlify.app/css/estilos.css  /home/kal
i/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/estilos.css    (from https://euphonious-
basbousa-9af306.netlify.app/)
./hts-cache/new.txt:6:17:55:17  33737/33737     ——M-Z  200     added ('OK')    application/javascript  e
tag:%2257b66bb840f16f1e2e5b3d8cf745275a-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/.n
etlify/scripts/hud?variant=public       /home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify
.app/.netlify/scripts/hud3eb9   (from https://euphonious-basbousa-9af306.netlify.app/)
./hts-cache/new.txt:7:17:55:17  389/389 ——M--  200     added ('OK')    text/css        etag:%22e42579a24
2d5253e8988c2adc03dc409-ssl%22  https://euphonious-basbousa-9af306.netlify.app/css/reset.css    /home/kal
i/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/reset.css      (from https://euphonious-
basbousa-9af306.netlify.app/css/estilos.css)
./hts-cache/new.txt:8:17:55:17  574/574 ——M--  200     added ('OK')    text/css        etag:%22e8dba8b5b
d6399189a6044df8a44f189-ssl%22  https://euphonious-basbousa-9af306.netlify.app/css/variables.css        /
home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/variables.css  (from https://eup
honious-basbousa-9af306.netlify.app/css/estilos.css)
./hts-cache/new.txt:9:17:55:18  920/920 ——M--  200     added ('OK')    text/css        etag:%2227a52fd56
9183063930f74d841d3ae4d-ssl%22  https://euphonious-basbousa-9af306.netlify.app/css/base.css     /home/kal
i/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/base.css       (from https://euphonious-
basbousa-9af306.netlify.app/css/estilos.css)
./hts-cache/new.txt:10:17:55:18 1668/1668       ——M-Z  200     added ('OK')    text/css        etag:%220
402c250b602b6f43ed0ad0bf804285f-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/css/header
.css    /home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/header.css    (from htt
ps://euphonious-basbousa-9af306.netlify.app/css/estilos.css)
./hts-cache/new.txt:11:17:55:18 7204/7204       ——M-Z  200     added ('OK')    text/css        etag:%22a
50990ddde8f56be366565540a960f83-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/css/hero.c
ss      /home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/hero.css      (from htt
```

```
7601e7e6ea95a7db270854936ff3e92-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/css/seccio
nes.css /home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/secciones.css (from htt
ps://euphonious-basbousa-9af306.netlify.app/css/estilos.css)
./hts-cache/new.txt:14:17:55:20 7600/7600       ——M-Z  200     added ('OK')    text/css        etag:%22a
f14a547b67cb3fc13b4a660802f4027-ssl-df%22       https://euphonious-basbousa-9af306.netlify.app/css/respon
sive.css        /home/kali/lab3_parte2_httrack/euphonious-basbousa-9af306.netlify.app/css/responsive.css(
from https://euphonious-basbousa-9af306.netlify.app/css/estilos.css)
grep: ./hts-cache/new.zip: binary file matches
./euphonious-basbousa-9af306.netlify.app/index.html:6:<!—— Added by HTTrack ——><meta http-equiv="content-
type" content="text/html;charset=UTF-8" /><!—— /Added by HTTrack ——>
./euphonious-basbousa-9af306.netlify.app/index.html:10:     like this one for free: https://netlify.new/?
utm_campaign=ai-legible&utm_source=comment&utm_medium=referral&utm_id=0dae8771-66f8-4c38-bdf3-cc08ab24881
5
./euphonious-basbousa-9af306.netlify.app/index.html:13:<meta name="netlify-deploy" content="https://netli
fy.new/?utm_campaign=ai-legible&amp;utm_source=meta&amp;utm_medium=referral&amp;utm_id=0dae8771-66f8-4c38
-bdf3-cc08ab248815">
./euphonious-basbousa-9af306.netlify.app/index.html:115:                    <div class="browser-url">https:
//sitio.test</div>
./euphonious-basbousa-9af306.netlify.app/index.html:309:                solicitudes HTTP y análisis de los
enlaces encontrados.
./euphonious-basbousa-9af306.netlify.app/index.html:327:                    <span>HTTP</span>
./euphonious-basbousa-9af306.netlify.app/index.html:328:                    <span>HTTPS</span>
./euphonious-basbousa-9af306.netlify.app/index.html:345:                    <span>HTTP</span>
./euphonious-basbousa-9af306.netlify.app/index.html:464:                <div class="terminal-linea">httrack
 https://sitio.test/</div>
./euphonious-basbousa-9af306.netlify.app/index.html:511:                httrack "https://sitio-autorizado.t
est/" \ -O "$HOME/lab1_httrack"
./euphonious-basbousa-9af306.netlify.app/index.html:583:                    <code>https://sitio.test/</co
de>
./euphonious-basbousa-9af306.netlify.app/index.html:1032:                       <code>grep -r "http" .</co
de>
./euphonious-basbousa-9af306.netlify.app/index.html:1035:                     <td>Buscar referencias HTTP.
</td>
./euphonious-basbousa-9af306.netlify.app/.netlify/scripts/hud3eb9:65:    `https://${APP_HOST}/projects/${
SITE_ID}/overview?${query}`;
./euphonious-basbousa-9af306.netlify.app/.netlify/scripts/hud3eb9:207:          <form class="nl-prompt" a
ction="https://${APP_HOST}/start" method="get" target="_blank" rel="noopener">
./euphonious-basbousa-9af306.netlify.app/.netlify/scripts/hud3eb9:218:          <a class="nl-drop" href="
https://${APP_HOST}/drop?utm_source=netlify_badge${HUD_VARIANT ? "&utm_campaign=" + HUD_VARIANT : ""}${SI
TE_ID ? "&utm_id=" + SITE_ID : ""}" target="_blank" rel="noopener">
./euphonious-basbousa-9af306.netlify.app/.netlify/scripts/hud3eb9:354:          <a href="https://docs.net
lify.com/manage/security/secure-access-to-sites/project-visibility/"

┌──(kali㉿kali)-[~/lab3_parte2_httrack]
└─$
```

Se ejecuta el comando grep -Rni "http" . para rastrear enlaces absolutos, esquemas o llamadas a recursos externos, mostrando coincidencias en etiquetas de redirección y en los registros de descarga de HTTrack.



Se ejecuta una búsqueda avanzada con expresiones regulares mediante grep -RniE para detectar patrones de credenciales sensibles (claves de API, contraseñas, secretos o tokens de autorización), arrojando coincidencias del término "token" dentro del archivo index.html.

Conclusión:

El ejercicio demostró cómo clonar de forma completa y funcional la superficie pública de una aplicación web mediante **HTTrack** en Kali Linux, permitiendo desplegar una réplica local idéntica para su análisis. Además, el posterior escaneo con expresiones regulares y comandos grep evidenció la utilidad de estas herramientas en auditorías de seguridad web, facilitando la inspección del código fuente para verificar la exposición de enlaces, recursos y posibles credenciales o tokens sensibles en el lado del cliente.