Event 1 - Goseong, Gangwon (Toseong-Wonam) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Geumho-dong (632461)	강원 속초	Within 25 km and ≥5 downwind hours	20	PM2.5	6.00 - 104.00	19.05 (10.33)	11.00 - 119.00	43.39 (31.01)	+24.34	2.00 - 25.00	13.09 (5.24)	-5.96
				PM10	18.00 - 249.00	38.07 (26.58)	30.00 - 167.00	110.13 (38.85)	+72.06	4.00 - 102.00	40.62 (25.85)	+2.56
Yangyang-eup (632451)	강원 양양	Within 25 km and ≥5 downwind hours	13	PM2.5	4.00 - 41.00	15.48 (6.72)	7.00 - 36.00	20.22 (8.76)	+4.74	1.00 - 23.00	11.14 (5.60)	-4.34
				PM10	10.00 - 90.00	29.18 (13.83)	16.00 - 130.00	72.30 (33.30)	+43.12	1.00 - 89.00	33.33 (22.30)	+4.15
Sang-ri (632441)	강원 고성	Within 25 km	0	PM2.5	4.00 - 43.00	16.54 (6.94)	6.00 - 43.00	21.00 (9.26)	+4.46	1.00 - 26.00	10.29 (5.42)	-6.25
				PM10	11.00 - 96.00	32.59 (16.34)	21.00 - 122.00	72.74 (27.55)	+40.15	4.00 - 87.00	31.38 (20.13)	-1.22

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 2 - Gangneung, Gangwon (Okgye-Namyang) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Cheongok-dong (632151)	강원 동해	Within 25 km	2	PM2.5	8.00 - 40.00	20.06 (6.23)	12.00 - 70.00	29.73 (12.56)	+9.67	2.00 - 32.00	14.68 (6.29)	-5.37
				PM10	12.00 - 86.00	32.46 (12.76)	13.00 - 135.00	73.35 (35.80)	+40.89	4.00 - 133.00	37.40 (27.03)	+4.95
Namyang-dong (632161)	강원 삼척	Within 25 km	1	PM2.5	8.00 - 46.00	19.90 (6.41)	11.00 - 49.00	27.41 (11.15)	+7.51	3.00 - 34.00	14.38 (6.26)	-5.52
				PM10	12.00 - 77.00	31.71 (10.93)	15.00 - 133.00	73.18 (35.77)	+41.47	2.00 - 107.00	32.96 (22.82)	+1.25
Okcheon-dong (632132)	강원 강릉	Within 25 km and ≥5 downwind hours	7	PM2.5	7.00 - 43.00	18.12 (6.47)	14.00 - 38.00	23.09 (7.22)	+4.97	1.00 - 36.00	13.22 (6.34)	-4.89
				PM10	10.00 - 110.00	32.23 (15.08)	21.00 - 136.00	74.23 (35.48)	+41.99	1.00 - 105.00	31.58 (22.39)	-0.65

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 3 - Andong, Gyeongbuk (Pungcheon-Ingeum) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Yecheon-gun (437581)	경북 예천	Within 25 km	0	PM2.5	2.00 - 27.00	8.19 (4.62)	4.00 - 123.00	24.15 (25.82)	+15.96	5.00 - 33.00	17.36 (4.96)	+9.18
				PM10	5.00 - 124.00	32.22 (22.77)	13.00 - 137.00	51.17 (29.77)	+18.96	15.00 - 62.00	38.46 (8.54)	+6.24
Myeongnyun-dong (437141)	경북 안동	Within 25 km and ≥5 downwind hours	44	PM2.5	3.00 - 29.00	10.73 (4.08)	8.00 - 213.00	39.53 (45.97)	+28.80	10.00 - 33.00	20.53 (4.88)	+9.80
				PM10	3.00 - 115.00	30.98 (22.38)	15.00 - 301.00	72.57 (65.95)	+41.59	10.00 - 72.00	40.86 (11.53)	+9.88
Uiseong-eup (437412)	경북 의성	Within 25 km and ≥5 downwind hours	20	PM2.5	1.00 - 31.00	8.37 (4.90)	7.00 - 40.00	17.45 (9.18)	+9.09	5.00 - 45.00	20.20 (7.80)	+11.83
				PM10	1.00 - 102.00	27.99 (23.10)	10.00 - 114.00	38.32 (21.51)	+10.33	15.00 - 68.00	34.56 (10.65)	+6.57
Cheongsong-gun (735601)	경북 청송	≥5 downwind hours	34	PM2.5	1.00 - 28.00	9.72 (4.62)	7.00 - 41.00	18.55 (9.45)	+8.83	7.00 - 31.00	18.81 (5.61)	+9.09
				PM10	3.00 - 108.00	31.54 (22.69)	12.00 - 88.00	41.64 (21.97)	+10.10	14.00 - 63.00	34.48 (9.77)	+2.94
Gongdan-dong (437151)	경북 구미	≥5 downwind hours	19	PM2.5	2.00 - 42.00	14.20 (7.24)	8.00 - 49.00	19.89 (8.85)	+5.69	9.00 - 52.00	23.80 (7.24)	+9.60
				PM10	7.00 - 87.00	34.75 (19.56)	17.00 - 82.00	39.12 (17.29)	+4.37	16.00 - 66.00	37.98 (10.47)	+3.22

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 4 - Uljin, Gyeongbuk (Buk-Ducheon) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Uljin-gun (437421)	경북 울진	Within 25 km and ≥5 downwind hours	88	PM2.5	8.00 - 71.00	26.72 (15.36)	5.00 - 803.00	89.96 (142.35)	+63.25	1.00 - 33.00	10.78 (6.83)	-15.94
				PM10	19.00 - 91.00	42.54 (17.77)	9.00 - 910.00	131.57 (156.17)	+89.04	6.00 - 111.00	22.80 (20.06)	-19.74
Seokpo-myeon (437431)	경북 봉화	Within 25 km and ≥5 downwind hours	29	PM2.5	5.00 - 59.00	23.17 (12.68)	3.00 - 309.00	40.44 (51.67)	+17.27	1.00 - 40.00	9.72 (7.87)	-13.45
				PM10	11.00 - 84.00	39.05 (17.47)	1.00 - 452.00	75.51 (75.23)	+36.46	1.00 - 128.00	20.07 (27.08)	-18.98
Hwangji-dong (632511)	강원 태백	≥5 downwind hours	20	PM2.5	3.00 - 58.00	19.89 (12.39)	1.00 - 140.00	21.51 (18.86)	+1.62	1.00 - 39.00	7.83 (7.15)	-12.06
				PM10	4.00 - 92.00	39.92 (18.76)	2.00 - 254.00	56.13 (41.59)	+16.21	2.00 - 222.00	21.22 (33.07)	-18.70
Yeongyang-gun (437571)	경북 영양	≥5 downwind hours	35	PM2.5	1.00 - 85.00	27.57 (19.12)	1.00 - 63.00	25.00 (13.52)	-2.57	1.00 - 41.00	8.57 (8.85)	-19.00
				PM10	13.00 - 111.00	46.70 (22.31)	12.00 - 221.00	59.02 (33.40)	+12.32	1.00 - 125.00	21.16 (26.30)	-25.54
Namyang-dong (632161)	강원 삼척	≥5 downwind hours	32	PM2.5	12.00 - 78.00	26.25 (13.54)	5.00 - 198.00	28.69 (18.82)	+2.43	5.00 - 31.00	14.41 (6.27)	-11.84
				PM10	6.00 - 90.00	32.34 (14.56)	4.00 - 325.00	51.39 (35.49)	+19.05	2.00 - 93.00	17.86 (14.90)	-14.48

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 5 - Gangneung, Gangwon (Okgye-Namyang) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Mukho Port (132902)	강원 동해	Within 25 km and ≥5 downwind hours	89	PM2.5	5.00 - 73.00	25.83 (13.98)	8.00 - 752.00	106.97 (158.10)	+81.14	2.00 - 67.00	17.36 (10.59)	-8.46
				PM10	12.00 - 254.00	52.97 (37.00)	44.00 - 848.00	149.58 (158.57)	+96.60	4.00 - 183.00	39.10 (31.70)	-13.88
Cheongok-dong (632151)	강원 동해	Within 25 km and ≥5 downwind hours	87	PM2.5	8.00 - 77.00	25.35 (13.27)	4.00 - 431.00	68.79 (73.38)	+43.44	1.00 - 44.00	17.44 (9.97)	-7.91
				PM10	4.00 - 213.00	42.04 (30.97)	21.00 - 576.00	108.58 (92.39)	+66.54	3.00 - 136.00	30.96 (23.35)	-11.08
Donghae Port (132901)	강원 동해	Within 25 km and ≥5 downwind hours	79	PM2.5	9.00 - 70.00	27.27 (12.61)	6.00 - 294.00	41.71 (36.95)	+14.44	5.00 - 49.00	19.77 (10.24)	-7.50
				PM10	26.00 - 346.00	67.30 (46.27)	15.00 - 414.00	94.32 (52.89)	+27.01	5.00 - 240.00	51.44 (41.01)	-15.86
Namyang-dong (632161)	강원 삼척	Within 25 km and ≥5 downwind hours	76	PM2.5	12.00 - 70.00	25.50 (12.37)	5.00 - 198.00	29.52 (21.26)	+4.02	5.00 - 38.00	18.31 (8.19)	-7.19
				PM10	6.00 - 209.00	36.04 (25.29)	10.00 - 325.00	51.07 (33.37)	+15.03	3.00 - 93.00	26.67 (18.20)	-9.37
Bukpyeong-myeon (632371)	강원 정선	≥5 downwind hours	21	PM2.5	7.00 - 86.00	33.50 (17.23)	3.00 - 69.00	26.20 (15.47)	-7.29	3.00 - 89.00	22.56 (14.60)	-10.94
				PM10	19.00 - 142.00	52.50 (28.33)	22.00 - 213.00	54.40 (31.13)	+1.90	4.00 - 116.00	34.80 (24.51)	-17.70

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 6 - Hongseong, Chungnam (Seobu-Jung) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Hongseong-eup (534491)	충남 홍성	Within 25 km	2	PM2.5	6.00 - 67.00	33.30 (15.52)	11.00 - 44.00	24.48 (8.76)	-8.82	3.00 - 152.00	28.35 (32.41)	-4.95
				PM10	26.00 - 118.00	66.84 (21.50)	20.00 - 71.00	41.70 (12.36)	-25.13	2.00 - 172.00	51.35 (36.54)	-15.48
Naepo (534492)	충남 홍성	Within 25 km	3	PM2.5	4.00 - 73.00	33.16 (16.35)	8.00 - 55.00	25.52 (11.21)	-7.64	1.00 - 155.00	27.67 (37.82)	-5.49
				PM10	28.00 - 126.00	67.89 (21.82)	17.00 - 62.00	38.48 (11.48)	-29.41	3.00 - 188.00	55.19 (40.06)	-12.70
Taean-eup (534463)	충남 태안	≥5 downwind hours	34	PM2.5	3.00 - 77.00	28.67 (16.24)	3.00 - 87.00	50.17 (20.49)	+21.50	1.00 - 205.00	26.45 (39.02)	-2.22
				PM10	16.00 - 120.00	66.77 (21.20)	24.00 - 103.00	62.84 (19.39)	-3.92	6.00 - 215.00	58.37 (40.35)	-8.39
Wonbuk-myeon (534465)	충남 태안	≥5 downwind hours	26	PM2.5	1.00 - 71.00	27.75 (16.68)	8.00 - 68.00	37.43 (15.54)	+9.68	1.00 - 183.00	23.95 (36.35)	-3.80
				PM10	22.00 - 116.00	58.73 (21.82)	18.00 - 90.00	53.69 (15.24)	-5.04	3.00 - 196.00	50.91 (38.72)	-7.82
Pado-ri (534461)	충남 태안	≥5 downwind hours	41	PM2.5	9.00 - 89.00	33.23 (17.44)	17.00 - 77.00	42.15 (9.85)	+8.92	4.00 - 195.00	27.08 (36.63)	-6.15
				PM10	17.00 - 137.00	65.24 (23.97)	39.00 - 82.00	61.04 (10.76)	-4.20	9.00 - 234.00	62.12 (42.99)	-3.12

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 7 - Sancheong, Gyeongnam (Sicheon-Sincheon) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Sancheong-eup (238471)	경남 산청	Within 25 km and ≥5 downwind hours	173	PM2.5	3.00 - 56.00	19.41 (8.33)	3.00 - 78.00	19.94 (11.10)	+0.53	1.00 - 38.00	14.55 (8.22)	-4.86
				PM10	7.00 - 70.00	29.01 (9.96)	11.00 - 155.00	36.15 (19.83)	+7.15	2.00 - 64.00	30.35 (16.01)	+1.34
Hadong-eup (238161)	경남 하동	Within 25 km and ≥5 downwind hours	88	PM2.5	3.00 - 35.00	17.48 (7.59)	3.00 - 58.00	19.82 (9.51)	+2.34	0.00 - 29.00	13.57 (6.94)	-3.92
				PM10	6.00 - 47.00	25.83 (9.70)	8.00 - 170.00	35.06 (20.85)	+9.23	2.00 - 66.00	29.83 (16.38)	+3.99
Hamyang-eup (238451)	경남 함양	≥5 downwind hours	195	PM2.5	5.00 - 39.00	19.11 (8.78)	4.00 - 118.00	22.75 (14.48)	+3.64	2.00 - 42.00	18.35 (9.91)	-0.76
				PM10	9.00 - 68.00	31.85 (13.29)	14.00 - 317.00	46.71 (33.38)	+14.86	0.00 - 104.00	39.64 (24.16)	+7.80
Namsang-myeon (238481)	경남 거창	≥5 downwind hours	183	PM2.5	6.00 - 51.00	23.55 (10.74)	5.00 - 80.00	23.79 (11.74)	+0.23	1.00 - 45.00	17.20 (9.59)	-6.35
				PM10	14.00 - 78.00	42.76 (15.59)	13.00 - 300.00	52.17 (29.26)	+9.41	6.00 - 103.00	37.10 (21.61)	-5.66
Jangsu-eup (735391)	전북 장수	≥5 downwind hours	194	PM2.5	1.00 - 48.00	20.51 (10.97)	1.00 - 80.00	21.65 (11.73)	+1.15	1.00 - 37.00	14.44 (8.67)	-6.07
				PM10	6.00 - 70.00	37.90 (16.11)	10.00 - 346.00	48.67 (32.47)	+10.77	5.00 - 92.00	40.11 (22.65)	+2.22

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 8 - Uiseong, Gyeongbuk (Anpyeong-Goesan) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Uiseong-eup (437412)	경북 의성	Within 25 km and ≥5 downwind hours	131	PM2.5	5.00 - 49.00	20.03 (9.75)	4.00 - 539.00	65.45 (86.46)	+45.42	5.00 - 34.00	17.51 (6.47)	-2.52
				PM10	8.00 - 59.00	30.53 (13.93)	10.00 - 724.00	101.22 (104.88)	+70.69	14.00 - 59.00	29.87 (7.62)	-0.66
Angye-myeon (437411)	경북 의성	Within 25 km and ≥5 downwind hours	19	PM2.5	7.00 - 68.00	25.51 (11.78)	8.00 - 186.00	30.97 (21.44)	+5.46	10.00 - 36.00	21.86 (5.97)	-3.65
				PM10	14.00 - 77.00	37.08 (13.68)	17.00 - 201.00	59.73 (32.89)	+22.65	20.00 - 66.00	34.05 (7.36)	-3.03
Sangju-si (437181)	경북 상주	≥5 downwind hours	22	PM2.5	8.00 - 52.00	25.81 (10.28)	8.00 - 101.00	28.35 (16.29)	+2.54	7.00 - 42.00	19.60 (6.82)	-6.21
				PM10	11.00 - 70.00	35.50 (15.37)	9.00 - 259.00	61.70 (41.49)	+26.20	11.00 - 53.00	28.87 (7.80)	-6.63
Hwabuk-myeon (437401)	경북 영천	≥5 downwind hours	117	PM2.5	4.00 - 50.00	22.07 (10.52)	7.00 - 59.00	24.57 (12.28)	+2.49	8.00 - 36.00	18.26 (5.84)	-3.82
				PM10	8.00 - 63.00	31.60 (13.16)	12.00 - 222.00	56.61 (40.28)	+25.01	11.00 - 49.00	28.71 (7.39)	-2.89
Cheongsong-gun (735601)	경북 청송	≥5 downwind hours	121	PM2.5	3.00 - 41.00	17.25 (8.93)	4.00 - 557.00	74.15 (97.78)	+56.90	6.00 - 33.00	16.45 (6.11)	-0.81
				PM10	3.00 - 132.00	32.24 (20.17)	12.00 - 661.00	113.61 (118.73)	+81.37	10.00 - 63.00	31.65 (10.40)	-0.59

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 9 - Ulju, Ulsan (Onyang-Unhwa) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Deoksin-ri (238128)	울산 울산	Within 25 km and ≥5 downwind hours	40	PM2.5	7.00 - 41.00	23.33 (8.52)	9.00 - 162.00	42.64 (22.13)	+19.31	7.00 - 65.00	21.37 (10.25)	-1.97
				PM10	8.00 - 75.00	33.67 (14.95)	10.00 - 261.00	81.34 (50.48)	+47.67	11.00 - 86.00	31.68 (13.54)	-2.00
Samho-dong (238362)	경남 양산	Within 25 km and ≥5 downwind hours	13	PM2.5	0.00 - 40.00	17.05 (9.27)	6.00 - 215.00	33.80 (30.41)	+16.75	1.00 - 49.00	13.58 (8.51)	-3.47
				PM10	2.00 - 69.00	30.35 (16.17)	2.00 - 302.00	79.10 (60.19)	+48.75	7.00 - 64.00	27.59 (12.91)	-2.76
Sinjeong-ro (238126)	울산 울산	Within 25 km and ≥5 downwind hours	101	PM2.5	4.00 - 36.00	17.83 (7.86)	6.00 - 155.00	33.22 (21.80)	+15.39	4.00 - 44.00	15.08 (8.49)	-2.74
				PM10	7.00 - 62.00	28.74 (12.74)	8.00 - 213.00	67.13 (39.55)	+38.39	10.00 - 64.00	27.05 (11.96)	-1.69
Sinjeong-dong (238127)	울산 울산	Within 25 km and ≥5 downwind hours	101	PM2.5	6.00 - 39.00	20.95 (8.75)	11.00 - 118.00	38.68 (18.57)	+17.73	6.00 - 50.00	18.30 (9.60)	-2.65
				PM10	8.00 - 64.00	29.35 (12.65)	8.00 - 234.00	71.11 (39.61)	+41.76	8.00 - 57.00	26.24 (11.97)	-3.10
Seongnam-dong (238121)	울산 울산	Within 25 km and ≥5 downwind hours	101	PM2.5	6.00 - 45.00	22.18 (9.14)	9.00 - 107.00	34.93 (17.78)	+12.74	6.00 - 47.00	19.26 (9.00)	-2.92
				PM10	9.00 - 73.00	34.32 (15.39)	12.00 - 265.00	83.72 (51.62)	+49.40	11.00 - 66.00	32.15 (13.42)	-2.17

Concentrations and anomalies are in μg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.

Event 10 - Uiseong, Gyeongbuk (Angye-Yonggi) | PM summary table

Station (code)	Region	Selection	Downwind hours	PM	Prefire Min-Max	Prefire Mean (SD)	Active fire Min-Max	Active fire Mean (SD)	Active fire Mean anomaly	Postfire Min-Max	Postfire Mean (SD)	Postfire Mean anomaly
Angye-myeon Office (437413)	경북 의성	Within 25 km and ≥5 downwind hours	12	PM2.5	4.00 - 56.00	22.20 (10.95)	4.00 - 204.00	36.07 (38.27)	+13.87	3.00 - 36.00	18.32 (6.61)	-3.89
				PM10	6.00 - 75.00	36.61 (15.09)	10.00 - 316.00	73.54 (58.97)	+36.93	14.00 - 67.00	31.01 (8.51)	-5.60
Angye-myeon (437411)	경북 의성	Within 25 km and ≥5 downwind hours	5	PM2.5	7.00 - 68.00	25.82 (11.60)	8.00 - 186.00	31.06 (21.58)	+5.25	10.00 - 36.00	21.86 (5.97)	-3.96
				PM10	14.00 - 77.00	37.71 (13.64)	17.00 - 201.00	59.80 (33.12)	+22.09	20.00 - 66.00	34.05 (7.36)	-3.65
Gunwi-eup (422212)	대구 대구	Within 25 km and ≥5 downwind hours	32	PM2.5	2.00 - 41.00	19.80 (9.53)	3.00 - 48.00	21.28 (10.57)	+1.49	5.00 - 31.00	16.76 (5.83)	-3.04
				PM10	7.00 - 74.00	36.50 (15.26)	16.00 - 249.00	57.57 (39.53)	+21.07	13.00 - 56.00	31.38 (7.66)	-5.12
Uiseong-eup (437412)	경북 의성	Within 25 km and ≥5 downwind hours	119	PM2.5	5.00 - 49.00	20.31 (9.58)	4.00 - 539.00	66.06 (86.89)	+45.75	5.00 - 34.00	17.51 (6.47)	-2.80
				PM10	8.00 - 59.00	31.13 (13.87)	10.00 - 724.00	101.93 (105.42)	+70.79	14.00 - 59.00	29.87 (7.62)	-1.27
Myeongnyun-dong (437141)	경북 안동	≥5 downwind hours	81	PM2.5	7.00 - 47.00	22.66 (9.45)	7.00 - 985.00	95.24 (171.60)	+72.58	8.00 - 35.00	19.68 (5.26)	-2.98
				PM10	17.00 - 84.00	45.19 (17.37)	21.00 - 1246.00	154.96 (214.91)	+109.78	22.00 - 66.00	40.91 (8.25)	-4.28

Concentrations and anomalies are in µg/m³. SD = sample standard deviation (ddof=1). Missing measurements are excluded without interpolation. Active-fire statistics use all active-fire hours, not only downwind hours. Mean anomaly = period mean minus the saved station-, event-, and pollutant-specific seven-day prefire baseline. Values are displayed to two decimal places. Selection categories do not confirm smoke exposure. Existing analysis windows and chronological event identifiers are retained; all timestamps use KST. Baseline REVIEW pairs are marked and retained. Reporting subset: two nearest eligible stations, then up to three additional stations by downwind hours. Proximity threshold: 25 km; candidate radius: 50 km.